

■ WT30-M01-FLK / SID16 / SMD16 / SMD16-1

**FCC ID:VM6WT30**


This device complies with  
Part 15 of the FCC Rules.  
Operation is subject to the  
following two conditions:  
(1) This device may not cause  
harmful interference, and  
(2) this device must accept  
any interference received,  
including interference that  
may cause undesired operation.


1 2 3 4 5 6



OMRON  
 WT30-   
 WIRELESS TERMINALS

---

SOURCE: 24V DC  $\equiv$  3.5W  
 IN: 24V DC 5mA/P  
 OUT: 24V DC 0.1A<sub>max</sub>/P

 LISTED  
 95M8  
 IND. CONT. EQ.  
 CLASS2 ONLY

 2.4 DS 4

R   
 CMII ID:

LOT No.

---

**OMRON Corporation**  
**MADE IN JAPAN**

Type	A	B
WT30-M01-FLK	M01-FLK	IN: 24V DC 5mA/P OUT: 24V DC 0.1A <sub>max</sub> /P
WT30-SID16	SID16	
WT30-SMD16	SMD16	
WT30-SMD16-1	SMD16-1	

					MATERIAL	SCALE	<b>Wireless Terminals Label</b>
					FINISH	2:1	
					TOLERANCES UNLESS SPECIFIED	3RD ANGLE	
					DESIGNED (お)開発 城戸	CHECKED (お)開発 中川	
					SIGN	APPROVED (お)開発 村上	DRWG NO. XXXXXXXX-X
SYM	DATE	E/C CONTENTS	E/C NO.	SIGN		SHEET /	DESIGNED FOR WT30