



# Digital Cordless Phone

dual handset answering system



User Guide  
Part No. 270-000000000000

## Rechargeable battery warning

- This equipment contains a rechargeable battery.
- This equipment is for use only with the following battery: Huizhou Shenzhou Super Power Technology Co. Ltd. SANIK BATTERY Co.Ltd. Model Number AAA400mAh 2.4V
- Rechargeable batteries are known to the State of California to cause cancer.
- Do not short-circuit the battery.
- The rechargeable batteries contained in this equipment may explode if disposed of in a fire.
- Do not charge the battery used in this equipment in any charger other than the one designed to charge this battery as specified in the owner's manual. Using another charger may damage the battery or cause it to explode.

## Important installation information

- Never install telephone wiring during a lightning storm.
- Never touch uninsulated telephone wires or terminals, unless the telephone line has been disconnected at the network interface.
- Use caution when installing or modifying telephone lines.
- Never install telephone jacks in wet locations unless the jack is specifically designed for wet locations.
- Temporarily disconnect any equipment connected to the phone, such as faxes, other phones, or modems.


## Important safety instructions

When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:


- 1) Do not use this product near water, for example, near a bath tub, wash bowl, kitchen sink or laundry tub, in a wet basement or near a swimming pool.
- 2) Avoid using a telephone (other than cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
- 3) Do not use the telephone to report a gas leak in the vicinity of the leak.
- 4) Use only the power cord and batteries indicated in this manual. Do not dispose of batteries in a fire. They may explode. Check with local codes for possible special disposal instructions.

**SAVE THESE INSTRUCTIONS**

## In the box




## Telephone jack requirements



Modular Telephone Line Jack

To use this phone, you must have an RJ11C modular telephone jack. If you do not have a modular jack, please call your local telephone company to find out how to get one installed.



**CAUTION: Disconnect the phone cord from the wall outlet before installing or replacing the batteries. (Only for telephones which require batteries)**

# Getting started

## Installing the battery

1. Open the battery cover.
2. Plug the battery connector securely into the socket inside the handset battery compartment. Be sure to match the colors as shown in figure 1.
3. Insert the battery as shown in figure 2.
4. Close the battery cover.
5. Place the handset on the base to charge.



Before using for the first time, charge the handset for 12-16 hours




Figure 1





Figure 2

## Wall Mounting


To mount your telephone on a wall plate (not included), follow the instructions below:

1. Plug the line cord into a modular phone jack.
2. Align the holes on the base (and cradle) with the mounting studs on the wall plate(s).
3. Pull the base down onto the studs until the telephone is secure.



## Connecting Handset 1


1. Plug one end of the line cord into the jack on the bottom of the phone's base, and the other end into a modular phone jack.



2. Plug the pin of the AC adaptor into the DC6V jack on the bottom of the base as shown above, and plug into a standard AC outlet.
3. The handset will display "Searching", wait until "Handset 1" is displayed.
4. Press on the handset and confirm you hear the dial tone.

## Handset 2

1. Plug the pin of the AC adaptor into the DC6V jack on the bottom of the cradle and plug into a standard AC outlet.




2. The handset will display "Searching", wait until "Handset 2" is displayed.
3. Press on the handset and confirm you hear the dial tone.




Handsets 2 & 3 do not require telephone jacks.

## The handset / Using the phone

### Standby Screen



Handset 1



Handset 2

### Speaker




- to use the speakerphone, press the button, this can be done before or during a call.



### Volume



- during a call or while using the speakerphone, use the and buttons to increase or decrease the volume.



### Redial



- to redial a number, press and HOLD the button, then use the and buttons to select from a list of recently dialed numbers, and press to make the call.



### Answer calls




- answer a call
- start a call
- dial a number from the phonebook or Caller ID history
- activate / deactivate speakerphone

### End calls



- end a call
- in the menu, escape to the standby screen



Press the soft key to mute or disable mute.

### Caller ID / Call Waiting Caller ID

IMPORTANT: In order to use this unit's Caller ID features, you must subscribe to either the standard Name/Number Caller ID Service or Call Waiting Caller ID Service from your local telephone company. This telephone automatically displays an incoming caller's name and telephone number, as well as the date and time of the call. It can record and store the information of up to 30 calls into the phone's Caller ID memory.

### Reviewing Caller ID information:

- In the standby mode, use the and buttons to review the Caller ID history.
- you can select a number and press to dial it.
- to save a number to the phonebook, press the softkey and then select "Save Number" and press the softkey to confirm and save.

### Call Waiting / Flash

The Flash feature is used to activate calling services available through your local phone company, such as Call Waiting, and Three Way Calling. To use the features below you must subscribe to these services from your local telephone company.


#### To answer an incoming call while having a conversation:

After you hear the Call Waiting tone, press and release the key on the handset. The first call is placed on hold and the second call is answered.

#### To return to the first call and put the second call on hold:

Press and release the key on the handset again to return to the first call, the second call will be put on hold.

### Caller ID screen



### Caller ID options screen



Soft Keys



You can delete a number, or all numbers from the Caller ID history in the Caller ID options screen.

### Phonebook

The phone can store up to 50 names and numbers in its phonebook. Caller information may be saved from the received calls in the Caller ID memory (see "Reviewing Caller ID information"), or entered manually.

#### Dialing a number from the phonebook:

1. Press the button to open the phonebook.
2. Use the and buttons to navigate up or down.
3. Press the button to dial the selected number.


#### Phonebook screen



#### Adding numbers to the phonebook:

1. Press the button to open the phonebook.
2. Press the softkey, and select "New Entry" from the phonebook options screen and press the softkey.
3. Use the handset keypad to enter a name for the entry by multi-pressing a key until the desired letter is displayed.
4. Press to add a space and the softkey to make a correction.
5. When finished entering the name, press the softkey.
6. Enter the number using the handset keypad.
7. When finished entering the number, press the softkey.
8. Select a ring tone and press the softkey to save the number in the phonebook.
9. It is possible to edit and delete numbers in the phonebook from the phonebook options screen.

#### phonebook screen




#### phonebook options screen




Soft Keys

#### entry screen (name)



#### entry screen (number)



Soft Keys

## Using multiple handsets



### Intercom

1. To use the intercom, press and **HOLD** the  button.
2. Dial the number of the handset you would like to call.
3. Press  to end the intercom (internal) call.



### Receiving an intercom (internal) call



1. Press  to accept the internal call.
2. During the call, the handset number of the caller is displayed.
3. Press  to hang up.



### Receiving an external call during an intercom (internal) call

If you receive an external call during an internal call, a call waiting tone (double beep) will be heard on both handsets.



### Transferring a call to another handset




1. Press and **HOLD** the  button.
2. Dial the number of the handset you would like to transfer the call to.
3. If the handset dialed answers, you can have an internal conversation.
4. Press  to end the internal conversation and transfer the call.
5. If the handset dialed does not answer, press  to speak to the external caller again.



### Conference call (2 internal handsets and an external caller)

1. While on the line with an external caller, press and **HOLD** the  button (the external line is put on hold).
2. Dial the number of the handset you would like to include in the call.
3. If the handset dialed answers, press the  soft key to merge the calls.



### Copy a phonebook entry to another handset

1. Press the  button to open the phonebook.
2. Search by entering the first letter of the desired name or use the **▲** and **▼** buttons to navigate up or down.
3. Press the  softkey and select "Copy Entry" and press the  softkey.

or

Select "Copy All" to copy all entries from one handset to another (this will erase all the information on the destination handset).

or

Select "Copy-Merge" to copy all entries from one handset to another (the information on the destination handset is not deleted).

4. The available handsets are displayed, use the **▲** and **▼** buttons to select the correct handset and press the  softkey to confirm.
5. "Copying to Handset" is displayed, and "Receive Phone book Record?" appears on the display of the destination handset.
6. On the destination handset, press the  softkey to confirm.

### Additional handsets

It is possible to register up to 5 handsets to the base (2 handsets are included) additional handsets may be purchased separately. If you would like to purchase additional handsets, please contact our customer service department at: 1-877-768-8483 (Toll Free) or cs@southerntelecom.com

### Adding a new handset

The two handsets that are included in this package are already registered, use the steps below to register new handsets only.

1. Press the  button to enter the menu.
2. Use the  buttons and select "Handset" and press the  softkey.
3. Use the **▲** and **▼** buttons and select "Registration" and press the  softkey.
4. Select "Register" and press the  softkey.
5. Select "Base 1" and press the  softkey.
6. When "System PIN:" appears on the display enter **0000** and press the  softkey.
7. When "Restart Base" appears on the display, plug the new base into an AC outlet. If the base registered correctly, a long beep will be heard, and the new handset's display will show the handset name and number.
8. Press  on the handset and confirm you hear the dial tone.

### Removing a handset

Use to remove handsets that are damaged.

1. Follow steps 1-3 (above).
2. Select "De-register" and press the  softkey.
3. Enter system pin **0000** and press the  softkey.
4. When "Select HS" appears enter the handset number of the handset you would like to remove (it must be a handset other than the one you are using) and press the  softkey. "Searching" will appear on the removed handset.

## The base

### Menu

Use the menu to customize various settings such as ringer volume, ring tones, language, display settings and more.



1. Press the button to enter the menu.
2. Use the and buttons to navigate from the following menu selections:

**Phonebook** - Access the phonebook

**Handset** - "Ring Tone" (incoming calls/intercom), "Ringer Volume", "Handset Name", "Keypad Beep" (on/off), "Contrast", "Auto Talk", "Confirm Beep", "Select Base", "Language", "Registration", and "Area Code".



**Base Settings** - "Ring Tone", "Ringer Volume", "Dial Mode", "Recall", and "System PIN".

**Time** - "Set Alarm", "Date & Time" (the date and time will be set automatically after your first incoming Caller ID call), "Set Time Format"

**Tools** - "Appointment", "Stop Watch"

3. Press the softkey to select an option.
4. Press the softkey to go back.

menu screen



### Volume



- Adjust the volume of the base
- Adjust the "rings to answer" option (how many rings until the answering system picks up the call)
- Adjust the "security code" option (the security code is factory set to 000)




From the handset's menu you can adjust the base's ringer volume or select ringtones - select menu > "Base Settings" > "Ring Tone" or "Ringer Volume".

### Paging




- Press and the handset will emit an alarm making it easy to find.
- Press any key on the handset to stop the paging alarm.



## Answering system

### Power on/off


To turn the answering machine on or off:



- Press the button to turn the answering system on or off.

### Outgoing message

The answering system includes the following factory pre-recorded message: "Hello, your call cannot be taken at the moment, so please leave a message after the tone." To record your own personal outgoing message follow the steps below:



#### Recording an outgoing message:

1. Press and **HOLD** the button until you hear the voice prompt.
2. Record a brief outgoing message and press the button. Your outgoing message will be saved and played back for your confirmation.
3. To listen to your outgoing message press the button.
4. To delete your outgoing message, press the button while your outgoing message is playing. You can then record another outgoing message, or the factory pre-recorded outgoing message will be used by the answering system.


## Playback messages

When new messages are recorded on the answering system, the display will flash with the number of new, unheard messages recorded. After all the new messages have been played back, the number of messages played back but not deleted (old messages) will appear on the display but will not flash.



### Playback messages:

- Press the button, the answering system will announce the total number of messages (old and new) and the message number, followed by the message.



- Press the button, to pause or resume playback, or press the button to stop.

“8 messages,  
5 new messages”

“message 1  
Thursday, 12:00 PM”

the message is  
played back

### To skip messages:


- Press the or buttons to skip to the previous or next message.

## Deleting messages

The answering system can record up to 11 minutes of incoming messages in its voice mailbox. It is important to manage and delete messages that have already been heard. In the event that the voice mailbox of the answering system is full, the following message will be played back to incoming callers attempting to leave a message "Hello, the voice mailbox is full, please call back later - thank you".

### To delete a single message:

- While a message is playing, press and **HOLD** the  button for 2 full seconds until the answering system responds with the following voice prompt: "message deleted".




### To delete all messages (this option will only erase all the messages that have been heard, new unheard messages will not be deleted):


- During standby mode (while no messages are playing), press and **HOLD** the  button until "dL" appears on the display and press the  button once again, the answering system will respond with the following voice prompt: "all messages deleted".
- If you do not wish to delete all messages press the  button to return to the standby mode.



It is important to manage the answering system's voice mailbox properly by deleting your old messages.




OR



## Rings to answer

The answering system is factory preset to answer an incoming call after 5 rings, this however may be adjusted by following the instructions below:



### To change the "rings to answer" setting:

- Press and **HOLD** the  button until the system emits a tone and the following voice prompt, "please set ring delay".
- Use the  buttons to change the number of rings up or down.
- If you select "TS" (time saver) the answering system will answer after 5 rings if there are no new messages, and after 2 rings if there are new messages.
- When you are finished, press the  button to confirm the setting.




If voicemail is included as an option from your telephone company, it is important to set the answering system to answer before the voicemail system of the phone company, otherwise your messages will be recorded in the voicemail system of the phone company and not the answering system's voice mailbox.



### To check the "rings to answer" setting:

- Press the  button to check how many rings before the answering system will respond to an incoming call.



## Remote access

It is possible to access your messages and control the answering system from anywhere using a standard telephone and the factory preset security code (000), or you can select your own security code.

### To remotely access your answering system:

1. Call the answering system.
2. After the outgoing message is played followed by a beep tone, slowly dial the security code (\*\*000).
3. The answering system will confirm with two short beeps and will play back the remote voice guide.
4. Enter the correct code for the desired function (follow the chart below for details regarding the remote voice commands).

Remote Code	Function
1	Rewind
2	Play / Pause
3	Fast Forward
4	OGM Playback
5	OGM Recording (Press 6 to stop)
6	Stop
7	Delete Current Message
8	Answering Off
9	Answering On
0	Delete All Old Messages
*	Skip Announcement

### To turn on the answering system from a remote location:

1. Call the answering system, the system will pick up after ten rings.
2. Dial the security code (\*\*000) after the message and beep tone.
3. Press "9", a long beep confirmation will follow and the answering system will be turned on.
4. Press "6" to end the remote operation.





### To change the security code:

1. Press and **HOLD** the  button until the system emits a tone and the following voice prompt, "please set security code".
2. Use the  buttons to change the number up or down, and press the  button to confirm.
3. Repeat step number 2 until all three digits of the security code are set and the answering system confirms the code with a voice prompt of the new security code.



### To check the security code:

- Press the  button to check the security code.



Press to check or press and **HOLD** to adjust.

## Important safety instructions

When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

1. Do not use this product near water, for example, near a bath tub, wash bowl, kitchen sink or laundry tub, in a wet basement or near a swimming pool.
2. Avoid using a telephone (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
3. Do not use the telephone to report a gas leak in the vicinity of the leak.
4. Use only the power cord and batteries indicated in this manual. Do not dispose of batteries in a fire. They may explode. Check with local codes for possible special disposal instructions.

Warning! The cords on this product and / or accessories contain lead, a chemical known to the State of California to cause birth defects or other reproductive harm. Wash hands after handling.



**CAUTION:**  
RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN  
INCORRECT TYPE. DISPOSE OF USED BATTERIES  
ACCORDING TO THE INSTRUCTIONS.  
USE ONLY WITH EMERSON MODEL NO.EM6120-2

## SAVE THESE INSTRUCTIONS

### WARNING:

TO PREVENT FIRE OR ELECTRICAL SHOCK HAZARD, DO NOT EXPOSE THIS PRODUCT TO  
RAIN OR MOISTURE.



The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.



**CAUTION**  
RISK OF ELECTRIC SHOCK  
DO NOT OPEN  
  
WARNING: TO REDUCE THE RISK  
OF ELECTRIC SHOCK, DO NOT  
REMOVE COVER (OR BACK).  
NO USER SERVICEABLE PARTS  
INSIDE. REFER SERVICING TO  
QUALIFIED SERVICE PERSONNEL.



The exclamation point within the equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the product.

See marking on bottom / back of product.

## Compliance information

to return to standby mode.

Your telephone equipment is approved for connection to the Public Switched Telephone Network and is in compliance with parts 15 and 68, FCC Rules and Regulations and the Technical Requirements for Telephone Terminal Equipment published by ACTA.

### FCC Part 68 information

#### 1. Notification to the Local Telephone Company

On the bottom of this equipment is a label indicating, among other information, the US number and Ringer Equivalence Number (REN) for the equipment. You must, upon request, provide this information to your telephone company. The REN is useful in determining the number of devices you may connect to your telephone line and still have all of these devices ring when your telephone number is called. In most (but not all) areas, the sum of the RENs of all devices connected to one line should not exceed 5. To be certain of the number of devices you may connect to your line as determined by the REN, you should contact your local telephone company.

A plug and jack used to connect this equipment to the premises wiring by the ACTA. A compliant telephone cord and modular plug is provided with this product. It is designed to be connected to a compatible modular jack that is also compliant. See installation instructions for details.

#### Notes

- This equipment may not be used on coin service provided by the telephone company.
- Party lines are subject to state tariffs, and therefore, you may not be able to use your own telephone equipment if you are on a party line. Check with your local telephone company.
- Notice must be given to the telephone company upon permanent disconnection of your telephone from your line.
- If your home has specially wired alarm equipment connected to the telephone line, ensure the installation of this product does not disable your alarm equipment. If you have questions about what will disable alarm equipment, consult your telephone company or a qualified installer.

**US Number is located on the cabinet bottom.  
REN Number is located on the cabinet bottom.**

#### 2. Rights of the Telephone Company

Should your equipment cause trouble on your line which may harm the telephone network, the telephone company shall, where practicable, notify you that temporary discontinuance of service may be required. Where prior notice is not practicable and the circumstances warrant such action, the telephone company may temporarily discontinue service immediately. In case of such temporary discontinuance, the telephone company must: (1) promptly notify you of such temporary discontinuance; (2) afford you the opportunity to correct the situation; and (3) inform you of your right to bring a complaint to the Commission pursuant to procedures set forth in Subpart E of Part 68, FCC Rules and Regulations.

The telephone company may make changes in its communications facilities, equipment, operations or procedures where such action is required in the operation of its business and not inconsistent with FCC Rules and Regulations. If these changes are expected to affect the use or performance of your telephone equipment, the telephone company must give you adequate notice, in writing, to allow you to maintain uninterrupted service.

### FCC Part 15 information

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference; and (2) This device must accept any interference received, including interference that may cause undesired operation.

Privacy of Communications may not be ensured when using **this phone**.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna (that is, the antenna for radio or television that is "receiving" the interference).
- Reorient or relocate and increase the separation between the telecommunications equipment and receiving antenna.
- Connect the telecommunications equipment into an outlet on a circuit different from that to which the receiving antenna is connected.

If these measures do not eliminate the interference, please consult your dealer or an experienced radio/television technician for additional suggestions. Also, the Federal Communications Commission has prepared a helpful booklet, "How To Identify and Resolve Radio/TV Interference Problems."

This booklet is available from the U.S. Government Printing Office, Washington, D.C. 20402. Please specify stock number 004-000-00345-4 when ordering copies.

**Notice:** The changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

### FCC RF exposure information

This phone complies with FCC radiation exposure limits under the following conditions:

- The base must be placed to allow a minimum of 20cm (8 inches) between the antenna and all persons during normal operation.
- The base must not be collocated or operated in conjunction with any other antenna or transmitter.

### Hearing Aid Compatibility

This telephone meets FCC standards for Hearing Aid Compatibility.

# Limited Warranty

## 90 Days Limited Warranty

In the unlikely event that this product is defective, or does not perform properly, you may within ninety (90) days from your original date of purchase return it to the authorized service center for repair or exchange.

### TO OBTAIN WARRANTY SERVICE:

- Provide proof of the date of purchase within the package (Dated bill of sale).
- Prepay all shipping costs to the authorized service center, and remember to insure your return.
- Include a return shipping address (no P.O. Boxes), a telephone contact number, and the defective unit within the package.
- Describe the defect or reason you are returning the product.

Your product will be repaired or replaced, at our option, for the same or similar model of equal value if examination by the service center determines this product is defective. Products received damaged as a result of shipping will require you to file a claim with the carrier.



The shipping address of the authorized service center is:

**Southern Telecom Inc.**  
**Attention: Customer Service (2nd Floor)**  
**14-C 53rd Street**  
**Brooklyn, NY 11232**

Should you have any questions or problems concerning this product, please contact our customer service department at:



**1-877-768-8483 (Toll Free)**

Monday - Thursday: 9AM - 5PM (EST)

Friday: 9AM - 3PM (EST)

or via e-mail at:



[cs@southerntelecom.com](mailto:cs@southerntelecom.com)

### Warranty service not provided

This warranty does not cover damage resulting from accident, misuse, abuse, improper installation or operation, lack of reasonable care, and unauthorized modification. This warranty is voided in the event any unauthorized person opens, alters or repairs this product. All products being returned to the authorized service center for repair must be suitably packaged.

### Limitation of Warranty:

- THE WARRANTY STATED ABOVE IS THE ONLY WARRANTY APPLICABLE TO THIS PRODUCT. ALL OTHER WARRANTIES, EXPRESS OR IMPLIED (INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE HEREBY DISCLAIMED.
- REPAIR OR REPLACEMENT AS PROVIDED UNDER THIS WARRANTY IS THE EXCLUSIVE REMEDY OF THE CONSUMER. SOUTHERN TELECOM INC. SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THIS PRODUCT OR ARISING OUT OF ANY BREACH OF ANY EXPRESS OR IMPLIED WARRANTY ON THIS PRODUCT. THIS DISCLAIMER OF WARRANTIES AND LIMITED WARRANTY ARE GOVERNED BY THE LAWS OF THE STATE OF NEW YORK.
- EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED TO THE APPLICABLE WARRANTY PERIOD SET FORTH ABOVE.

Some states do not allow the exclusion nor limitation of incidental or consequential damages, or limitations on how long an implied warranty lasts so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you also may have other rights that vary from state to state.



Distributed by: AIT, Inc. Brooklyn NY 11232  
© 2011 All rights reserved

Emerson and the G-Clef logo are registered trademarks of Emerson Radio Corp. Parsippany, New Jersey USA

### Information for DECT products



This telephone is compliant with the DECT 6.0 standard which operates in the 1.92GHz to 1.93GHz frequency range.

Installation of this equipment is subject to notification and coordination with UTAM.

Any relocation of this equipment must be coordinated through and approved by UTAM.

UTAM may be contacted at 1-800-429-8826.