




RBW 9 kHz
 MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 17.MAY.2010 22:37:31



Report no.: HK10050635-1
Model no.: LL4822
Speakerphone On-Line Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1: CF15MQP
Trace2: CF15MAV
Trace3: ---

	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
2	CISPR Average	204 kHz	38.40	L1 gnd	-15.04
1	Quasi Peak	208.5 kHz	41.84	L1 gnd	-21.42
2	CISPR Average	253.5 kHz	37.86	L1 gnd	-13.78
1	Quasi Peak	262.5 kHz	40.18	L1 gnd	-21.16
2	CISPR Average	357 kHz	43.37	L1 gnd	-5.41
1	Quasi Peak	361.5 kHz	50.51	L1 gnd	-8.17
2	CISPR Average	406.5 kHz	39.71	L1 gnd	-8.00
1	Quasi Peak	505.5 kHz	46.89	L1 gnd	-9.10
1	Quasi Peak	676.5 kHz	38.67	L1 gnd	-17.32
2	CISPR Average	753 kHz	30.76	L1 gnd	-15.23
1	Quasi Peak	811.5 kHz	43.85	L1 gnd	-12.14
2	CISPR Average	1.0905 MHz	32.93	L1 gnd	-13.06
2	CISPR Average	1.14 MHz	33.58	L1 gnd	-12.41
1	Quasi Peak	1.5045 MHz	42.96	L1 gnd	-13.03
1	Quasi Peak	1.8105 MHz	43.56	L1 gnd	-12.43
2	CISPR Average	2.0715 MHz	32.85	L1 gnd	-13.14
2	CISPR Average	2.904 MHz	32.93	L1 gnd	-13.06
1	Quasi Peak	2.913 MHz	45.90	N gnd	-10.09
1	Quasi Peak	3.9885 MHz	48.86	N gnd	-7.13
2	CISPR Average	4.038 MHz	35.38	L1 gnd	-10.61

Date: 17.MAY.2010 22:36:41

Ctrl No.: N/A



Report no.: HK10050635-1
Model no.: LL4822
Speakerphone On-Line Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
2	CISPR Average	4.848 MHz	37.48	L1 gnd	-8.51
1	Quasi Peak	4.875 MHz	53.05	N gnd	-2.94
1	Quasi Peak	6.207 MHz	53.53	N gnd	-6.46
2	CISPR Average	6.7425 MHz	34.22	N gnd	-15.78
2	CISPR Average	8.0115 MHz	30.72	N gnd	-19.27
1	Quasi Peak	8.097 MHz	40.68	N gnd	-19.31
1	Quasi Peak	11.436 MHz	33.55	L1 gnd	-26.44

Date: 17.MAY.2010 22:36:54

Ctrl No.: N/A