




Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	71.43	22.08	93.51	N/A	N/A	PK
	@	5260	62.68	22.08	84.76	N/A	N/A	AVG
		5442.9	38.94	22.59	61.53	74	-12.47	PK
		5460	27.64	22.66	50.3	54	-3.7	AVG
	*	10520	29.92	15.9	45.82	68.2	-22.38	PK
Vertical	@	5260	75.9	22.08	97.98	N/A	N/A	PK
	@	5260	66.94	22.08	89.02	N/A	N/A	AVG
		5447.1	39.2	22.61	61.81	74	-12.19	PK
		5457.3	27.67	22.65	50.32	54	-3.68	AVG
	*	10520	29.39	15.9	45.29	68.2	-22.91	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 52)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 52)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 52)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 52)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 52)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 52)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	73.08	22.05	95.13	N/A	N/A	PK
	@	5300	63.49	22.05	85.54	N/A	N/A	AVG
		5444.7	39.49	22.6	62.09	74	-11.91	PK
		5459.7	27.59	22.66	50.25	54	-3.75	AVG
	*	10600	28.68	15.83	44.51	74	-29.49	PK
Vertical	@	5300	74.73	22.05	96.78	N/A	N/A	PK
	@	5300	66.7	22.05	88.75	N/A	N/A	AVG
		5453.1	38.56	22.64	61.2	74	-12.8	PK
		5454.6	27.64	22.65	50.29	54	-3.71	AVG
	*	10600	29.94	15.83	45.77	74	-28.23	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	73.38	22.04	95.42	N/A	N/A	PK
	@	5320	64.04	22.04	86.08	N/A	N/A	AVG
		5438.7	39.3	22.57	61.87	74	-12.13	PK
		5456.1	27.6	22.65	50.25	54	-3.75	AVG
	*	10640	29.68	15.91	45.59	74	-28.41	PK
Vertical	@	5320	74.88	22.04	96.92	N/A	N/A	PK
	@	5320	67.16	22.04	89.2	N/A	N/A	AVG
		5432.7	38.62	22.54	61.16	74	-12.84	PK
		5458.5	27.64	22.66	50.3	54	-3.7	AVG
	*	10640	29.63	15.91	45.54	74	-28.46	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 64)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 64)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 64)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 64)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 64)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 64)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5435	38.16	22.56	60.72	74	-13.28	PK
		5459.85	27.65	22.66	50.31	54	-3.69	AVG
		5461.6	38.13	22.67	60.8	68.2	-7.4	PK
	@	5500	69.2	22.79	91.99	N/A	N/A	PK
	@	5500	63.43	22.79	86.22	N/A	N/A	AVG
	*	11000	28.2	16.08	44.28	74	-29.72	PK
Vertical		5452.15	39.14	22.63	61.77	74	-12.23	PK
		5456.7	27.58	22.65	50.23	54	-3.77	AVG
		5466.5	37.81	22.68	60.49	68.2	-7.71	PK
	@	5500	73.58	22.79	96.37	N/A	N/A	PK
	@	5500	64.9	22.79	87.69	N/A	N/A	AVG
	*	11000	28.48	16.08	44.56	74	-29.44	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 100)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 100)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5443.05	38.84	22.59	61.43	74	-12.57	PK
		5454.95	27.59	22.65	50.24	54	-3.76	AVG
		5460.55	38.27	22.66	60.93	68.2	-7.27	PK
	@	5580	70.59	22.64	93.23	N/A	N/A	PK
	@	5580	62.27	22.64	84.91	N/A	N/A	AVG
		5737.05	39.68	22.8	62.48	68.2	-5.72	PK
	*	11160	29.15	16.67	45.82	74	-28.18	PK
Vertical		5442	39.34	22.6	61.94	74	-12.06	PK
		5455.65	27.59	22.65	50.24	54	-3.76	AVG
		5464.75	38.01	22.68	60.69	68.2	-7.51	PK
	@	5580	72.07	22.64	94.71	N/A	N/A	PK
	@	5580	65.66	22.64	88.3	N/A	N/A	AVG
		5738.8	39.07	22.82	61.89	68.2	-6.31	PK
	*	11160	28.16	16.67	44.83	74	-29.17	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 116)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 116)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5448.65	39.2	22.62	61.82	74	-12.18	PK
		5455.3	27.64	22.65	50.29	54	-3.71	AVG
		5468.25	38.52	22.7	61.22	68.2	-6.98	PK
	@	5700	70.14	22.45	92.59	N/A	N/A	PK
	@	5700	63.61	22.45	86.06	N/A	N/A	AVG
		5738.8	39	22.82	61.82	68.2	-6.38	PK
	*	11400	24.96	17.5	42.46	74	-31.54	PK
Vertical		5431.5	39.15	22.54	61.69	74	-12.31	PK
		5459.15	27.72	22.66	50.38	54	-3.62	AVG
		5466.5	38.72	22.68	61.4	68.2	-6.8	PK
	@	5700	75.59	22.45	98.04	N/A	N/A	PK
	@	5700	68.77	22.45	91.22	N/A	N/A	AVG
		5750	39.39	22.91	62.3	68.2	-5.9	PK
	*	11400	25.67	17.5	43.17	74	-30.83	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1




Mode	802.11ax(HE20)	Channel	144
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	27.09	17.46	44.55	74	-29.45	PK
Vertical	*	11440	26.94	17.46	44.4	74	-29.6	PK







Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5544	40.04	22.67	62.71	68.2	-5.49	PK
		5673	40.38	22.53	62.91	85.26	-22.35	PK
	@	5745	69.53	22.88	92.41	N/A	N/A	PK
	*	11490	27.27	17.43	44.7	74	-29.3	PK
Vertical		5581	40.7	22.64	63.34	68.2	-4.86	PK
		5683	39.79	22.5	62.29	92.66	-30.37	PK
	@	5745	74.74	22.88	97.62	N/A	N/A	PK
	*	11490	26.99	17.43	44.42	74	-29.58	PK







Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5649.5	40.52	22.59	63.11	68.2	-5.09	PK
		5682.5	40.06	22.5	62.56	92.29	-29.73	PK
		5785	70.54	23.24	93.78	N/A	N/A	PK
		5923	39.07	23.83	62.9	69.67	-6.77	PK
		5938.5	40.03	23.86	63.89	68.2	-4.31	PK
	*	11570	28.29	17.78	46.07	74	-27.93	PK
Vertical	@	5612	40.93	22.61	63.54	68.2	-4.66	PK
		5698.5	39.69	22.46	62.15	104.09	-41.94	PK
		5785	74.63	23.24	97.87	N/A	N/A	PK
		5884.5	39.64	23.64	63.28	98.15	-34.87	PK
		6030.5	39.59	23.66	63.25	68.2	-4.95	PK
	*	11570	27.95	17.78	45.73	74	-28.27	PK

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	69.88	23.31	93.19	N/A	N/A	PK
		5902	39.35	23.81	63.16	85.18	-22.02	PK
		5968.5	40.36	23.78	64.14	68.2	-4.06	PK
	*	11650	27.23	18	45.23	74	-28.77	PK
Vertical	@	5825	71.87	23.31	95.18	N/A	N/A	PK
		5922	39.65	23.83	63.48	70.41	-6.93	PK
		5935	39.63	23.85	63.48	68.2	-4.72	PK
	*	11650	27.69	18	45.69	74	-28.31	PK

TX, 802.11ax(HE20) (Ch 165)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 165)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Vertical


Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5007.7	42.48	21.41	63.89	74	-10.11	PK
		5046.9	30.9	21.53	52.43	54	-1.57	AVG
	@	5190	69.62	21.88	91.5	N/A	N/A	PK
	@	5190	60.28	21.88	82.16	N/A	N/A	AVG
	*	10380	31.01	15.54	46.55	68.2	-21.65	PK
Vertical		5026.95	42.43	21.46	63.89	74	-10.11	PK
		5041.3	30.79	21.51	52.3	54	-1.7	AVG
	@	5190	71.43	21.88	93.31	N/A	N/A	PK
	@	5190	63.79	21.88	85.67	N/A	N/A	AVG
	*	10380	31.14	15.54	46.68	68.2	-21.52	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5061.25	30.78	21.57	52.35	54	-1.65	AVG
		5063.7	42.51	21.59	64.1	74	-9.9	PK
	@	5230	68.08	22.03	90.11	N/A	N/A	PK
	@	5230	60.09	22.03	82.12	N/A	N/A	AVG
	*	10460	30.47	15.77	46.24	68.2	-21.96	PK
Vertical		5002.1	30.93	21.38	52.31	54	-1.69	AVG
		5042	42.41	21.51	63.92	74	-10.08	PK
	@	5230	71.78	22.03	93.81	N/A	N/A	PK
	@	5230	63.67	22.03	85.7	N/A	N/A	AVG
	*	10460	29.75	15.77	45.52	68.2	-22.68	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	67.54	22.08	89.62	N/A	N/A	PK
	@	5270	59.12	22.08	81.2	N/A	N/A	AVG
		5424.6	38.61	22.5	61.11	74	-12.89	PK
		5451.6	28.32	22.63	50.95	54	-3.05	AVG
	*	10540	29.45	15.87	45.32	68.2	-22.88	PK
Vertical	@	5270	70.82	22.08	92.9	N/A	N/A	PK
	@	5270	62.88	22.08	84.96	N/A	N/A	AVG
		5444.4	39.3	22.6	61.9	74	-12.1	PK
		5445.3	28.37	22.6	50.97	54	-3.03	AVG
	*	10540	31.57	15.87	47.44	68.2	-20.76	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	62
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	67.97	22.05	90.02	N/A	N/A	PK
	@	5310	60.4	22.05	82.45	N/A	N/A	AVG
		5428.2	38.67	22.52	61.19	74	-12.81	PK
		5459.7	28.5	22.66	51.16	54	-2.84	AVG
	*	10620	29.9	15.86	45.76	74	-28.24	PK
Vertical	@	5310	72.16	22.05	94.21	N/A	N/A	PK
	@	5310	63.48	22.05	85.53	N/A	N/A	AVG
		5436.3	39.47	22.57	62.04	74	-11.96	PK
		5459.1	28.22	22.66	50.88	54	-3.12	AVG
	*	10620	30.05	15.86	45.91	74	-28.09	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE40) (Ch 62)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 62)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 62)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 62)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 62)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 62)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	102
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5416.45	38.94	22.46	61.4	74	-12.6	PK
		5458.45	28.2	22.66	50.86	54	-3.14	AVG
		5467.9	38.58	22.69	61.27	68.2	-6.93	PK
	@	5510	67.13	22.76	89.89	N/A	N/A	PK
	@	5510	60.66	22.76	83.42	N/A	N/A	AVG
	*	11020	28.34	16.14	44.48	74	-29.52	PK
Vertical		5454.95	38.75	22.65	61.4	74	-12.6	PK
		5459.15	28.28	22.66	50.94	54	-3.06	AVG
		5463	38.35	22.68	61.03	68.2	-7.17	PK
	@	5510	67.62	22.76	90.38	N/A	N/A	PK
	@	5510	61.78	22.76	84.54	N/A	N/A	AVG
	*	11020	28.77	16.14	44.91	74	-29.09	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE40) (Ch 102)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 102)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 102)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 102)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 102)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 102)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	110
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5446.55	38.81	22.61	61.42	74	-12.58	PK
		5447.95	28.54	22.62	51.16	54	-2.84	AVG
		5468.6	39.19	22.7	61.89	68.2	-6.31	PK
	@	5550	65.06	22.65	87.71	N/A	N/A	PK
	@	5550	59.68	22.65	82.33	N/A	N/A	AVG
		5732.85	39.64	22.76	62.4	68.2	-5.8	PK
	*	11100	29.05	16.41	45.46	74	-28.54	PK
Vertical		5403.5	39.13	22.39	61.52	74	-12.48	PK
		5433.6	28.45	22.55	51	54	-3	AVG
		5466.85	39.01	22.68	61.69	68.2	-6.51	PK
	@	5550	66.99	22.65	89.64	N/A	N/A	PK
	@	5550	59.97	22.65	82.62	N/A	N/A	AVG
		5742.3	39.14	22.85	61.99	68.2	-6.21	PK
	*	11100	28.71	16.41	45.12	74	-28.88	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE40) (Ch 110)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 110)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 110)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 110)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 110)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 110)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	134
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5430.1	38.79	22.53	61.32	74	-12.68	PK
		5455.65	28.32	22.65	50.97	54	-3.03	AVG
		5469.65	38.21	22.7	60.91	68.2	-7.29	PK
	@	5670	66.76	22.54	89.3	N/A	N/A	PK
	@	5670	59.51	22.54	82.05	N/A	N/A	AVG
		5738.45	39.52	22.82	62.34	68.2	-5.86	PK
	*	11340	26.94	17.12	44.06	74	-29.94	PK
Vertical		5454.6	28.48	22.65	51.13	54	-2.87	AVG
		5458.1	38.17	22.66	60.83	74	-13.17	PK
		5466.85	37.38	22.68	60.06	68.2	-8.14	PK
	@	5670	70.87	22.54	93.41	N/A	N/A	PK
	@	5670	63.91	22.54	86.45	N/A	N/A	AVG
		5732.85	39.27	22.76	62.03	68.2	-6.17	PK
	*	11340	27.85	17.12	44.97	74	-29.03	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE40) (Ch 134)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 134)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 134)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 134)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 134)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 134)
Band Edge (Peak), Vertical







Mode	802.11ax(HE40)	Channel	142
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11420	26.75	17.48	44.23	74	-29.77	PK
Vertical	*	11420	27	17.48	44.48	74	-29.52	PK







Mode	802.11ax(HE40)	Channel	151
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5576	40.16	22.64	62.8	68.2	-5.4	PK
		5654.5	39.44	22.58	62.02	71.54	-9.52	PK
	@	5755	67.96	22.96	90.92	N/A	N/A	PK
	*	11510	28.47	17.48	45.95	74	-28.05	PK
Vertical		5649	41.12	22.59	63.71	68.2	-4.49	PK
		5670.5	38.92	22.54	61.46	83.41	-21.95	PK
	@	5755	69.42	22.96	92.38	N/A	N/A	PK
	*	11510	27.76	17.48	45.24	74	-28.76	PK

TX, 802.11ax(HE40) (Ch 151)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE40) (Ch 151)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Vertical


Mode	802.11ax(HE40)	Channel	159
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	68.72	23.34	92.06	N/A	N/A	PK
		5879	40.03	23.57	63.6	102.23	-38.63	PK
		6005.5	39.47	23.64	63.11	68.2	-5.09	PK
	*	11590	27.93	17.88	45.81	74	-28.19	PK
Vertical	@	5795	70.3	23.34	93.64	N/A	N/A	PK
		5906	39.71	23.81	63.52	82.22	-18.7	PK
		5942	39.53	23.86	63.39	68.2	-4.81	PK
	*	11590	27.11	17.88	44.99	74	-29.01	PK

TX, 802.11ax(HE40) (Ch 159)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE40) (Ch 159)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE40) (Ch 159)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE40) (Ch 159)
Band Edge (Peak), Vertical


Mode	802.11ax(HE80)	Channel	42
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5000.35	31.26	21.38	52.64	54	-1.36	AVG
		5041.3	42.7	21.51	64.21	74	-9.79	PK
	@	5210	64.97	21.97	86.94	N/A	N/A	PK
	@	5210	57.92	21.97	79.89	N/A	N/A	AVG
	*	10420	30.06	15.64	45.7	68.2	-22.5	PK
Vertical		5000.35	31.3	21.38	52.68	54	-1.32	AVG
		5023.8	41.4	21.46	62.86	74	-11.14	PK
	@	5210	69.28	21.97	91.25	N/A	N/A	PK
	@	5210	60.92	21.97	82.89	N/A	N/A	AVG
	*	10420	30.75	15.64	46.39	68.2	-21.81	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE80)	Channel	58
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5290	64.79	22.06	86.85	N/A	N/A	PK
	@	5290	58.21	22.06	80.27	N/A	N/A	AVG
		5432.1	39.35	22.54	61.89	74	-12.11	PK
		5460	28.7	22.66	51.36	54	-2.64	AVG
	*	10580	29.8	15.84	45.64	68.2	-22.56	PK
Vertical	@	5290	68.31	22.06	90.37	N/A	N/A	PK
	@	5290	61.07	22.06	83.13	N/A	N/A	AVG
		5436.9	39.53	22.57	62.1	74	-11.9	PK
		5457.6	28.69	22.66	51.35	54	-2.65	AVG
	*	10580	30.32	15.84	46.16	68.2	-22.04	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1