




Mode	802.11ax(HE80)	Channel	106
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5453.55	28.76	22.64	51.4	54	-2.6	AVG
		5459.85	38.83	22.66	61.49	74	-12.51	PK
		5466.15	39.2	22.68	61.88	68.2	-6.32	PK
	@	5530	64.11	22.71	86.82	N/A	N/A	PK
	@	5530	57.84	22.71	80.55	N/A	N/A	AVG
	*	11060	28.87	16.28	45.15	74	-28.85	PK
Vertical		5419.95	38.46	22.48	60.94	74	-13.06	PK
		5455.3	28.56	22.65	51.21	54	-2.79	AVG
		5463.7	38.13	22.68	60.81	68.2	-7.39	PK
	@	5530	64.57	22.71	87.28	N/A	N/A	PK
	@	5530	57.72	22.71	80.43	N/A	N/A	AVG
	*	11060	29.53	16.28	45.81	74	-28.19	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE80) (Ch 106)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE80) (Ch 106)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE80) (Ch 106)
Band Edge (Average), Horizontal




TX, 802.11ax(HE80) (Ch 106)
Band Edge (Average), Vertical



TX, 802.11ax(HE80) (Ch 106)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE80) (Ch 106)
Band Edge (Peak), Vertical



Mode	802.11ax(HE80)	Channel	122
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5453.9	38.66	22.64	61.3	74	-12.7	PK
		5459.5	28.52	22.66	51.18	54	-2.82	AVG
		5464.75	38.33	22.68	61.01	68.2	-7.19	PK
	@	5610	63.41	22.61	86.02	N/A	N/A	PK
	@	5610	55.81	22.61	78.42	N/A	N/A	AVG
		5729.35	38.55	22.72	61.27	68.2	-6.93	PK
	*	11220	27.23	16.85	44.08	74	-29.92	PK
Vertical		5454.95	39.73	22.65	62.38	74	-11.62	PK
		5457.4	28.8	22.65	51.45	54	-2.55	AVG
		5462.3	38.31	22.67	60.98	68.2	-7.22	PK
	@	5610	67.07	22.61	89.68	N/A	N/A	PK
	@	5610	59.64	22.61	82.25	N/A	N/A	AVG
		5748.6	39.08	22.91	61.99	68.2	-6.21	PK
	*	11220	28.37	16.85	45.22	74	-28.78	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE80) (Ch 122)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE80) (Ch 122)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE80) (Ch 122)
Band Edge (Average), Horizontal




TX, 802.11ax(HE80) (Ch 122)
Band Edge (Average), Vertical



TX, 802.11ax(HE80) (Ch 122)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE80) (Ch 122)
Band Edge (Peak), Vertical







Mode	802.11ax(HE80)	Channel	138
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11380	26.91	17.37	44.28	74	-29.72	PK
Vertical	*	11380	26.56	17.37	43.93	74	-30.07	PK



Mode	802.11ax(HE80)	Channel	155
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5575.5	40.01	22.64	62.65	68.2	-5.55	PK
		5677.5	39.05	22.52	61.57	88.59	-27.02	PK
	@	5775	64	23.15	87.15	N/A	N/A	PK
		5901.5	39.31	23.8	63.11	85.55	-22.44	PK
		5944.5	40.12	23.86	63.98	68.2	-4.22	PK
	*	11550	28.58	17.68	46.26	74	-27.74	PK
Vertical		5599	40.46	22.63	63.09	68.2	-5.11	PK
		5695.5	39.64	22.47	62.11	101.88	-39.77	PK
	@	5775	67.69	23.15	90.84	N/A	N/A	PK
		5875.5	40.22	23.54	63.76	104.83	-41.07	PK
		5996	40.05	23.64	63.69	68.2	-4.51	PK
	*	11550	28.11	17.68	45.79	74	-28.21	PK

TX, 802.11ax(HE80) (Ch 155)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE80) (Ch 155)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE80) (Ch 155)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE80) (Ch 155)
Band Edge (Peak), Vertical


OFDMA

Above 1 GHz

Mode	802.11ax(HE20)	Channel	36
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5095.55	41.88	21.7	63.58	74	-10.42	PK
		5102.9	29.64	21.7	51.34	54	-2.66	AVG
	@	5180	73.06	21.82	94.88	N/A	N/A	PK
	@	5180	64.67	21.82	86.49	N/A	N/A	AVG
	*	10360	31.23	15.51	46.74	68.2	-21.46	PK
Vertical		5023.1	41.92	21.46	63.38	74	-10.62	PK
		5092.75	29.79	21.69	51.48	54	-2.52	AVG
	@	5180	76.68	21.82	98.5	N/A	N/A	PK
	@	5180	67.33	21.82	89.15	N/A	N/A	AVG
	*	10360	30.95	15.51	46.46	68.2	-21.74	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	44
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5106.75	29.67	21.7	51.37	54	-2.63	AVG
		5121.1	41.81	21.7	63.51	74	-10.49	PK
	@	5220	74.45	21.99	96.44	N/A	N/A	PK
	@	5220	65.67	21.99	87.66	N/A	N/A	AVG
	*	10440	30.53	15.7	46.23	68.2	-21.97	PK
Vertical		5057.05	41.98	21.57	63.55	74	-10.45	PK
		5100.45	29.77	21.7	51.47	54	-2.53	AVG
	@	5220	76.21	21.99	98.2	N/A	N/A	PK
	@	5220	67.16	21.99	89.15	N/A	N/A	AVG
	*	10440	29.88	15.7	45.58	68.2	-22.62	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	48
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5080.5	41.59	21.64	63.23	74	-10.77	PK
		5100.1	29.8	21.7	51.5	54	-2.5	AVG
	@	5240	75.16	22.06	97.22	N/A	N/A	PK
	@	5240	66.83	22.06	88.89	N/A	N/A	AVG
	*	10480	31.91	15.84	47.75	68.2	-20.45	PK
Vertical		5096.95	29.7	21.69	51.39	54	-2.61	AVG
		5103.25	42.78	21.7	64.48	74	-9.52	PK
	@	5240	74.6	22.06	96.66	N/A	N/A	PK
	@	5240	66.65	22.06	88.71	N/A	N/A	AVG
	*	10480	30.74	15.84	46.58	68.2	-21.62	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 48)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 48)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 48)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 48)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 48)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 48)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	75.52	22.08	97.6	N/A	N/A	PK
	@	5260	66.49	22.08	88.57	N/A	N/A	AVG
		5435.7	40.57	22.56	63.13	74	-10.87	PK
		5457.6	28.07	22.66	50.73	54	-3.27	AVG
	*	10520	31.32	15.9	47.22	68.2	-20.98	PK
Vertical	@	5260	75.85	22.08	97.93	N/A	N/A	PK
	@	5260	66.01	22.08	88.09	N/A	N/A	AVG
		5418	39.44	22.46	61.9	74	-12.1	PK
		5457.6	28.17	22.66	50.83	54	-3.17	AVG
	*	10520	30.68	15.9	46.58	68.2	-21.62	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 52)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 52)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 52)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 52)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 52)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 52)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	74.94	22.05	96.99	N/A	N/A	PK
	@	5300	66.91	22.05	88.96	N/A	N/A	AVG
		5439.3	39.53	22.58	62.11	74	-11.89	PK
		5460	28.11	22.66	50.77	54	-3.23	AVG
	*	10600	31.16	15.83	46.99	74	-27.01	PK
Vertical	@	5300	74.13	22.05	96.18	N/A	N/A	PK
	@	5300	65.52	22.05	87.57	N/A	N/A	AVG
		5442	39.4	22.6	62	74	-12	PK
		5455.2	28.02	22.65	50.67	54	-3.33	AVG
	*	10600	31.05	15.83	46.88	74	-27.12	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	75.68	22.04	97.72	N/A	N/A	PK
	@	5320	67.61	22.04	89.65	N/A	N/A	AVG
		5442.3	39.44	22.6	62.04	74	-11.96	PK
		5452.8	27.96	22.64	50.6	54	-3.4	AVG
	*	10640	31.26	15.91	47.17	74	-26.83	PK
Vertical	@	5320	74.45	22.04	96.49	N/A	N/A	PK
	@	5320	68.22	22.04	90.26	N/A	N/A	AVG
		5453.4	39.58	22.64	62.22	74	-11.78	PK
		5457.6	27.92	22.66	50.58	54	-3.42	AVG
	*	10640	30.32	15.91	46.23	74	-27.77	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 64)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 64)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 64)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 64)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 64)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 64)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5447.6	39.13	22.62	61.75	74	-12.25	PK
		5458.45	27.98	22.66	50.64	54	-3.36	AVG
		5463.35	39.19	22.68	61.87	68.2	-6.33	PK
	@	5500	75.78	22.79	98.57	N/A	N/A	PK
	@	5500	67.63	22.79	90.42	N/A	N/A	AVG
	*	11000	30.56	16.08	46.64	74	-27.36	PK
Vertical		5451.45	39.08	22.63	61.71	74	-12.29	PK
		5459.5	27.94	22.66	50.6	54	-3.4	AVG
		5460.9	39.07	22.66	61.73	68.2	-6.47	PK
	@	5500	75.47	22.79	98.26	N/A	N/A	PK
	@	5500	68.88	22.79	91.67	N/A	N/A	AVG
	*	11000	30.87	16.08	46.95	74	-27.05	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 100)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 100)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5428	39.22	22.52	61.74	74	-12.26	PK
		5457.75	27.88	22.66	50.54	54	-3.46	AVG
		5465.45	38.96	22.68	61.64	68.2	-6.56	PK
	@	5580	75.19	22.64	97.83	N/A	N/A	PK
	@	5580	66	22.64	88.64	N/A	N/A	AVG
		5731.8	39.94	22.75	62.69	68.2	-5.51	PK
	*	11160	31.45	16.67	48.12	74	-25.88	PK
Vertical		5452.15	39.2	22.63	61.83	74	-12.17	PK
		5458.1	27.97	22.66	50.63	54	-3.37	AVG
		5461.95	38.91	22.67	61.58	68.2	-6.62	PK
	@	5580	71.71	22.64	94.35	N/A	N/A	PK
	@	5580	64.29	22.64	86.93	N/A	N/A	AVG
		5746.5	39.05	22.89	61.94	68.2	-6.26	PK
	*	11160	29.97	16.67	46.64	74	-27.36	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 116)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 116)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 116)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5459.15	27.99	22.66	50.65	54	-3.35	AVG
		5459.85	39.47	22.66	62.13	74	-11.87	PK
		5466.5	38.81	22.68	61.49	68.2	-6.71	PK
	@	5700	75.4	22.45	97.85	N/A	N/A	PK
	@	5700	65.98	22.45	88.43	N/A	N/A	AVG
		5734.95	39.29	22.78	62.07	68.2	-6.13	PK
	*	11400	30.47	17.5	47.97	74	-26.03	PK
Vertical		5447.95	38.99	22.62	61.61	74	-12.39	PK
		5459.5	27.91	22.66	50.57	54	-3.43	AVG
		5465.45	38.52	22.68	61.2	68.2	-7	PK
	@	5700	75.85	22.45	98.3	N/A	N/A	PK
	@	5700	68.34	22.45	90.79	N/A	N/A	AVG
		5737.05	39.06	22.8	61.86	68.2	-6.34	PK
	*	11400	30.22	17.5	47.72	74	-26.28	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Horizontal




TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Vertical




Mode	802.11ax(HE20)	Channel	144
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	30.36	17.46	47.82	74	-26.18	PK
Vertical	*	11440	30.14	17.46	47.6	74	-26.4	PK







Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5620	40.12	22.61	62.73	68.2	-5.47	PK
		5688.5	39.4	22.48	61.88	96.72	-34.84	PK
	@	5745	74.05	22.88	96.93	N/A	N/A	PK
	*	11490	30.14	17.43	47.57	74	-26.43	PK
Vertical		5608	40.18	22.61	62.79	68.2	-5.41	PK
		5667	39.78	22.54	62.32	80.82	-18.5	PK
	@	5745	76.83	22.88	99.71	N/A	N/A	PK
	*	11490	29.87	17.43	47.3	74	-26.7	PK




Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5600	40	22.63	62.63	68.2	-5.57	PK
		5692.5	40.33	22.47	62.8	99.67	-36.87	PK
		5785	72.25	23.24	95.49	N/A	N/A	PK
		5878.5	41.26	23.56	64.82	102.6	-37.78	PK
		5981	40.24	23.71	63.95	68.2	-4.25	PK
	*	11570	30.85	17.78	48.63	74	-25.37	PK
Vertical	@	5629.5	39.97	22.6	62.57	68.2	-5.63	PK
		5650.5	39.28	22.59	61.87	68.57	-6.7	PK
		5785	74.34	23.24	97.58	N/A	N/A	PK
		5909.5	40.11	23.82	63.93	79.64	-15.71	PK
		5974	40.29	23.75	64.04	68.2	-4.16	PK
	*	11570	30.34	17.78	48.12	74	-25.88	PK

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	74.25	23.31	97.56	N/A	N/A	PK
		5910.5	39.89	23.82	63.71	78.9	-15.19	PK
		5934	39.91	23.85	63.76	68.2	-4.44	PK
	*	11650	30.75	18	48.75	74	-25.25	PK
Vertical	@	5825	73.14	23.31	96.45	N/A	N/A	PK
		5914.5	40.18	23.82	64	75.94	-11.94	PK
		5986.5	39.7	23.69	63.39	68.2	-4.81	PK
	*	11650	29.47	18	47.47	74	-26.53	PK



Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5043.4	29.53	21.53	51.06	54	-2.94	AVG
		5065.8	41.25	21.59	62.84	74	-11.16	PK
	@	5190	64.51	21.88	86.39	N/A	N/A	PK
	@	5190	56.31	21.88	78.19	N/A	N/A	AVG
	*	10380	31.43	15.54	46.97	68.2	-21.23	PK
Vertical		5000	29.68	21.38	51.06	54	-2.94	AVG
		5077	41.63	21.63	63.26	74	-10.74	PK
	@	5190	70.69	21.88	92.57	N/A	N/A	PK
	@	5190	60.65	21.88	82.53	N/A	N/A	AVG
	*	10380	31.75	15.54	47.29	68.2	-20.91	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5049	41.99	21.55	63.54	74	-10.46	PK
		5106.75	29.4	21.7	51.1	54	-2.9	AVG
	@	5230	68.88	22.03	90.91	N/A	N/A	PK
	@	5230	59.83	22.03	81.86	N/A	N/A	AVG
	*	10460	31.61	15.77	47.38	68.2	-20.82	PK
Vertical		5000	29.9	21.38	51.28	54	-2.72	AVG
		5065.1	41.37	21.59	62.96	74	-11.04	PK
	@	5230	72.84	22.03	94.87	N/A	N/A	PK
	@	5230	63.66	22.03	85.69	N/A	N/A	AVG
	*	10460	30.58	15.77	46.35	68.2	-21.85	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	65.51	22.08	87.59	N/A	N/A	PK
	@	5270	58.24	22.08	80.32	N/A	N/A	AVG
		5437.5	39.82	22.57	62.39	74	-11.61	PK
		5459.1	27.58	22.66	50.24	54	-3.76	AVG
	*	10540	30.73	15.87	46.6	68.2	-21.6	PK
Vertical	@	5270	70.16	22.08	92.24	N/A	N/A	PK
	@	5270	58.92	22.08	81	N/A	N/A	AVG
		5445.6	40.2	22.6	62.8	74	-11.2	PK
		5460	27.42	22.66	50.08	54	-3.92	AVG
	*	10540	30.33	15.87	46.2	68.2	-22	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	62
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	71.51	22.05	93.56	N/A	N/A	PK
	@	5310	61	22.05	83.05	N/A	N/A	AVG
		5438.7	39.41	22.57	61.98	74	-12.02	PK
		5457.6	27.51	22.66	50.17	54	-3.83	AVG
	*	10620	31.76	15.86	47.62	74	-26.38	PK
Vertical	@	5310	68.28	22.05	90.33	N/A	N/A	PK
	@	5310	61	22.05	83.05	N/A	N/A	AVG
		5412.9	39.67	22.44	62.11	74	-11.89	PK
		5456.4	27.57	22.65	50.22	54	-3.78	AVG
	*	10620	30.9	15.86	46.76	74	-27.24	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE40) (Ch 62)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 62)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 62)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 62)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 62)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 62)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	102
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5444.45	39.31	22.6	61.91	74	-12.09	PK
		5447.25	27.53	22.62	50.15	54	-3.85	AVG
		5466.5	38.8	22.68	61.48	68.2	-6.72	PK
	@	5510	67.44	22.76	90.2	N/A	N/A	PK
	@	5510	59.14	22.76	81.9	N/A	N/A	AVG
	*	11020	30.75	16.14	46.89	74	-27.11	PK
Vertical		5453.2	39.82	22.64	62.46	74	-11.54	PK
		5459.85	27.61	22.66	50.27	54	-3.73	AVG
		5465.45	38.27	22.68	60.95	68.2	-7.25	PK
	@	5510	73.1	22.76	95.86	N/A	N/A	PK
	@	5510	63.25	22.76	86.01	N/A	N/A	AVG
	*	11020	30.81	16.14	46.95	74	-27.05	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1