



Profile: 2013.08.22	Page No.: 1
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2412 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	51.663	15.164	-22.337	74.000	36.499	PK
2		*	2411.416	90.424	53.822	N/A	N/A	36.601	PK

Profile: 2013.08.22	Page No.: 2
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2412 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	38.666	2.167	-15.334	54.000	36.499	AV
2		*	2411.897	78.957	42.353	N/A	N/A	36.604	AV

Profile: 2013.08.22	Page No.: 3
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2412 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	52.282	15.123	-21.718	74.000	37.159	PK
2		*	2411.808	93.314	55.963	N/A	N/A	37.351	PK

Profile: 2013.08.22	Page No.: 4
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2412 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	39.452	2.293	-14.548	54.000	37.159	AV
2		*	2412.144	81.670	44.316	N/A	N/A	37.354	AV

Profile: 2013.08.22	Page No.: 5
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2462 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.744	87.995	51.163	N/A	N/A	36.832	PK
2			2483.500	51.955	15.019	-22.045	74.000	36.935	PK

Profile: 2013.08.22	Page No.: 6
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2462 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.200	76.863	40.029	N/A	N/A	36.834	AV
2			2483.500	39.145	2.209	-14.855	54.000	36.935	AV

Profile: 2013.08.22	Page No.: 7
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2462 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.672	91.063	53.285	N/A	N/A	37.779	PK
2			2483.500	53.082	15.112	-20.918	74.000	37.969	PK

Profile: 2013.08.22	Page No.: 8
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2462 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.672	79.500	41.722	N/A	N/A	37.779	AV
2			2483.500	40.182	2.212	-13.818	54.000	37.969	AV

Profile: 2013.08.22	Page No.: 9
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2412 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	51.802	15.303	-22.198	74.000	36.499	PK
2		*	2410.968	83.200	46.600	N/A	N/A	36.600	PK

Profile: 2013.08.22	Page No.: 10
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2412 MHz by g	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	38.678	2.179	-15.322	54.000	36.499	AV
2		*	2410.800	59.796	23.197	N/A	N/A	36.599	AV


Profile: 2013.08.22	Page No.: 11
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2412 MHz by g	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	52.326	15.167	-21.674	74.000	37.159	PK
2		*	2409.736	85.699	48.366	N/A	N/A	37.333	PK


15063930 001 APPENDIX1

Profile: 2013.08.22	Page No.: 12
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	39.474	2.315	-14.526	54.000	37.159	AV
2		*	2410.632	63.071	25.730	N/A	N/A	37.341	AV

Profile: 2013.08.22	Page No.: 13
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.600	82.814	45.983	N/A	N/A	36.832	PK
2			2483.500	52.525	15.589	-21.475	74.000	36.935	PK

Profile: 2013.08.22	Page No.: 14
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2460.784	59.777	22.949	N/A	N/A	36.828	AV
2			2483.500	39.214	2.278	-14.786	54.000	36.935	AV

Profile: 2013.08.22	Page No.: 15
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2460.712	82.244	44.474	N/A	N/A	37.770	PK
2			2483.500	52.711	14.741	-21.289	74.000	37.969	PK

Profile: 2013.08.22	Page No.: 16
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2460.184	59.623	21.857	N/A	N/A	37.766	AV
2			2483.500	40.237	2.267	-13.763	54.000	37.969	AV

Profile: 2013.08.22	Page No.: 17
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2412 MHz by n20	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	51.717	15.218	-22.283	74.000	36.499	PK
2		*	2410.800	81.119	44.520	N/A	N/A	36.599	PK


15063930 001 APPENDIX1

Profile: 2013.08.22	Page No.: 18
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2412 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	38.686	2.187	-15.314	54.000	36.499	AV
2		*	2410.800	58.668	22.069	N/A	N/A	36.599	AV

Profile: 2013.08.22	Page No.: 19
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2412 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	53.082	15.923	-20.918	74.000	37.159	PK
2		*	2411.192	86.042	48.696	N/A	N/A	37.345	PK

Profile: 2013.08.22	Page No.: 20
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2412 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2390.000	39.413	2.254	-14.587	54.000	37.159	AV
2		*	2410.464	61.794	24.455	N/A	N/A	37.339	AV

Profile: 2013.08.22	Page No.: 21
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2462 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2463.160	81.770	44.931	N/A	N/A	36.838	PK
2			2483.500	51.922	14.986	-22.078	74.000	36.935	PK

Profile: 2013.08.22	Page No.: 22
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2462 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.584	58.236	21.400	N/A	N/A	36.836	AV
2			2483.500	39.230	2.294	-14.770	54.000	36.935	AV

Profile: 2013.08.22	Page No.: 23
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2462 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2463.520	84.304	46.510	N/A	N/A	37.795	PK
2			2483.500	53.712	15.742	-20.288	74.000	37.969	PK

Profile: 2013.08.22		Page No.: 24	
Engineer: PIG			
Site: AC5		Time: 2013/08/22 - 15:17	
Limit: FCC_Part15.209_RE(3m)		Margin: 0	
Probe: Horn_3117_988		Polarity: Horizontal	
EUT: AAF		Power: AC 120V/60Hz	
Note: Mode3 : transmit at channel 2462 MHz by n20			




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2463.016	60.348	22.558	N/A	N/A	37.790	AV
2			2483.500	40.201	2.231	-13.799	54.000	37.969	AV

Profile: 2013.08.22	Page No.: 25
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2412 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4824.000	40.142	47.212	-33.858	74.000	-7.069	PK
2			7236.000	39.663	41.410	-34.337	74.000	-1.747	PK
3		*	9648.000	40.179	35.857	-33.821	74.000	4.321	PK

Profile: 2013.08.22	Page No.: 26
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2412 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4824.000	38.693	45.844	-35.307	74.000	-7.151	PK
2		*	7236.000	39.695	41.453	-34.305	74.000	-1.758	PK
3			9648.000	39.692	35.311	-34.308	74.000	4.381	PK

Profile: 2013.08.22	Page No.: 27
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2437 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4874.000	38.076	45.087	-35.924	74.000	-7.010	PK
2		*	7311.000	41.817	43.398	-32.183	74.000	-1.581	PK
3			9748.000	40.868	36.387	-33.132	74.000	4.482	PK

Profile: 2013.08.22	Page No.: 28
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2437 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4874.000	38.277	45.289	-35.723	74.000	-7.012	PK
2		*	7311.000	41.686	43.267	-32.314	74.000	-1.581	PK
3			9748.000	40.835	36.257	-33.165	74.000	4.579	PK

Profile: 2013.08.22	Page No.: 29
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2462 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4924.000	36.902	43.982	-37.098	74.000	-7.080	PK
2			7386.000	40.254	41.590	-33.746	74.000	-1.336	PK
3		*	9848.000	41.097	36.181	-32.903	74.000	4.915	PK

Profile: 2013.08.22	Page No.: 30
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2462 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4924.000	36.876	43.876	-37.124	74.000	-7.000	PK
2			7386.000	40.365	41.701	-33.635	74.000	-1.336	PK
3		*	9848.000	40.528	35.552	-33.472	74.000	4.975	PK

Profile: 2013.08.22	Page No.: 31
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2412 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4824.000	37.221	44.291	-36.779	74.000	-7.069	PK
2			7236.000	39.473	41.220	-34.527	74.000	-1.747	PK
3		*	9648.000	40.902	36.580	-33.098	74.000	4.321	PK

Profile: 2013.08.22	Page No.: 32
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2412 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4824.000	37.743	44.894	-36.257	74.000	-7.151	PK
2			7236.000	39.395	41.153	-34.605	74.000	-1.758	PK
3		*	9648.000	40.559	36.178	-33.441	74.000	4.381	PK

Profile: 2013.08.22	Page No.: 33
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2437 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4874.000	37.402	44.413	-36.598	74.000	-7.010	PK
2			7311.000	40.994	42.575	-33.006	74.000	-1.581	PK
3		*	9748.000	48.554	44.073	-25.446	74.000	4.482	PK

Profile: 2013.08.22	Page No.: 34
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2437 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4874.000	37.105	44.117	-36.895	74.000	-7.012	PK
2		*	7311.000	41.105	42.686	-32.895	74.000	-1.581	PK
3			9748.000	40.364	35.786	-33.636	74.000	4.579	PK

Profile: 2013.08.22	Page No.: 35
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AFH	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4924.000	37.148	44.228	-36.852	74.000	-7.080	PK
2			7386.000	40.000	41.336	-34.000	74.000	-1.336	PK
3		*	9848.000	41.188	36.272	-32.812	74.000	4.915	PK

Profile: 2013.08.22	Page No.: 36
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 15:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4924.000	36.040	43.040	-37.960	74.000	-7.000	PK
2			7386.000	39.538	40.874	-34.462	74.000	-1.336	PK
3		*	9848.000	40.968	35.992	-33.032	74.000	4.975	PK

Profile: 2013.08.22	Page No.: 37
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2412 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4824.000	38.263	45.333	-35.737	74.000	-7.069	PK
2			7236.000	39.362	41.109	-34.638	74.000	-1.747	PK
3		*	9648.000	40.695	36.373	-33.305	74.000	4.321	PK

Profile: 2013.08.22	Page No.: 38
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2412 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4824.000	37.127	44.278	-36.873	74.000	-7.151	PK
2			7236.000	39.749	41.507	-34.251	74.000	-1.758	PK
3		*	9648.000	39.918	35.537	-34.082	74.000	4.381	PK

Profile: 2013.08.22	Page No.: 39
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2437 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4874.000	37.082	44.093	-36.918	74.000	-7.010	PK
2		*	7311.000	41.475	43.056	-32.525	74.000	-1.581	PK
3			9748.000	41.076	36.595	-32.924	74.000	4.482	PK

Profile: 2013.08.22	Page No.: 40
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2437 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4874.000	37.500	44.512	-36.500	74.000	-7.012	PK
2		*	7311.000	41.336	42.917	-32.664	74.000	-1.581	PK
3			9748.000	40.668	36.090	-33.332	74.000	4.579	PK

Profile: 2013.08.22	Page No.: 41
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2462 MHz by n20	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4924.000	36.770	43.850	-37.230	74.000	-7.080	PK
2			7386.000	39.992	41.328	-34.008	74.000	-1.336	PK
3		*	9848.000	40.261	35.345	-33.739	74.000	4.915	PK

Profile: 2013.08.22	Page No.: 42
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2462 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4924.000	36.915	43.915	-37.085	74.000	-7.000	PK
2			7386.000	39.992	41.328	-34.008	74.000	-1.336	PK
3		*	9848.000	41.118	36.142	-32.882	74.000	4.975	PK

There is no found Emission above 18GHz

Emission from 30M to 1GHz
 Only list the worst case in 802.11b


Profile: 2013.08.26	Page No.: 1
Engineer: Toms	
Site: AC2	Time: 2013/08/26 - 22:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: CBL6112D_27611(30-1000MHz)	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1: Transmit at Channel 2412 Mhz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		192.475	39.382	23.417	-4.118	43.500	15.965	PK
2		192.543	29.066	13.097	-14.434	43.500	15.968	QP
3		264.740	38.813	18.683	-7.187	46.000	20.130	PK
4		264.752	24.744	4.614	-21.256	46.000	20.130	QP
5		287.899	38.840	18.651	-7.160	46.000	20.189	PK
6		287.997	22.470	2.280	-23.530	46.000	20.190	QP
7		359.990	28.845	6.419	-17.155	46.000	22.426	QP
8		360.043	38.446	16.018	-7.554	46.000	22.428	PK
9	*	383.929	42.160	19.084	-3.840	46.000	23.076	PK
10		384.015	27.137	4.058	-18.863	46.000	23.079	QP
11		457.285	38.705	14.185	-7.295	46.000	24.520	PK
12		457.298	22.550	-1.970	-23.450	46.000	24.520	QP


15063930 001 APPENDIX1

Profile: 2013.08.26	Page No.: 2
Engineer: Toms	
Site: AC2	Time: 2013/08/26 - 22:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: CBL6112D_27611(30-1000MHz)	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1: Transmit at Channel 2412 Mhz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		192.475	35.888	19.923	-7.612	43.500	15.965	PK
2		192.534	33.340	17.372	-10.160	43.500	15.968	QP
3		216.592	29.474	13.800	-16.526	46.000	15.675	QP
4		216.604	29.361	13.686	-16.639	46.000	15.675	PK
5		264.619	29.854	9.725	-16.146	46.000	20.129	PK
6		264.740	28.499	8.369	-17.501	46.000	20.130	QP
7		383.929	33.951	10.875	-12.049	46.000	23.076	PK
8		383.971	33.182	10.105	-12.818	46.000	23.078	QP
9		505.359	33.064	7.544	-12.936	46.000	25.520	QP
10		505.421	34.027	8.507	-11.973	46.000	25.520	PK
11	*	665.229	39.886	12.365	-6.114	46.000	27.521	PK
12		665.236	36.736	9.215	-9.264	46.000	27.521	QP


Profile: 2013.08.26	Page No.: 1
Engineer: Toms	
Site: AC2	Time: 2013/08/26 - 22:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: CBL6112D_27611(30-1000MHz)	Polarity: Horizontal
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1: Transmit at Channel 2462 Mhz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		192.475	39.382	23.417	-4.118	43.500	15.965	PK
2		192.543	29.066	13.097	-14.434	43.500	15.968	QP
3		264.740	38.813	18.683	-7.187	46.000	20.130	PK
4		264.752	24.744	4.614	-21.256	46.000	20.130	QP
5		287.899	38.840	18.651	-7.160	46.000	20.189	PK
6		287.997	22.470	2.280	-23.530	46.000	20.190	QP
7		359.990	28.845	6.419	-17.155	46.000	22.426	QP
8		360.043	38.446	16.018	-7.554	46.000	22.428	PK
9	*	383.929	42.160	19.084	-3.840	46.000	23.076	PK
10		384.015	27.137	4.058	-18.863	46.000	23.079	QP
11		457.285	38.705	14.185	-7.295	46.000	24.520	PK
12		457.298	22.550	-1.970	-23.450	46.000	24.520	QP

15063930 001 APPENDIX1

Profile: 2013.08.26	Page No.: 2
Engineer: Toms	
Site: AC2	Time: 2013/08/26 - 22:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: CBL6112D_27611(30-1000MHz)	Polarity: Vertical
EUT: AAF	Power: AC 120V/60Hz
Note: Mode1: Transmit at Channel 2462 Mhz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		192.475	35.888	19.923	-7.612	43.500	15.965	PK
2		192.534	33.340	17.372	-10.160	43.500	15.968	QP
3		216.592	29.474	13.800	-16.526	46.000	15.675	QP
4		216.604	29.361	13.686	-16.639	46.000	15.675	PK
5		264.619	29.854	9.725	-16.146	46.000	20.129	PK
6		264.740	28.499	8.369	-17.501	46.000	20.130	QP
7		383.929	33.951	10.875	-12.049	46.000	23.076	PK
8		383.971	33.182	10.105	-12.818	46.000	23.078	QP
9		505.359	33.064	7.544	-12.936	46.000	25.520	QP
10		505.421	34.027	8.507	-11.973	46.000	25.520	PK
11	*	665.229	39.886	12.365	-6.114	46.000	27.521	PK
12		665.236	36.736	9.215	-9.264	46.000	27.521	QP