



Profile: 2013.08.22	Page No.: 43
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2412 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4824.000	38.405	45.475	-35.595	74.000	-7.069	PK
2			7236.000	39.476	41.223	-34.524	74.000	-1.747	PK
3		*	9648.000	39.844	35.522	-34.156	74.000	4.321	PK

Profile: 2013.08.22	Page No.: 44
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2412 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4824.000	39.430	46.581	-34.570	74.000	-7.151	PK
2			7236.000	39.330	41.088	-34.670	74.000	-1.758	PK
3		*	9648.000	40.381	36.000	-33.619	74.000	4.381	PK

Profile: 2013.08.22	Page No.: 45
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2437 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4874.000	37.116	44.127	-36.884	74.000	-7.010	PK
2		*	7311.000	41.238	42.819	-32.762	74.000	-1.581	PK
3			9748.000	40.698	36.217	-33.302	74.000	4.482	PK

Profile: 2013.08.22	Page No.: 46
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2437 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4874.000	36.980	43.992	-37.020	74.000	-7.012	PK
2		*	7311.000	40.895	42.476	-33.105	74.000	-1.581	PK
3			9748.000	40.302	35.724	-33.698	74.000	4.579	PK

Profile: 2013.08.22	Page No.: 47
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2462 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4924.000	36.773	43.853	-37.227	74.000	-7.080	PK
2			7386.000	40.426	41.762	-33.574	74.000	-1.336	PK
3		*	9848.000	40.934	36.018	-33.066	74.000	4.915	PK

Profile: 2013.08.22	Page No.: 48
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2462 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4924.000	36.434	43.434	-37.566	74.000	-7.000	PK
2			7386.000	40.584	41.920	-33.416	74.000	-1.336	PK
3		*	9848.000	41.113	36.137	-32.887	74.000	4.975	PK

Profile: 2013.08.22	Page No.: 49
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2412 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4824.000	38.168	45.238	-35.832	74.000	-7.069	PK
2			7236.000	39.042	40.789	-34.958	74.000	-1.747	PK
3		*	9648.000	39.989	35.667	-34.011	74.000	4.321	PK

Profile: 2013.08.22	Page No.: 50
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2412 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4824.000	36.392	43.543	-37.608	74.000	-7.151	PK
2			7236.000	39.112	40.870	-34.888	74.000	-1.758	PK
3		*	9648.000	39.473	35.092	-34.527	74.000	4.381	PK

Profile: 2013.08.22	Page No.: 51
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2437 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4874.000	37.557	44.568	-36.443	74.000	-7.010	PK
2			7311.000	40.859	42.440	-33.141	74.000	-1.581	PK
3		*	9748.000	41.137	36.656	-32.863	74.000	4.482	PK

Profile: 2013.08.22	Page No.: 52
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2437 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4874.000	37.047	44.059	-36.953	74.000	-7.012	PK
2		*	7311.000	41.026	42.607	-32.974	74.000	-1.581	PK
3			9748.000	40.562	35.984	-33.438	74.000	4.579	PK

Profile: 2013.08.22	Page No.: 53
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4924.000	36.952	44.032	-37.048	74.000	-7.080	PK
2			7386.000	39.774	41.110	-34.226	74.000	-1.336	PK
3		*	9848.000	41.430	36.514	-32.570	74.000	4.915	PK

Profile: 2013.08.22	Page No.: 54
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4924.000	36.331	43.331	-37.669	74.000	-7.000	PK
2			7386.000	39.623	40.959	-34.377	74.000	-1.336	PK
3		*	9848.000	40.471	35.495	-33.529	74.000	4.975	PK

Profile: 2013.08.22	Page No.: 55
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2412 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4824.000	38.025	45.095	-35.975	74.000	-7.069	PK
2		*	7236.000	39.437	41.184	-34.563	74.000	-1.747	PK
3			9648.000	39.352	35.030	-34.648	74.000	4.321	PK

Profile: 2013.08.22	Page No.: 56
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2412 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4824.000	37.050	44.201	-36.950	74.000	-7.151	PK
2			7236.000	38.713	40.471	-35.287	74.000	-1.758	PK
3		*	9648.000	40.109	35.728	-33.891	74.000	4.381	PK

Profile: 2013.08.22	Page No.: 57
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2437MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4874.000	36.883	43.894	-37.117	74.000	-7.010	PK
2		*	7311.000	41.180	42.761	-32.820	74.000	-1.581	PK
3			9748.000	40.180	35.699	-33.820	74.000	4.482	PK

Profile: 2013.08.22	Page No.: 58
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2437MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4874.000	37.464	44.476	-36.536	74.000	-7.012	PK
2			7311.000	40.913	42.494	-33.087	74.000	-1.581	PK
3		*	9748.000	41.161	36.583	-32.839	74.000	4.579	PK

Profile: 2013.08.22	Page No.: 59
Engineer: PIG	
Site: AC5	Time: 2013/08/22 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2462MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4924.000	37.028	44.028	-36.972	74.000	-7.000	PK
2			7386.000	39.990	41.326	-34.010	74.000	-1.336	PK
3		*	9848.000	41.829	36.853	-32.171	74.000	4.975	PK

Profile: 2013.08.22	Page No.: 60
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 17:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2462MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			4924.000	38.151	45.231	-35.849	74.000	-7.080	PK
2			7386.000	40.920	42.256	-33.080	74.000	-1.336	PK
3		*	9848.000	42.770	37.854	-31.230	74.000	4.915	PK

Profile: 2013.08.22	Page No.: 61
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 17:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2412 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	60.287	23.788	-13.713	74.000	36.499	PK
2		*	2412.032	113.529	76.924	N/A	N/A	36.605	PK

Profile: 2013.08.22	Page No.: 62
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 18:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2412 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	46.804	10.305	-7.196	54.000	36.499	AV
2		*	2412.144	100.288	63.683	N/A	N/A	36.605	AV

Profile: 2013.08.22	Page No.: 63
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 18:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2412 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	52.965	15.806	-21.035	74.000	37.159	PK
2		*	2411.920	103.864	66.512	N/A	N/A	37.352	PK

Profile: 2013.08.22	Page No.: 64
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 18:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2412 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2360.120	43.468	6.571	-10.532	54.000	36.897	AV
2			2390.000	42.502	5.343	-11.498	54.000	37.159	AV
3		*	2412.032	96.622	59.269	N/A	N/A	37.353	AV

Profile: 2013.08.22	Page No.: 65
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 18:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2412 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	66.416	29.917	-7.584	74.000	36.499	PK
2		*	2410.632	108.085	71.487	N/A	N/A	36.599	PK

Profile: 2013.08.22	Page No.: 66
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 18:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2412 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	45.535	9.036	-8.465	54.000	36.499	AV
2		*	2412.648	76.371	39.763	N/A	N/A	36.608	AV

Profile: 2013.08.22	Page No.: 67
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 18:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2412 MHz by g	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	59.149	21.990	-14.851	74.000	37.159	PK
2		*	2410.632	98.731	61.390	N/A	N/A	37.341	PK

Profile: 2013.08.22	Page No.: 68
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2412 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	39.909	2.750	-14.091	54.000	37.159	AV
2		*	2412.536	70.016	32.659	N/A	N/A	37.358	AV

Profile: 2013.08.22	Page No.: 69
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.888	109.534	72.701	N/A	N/A	36.833	PK
2			2483.500	68.174	31.238	-5.826	74.000	36.935	PK

Profile: 2013.08.22	Page No.: 70
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2460.928	78.388	41.559	N/A	N/A	36.828	AV
2			2483.500	47.398	10.462	-6.602	54.000	36.935	AV

Profile: 2013.08.22	Page No.: 71
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.624	110.201	72.423	N/A	N/A	37.778	PK
2			2483.500	66.777	28.807	-7.223	74.000	37.969	PK

Profile: 2013.08.22	Page No.: 72
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode2 : transmit at channel 2462 MHz by g	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.240	85.113	47.338	N/A	N/A	37.775	AV
2			2483.500	46.328	8.358	-7.672	54.000	37.969	AV

Profile: 2013.08.22	Page No.: 73
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2462 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.576	112.711	75.880	N/A	N/A	36.831	PK
2			2483.500	59.793	22.857	-14.207	74.000	36.935	PK

Profile: 2013.08.22	Page No.: 74
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2462 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.416	99.391	62.556	N/A	N/A	36.834	AV
2			2483.500	45.722	8.786	-8.278	54.000	36.935	AV

Profile: 2013.08.22	Page No.: 75
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2462 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2462.104	103.964	66.182	N/A	N/A	37.782	PK
2			2486.500	60.507	22.511	-13.493	74.000	37.996	PK

Profile: 2013.08.22	Page No.: 76
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1 : transmit at channel 2462 MHz by b	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2461.600	89.542	51.764	N/A	N/A	37.778	AV
2			2483.500	46.363	8.393	-7.637	54.000	37.969	AV

Profile: 2013.08.22	Page No.: 77
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2412 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	64.591	28.092	-9.409	74.000	36.499	PK
2		*	2413.376	107.920	71.309	N/A	N/A	36.612	PK

Profile: 2013.08.22	Page No.: 78
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2412 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	49.635	13.136	-4.365	54.000	36.499	AV
2		*	2410.800	78.698	42.099	N/A	N/A	36.599	AV

Profile: 2013.08.22	Page No.: 79
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2412 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	62.960	25.801	-11.040	74.000	37.159	PK
2		*	2413.208	98.881	61.518	N/A	N/A	37.364	PK

Profile: 2013.08.22	Page No.: 80
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2412 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			2390.000	49.744	12.585	-4.256	54.000	37.159	AV
2		*	2410.678	72.912	35.571	N/A	N/A	37.342	AV

Profile: 2013.08.22	Page No.: 81
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2462 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2460.496	107.464	70.637	N/A	N/A	36.827	PK
2			2483.500	65.299	28.363	-8.701	74.000	36.935	PK

Profile: 2013.08.22	Page No.: 82
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2462 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2460.659	77.651	40.824	N/A	N/A	36.827	AV
2			2483.500	50.204	13.268	-3.796	54.000	36.935	AV

Profile: 2013.08.22	Page No.: 83
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2462 MHz by n20	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2460.510	97.543	59.774	N/A	N/A	37.769	PK
2			2483.500	63.726	25.756	-10.274	74.000	37.969	PK

Profile: 2013.08.22	Page No.: 84
Engineer: PIG	
Site: AC5	Time: 2013/08/26 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_988(1-18GHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode3 : transmit at channel 2462 MHz by n20	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	2460.734	73.124	35.353	N/A	N/A	37.770	AV
2			2483.500	50.470	12.500	-3.530	54.000	37.969	AV

There is no found Emission above 18GHz


Emission from 30M to 1GHz
Only list the worst case in 802.11b

Profile: 2013.08.26	Page No.: 3
Engineer: Toms	
Site: AC2	Time: 2013/08/26 - 22:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: CBL6112D_27611(30-1000MHz)	Polarity: Horizontal
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1: Transmit at Channel 2412 Mhz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		265.203	40.110	19.985	-5.890	46.000	20.125	QP
2		265.225	41.345	21.220	-4.655	46.000	20.125	PK
3		361.584	33.227	10.761	-12.773	46.000	22.466	QP
4		361.740	42.933	20.463	-3.067	46.000	22.470	PK
5	*	409.876	43.606	19.311	-2.394	46	24.295	PK
6		409.9	42.596	18.3	-3.404	46	24.296	QP
7		409.9	42.296	18	-3.704	46	24.296	QP
8		458.013	41.986	17.448	-4.014	46	24.538	PK
9		458.3	39.87	15.324	-6.13	46	24.546	QP
10		506.309	37.107	11.587	-8.893	46	25.52	QP
11		506.391	44.095	18.574	-1.905	46	25.521	PK
12		530.399	44.773	18.878	-1.227	46.000	25.895	PK
13		530.427	39.983	14.087	-6.017	46.000	25.896	QP


Profile: 2013.08.26	Page No.: 4
Engineer: Toms	
Site: AC2	Time: 2013/08/26 - 22:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: CBL6112D_27611(30-1000MHz)	Polarity: Vertical
EUT: ABF	Power: AC 120V/60Hz
Note: Mode1: Transmit at Channel 2412 Mhz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		265.275	26.597	6.473	-19.403	46.000	20.125	QP
2		265.346	32.893	12.769	-13.107	46.000	20.124	PK
3		289.354	33.475	13.271	-12.525	46.000	20.204	PK
4		289.423	19.316	-0.888	-26.684	46.000	20.204	QP
5		361.603	31.936	9.469	-14.064	46.000	22.468	QP
6		361.619	35.292	12.824	-10.708	46.000	22.468	PK
7		409.833	32.877	8.584	-13.123	46.000	24.293	QP
8		409.876	38.441	14.146	-7.559	46.000	24.295	PK
9	*	506.344	40.613	15.092	-5.387	46.000	25.521	QP
10		506.391	38.434	12.913	-7.566	46.000	25.521	PK
11		663.871	39.869	12.334	-6.131	46.000	27.535	QP
12		663.895	39.259	11.724	-6.741	46.000	27.535	PK


15064154 001 APPENDIX1

Profile: 2013.08.26	Page No.: 5
Engineer: Toms	
Site: AC2	Time: 2013/08/26 - 22:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: CBL6112D_27611(30-1000MHz)	Polarity: Horizontal
EUT: AFH	Power: AC 120V/60Hz
Note: Mode1: Transmit at Channel 2462 Mhz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	192.543	29.066	13.097	-14.434	43.500	15.969	QP
2		264.752	24.744	4.614	-21.256	46.000	20.130	QP
3		287.997	22.470	2.280	-23.530	46.000	20.190	QP
4		359.990	28.845	6.419	-17.155	46.000	22.426	QP
5		384.015	27.137	4.058	-18.863	46.000	23.079	QP
6		457.298	22.550	-1.970	-23.450	46.000	24.520	QP

Profile: 2013.08.26	Page No.: 6
Engineer: Toms	
Site: AC2	Time: 2013/08/26 - 22:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: CBL6112D_27611(30-1000MHz)	Polarity: Vertical
EUT: AFH	Power: AC 120V/60Hz
Note: Mode1: Transmit at Channel 2462 Mhz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		192.534	33.340	17.372	-10.160	43.500	15.968	QP
2		216.592	29.474	13.800	-16.526	46.000	15.675	QP
3		264.740	28.499	8.369	-17.501	46.000	20.130	QP
4		383.971	33.182	10.105	-12.818	46.000	23.078	QP
5		505.359	33.064	7.544	-12.936	46.000	25.520	QP
6	*	665.236	36.736	9.215	-9.264	46.000	27.521	QP