

Page: 1 of 9

RF EXPOSURE REPORT

OF

Applicant: Murata Manufacturing Co., Ltd.

10-1, Higashikotari 1-chome, Nagaokakyo-shi, Kyoto 617-

8555 Japan

Product Name: Communication Module

Brand Name: muRata

Model No.: LBEQ6ZZ1BN

Model Difference: N/A

Report Number: ER/2019/A0020

FCC ID VPYLB1BN

IC 772C-LB1BN

FCC Rule Part Part 2.1091

IC Rule Part RSS-102

Issue Date: Oct. 24, 2019

Date of Test: Aug. 28, 2018 ~ Oct. 05, 2019

Date of EUT Received: Aug. 22, 2018

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. The test data, data evaluation in this report is in compliance with FCC Rules Part 2 & ISED RSS-102.

The test results of this report relate only to the tested sample identified in this report.

Approved By:

John Yeh / Assistant Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



Page: 2 of 9

Revision History						
Revision Description Issue Date Remark						
Rev.00	Original.	Oct. 24, 2019	Revised By: Yuri Tsai			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. [No.134. WuKunoRoad.NewTaipeiIndustrialPark.WukuDistrict.NewTaipeiCity.Taiwan24803/新北市五股馬新北彥業園區工路 134 號

|No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號 GS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 3 of 9

Table of Contents

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)	4
2	FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)	
	2.1 FCC STANDARD APPLICABLE	7
	2.2 ISED STANDARD APPLICABLE	8
	2.3 POWED DENSITY CALCULATION (MODST CASE)	C

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. [No.134. WuKunoRoad.NewTaipeiIndustrialPark.WukuDistrict.NewTaipeiCity.Taiwan24803/新北市五股馬新北彥業園區工路 134 號

GS Taiwan Ltd. |No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



Page: 4 of 9

DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

1.1 General:

Product Name:	Communication Module
Brand Name:	muRata
Model No.:	LBEQ6ZZ1BN
Model Difference:	N/A
Hardware version:	1.0
Software version:	1.0
Power Supply:	Typ. 3.3V, Min 3.0V, Max 3.6V from DC power supply

BLE

Radio Technology:	Bluetooth LE Single mode
Frequency Range:	2402 – 2480MHz
Channel number:	40 channels
Modulation type:	GFSK
Transmit Power:	9.23 dBm
Antenna Designation:	Dipole Antenna, Gain: 2.37dBi Model No: GW.59.3153; Supplier: Taoglas

Bluetooth

Radio Technology:	Bluetooth BR+EDR
Channel number:	79 channels
Modulation type:	GFSK + π/4DQPSK + 8DPSK
Transmit Power:	10.25 dBm
Frequency Range:	2.402GHz – 2.480GHz
Dwell Time:	≤ 0.4s
Antenna Designation:	Dipole Antenna, Gain: 2.37dBi Model No: GW.59.3153; Supplier: Taoglas

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

|No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 5 of 9

WLAN 2.4GHz:

Wi-Fi	Frequency Range	Channels	Rated Power in dBm (Peak)	Rated Power in dBm (EIRP)	Type of Emission	Modulation Technology	
802.11b			19.69	19.15	13M4G1D	DSSS,	
802.11g	2412-2462	11	24.68	18.73	16M8D1D	_	
802.11n HT20			25.23	20.63	17M7D1D	OFDM	
Antenna Designation:		Dipole Antenna, Gain: 2.37dBi Model No: GW.59.3153; Supplier: Taoglas					
Modulation type:		CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM					
Transition Rate:		802.11 g:	: 1/2/5.5/11 Mbps : 6/9/12/18/24/36 _20MHz: 6.5 – 14	/48/54 Mbps			

FCC WLAN 5GHz:

Wi-Fi	Frequency Range	Channels	Avg. Power (dBm)	Modulation Technology	
	5150~5250	4	12.48		
110 20	5250~5350	4	12.51	OFDM	
11a_20	5470~5725	12	12.35	OFDIVI	
	5725-5850	5	12.42		
	5150~5250	4	HT: 15.83		
11n_HT /	5250~5350	4	HT: 15.63	OFDM	
ac_VHT 20M	5470~5725	12	HT: 15.40	OFDIVI	
20	5725-5850	5	HT: 15.32		
	5150~5250	2	HT: 15.64		
11n_HT /	5250~5350	2	HT: 15.49	OFDM	
ac_VHT 40M	5470~5725	6	HT: 15.63		
	5725-5850	2	HT: 15.30		
	5150~5250	1	10.38		
11ac	5250~5350	1	10.56	OFDM	
VHT80M	5470~5725	2	12.44	OFDM	
	5725-5850	1	12.26		
Antenna Designation:		Dipole Antenna, Supplier: Taoglas Model No.: GW.59.3153 5150~5250MHz Peak Gain: 2.93dBi 5250~5350MHz Peak Gain: 2.93dBi 5470~5725MHz Peak Gain: 2.93dBi 5725~5850MHz Peak Gain: 2.93dBi			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. [No.134. WuKunoRoad.NewTaipeiIndustrialPark.WukuDistrict.NewTaipeiCity.Taiwan24803/新北市五股馬新北彥業園區工路 134 號

|No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號 GS Taiwan Ltd.



Page: 6 of 9

IC WLAN 5GHz:

Wi-Fi	Frequency Range	Channels	Avg. or EIRP	Rated Power(dBm) (Worst Case)	Modulation Technology	
	5150~5250	4	EIRP	15.41		
11a -	5250~5350	4	Avg.	12.51	OEDM	
	5470~5725	12	Avg.	12.35	- OFDM	
	5725-5850	5	Avg.	12.42		
	5150~5250	4	EIRP	HT: 21.77		
11n_HT /	5250~5350	4	Avg.	HT: 15.63	OEDM	
ac_VHT 20M	5470~5725	12	Avg.	HT: 15.40	- OFDM	
20111	5725-5850	5	Avg.	HT: 15.32		
	5150~5250	2	EIRP	HT: 21.58		
11n_HT /	5250~5350	2	Avg.	HT: 15.49	OFDM	
ac_VHT 40M	5470~5725	6	Avg.	HT: 15.63	OFDM	
10	5725-5850	2	Avg.	HT: 15.30		
	5150~5250	1	EIRP	16.32		
11ac	5250~5350	1	Avg.	10.56	OFDM	
VHT80M	5470~5725	2	Avg.	12.44	OFDIVI	
	5725-5850	1	Avg.	12.26		
Modula	ation type	64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only				
		802.11 a: 6/9/12/18/24/36/48/54 Mbps				
Transition Rate:		802.11 n_20MHz: 6.5 – 144.4Mbps				
		_	_	3.5 - 300.0Mbps		
		802.11 ac_20MHz: 6.5 –173.3Mbps 802.11 ac_40MHz: 13.5 – 400 .0Mbps				
		802.11 ac_40MHz: 13.3 = 400 .0Mbps 802.11 ac_80MHz: 29.3 = 866.7Mbps				

1.2 Test data is referenced from cross authorization(s)

Measurement results in the original test report ER/2018/80100 & ER/2018/80101 under FCC ID: VPYLB1PN / IC: 772C-LB1PN are partially leveraged in this test report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 7 of 9

2 FCC MAXIMUM PERMISSIBLE EXPOSURE (MPE)

2.1 FCC Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1091 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm ²)	(minute)
	trolled Exposure			
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-15000	/	/	1.0	30

f = frequency in MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

^{* =} Plane-wave equipment power density



Page: 8 of 9

2.2 ISED Standard Applicable

This submittal(s) (test report) is intended to comply with RSS-102 issue 5 Radio frequency Radiation Exposure requirement.

This is a Mobile device, the MPE is required.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range (MHz)	Electric Field (V/m rms)	Magnetic Field Strength (A/m rms)	Power Density (W/m²)	Reference Period (minutes)
0.003-10	83	90	-	Instantaneous*
0.1-10	-	0.73/ f	-	6**
1.1-10	87/ f ^{0.5}	-	-	6**
10-20	27.46	0.0728	2	6
20-48	58.07/ f ^{0.25}	0.1540/ f ^{0.25}	8.944/ f ^{0.5}	6
48-300	22.06	0.05852	1.291	6
300-6000	3.142 f ^{0.3417}	0.008335 f ^{0.3417}	$0.02619f^{0.6834}$	6
6000-15000	61.4	0.163	10	6
15000-150000	61.4	0.163	10	616000/ f ^{1.2}
150000-300000	0.158 <i>f</i> ^{0.5}	4.21 x 10-4 f ^{0.5}	6.67 x 10-5 <i>f</i>	616000/ f ^{1.2}

F = frequency in MHz

Maximum Permissible Exposure (MPE) Evaluation

Prediction of MPE limit at a given distance

 $S=PG/4\pi R^2$

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488

^{* =} Based on nerve stimulation (NS).

^{** =} Based on specific absorption rate (SAR)



Page: 9 of 9

2.3 **Power Density Calculation (Worst Case)**

				FCC MPE				
Operation Mode	Evaluation Frequency (MHz)	Operation Distance (cm)	Max. output Power (dBm)	Antenna Gain (dBi)	Max. output Power EIRP (mW)	Density	Limit (mW/cm²)	Pass / Fail
BT	2402.00	20	9.83	2.37	16.60	0.003	1.000	Pass
BLE	2480.00	20	6.47	2.37	7.66	0.002	1.000	Pass
WLAN 2.4G	2437.00	20	16.78	2.37	82.22	0.016	1.000	Pass
WLAN 5G	5220.00	20	15.83	5.94	150.31	0.030	1.000	Pass

	IC MPE							
Operation	Evaluation	Operation	Max. output	Antenna	Output	Power	Limit	
Mode	Frequency	Distance	Power	Gain	Power	Density	(W/m ²)	Pass / Fail
Mode	(MHz)	(cm)	(dBm)	(dBi)	EIRP (mW)	(W/m ²)	(٧٧/١١١²)	
BT	2402.00	20	9.83	2.37	16.60	0.033	5.351	Pass
BLE	2480.00	20	6.47	2.37	7.66	0.015	5.469	Pass
WLAN 2.4G	2437.00	20	16.78	2.37	82.22	0.164	5.404	Pass
WLAN 5G	5220.00	20	15.83	5.94	150.31	0.299	9.095	Pass

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Тhis document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com