


Page: 77 of 320

MIMO 802.11a_20MHz_5180MHz

802.11a 20MHz 5260MHz





802.11a 20MHz 5220MHz

802.11a 20MHz 5300MHz





802.11a 20MHz 5240MHz

802.11a 20MHz 5320MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅好到法之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the law. cuted to the fullest extent of the law.



Page: 78 of 320

802.11a 20MHz 5500MHz

802.11a 20MHz 5720MHz





802.11a 20MHz 5580MHz

802.11a 20MHz 5745MHz





802.11a 20MHz 5700MHz

802.11a 20MHz 5785MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅好到法之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the law. cuted to the fullest extent of the law.




Page: 79 of 320

802.11a 20MHz 5825MHz

802.11n 20MHz 5240MHz





802.11n 20MHz 5180MHz

802.11n 20MHz 5260MHz





802.11n 20MHz 5220MHz

802.11n_20MHz_5300MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅好到法之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the law. cuted to the fullest extent of the law.




Page: 80 of 320

802.11n 20MHz 5320MHz


802.11n 20MHz 5700MHz





802.11n 20MHz 5500MHz

802.11n 20MHz 5720MHz






802.11n 20MHz 5580MHz

802.11n 20MHz 5745MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Offices orderinge stated in effective state of the results shown in this step in their only to the sample(s) lested and such sample(s) are fetalited for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的夭。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to be fulled except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full of the company. cuted to the fullest extent of the law.



Page: 81 of 320

802.11n 20MHz 5785MHz


802.11n 40MHz 5230MHz






802.11n 20MHz 5825MHz

802.11n 40MHz 5270MHz





802.11n 40MHz 5190MHz

802.11n_40MHz_5310MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅好到法之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the law. cuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 82 of 320

802.11n 40MHz 5510MHz

802.11n 40MHz 5710MHz





802.11n 40MHz 5550MHz

802.11n 40MHz 5755MHz





802.11n 40MHz 5670MHz

802.11n 40MHz 5795MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices orderinge stated in effective state of the results shown in this step in their only to the sample(s) lested and such sample(s) are fetalited for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的夭。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to be fulled except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full of the company. cuted to the fullest extent of the law.



Page: 83 of 320

802.11ac 80MHz 5210MHz

802.11ac 80MHz 5610MHz





802.11ac_80MHz_5290MHz

802.11ac 80MHz 5690MHz






802.11ac 80MHz 5530MHz

802.11ac 80MHz 5775MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices orderinge stated in effective state of the results shown in this step in their only to the sample(s) lested and such sample(s) are fetalited for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的夭。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to be fulled except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full of the company. cuted to the fullest extent of the law.



Page: 84 of 320

11 UNDESIRABLE RADIATED EMISSION MEASUREMENT

11.1 Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LIMIT				
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRENGTH AT 3m				
	PK: 74 (dBμV/m)	AV 54 (dBµV/m)			
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m			
15.407(b)(1)					
RSS-247 6.2.1.2					
15.407(b)(2)	PK: -27 (dBm/MHz)	PK: 68.3 (dBµV/m)			
RSS-247 6.2.2.2	1 K27 (dbi1//vii 12)	1 Κ. 00.5 (αΒμν/π)			
15.407(b)(3)					
RSS-247 6.2.3.2					
	PK:-27 (dBm/MHz) *1	PK: 68.2(dBµV/m) *1			
15.407(b)(4)(i)	PK:10 (dBm/MHz) *2	PK:105.2 (dBµV/m) *2			
RSS-247 6.2.4.2	PK:15.6 (dBm/MHz) *3	PK: 110.8(dBµV/m) *3			
	PK:27 (dBm/MHz) *4	PK:122.2 (dBµV/m) *4			

^{*1} beyond 75 MHz or more above of the bandedge.

EIRP = $((E*d)^2) / 30$, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本根告未起本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. may be prosecuted to the fullest extent of the law.

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 85 of 320

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 86 of 320

11.2 **Measurement Equipment Used**

SGS SAC-III									
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due				
Bi-log Antenna	SCHWAZBECK	VULB9168	378	2017/12/29	2018/12/28				
Horn Antenna	Schwarzbeck	BBHA9120D	1441	2018/08/16	2019/08/15				
Horn Antenna	Schwarzbeck	BBHA9170	184	2017/12/12	2018/12/11				
Loop Antenna	ETS.LINDGREN	6502	148045	2018/09/25	2019/09/24				
3m Site NSA	SGS	966 chamber	N/A	2018/01/02	2019/01/01				
Spectrum Analyzer	Agilent	E4446A	MY51100003	2018/05/15	2019/05/14				
EMI Test Receiver	R&S	ESCI7	100335	2018/02/02	2019/02/01				
DC Power Supply	Anritsu	E3640A	MY52410006	2017/11/28	2018/11/27				
Pre-Amplifier	HP	8449B	3008A00578	2018/01/02	2019/01/01				
Pre-Amplifier	HP	8447D	2944A07676	2018/01/02	2019/01/01				
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	2017/10/27	2018/10/26				
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01				
Filter 5150-5350 MHz	Micro-Tronics	BRM50703	1	2018/01/02	2019/01/01				
Filter 5470-5725 MHz	Micro-Tronics	BRM50704	1	2018/01/02	2019/01/01				
Filter 5725-5875 MHz	Micro-Tronics	BRM50705	1	2018/01/02	2019/01/01				
Low Loss Cable	Huber Suhner	966_RX	9	2018/01/02	2019/01/01				
Notebook	Lenovo	T440P	P0000564	N/A	N/A				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.




Page: 87 of 320

For Spot Check Data

		SGS SAC-III				
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due	
Bi-log Anten- na	TESEO	CBL 6112D	35242 & AT-N0555	01/10/2019	01/09/2020	
Horn Antenna	Schwarzbeck	BBHA9170	07/02/1900	12/27/2018	12/26/2019	
Horn Antenna	Schwarzbeck	BBHA9120D	D803	12/24/2018	12/23/2019	
Loop Antenna	ETS.LINDGREN	6502	148045	10/08/2018	10/07/2019	
PXA Spectrum Analyzer	Agilent	N9030A	MY53120760	04/22/2019	04/21/2020	
EMI Test Re- ceiver	R&S	ESCI 3	100335	02/12/2019	02/11/2020	
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	01/02/2019	01/01/2020	
Pre-Amplifier	EMC Instru- ments	EMC051825	980152	01/02/2019	01/01/2020	
Pre-Amplifier	HP	8447D	2944A09469	01/02/2019	01/01/2020	
Filter 5150-5350 MHz	Micro-Tronics	BRM50703	1	01/02/2019	01/01/2020	
Filter 5470-5725 MHz	Micro-Tronics	BRM50704	1	01/02/2019	01/01/2020	
Filter 5725-5875 MHz	Micro-Tronics	BRM50705	1	01/02/2019	01/01/2020	
High Pass Filter	WI	WHKX7.0/18G-8SS	45	01/02/2019	01/01/2020	
Coaxial Cable	Huber Suhner	succoflex 102	MY2622/2	01/02/2019	01/01/2020	
Coaxial Cable	Huber Suhner	succoflex 104A	800086/4a	01/02/2019	01/01/2020	
Coaxial Cable	Huber Suhner	EMC 104-SM-SM-2000	160123	01/02/2019	01/01/2020	
Software	e3 V6.11-20180413					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.






11.3 **Test SET-UP**


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sgs.com



Page: 89 of 320

11.4 **Measurement Procedure**

- The EUT was placed on a turn table which is 0.8m above ground plane. 1.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 3. 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level. 4.
- 5. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T 8. (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	S .	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本根告未起本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. may be prosecuted to the fullest extent of the law.



Page: 90 of 320

Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 **Measurement Result**

Refer to next page for tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



:VERTICAL

Page: 91 of 320

Measurement Antenna Pol.

Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data:

:E2 Plane

MIMO


EUT Pol.

802.11a 5150~5250 MHz

Test Date Operation Band :802.11aB1 :2018-10-03

Fundamental Frequency :5220 MHz Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH MID Engineer :Wei



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
95.96	Peak	44.56	-12.91	31.65	43.50	-11.85
216.24	Peak	36.67	-9.14	27.53	46.00	-18.47
263.77	Peak	43.05	-6.88	36.17	46.00	-9.83
312.27	Peak	34.69	-5.24	29.45	46.00	-16.55
408.30	Peak	34.00	-2.95	31.05	46.00	-14.95
455.83	Peak	35.01	-2.34	32.67	46.00	-13.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 92 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB1 :5220 MHz :Tx CH MID :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
167.74	Peak	36.99	-7.31	29.68	43.50	-13.82
216.24	Peak	42.19	-9.14	33.05	46.00	-12.95
263.77	Peak	43.29	-6.88	36.41	46.00	-9.59
288.02	Peak	40.66	-5.89	34.77	46.00	-11.23
335.55	Peak	36.89	-4.89	32.00	46.00	-14.00
408.30	Peak	33.39	-2.95	30.44	46.00	-15.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Page: 93 of 320


802.11a 5250~5350 MHz

Operation Band :802.11aB2 Fundamental Frequency :5300 MHz **Operation Mode** :Tx CH MID

EUT Pol. :E2 Plane **Test Date** :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
85.29	Peak	43.29	-12.91	30.38	40.00	-9.62
216.24	Peak	36.97	-9.14	27.83	46.00	-18.17
263.77	Peak	42.49	-6.88	35.61	46.00	-10.39
312.27	Peak	33.99	-5.24	28.75	46.00	-17.25
359.80	Peak	31.52	-4.26	27.26	46.00	-18.74
408.30	Peak	32.70	-2.95	29.75	46.00	-16.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 94 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB2 :5300 MHz :Tx CH MID :E2 Plane


Test Date Temp./Humi. Engineer

:23 deg_C / 62 RH

Measurement Antenna Pol.

:HORIZONTAL

:2018-10-03



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
167.74	Peak	36.97	-7.31	29.66	43.50	-13.84
216.24	Peak	41.77	-9.14	32.63	46.00	-13.37
239.52	Peak	40.52	-7.83	32.69	46.00	-13.31
263.77	Peak	42.49	-6.88	35.61	46.00	-10.39
288.02	Peak	39.04	-5.89	33.15	46.00	-12.85
335.55	Peak	36.83	-4.89	31.94	46.00	-14.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 95 of 320


802.11a, 5470~5725 MHz

Operation Band :802.11aB3 Fundamental Frequency :5580 MHz **Operation Mode** :Tx CH MID

EUT Pol. :E2 Plane **Test Date** :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
95.96	Peak	43.98	-12.91	31.07	43.50	-12.43
216.24	Peak	36.23	-9.14	27.09	46.00	-18.91
263.77	Peak	44.23	-6.88	37.35	46.00	-8.65
312.27	Peak	34.60	-5.24	29.36	46.00	-16.64
408.30	Peak	33.95	-2.95	31.00	46.00	-15.00
455.83	Peak	34.53	-2.34	32.19	46.00	-13.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sgs.com

t (886-2) 2299-3279



:2018-10-03

:23 deg_C / 62 RH

Page: 96 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5580 MHz :Tx CH MID :E2 Plane

Test Date Temp./Humi.

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
167.74	Peak	37.52	-7.31	30.21	43.50	-13.29
216.24	Peak	43.38	-9.14	34.24	46.00	-11.76
239.52	Peak	39.81	-7.83	31.98	46.00	-14.02
264.74	Peak	42.39	-6.83	35.56	46.00	-10.44
288.02	Peak	40.04	-5.89	34.15	46.00	-11.85
335.55	Peak	37.07	-4.89	32.18	46.00	-13.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 97 of 320


802.11a, 5725~5850 MHz

Operation Band :802.11aB4 Fundamental Frequency :5785 MHz **Operation Mode** :Tx CH MID

EUT Pol. :E2 Plane **Test Date** :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
88.20	Peak	43.43	-13.39	30.04	43.50	-13.46
216.24	Peak	36.63	-9.14	27.49	46.00	-18.51
263.77	Peak	42.67	-6.88	35.79	46.00	-10.21
312.27	Peak	34.87	-5.24	29.63	46.00	-16.37
408.30	Peak	33.42	-2.95	30.47	46.00	-15.53
455.83	Peak	34.49	-2.34	32.15	46.00	-13.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sgs.com



Page: 98 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB4 :5785 MHz :Tx CH MID :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
216.24	Peak	42.97	-9.14	33.83	46.00	-12.17
239.52	Peak	41.02	-7.83	33.19	46.00	-12.81
263.77	Peak	42.75	-6.88	35.87	46.00	-10.13
288.02	Peak	39.58	-5.89	33.69	46.00	-12.31
312.27	Peak	35.62	-5.24	30.38	46.00	-15.62
335.55	Peak	36.80	-4.89	31.91	46.00	-14.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



:2018-10-03

Page: 99 of 320


802.11ac VHT80, 5150~5250 MHz

Operation Band :802.11ac80B1 **Test Date**

Fundamental Frequency :5210 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Wei

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
86.26	Peak	43.93	-13.06	30.87	40.00	-9.13
216.24	Peak	37.10	-9.14	27.96	46.00	-18.04
263.77	Peak	42.57	-6.88	35.69	46.00	-10.31
288.02	Peak	35.21	-5.89	29.32	46.00	-16.68
311.30	Peak	33.43	-5.25	28.18	46.00	-17.82
455.83	Peak	33.64	-2.34	31.30	46.00	-14.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 100 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B1 :5210 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
167.74	Peak	37.01	-7.31	29.70	43.50	-13.80
216.24	Peak	41.51	-9.14	32.37	46.00	-13.63
239.52	Peak	39.83	-7.83	32.00	46.00	-14.00
263.77	Peak	43.15	-6.88	36.27	46.00	-9.73
288.02	Peak	40.19	-5.89	34.30	46.00	-11.70
335.55	Peak	36.84	-4.89	31.95	46.00	-14.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 101 of 320

802.11ac VHT80, 5250~5350 MHz


Operation Band :802.11ac80B2 :5290 MHz

Fundamental Frequency **Operation Mode** :Tx CH HIGH

EUT Pol. :E2 Plane **Test Date** :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dΒμV/m	dBμV/m	dB
87.23	Peak	43.70	-13.23	30.47	40.00	-9.53
216.24	Peak	36.23	-9.14	27.09	46.00	-18.91
263.77	Peak	43.54	-6.88	36.66	46.00	-9.34
312.27	Peak	34.07	-5.24	28.83	46.00	-17.17
408.30	Peak	33.39	-2.95	30.44	46.00	-15.56
455.83	Peak	33.92	-2.34	31.58	46.00	-14.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

www.tw.sgs.com



Page: 102 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B2 :5290 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
167.74	Peak	37.34	-7.31	30.03	43.50	-13.47
216.24	Peak	41.94	-9.14	32.80	46.00	-13.20
239.52	Peak	40.37	-7.83	32.54	46.00	-13.46
263.77	Peak	43.40	-6.88	36.52	46.00	-9.48
288.02	Peak	39.89	-5.89	34.00	46.00	-12.00
335.55	Peak	36.00	-4.89	31.11	46.00	-14.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 103 of 320

802.11ac VHT80, 5470~5725 MHz


Operation Band :802.11ac80B3 Fundamental Frequency :5530 MHz

Operation Mode :Tx CH LOW

EUT Pol. :E2 Plane **Test Date** :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
95.96	Peak	43.53	-12.91	30.62	43.50	-12.88
216.24	Peak	35.98	-9.14	26.84	46.00	-19.16
263.77	Peak	43.06	-6.88	36.18	46.00	-9.82
312.27	Peak	34.16	-5.24	28.92	46.00	-17.08
408.30	Peak	35.68	-2.95	32.73	46.00	-13.27
455.83	Peak	33.48	-2.34	31.14	46.00	-14.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 104 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5530 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
167.74	Peak	37.11	-7.31	29.80	43.50	-13.70
216.24	Peak	42.31	-9.14	33.17	46.00	-12.83
263.77	Peak	42.66	-6.88	35.78	46.00	-10.22
288.02	Peak	40.50	-5.89	34.61	46.00	-11.39
336.52	Peak	35.93	-4.87	31.06	46.00	-14.94
408.30	Peak	32.47	-2.95	29.52	46.00	-16.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 105 of 320

802.11ac VHT80, 5725~5850 MHz


Operation Band :802.11ac80B4 Fundamental Frequency :5775 MHz

Operation Mode :Tx CH LOW

EUT Pol. :E2 Plane **Test Date** :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
95.96	Peak	43.65	-12.91	30.74	43.50	-12.76
216.24	Peak	37.26	-9.14	28.12	46.00	-17.88
264.74	Peak	42.03	-6.83	35.20	46.00	-10.80
312.27	Peak	34.61	-5.24	29.37	46.00	-16.63
408.30	Peak	32.56	-2.95	29.61	46.00	-16.39
455.83	Peak	35.64	-2.34	33.30	46.00	-12.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 106 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B4 :5775 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
167.74	Peak	37.16	-7.31	29.85	43.50	-13.65
216.24	Peak	41.98	-9.14	32.84	46.00	-13.16
239.52	Peak	39.67	-7.83	31.84	46.00	-14.16
263.77	Peak	42.73	-6.88	35.85	46.00	-10.15
288.02	Peak	39.17	-5.89	33.28	46.00	-12.72
335.55	Peak	35.91	-4.89	31.02	46.00	-14.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 107 of 320

Above 1GHz Worst-Case Data: SISO


Radiated Spurious Emission Measurement Result 802.11n HT20, 5470~5725 MHz

Operation Band :802.11n20B3 Test Date :2018-10-03

Fundamental Frequency :5700 MHz Temp./Humi. :23 deg C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Wei

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.00	Average	23.27	21.62	44.89	54.00	-9.11
11400.00	Peak	33.33	21.62	54.95	74.00	-19.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Page: 108 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11n20B3 :5700 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11400.00	Average	23.17	21.62	44.79	54.00	-9.21
11400.00	Peak	33.26	21.62	54.88	74.00	-19.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 109 of 320

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11n40B1 :5190 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi.

:2018-10-03 :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
MHz	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	dB	
IVII IZ	FIVQF/AV	чьμν	UD	ασμν/π	ασμν/π	<u>ub</u>	
10380 00	Peak	34 26	19 78	54 04	68 20	-14 16	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 110 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B1 :5190 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m	-	
	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
_	10380.00	Peak	34.46	19.78	54.24	68.20	-13.96	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 111 of 320

Radiated Spurious Emission Measurement Result 802.11n HT40, 5250~5350 MHz

Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:802.11n40B2 :5310 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:Wei

:VERTICAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual FS	Limit	Margin	
_	MHz	Mode PK/QP/AV	Reading Level dBµV	dB	rS dBµV/m	@3m dBµV/m	dB	_
	10620.00	Peak	34 90	20 41	55 31	74 00	-18 69	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 112 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B2 :5310 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10620.00	Peak	33.91	20.41	54.32	74.00	-19.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 113 of 320

Radiated Spurious Emission Measurement Result 802.11n HT40, 5470~5725 MHz

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11n40B3 :5510 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi.

:2018-10-03 :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11020.00	Average	23.43	21.46	44.89	54.00	-9.11
11020.00	Peak	33.77	21.46	55.23	74.00	-18.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 114 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5510 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11020.00	Average	24.97	21.46	46.43	54.00	-7.57
11020.00	Peak	34.16	21.46	55.62	74.00	-18.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.




Page: 115 of 320

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

Operation Band :802.11ac80B1 **Test Date** :2018-10-03

Fundamental Frequency :5210 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH LOW Engineer :Wei

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10420.00	Peak	33 02	19 99	53.01	68 20	-15 19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 116 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B1 :5210 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
10420.00	Peak	33.68	19.99	53.67	68.20	-14.53	_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



:2018-10-03


Page: 117 of 320

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5250~5350 MHz

Operation Band :802.11ac80B2 **Test Date**

Fundamental Frequency :5290 MHz Temp./Humi. :23 deg_C / 62 RH :Tx CH HIGH

Operation Mode Engineer :Wei EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10580 00	Peak	33 95	20.23	54 18	68.20	-14 02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 118 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B2 :5290 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
_	10580.00	Peak	34.25	20.23	54.48	68.20	-13.72	_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

www.tw.sgs.com




Page: 119 of 320

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5470~5725 MHz

Operation Band :802.11ac80B3 **Test Date** :2018-10-03

Fundamental Frequency :5530 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH LOW Engineer :Wei

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11060.00	Average	24.07	21.53	45.60	54.00	-8.40
11060.00	Peak	34.33	21.53	55.86	74.00	-18.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 120 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5530 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11060.00	Average	23.62	21.53	45.15	54.00	-8.85
11060.00	Peak	33.09	21.53	54.62	74.00	-19.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 121 of 320

MIMO


Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz

:2018-10-02 **Operation Band** Test Date :802.11aB1

Fundamental Frequency :5180 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Wei

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	-
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
-	10360.00	Peak	34.32	19.71	54.03	68.20	-14.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



:2018-10-02

:23 deg_C / 62 RH

Page: 122 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB1 :5180 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi.

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10360.00	Peak	34.02	19.71	53.73	68.20	-14.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 123 of 320

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11aB1 :5220 MHz :Tx CH MID :E2 Plane

Test Date :2018-10-02 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
10440.00	Peak	34.19	20.05	54.24	68.20	-13.96	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 124 of 320

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11aB1 :5220 MHz :Tx CH MID :E2 Plane

Test Date Temp./Humi. :2018-10-02 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Fr	eq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
М	Hz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
1044	40.00	Peak	33.76	20.05	53.81	68.20	-14.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 125 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB1 :5240 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-10-02 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB	
 10480.00	Peak	33.71	20.07	53.78	68.20	-14.42	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 126 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11aB1 :5240 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi.

:2018-10-02 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
10480.00	Peak	33.06	20.07	53.13	68.20	-15.07	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 127 of 320

Radiated Spurious Emission Measurement Result 802.11a, 5250MHz-5350MHz


Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11aB2 :5260 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. :2018-10-02 :23 deg_C / 62 RH

Engineer :Wei :VERTICAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m	-	
	MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB	
_	10520.00	Peak	34.21	20.00	54.21	68.20	-13.99	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 128 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB2 :5260 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. :2018-10-02 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
_	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
	10520.00	Peak	33.39	20.00	53.39	68.20	-14.81	_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 129 of 320


Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11aB2 :5300 MHz :Tx CH MID :E2 Plane

Test Date :2018-10-02 Temp./Humi. :23 deg_C / 62 RH

Engineer :Kane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.00	Average	23.27	20.38	43.65	54.00	-10.35
10600.00	Peak	33.92	20.38	54.30	74.00	-19.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 130 of 320

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11aB2 :5300 MHz :Tx CH MID :E2 Plane


Test Date Temp./Humi.

:23 deg_C / 62 RH

Engineer :Kane Measurement Antenna Pol.

:HORIZONTAL

:2018-10-02



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10600.00	Average	24.67	20.38	45.05	54.00	-8.95
10600.00	Peak	34.79	20.38	55.17	74.00	-18.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Page: 131 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB2 :5320 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-10-02 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10640.00	Average	24.33	20.44	44.77	54.00	-9.23
10640.00	Peak	34.92	20.44	55.36	74.00	-18.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 132 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB2 :5320 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. :2018-10-02 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10640.00	Average	25.83	20.44	46.27	54.00	-7.73
10640.00	Peak	35.08	20.44	55.52	74.00	-18.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 133 of 320

Radiated Spurious Emission Measurement Result 802.11a, 5470~5725 MHz

Operation Band Fundamental Frequency


:802.11aB3 :5500 MHz **Operation Mode** :Tx CH LOW EUT Pol. :E2 Plane

Test Date Temp./Humi. :2018-10-02

:23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.00	Average	24.71	21.37	46.08	54.00	-7.92
11000.00	Peak	34.34	21.37	55.71	74.00	-18.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 134 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5500 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-02 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.00	Average	23.77	21.37	45.14	54.00	-8.86
11000.00	Peak	33.38	21.37	54.75	74.00	-19.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 135 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5580 MHz :Tx CH MID :E2 Plane

Test Date :2018-10-02 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11160.00	Average	23.61	21.51	45.12	54.00	-8.88
11160.00	Peak	33.30	21.51	54.81	74.00	-19.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 136 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5580 MHz :Tx CH MID :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-02 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11160.00	Average	23.91	21.51	45.42	54.00	-8.58
11160.00	Peak	33.44	21.51	54.95	74.00	-19.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 137 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5700 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-10-02 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11400.00	Average	24.37	21.62	45.99	54.00	-8.01
11400.00	Peak	34.51	21.62	56.13	74.00	-17.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 138 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5700 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-02 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11400.00	Average	22.87	21.62	44.49	54.00	-9.51
11400.00	Peak	32.96	21.62	54.58	74.00	-19.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com

台灣檢驗科技股份有限公司




Page: 139 of 320

Radiated Spurious Emission Measurement Result 802.11a, 5725~5850 MHz

Operation Band :802.11aB4 **Test Date** :2018-10-02 Fundamental Frequency :5745 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Wei

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11490.00	Average	23.27	21.61	44.88	54.00	-9.12
11490.00	Peak	33.51	21.61	55.12	74.00	-18.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 140 of 320

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11aB4 :5745 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-02 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Average	23.92	21.61	45.53	54.00	-8.47
11490.00	Peak	33.39	21.61	55.00	74.00	-19.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 141 of 320

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11aB4 :5785 MHz :Tx CH MID :E2 Plane

Test Date :2018-10-02 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Average	23.28	21.66	44.94	54.00	-9.06
11570.00	Peak	33.53	21.66	55.19	74.00	-18.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 142 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB4 :5785 MHz :Tx CH MID :E2 Plane

Test Date Temp./Humi. :2018-10-02 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Average	23.92	21.66	45.58	54.00	-8.42
11570.00	Peak	33.80	21.66	55.46	74.00	-18.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 143 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB4 :5825 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-10-02 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
11650.00	Peak	33.40	21.60	55.00	74.00	-19.00	_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 144 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB4 :5825 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-02 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
11650.00	Peak	33.73	21.60	55.33	74.00	-18.67	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 145 of 320

Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11n20B1 :5180 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-02 :23 deg_C / 62 RH

:Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
10360.00	Peak	33.63	19.71	53.34	68.20	-14.86	_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 146 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5180 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-02 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
10360.00	Peak	33.28	19.71	52.99	68.20	-15.21	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 147 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5220 MHz :Tx CH MID :E2 Plane

Test Date :2018-10-02 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440 00	Peak	34 23	20.05	54 28	68 20	-13 92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 148 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5220 MHz :Tx CH MID :E2 Plane

Test Date Temp./Humi. :2018-10-02 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10	0440.00	Peak	33.35	20.05	53.40	68.20	-14.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

www.tw.sgs.com



Page: 149 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5240 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-10-02 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
10480.00	Peak	33.43	20.07	53.50	68.20	-14.70	_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 150 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5240 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. :2018-10-02 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB	
10480.00	Peak	33.40	20.07	53.47	68.20	-14.73	_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 151 of 320

Radiated Spurious Emission Measurement Result 802.11n HT20, 5250~5350 MHz

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11n20B2 :5260 MHz :Tx CH LOW :E2 Plane


Test Date Temp./Humi.


Measurement Antenna Pol.

:2018-10-02 :23 deg_C / 62 RH

:VERTICAL

Engineer :Wei





Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m	-	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
10520.00	Peak	33.33	20.00	53.33	68.20	-14.87	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 152 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B2 :5260 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-02 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10520.00	Peak	33.14	20.00	53.14	68.20	-15.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 153 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B2 :5300 MHz :Tx CH MID :E2 Plane

Test Date :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.00	Average	24.47	20.38	44.85	54.00	-9.15
10600.00	Peak	34.04	20.38	54.42	74.00	-19.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 154 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B2 :5300 MHz :Tx CH MID :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.00	Average	24.45	20.38	44.83	54.00	-9.17
10600.00	Peak	34.51	20.38	54.89	74.00	-19.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.




Page: 155 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B2 :5320 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer :Wei :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10640.00	Average	24.32	20.44	44.76	54.00	-9.24
10640.00	Peak	34.74	20.44	55.18	74.00	-18.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 156 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B2 :5320 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10640.00	Average	24.87	20.44	45.31	54.00	-8.69
10640.00	Peak	34.91	20.44	55.35	74.00	-18.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 157 of 320

Radiated Spurious Emission Measurement Result 802.11n HT20, 5470~5725 MHz

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11n20B3 :5500 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11000.00	Average	23.47	21.37	44.84	54.00	-9.16
11000.00	Peak	33.33	21.37	54.70	74.00	-19.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

www.tw.sgs.com



Page: 158 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5500 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.00	Average	24.72	21.37	46.09	54.00	-7.91
11000.00	Peak	34.17	21.37	55.54	74.00	-18.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 159 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5580 MHz :Tx CH MID :E2 Plane

Test Date :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11160.00	Average	23.81	21.51	45.32	54.00	-8.68
11160.00	Peak	33.64	21.51	55.15	74.00	-18.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 160 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5580 MHz :Tx CH MID :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer :Wei

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11160.00	Average	23.20	21.51	44.71	54.00	-9.29
11160.00	Peak	33.12	21.51	54.63	74.00	-19.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 161 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5700 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.00	Average	23.67	21.62	45.29	54.00	-8.71
11400.00	Peak	33.29	21.62	54.91	74.00	-19.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 162 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5700 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.00	Average	23.94	21.62	45.56	54.00	-8.44
11400.00	Peak	33.43	21.62	55.05	74.00	-18.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 163 of 320

Radiated Spurious Emission Measurement Result 802.11n HT20, 5725~5850 MHz

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11n20B4 :5745 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11490.00	Average	23.62	21.61	45.23	54.00	-8.77
11490.00	Peak	33.94	21.61	55.55	74.00	-18.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sgs.com



Page: 164 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B4 :5745 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11490.00	Average	23.71	21.61	45.32	54.00	-8.68
11490.00	Peak	33.60	21.61	55.21	74.00	-18.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 165 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B4 :5785 MHz :Tx CH MID :E2 Plane

Test Date :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Average	23.98	21.66	45.64	54.00	-8.36
11570.00	Peak	33.90	21.66	55.56	74.00	-18.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 166 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B4 :5785 MHz :Tx CH MID :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Average	23.38	21.66	45.04	54.00	-8.96
11570.00	Peak	33.92	21.66	55.58	74.00	-18.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 167 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11n20B4 :5825 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi.

:23 deg_C / 62 RH

:2018-10-03

Engineer :Wei :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
11650.00	Average	23.71	21.60	45.31	54.00	-8.69
11650.00	Peak	33.50	21.60	55.10	74.00	-18.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 168 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B4 :5825 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq	. Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.	00 Average	23.47	21.60	45.07	54.00	-8.93
11650.	00 Peak	33.36	21.60	54.96	74.00	-19.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 169 of 320

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11n40B1 :5190 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi.

:2018-10-03 :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m	_	
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB	
10380.00	Peak	33.29	19.78	53.07	68.20	-15.13	_

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sgs.com



:2018-10-03

:23 deg_C / 62 RH

Page: 170 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B1 :5190 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi.

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m	-	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
10380.00	Peak	33.05	19.78	52.83	68.20	-15.37	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 171 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B1 :5230 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
10460.00	Peak	33.61	20.07	53.68	68.20	-14.52	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 172 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B1 :5230 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10460.00	Peak	33.16	20.07	53.23	68.20	-14.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 173 of 320

Radiated Spurious Emission Measurement Result 802.11n HT40, 5250~5350 MHz

Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:802.11n40B2 :5270 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi.

:2018-10-03 :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m	_	
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB	
10540.00	Peak	33.12	20.02	53.14	68.20	-15.06	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 174 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B2 :5270 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m	-	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
10540.00	Peak	33.57	20.02	53.59	68.20	-14.61	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



:2018-10-03

:23 deg_C / 62 RH

Page: 175 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B2 :5310 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi.

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10620.00	Average	24.65	20.41	45.06	54.00	-8.94
10620.00	Peak	34.47	20.41	54.88	74.00	-19.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 176 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B2 :5310 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10620.00	Average	24.77	20.41	45.18	54.00	-8.82
10620.00	Peak	34.02	20.41	54.43	74.00	-19.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 177 of 320

Radiated Spurious Emission Measurement Result 802.11n HT40, 5470~5725 MHz

Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:802.11n40B3 :5510 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11020.00	Average	23.71	21.46	45.17	54.00	-8.83
11020.00	Peak	33.40	21.46	54.86	74.00	-19.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 178 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5510 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11020.00	Average	23.80	21.46	45.26	54.00	-8.74
11020.00	Peak	33.78	21.46	55.24	74.00	-18.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 179 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5550 MHz :Tx CH MID :E2 Plane

Test Date :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11100.00	Average	23.67	21.53	45.20	54.00	-8.80
11100.00	Peak	33.20	21.53	54.73	74.00	-19.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 180 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5550 MHz :Tx CH MID :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11100.00	Average	22.63	21.53	44.16	54.00	-9.84
11100.00	Peak	32.76	21.53	54.29	74.00	-19.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 181 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5670 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11340.00	Average	23.93	21.54	45.47	54.00	-8.53
11340.00	Peak	33.04	21.54	54.58	74.00	-19.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 182 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5670 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq	. Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBμV/m	dB
11340.	00 Average	23.53	21.54	45.07	54.00	-8.93
11340.	00 Peak	33.04	21.54	54.58	74.00	-19.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 183 of 320

Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850 MHz

Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:802.11n40B4 :5755 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi.

:2018-10-03 :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11510.00	Average	23.32	21.66	44.98	54.00	-9.02
11510.00	Peak	33.63	21.66	55.29	74.00	-18.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



:2018-10-03

:23 deg_C / 62 RH

Page: 184 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B4 :5755 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi.

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11510.00	Average	23.85	21.66	45.51	54.00	-8.49
11510.00	Peak	33.79	21.66	55.45	74.00	-18.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 185 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B4 :5795 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Average	23.82	21.66	45.48	54.00	-8.52
11590.00	Peak	33.71	21.66	55.37	74.00	-18.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 186 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B4 :5795 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Average	23.17	21.66	44.83	54.00	-9.17
11590.00	Peak	33.64	21.66	55.30	74.00	-18.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.




Page: 187 of 320

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

Operation Band :802.11ac80B1 **Test Date** :2018-10-03

Fundamental Frequency :5210 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH LOW Engineer :Wei

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
 MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10420.00	Peak	34.19	19.99	54.18	68.20	-14.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 188 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B1 :5210 MHz :Tx CH LOW :E2 Plane

Test Date :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
 MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10420.00	Peak	33.57	19.99	53.56	68.20	-14.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.




Page: 189 of 320

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5250~5350 MHz

Operation Band :802.11ac80B2 **Test Date** :2018-10-03

Fundamental Frequency :5290 MHz Temp./Humi. :23 deg_C / 62 RH :Tx CH HIGH **Operation Mode** Engineer :Wei

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	dB
IVII IZ	FR/QF/AV	чьμν	uБ	ασμν/π	ασμν/π	<u>ub</u>
10580 00	Peak	35 18	20.23	55 41	68 20	-12 79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 190 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B2 :5290 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-10-03 Temp./Humi.

:23 deg_C / 62 RH

Engineer :HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10580.00	Peak	33.97	20.23	54.20	68.20	-14.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.




Page: 191 of 320

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5470~5725 MHz

Operation Band :802.11ac80B3 **Test Date** :2018-10-03

Fundamental Frequency :5530 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH LOW Engineer :Wei

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11060.00	Average	23.69	21.53	45.22	54.00	-8.78
11060.00	Peak	33.42	21.53	54.95	74.00	-19.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sgs.com



Page: 192 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5530 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11060.00	Average	24.72	21.53	46.25	54.00	-7.75
11060.00	Peak	34.15	21.53	55.68	74.00	-18.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 193 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5610 MHz :Tx CH HIGH :E2 Plane

Test Date :2018-10-03 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11220.00	Average	22.61	21.56	44.17	54.00	-9.83
11220.00	Peak	32.97	21.56	54.53	74.00	-19.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 194 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5610 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. Engineer

:2018-10-03 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11220.00	Average	24.37	21.56	45.93	54.00	-8.07
11220.00	Peak	34.03	21.56	55.59	74.00	-18.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 195 of 320


Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5725~5850 MHz

Operation Band :802.11ac80B4 **Test Date** :2018-10-03

Fundamental Frequency :5775 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Wei

EUT Pol. :E2 Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	$dB\mu V$	dB	dBµV/m	dBµV/m	dB
11550.00	Average	24.68	21.66	46.34	54.00	-7.66
11550.00	Peak	34.47	21.66	56.13	74.00	-17.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 196 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B4 :5775 MHz :Tx CH LOW :E2 Plane

Test Date Temp./Humi. :2018-10-03 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11550.00	Average	24.16	21.66	45.82	54.00	-8.18
11550.00	Peak	34.32	21.66	55.98	74.00	-18.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 197 of 320


Spot Check Data

EUT Pol

Report Number :ER-2019-A0015 Operation Mode :802.11a **Test Channel** :CH36 5180 MHz :Tx CH Low Test Mode

:H Plane

Test Date :2019-10-04 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10360.00	Peak	30.35	26.60	56.95	68.20	-11.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 198 of 320

Report Number **Operation Mode** Test Channel Test Mode

:ER-2019-A0015


:802.11a

:CH36 5180 MHz

:Tx CH Low

EUT Pol :H Plane **Test Date** :2019-10-04 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL

Engineer :Nick



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10360.00	Peak	31.18	26.60	57.78	68.20	-10.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 199 of 320

Report Number **Operation Mode** Test Channel Test Mode


:ER-2019-A0015

:802.11a

:CH52 5260 MHz

:Tx CH Low

EUT Pol :H Plane **Test Date** :2019-10-04 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	-
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	10520.00	Peak	29.69	25.66	55.35	68.20	-12.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 200 of 320

Report Number **Operation Mode** Test Channel Test Mode

:ER-2019-A0015


:802.11a

:CH52 5260 MHz

:Tx CH Low

EUT Pol :H Plane **Test Date** :2019-10-04 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL

Engineer :Nick



Fre	q. Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MH	z PK/QP/AV	dBµV	dB	dBμV/m	dΒμV/m	dB
10520).00 Peak	29.57	25.66	55.23	68.20	-12.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 201 of 320

Report Number **Operation Mode** Test Channel Test Mode


:ER-2019-A0015

:802.11a

:CH100 5500 MHz

:Tx CH Low

EUT Pol :H Plane **Test Date** :2019-10-04 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11000.00	Peak	30.18	27.21	57.39	74.00	-16.61
11000.00	Average	20.66	27.21	47.87	54.00	-6.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 202 of 320

Report Number **Operation Mode** Test Channel Test Mode

:ER-2019-A0015


:802.11a

:CH100 5500 MHz

:Tx CH Low

EUT Pol :H Plane **Test Date** :2019-10-04 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL

Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11000.00	Peak	30.59	27.21	57.80	74.00	-16.20
11000.00	Average	20.32	27.21	47.53	54.00	-6.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 203 of 320

Report Number **Operation Mode** Test Channel Test Mode


:ER-2019-A0015

:802.11a

:CH149 5745 MHz

:Tx CH Low

EUT Pol :H Plane **Test Date** :2019-10-04 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11490.00	Peak	29.40	26.25	55.65	74.00	-18.35
11490.00	Average	17.97	26.25	44.22	54.00	-9.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 204 of 320

Report Number **Operation Mode** Test Channel Test Mode

:ER-2019-A0015


:802.11a

:CH149 5745 MHz

:Tx CH Low

EUT Pol :H Plane **Test Date** :2019-10-04 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL

Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11490.00	Peak	29.27	26.25	55.52	74.00	-18.48
11490.00	Average	17.78	26.25	44.03	54.00	-9.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

www.tw.sgs.com




Page: 205 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n20 :CH36 5180 MHz :Tx CH Low

:H Plane

Test Date :2019-10-04 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10360.00	Peak	30.07	26.60	56.67	68.20	-11.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 206 of 320


Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n20 :CH36 5180 MHz :Tx CH Low

:H Plane

Test Date :2019-10-04 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL

Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10360.00	Peak	29.98	26.60	56.58	68.20	-11.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 207 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**


:ER-2019-A0015 :802.11n20 :CH52 5260 MHz :Tx CH Low

:H Plane

Test Date Temp./Humi. Antenna Pol. Engineer

:2019-10-04 :23.1/66 :VERTICAL

:Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.00	Peak	29.70	25.66	55.36	68.20	-12.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 208 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**


:ER-2019-A0015 :802.11n20 :CH52 5260 MHz :Tx CH Low

:H Plane

Test Date Temp./Humi. Antenna Pol. Engineer

:2019-10-04 :23.1/66 :HORIZONTAL

:Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.00	Peak	28.97	25.66	54.63	68.20	-13.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.




Page: 209 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n20 :CH100 5500 MHz

:Tx CH Low :H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.00	Peak	30.50	27.21	57.71	74.00	-16.29
11000.00	Average	20.48	27.21	47.69	54.00	-6.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 210 of 320


Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n20 :CH100 5500 MHz

:Tx CH Low :H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL

Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11000.00	Peak	30.19	27.21	57.40	74.00	-16.60
11000.00	Average	19.62	27.21	46.83	54.00	-7.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.




Page: 211 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n20 :CH149 5745 MHz

:Tx CH Low :H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
_	11490.00	Peak	29.62	26.25	55.87	74.00	-18.13
	11490.00	Average	17.84	26.25	44.09	54.00	-9.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sgs.com



Page: 212 of 320


Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n20 :CH149 5745 MHz

:Tx CH Low :H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL

Engineer :Nick



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
_	11490.00	Peak	29.25	26.25	55.50	74.00	-18.50
	11490.00	Average	17.82	26.25	44.07	54.00	-9.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.




Page: 213 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n40 :CH38 5190 MHz :Tx CH Low

:H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



Fred	p. Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MH	z PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10380	.00 Peak	30.44	26.98	57.42	68.20	-10.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 214 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**


:ER-2019-A0015 :802.11n40 :CH38 5190 MHz :Tx CH Low

:H Plane

Test Date Temp./Humi. Antenna Pol. Engineer

:2019-10-05 :23.1/66 :HORIZONTAL

:Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
 10380.00	Peak	29.84	26.98	56.82	68.20	-11.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 215 of 320


Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n40 :CH54 5270 MHz :Tx CH Low

:H Plane

Test Date Temp./Humi. Antenna Pol. Engineer

:2019-10-05 :23.1/66 :VERTICAL :Nick



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
_	10540.00	Peak	29.96	25.93	55.89	68.20	-12.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

www.tw.sgs.com




Page: 216 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n40 :CH54 5270 MHz :Tx CH Low

:H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10540.00	Peak	30.16	25.93	56.09	68.20	-12.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sgs.com




Page: 217 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n40 :CH102 5510 MHz

:Tx CH Low :H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11020.00	Peak	30.11	27.62	57.73	74.00	-16.27
11020.00	Average	20.32	27.62	47.94	54.00	-6.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 218 of 320


Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n40 :CH102 5510 MHz

:Tx CH Low :H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL

Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11020.00	Peak	31.13	27.62	58.75	74.00	-15.25
11020.00	Average	19.51	27.62	47.13	54.00	-6.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.




Page: 219 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n40 :CH151 5755 MHz

:Tx CH Low :H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11510.00	Peak	29.25	26.47	55.72	74.00	-18.28
11510.00	Average	18.06	26.47	44.53	54.00	-9.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 220 of 320


Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11n40 :CH151 5755 MHz

:Tx CH Low :H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL

Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11510.00	Peak	29.25	26.47	55.72	74.00	-18.28
11510.00	Average	17.86	26.47	44.33	54.00	-9.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.




Page: 221 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11ac80 :CH42 5210 MHz :Tx CH Low

:H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10420.00	Peak	30.90	26.92	57.82	68.20	-10.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 222 of 320


Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11ac80 :CH42 5210 MHz :Tx CH Low

:H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL

Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10420.00	Peak	29.76	26.92	56.68	68.20	-11.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.




Page: 223 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11ac80 :CH58 5290 MHz :Tx CH Low

:H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	10580.00	Peak	29.58	26.29	55.87	68.20	-12.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 224 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**


:ER-2019-A0015 :802.11ac80 :CH58 5290 MHz :Tx CH Low

:H Plane

Test Date Temp./Humi. Antenna Pol. Engineer

:2019-10-05 :23.1/66 :HORIZONTAL

:Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10580.00	Peak	30.26	26.29	56.55	68.20	-11.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 225 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11ac80 :CH106 5530 MHz

:Tx CH Low :H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11060.00	Peak	30.97	27.55	58.52	74.00	-15.48
11060.00	Average	19.87	27.55	47.42	54.00	-6.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 226 of 320


Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11ac80 :CH106 5530 MHz

:Tx CH Low :H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL

Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11060.00	Peak	30.37	27.55	57.92	74.00	-16.08
11060.00	Average	19.64	27.55	47.19	54.00	-6.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.




Page: 227 of 320

Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11ac80 :CH155 5775 MHz

:Tx CH Low :H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :VERTICAL Engineer :Nick



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11550.00) Peak	30.05	27.91	57.96	74.00	-16.04
11550.00) Average	18.19	27.91	46.10	54.00	-7.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 228 of 320


Report Number **Operation Mode** Test Channel Test Mode **EUT Pol**

:ER-2019-A0015 :802.11ac80 :CH155 5775 MHz

:Tx CH Low :H Plane

Test Date :2019-10-05 Temp./Humi. :23.1/66 Antenna Pol. :HORIZONTAL

Engineer :Nick



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11550.00	Peak	29.54	27.91	57.45	74.00	-16.55
11550.00	Average	18.13	27.91	46.04	54.00	-7.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 229 of 320

Band edge falling to restricted band SISO

802.11n20 HT mode

Operation Band

Fundamental Frequency

Operation Mode

EUT Pol.

:802.11n20B3

:5700 MHz :Bandedge CH HIGH


:E2 Plane

Test Date Temp./Humi. :2018-09-21

:23 deg C / 62 RH

Engineer :Wei

Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	Peak	52.95	9.44	62.39	68.20	-5.81
5727.44	Peak	54.91	9.44	64.35	68.20	-3.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 230 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5700 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-21 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5725.00	Peak	52.40	9.44	61.84	68.20	-6.36
5727.20	Peak	53.84	9.44	63.28	68.20	-4.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 231 of 320

802.11n40 HT mode

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11n40B1 :5190 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-21 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5149.00	Average	43.18	8.30	51.48	54.00	-2.52
5149.00	Peak	61.22	8.30	69.52	74.00	-4.48
5150.00	Average	42.75	8.32	51.07	54.00	-2.93
5150.00	Peak	58.68	8.32	67.00	74.00	-7.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 232 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B1 :5190 MHz


:Bandedge CH LOW

:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-21 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5148.16	Average	40.52	8.30	48.82	54.00	-5.18
5148.16	Peak	56.84	8.30	65.14	74.00	-8.86
5150.00	Average	40.24	8.32	48.56	54.00	-5.44
5150.00	Peak	55.06	8.32	63.38	74.00	-10.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 233 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B2 :5310 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-21 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	43.44	8.63	52.07	54.00	-1.93
5350.00	Peak	62.24	8.63	70.87	74.00	-3.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 234 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B2 :5310 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-21 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	40.74	8.63	49.37	54.00	-4.63
5350.00	Peak	58.59	8.63	67.22	74.00	-6.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 235 of 320

Operation Band Fundamental Frequency **Operation Mode**

:802.11n40B3 :5510 MHz :Bandedge CH LOW

:E2 Plane


Test Date Temp./Humi. Engineer


:2018-09-21 :23 deg_C / 62 RH

:VERTICAL

Measurement Antenna Pol.

:Wei





Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5460.00	Average	38.39	8.75	47.14	54.00	-6.86
5460.00	Peak	52.09	8.75	60.84	74.00	-13.16
5468.52	Peak	58.11	8.74	66.85	68.20	-1.35
5470.00	Peak	56.72	8.74	65.46	68.20	-2.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 236 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11n40B3 :5510 MHz :Bandedge CH LOW

:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-21 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5460.00	Average	37.91	8.75	46.66	54.00	-7.34
5460.00	Peak	50.60	8.75	59.35	74.00	-14.65
5470.00	Peak	56.11	8.74	64.85	68.20	-3.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 237 of 320

802.11ac80 VHT mode

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11ac80B1 :5210 MHz

:Bandedge CH LOW


:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-25 :23 deg C / 62 RH

:Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5137.70	Average	43.27	8.28	51.55	54.00	-2.45
5137.70	Peak	59.82	8.28	68.10	74.00	-5.90
5150.00	Average	40.76	8.32	49.08	54.00	-4.92
5150.00	Peak	54.91	8.32	63.23	74.00	-10.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 238 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11ac80B1 :5210 MHz :Bandedge CH LOW

:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-25 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5137.50	Average	40.16	8.28	48.44	54.00	-5.56
5137.50	Peak	55.12	8.28	63.40	74.00	-10.60
5150.00	Average	38.81	8.32	47.13	54.00	-6.87
5150.00	Peak	50.12	8.32	58.44	74.00	-15.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 239 of 320


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B2 :5290 MHz :Bandedge CH HIGH

Engineer

:E2 Plane

Test Date :2018-09-25 Temp./Humi. :23 deg C / 62 RH :Wei :VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	41.76	8.63	50.39	54.00	-3.61
5350.00	Peak	57.40	8.63	66.03	74.00	-7.97
5365.20	Average	44.03	8.64	52.67	54.00	-1.33
5365.20	Peak	61.63	8.64	70.27	74.00	-3.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 240 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B2 :5290 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-25 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.00	Average	40.75	8.63	49.38	54.00	-4.62
5350.00	Peak	54.94	8.63	63.57	74.00	-10.43
5365.80	Average	42.09	8.64	50.73	54.00	-3.27
5365.80	Peak	59.62	8.64	68.26	74.00	-5.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 241 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5530 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-25 Temp./Humi. :23 deg C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5453.10	Average	41.77	8.76	50.53	54.00	-3.47
5453.10	Peak	56.69	8.76	65.45	74.00	-8.55
5460.00	Average	41.23	8.75	49.98	54.00	-4.02
5460.00	Peak	55.10	8.75	63.85	74.00	-10.15
5464.30	Peak	56.02	8.74	64.76	68.20	-3.44
5470.00	Peak	53.42	8.74	62.16	68.20	-6.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 242 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11ac80B3 :5530 MHz

:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-25 Temp./Humi. :23 deg_C / 62 RH Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5453.20	Average	40.93	8.76	49.69	54.00	-4.31
5453.20	Peak	55.97	8.76	64.73	74.00	- 9.27
5460.00	Average	40.42	8.75	49.17	54.00	-4.83
5460.00	Peak	53.22	8.75	61.97	74.00	-12.03
5470.00	Peak	52.23	8.74	60.97	68.20	-7.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Page: 243 of 320


MIMO

802.11a mode

Test Date :2018-09-06 **Operation Band** :802.11aB1 **Fundamental Frequency** Temp./Humi.

:23 deg_C / 62 RH :5180 MHz **Operation Mode** :Bandedge CH LOW Engineer :Wei

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5150.00	Average	38.74	8.32	47.06	54.00	-6.94
5150.00	Peak	51.99	8.32	60.31	74.00	-13.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 244 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB1 :5180 MHz

:Bandedge CH LOW


:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-06

:23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5150.00	Average	37.92	8.32	46.24	54.00	-7.76
5150.00	Peak	50.55	8.32	58.87	74.00	-15.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 245 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB2 :5320 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-06 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	38.26	8.63	46.89	54.00	-7.11
5350.00	Peak	53.22	8.63	61.85	74.00	-12.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



:2018-09-06

:23 deg_C / 62 RH

Page: 246 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB2 :5320 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date Temp./Humi.

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.00	Average	37.66	8.63	46.29	54.00	-7.71
5350.00	Peak	50.60	8.63	59.23	74.00	-14.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 247 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5500 MHz

:Bandedge CH LOW


:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-07 :23 deg_C / 62 RH

:Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5460.00	Average	37.85	8.75	46.60	54.00	-7.40
5460.00	Peak	49.57	8.75	58.32	74.00	-15.68
5470.00	Peak	52.46	8.74	61.20	68.20	-7.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 248 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5500 MHz


:Bandedge CH LOW

:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-07 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5460.00	Average	37.42	8.75	46.17	54.00	-7.83
5460.00	Peak	50.71	8.75	59.46	74.00	-14.54
5470.00	Peak	50.69	8.74	59.43	68.20	-8.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 249 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5700 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
5725.00	Peak	55.36	9.44	64.80	68.20	-3.40	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 250 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5700 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date Temp./Humi. :2018-09-07 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5725.00	Peak	52.03	9.44	61.47	68.20	-6.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 251 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB4 :5745 MHz

:Bandedge CH LOW

:E2 Plane


Test Date Temp./Humi. Engineer

:2018-09-07

:23 deg_C / 62 RH

:Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Peak	49.15	9.20	58.35	68.23	-9.88
5700.00	Peak	48.54	9.35	57.89	105.23	-47.34
5720.00	Peak	52.48	9.43	61.91	110.83	-48.92
5725.00	Peak	55.51	9.44	64.95	122.23	-57.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 252 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB4 :5745 MHz


:Bandedge CH LOW

:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-07 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Peak	49.00	9.20	58.20	68.23	-10.03
5700.00	Peak	49.26	9.35	58.61	105.23	-46.62
5720.00	Peak	50.43	9.43	59.86	110.83	-50.97
5725.00	Peak	53.81	9.44	63.25	122.23	-58.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) tested and sample(s) tested and such sample(s) tested and sa may be prosecuted to the fullest extent of the law.



Page: 253 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11aB4 :5825 MHz

:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Peak	58.39	9.77	68.16	122.23	-54.07
5855.00	Peak	52.50	9.78	62.28	110.83	-48.55
5875.00	Peak	49.77	9.82	59.59	105.23	-45.64
5925.00	Peak	50.89	9.98	60.87	68.23	-7.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) tested and sample(s) tested and such sample(s) tested and sa may be prosecuted to the fullest extent of the law.



Page: 254 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB4 :5825 MHz

:Bandedge CH HIGH


:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-07

:23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Peak	53.33	9.77	63.10	122.23	-59.13
5855.00	Peak	51.22	9.78	61.00	110.83	-49.83
5875.00	Peak	50.55	9.82	60.37	105.23	-44.86
5925.00	Peak	50.57	9.98	60.55	68.23	-7.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) tested and sample(s) tested and such sample(s) tested and sa may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 255 of 320

802.11n20 HT mode

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11n20B1 :5180 MHz

:Bandedge CH LOW


:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-07

:23 deg_C / 62 RH :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Average	40.44	8.32	48.76	54.00	-5.24
5150.00	Peak	55.40	8.32	63.72	74.00	-10.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) tested and sample(s) tested and such sample(s) tested and sa may be prosecuted to the fullest extent of the law.



Page: 256 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5180 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5150.00	Average	38.16	8.32	46.48	54.00	-7.52
5150.00	Peak	51.63	8.32	59.95	74.00	-14.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) tested and sample(s) tested and such sample(s) tested and sa may be prosecuted to the fullest extent of the law.



Page: 257 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B2 :5320 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	40.41	8.63	49.04	54.00	-4.96
5350.00	Peak	59.14	8.63	67.77	74.00	-6.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 258 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B2 :5320 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date Temp./Humi. :2018-09-07 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	37.94	8.63	46.57	54.00	-7.43
5350.00	Peak	50.26	8.63	58.89	74.00	-15.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Page: 259 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5500 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5460.00	Average	37.94	8.75	46.69	54.00	-7.31
5460.00	Peak	51.01	8.75	59.76	74.00	-14.24
5470.00	Peak	53.32	8.74	62.06	68.20	-6.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 260 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5500 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5460.00	Average	37.40	8.75	46.15	54.00	-7.85
5460.00	Peak	49.98	8.75	58.73	74.00	-15.27
5470.00	Peak	51.26	8.74	60.00	68.20	-8.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 261 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5700 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
5725.00	Peak	56.97	9.44	66.41	68.20	-1.79	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 262 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5700 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date Temp./Humi. :2018-09-07 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5725.00	Peak	52.25	9.44	61.69	68.20	-6.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 263 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B4 :5745 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	48.65	9.20	57.85	68.23	-10.38
5700.00	Peak	49.27	9.35	58.62	105.23	-46.61
5720.00	Peak	56.31	9.43	65.74	110.83	-45.09
5725.00	Peak	62.11	9.44	71.55	122.23	-50.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 264 of 320

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B4 :5745 MHz


Test Date Temp./Humi. Engineer

Measurement Antenna Pol.

:2018-09-07 :23 deg_C / 62 RH

:HORIZONTAL

:Bandedge CH LOW EUT Pol. :E2 Plane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	49.35	9.20	58.55	68.23	-9.68
5700.00	Peak	49.24	9.35	58.59	105.23	-46.64
5720.00	Peak	53.66	9.43	63.09	110.83	-47.74
5725.00	Peak	57.11	9.44	66.55	122.23	-55.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 265 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B4 :5825 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5850.00	Peak	58.95	9.77	68.72	122.23	-53.51
5855.00	Peak	52.37	9.78	62.15	110.83	-48.68
5875.00	Peak	49.75	9.82	59.57	105.23	-45.66
5925.00	Peak	49.50	9.98	59.48	68.23	-8.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sgs.com

t (886-2) 2299-3279



Page: 266 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B4 :5825 MHz

:Bandedge CH HIGH


:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-07

:23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	53.32	9.77	63.09	122.23	-59.14
5855.00	Peak	50.69	9.78	60.47	110.83	-50.36
5875.00	Peak	50.36	9.82	60.18	105.23	-45.05
5925.00	Peak	50.65	9.98	60.63	68.23	-7.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sgs.com



Page: 267 of 320

802.11n40 HT mode

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11n40B1 :5190 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	-
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5150.00	Average	44.21	8.32	52.53	54.00	-1.47
5150.00	Peak	58.60	8.32	66.92	74.00	-7.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Page: 268 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B1 :5190 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5150.0	0 Average	40.44	8.32	48.76	54.00	-5.24
5150.0	0 Peak	54.65	8.32	62.97	74.00	-11.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 269 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B2 :5310 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	42.38	8.63	51.01	54.00	-2.99
5350.00	Peak	58.37	8.63	67.00	74.00	-7.00
5357.96	Average	40.27	8.65	48.92	54.00	-5.08
5357.96	Peak	57.79	8.65	66.44	74.00	-7.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 270 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B2 :5310 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date Temp./Humi. :2018-09-07 :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	40.56	8.63	49.19	54.00	-4.81
5350.00	Peak	55.16	8.63	63.79	74.00	-10.21
5356.16	Average	39.56	8.64	48.20	54.00	-5.80
5356.16	Peak	55.78	8.64	64.42	74.00	-9.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 271 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5510 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5460.00	Average	39.26	8.75	48.01	54.00	-5.99
5460.00	Peak	52.41	8.75	61.16	74.00	-12.84
5470.00	Peak	56.67	8.74	65.41	68.20	-2.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 272 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5510 MHz :Bandedge CH LOW


:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-07 :23 deg_C / 62 RH

Measurement Antenna Pol.

:HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5460.00	Average	37.93	8.75	46.68	54.00	-7.32
5460.00	Peak	50.11	8.75	58.86	74.00	-15.14
5470.00	Peak	53.54	8.74	62.28	68.20	-5.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 273 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5670 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin	
	Mode	Reading Level		FS	@3m		
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB	
5725.00	Peak	51.23	9.44	60.67	68.20	-7.53	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 274 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5670 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5725.00	Peak	50.53	9.44	59.97	68.20	-8.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 275 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B4 :5755 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	48.72	9.20	57.92	68.23	-10.31
5700.00	Peak	52.13	9.35	61.48	105.23	-43.75
5720.00	Peak	64.42	9.43	73.85	110.83	-36.98
5725.00	Peak	65.16	9.44	74.60	122.23	-47.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 276 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11n40B4 :5755 MHz :Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	49.12	9.20	58.32	68.23	-9.91
5700.00	Peak	50.31	9.35	59.66	105.23	-45.57
5720.00	Peak	60.28	9.43	69.71	110.83	-41.12
5725.00	Peak	59.18	9.44	68.62	122.23	-53.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 277 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B4 :5795 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	50.80	9.77	60.57	122.23	-61.66
5855.00	Peak	50.34	9.78	60.12	110.83	-50.71
5875.00	Peak	49.55	9.82	59.37	105.23	-45.86
5925.00	Peak	49.32	9.98	59.30	68.23	-8.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 278 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B4 :5795 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date Temp./Humi. Engineer

:2018-09-07 :23 deg_C / 62 RH

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	50.15	9.77	59.92	122.23	-62.31
5855.00	Peak	49.72	9.78	59.50	110.83	-51.33
5875.00	Peak	49.01	9.82	58.83	105.23	-46.40
5925.00	Peak	49.67	9.98	59.65	68.23	-8.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 279 of 320

802.11ac80 VHT mode

Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11ac80B1 :5210 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5140.30	Average	43.86	8.30	52.16	54.00	-1.84
5140.30	Peak	60.26	8.30	68.56	74.00	-5.44
5150.00	Average	41.66	8.32	49.98	54.00	-4.02
5150.00	Peak	54.20	8.32	62.52	74.00	-11.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Page: 280 of 320

Operation Band Fundamental Frequency **Operation Mode**

:802.11ac80B1 :5210 MHz

Test Date Temp./Humi.

Measurement Antenna Pol.


:2018-09-07 :23 deg_C / 62 RH

Engineer

:HORIZONTAL

EUT Pol.

:Bandedge CH LOW :E2 Plane



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5130.60	Average	39.71	8.27	47.98	54.00	-6.02
5130.60	Peak	53.81	8.27	62.08	74.00	-11.92
5150.00	Average	39.31	8.32	47.63	54.00	-6.37
5150.00	Peak	49.46	8.32	57.78	74.00	-16.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 281 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B2 :5290 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	41.75	8.63	50.38	54.00	-3.62
5350.00	Peak	54.00	8.63	62.63	74.00	-11.37
5365.90	Average	42.97	8.64	51.61	54.00	-2.39
5365.90	Peak	57.78	8.64	66.42	74.00	-7.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 282 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B2 :5290 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	39.85	8.63	48.48	54.00	-5.52
5350.00	Peak	52.36	8.63	60.99	74.00	-13.01
5356.40	Average	40.35	8.64	48.99	54.00	-5.01
5356.40	Peak	56.59	8.64	65.23	74.00	-8.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 283 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5530 MHz :Bandedge CH LOW

:E2 Plane


Test Date Temp./Humi. Engineer

:2018-09-07

:23 deg_C / 62 RH

:Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5460.00	Average	43.40	8.75	52.15	54.00	-1.85
5460.00	Peak	56.65	8.75	65.40	74.00	-8.60
5463.40	Peak	57.03	8.74	65.77	68.20	-2.43
5470.00	Peak	54.80	8.74	63.54	68.20	-4.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 284 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5530 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5460.00	Average	41.45	8.75	50.20	54.00	-3.80
5460.00	Peak	52.55	8.75	61.30	74.00	-12.70
5470.00	Peak	51.26	8.74	60.00	68.20	-8.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 285 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B4 :5775 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Peak	48.83	9.20	58.03	68.23	-10.20
5700.00	Peak	59.80	9.35	69.15	105.23	-36.08
5720.00	Peak	56.25	9.43	65.68	110.83	-45.15
5725.00	Peak	56.64	9.44	66.08	122.23	-56.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 286 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B4 :5775 MHz


:Bandedge CH LOW

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Peak	48.43	9.20	57.63	68.23	-10.60
5700.00	Peak	57.48	9.35	66.83	105.23	-38.40
5720.00	Peak	51.80	9.43	61.23	110.83	-49.60
5725.00	Peak	52.69	9.44	62.13	122.23	-60.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 287 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B4 :5775 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer :Wei

:VERTICAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Peak	58.43	9.77	68.20	122.23	-54.03
5855.00	Peak	55.99	9.78	65.77	110.83	-45.06
5875.00	Peak	51.90	9.82	61.72	105.23	-43.51
5925.00	Peak	48.91	9.98	58.89	68.23	-9.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 288 of 320

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B4 :5775 MHz


:Bandedge CH HIGH

:E2 Plane

Test Date :2018-09-07 Temp./Humi. :23 deg_C / 62 RH

Engineer

:HORIZONTAL Measurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	56.05	9.77	65.82	122.23	-56.41
5855.00	Peak	53.99	9.78	63.77	110.83	-47.06
5875.00	Peak	49.39	9.82	59.21	105.23	-46.02
5925.00	Peak	50.10	9.98	60.08	68.23	-8.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.



Page: 289 of 320

12 TRANSMISSION IN THE ABSENCE OF DATA

Standard Applicable 12.1

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 290 of 320

13 FREQUENCY STABILITY


Standard Applicable 13.1

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

13.2 Measurement Procedure

- 1. The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

13.3 **Test SET-UP**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipeilndustrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 291 of 320

13.4 **Measurement Equipment Used:**

SGS Conducted Room								
	303	Conducted No						
Name of Equipment	Manufacturer	Model	Serial Num-	Calibration	Calibration			
Name of Equipment	Wallulactulei	WIOGEI	ber	Date	Due			
Spectrum Analyzer	R&S	FSV-30	101398	2017/10/19	2018/10/18			
DC Power Supply	Anritsu	E3640A	MY52410006	2017/11/28	2018/11/27			
Temperature Chamber	TERCHY	MHG-120LF	911009	2018/05/18	2019/05/17			
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01			
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/02	2019/01/01			
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01			
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 292 of 320

13.5 **Measurement Result**

SISO

Startup:

Operation Mode	802.11 a	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
10 °⊂	3.6V	140	5700	5,700.00160	-0.00000028
-10 ℃	3V	140	5700	5,700.00824	-0.00000144
25 ℃	3.3V	140	5700	5,699.99005	0.00000175
55 °C	3.6V	140	5700	5,699.99739	0.0000046
55 ℃	3V	140	5700	5,699.99947	0.00000009

Operation Mode	802.11 n_HT40	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
-10 °C	3.6V	38	5190	5,190.00622	-0.00000120
		62	5310	5,309.99075	0.00000174
		102	5510	5,509.99906	0.00000017
	3V	38	5190	5,190.00732	-0.00000141
		62	5310	5,310.00290	-0.00000055
		102	5510	5,510.00454	-0.00000082
25 ℃	3.3V	38	5190	5,189.99150	0.00000164
		62	5310	5,310.00289	-0.00000054
		102	5510	5,510.00937	-0.00000170
55 ℃	3.6V	38	5190	5,189.99985	0.00000003
		62	5310	5,309.99027	0.00000183
		102	5510	5,509.99173	0.00000150
	3V	38	5190	5,190.00124	-0.00000024
		62	5310	5,309.99331	0.00000126
		102	5510	5,510.00426	-0.00000077

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, which is a such as the sample of th may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 293 of 320

Operation Mode	802.11 ac_VHT80	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
	3.6V	42	5210	5,209.99209	0.00000152
-10 ℃	3.0 V	58	5290	5,289.99291	0.00000134
-10 C	3V	42	5210	5,210.00930	-0.00000178
	3 V	58	5290	5,289.99159	0.00000159
25 °C	3.3V	42	5210	5,210.00809	-0.00000155
25 C	3.31	58	5290	5,290.00628	-0.00000119
	3.6V	42	5210	5,210.00638	-0.00000122
55 °C	3.0V 3V	58	5290	5,289.99269	0.00000138
35 C		42	5210	5,209.99872	0.0000025
	JV	58	5290	5,289.99354	0.00000122

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 294 of 320

2 Minutes:

Operation Mode	802.11 a	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
-10 °C	3.6V	140	5700	5,699.99449	0.00000097
-10 C	3V	140	5700	5,700.00743	-0.00000130
25 ° C	3.3V	140	5700	5,700.00617	-0.00000108
55 °C	3.6V	140	5700	5,700.00992	-0.00000174
55 C	3V	140	5700	5,700.00342	-0.00000060
Operation Mode		802.11 n_HT40		Test Date	2018.10.02
Temperature		:23 ℃		Test By	Gary
Humidity		:68 %			

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,190.00933	-0.00000180
	3.6V	62	5310	5,309.99147	0.00000161
-10 °C		102	5510	5,509.99921	0.0000014
-10 C		38	5190	5,189.99861	0.00000027
	3V	62	5310	5,310.00591	-0.00000111
		102	5510	5,509.99699	0.00000055
		38	5190	5,189.99528	0.00000091
25 ° ⊂	3.3V	62	5310	5,309.99557	0.00000083
		102	5510	5,509.99300	0.00000127
		38	5190	5,189.99606	0.00000076
	3.6V 3V	62	5310	5,310.00320	-0.00000060
55 ℃		102	5510	5,510.00721	-0.00000131
		38	5190	5,189.99977	0.0000005
		62	5310	5,309.99742	0.0000049
		102	5510	5,509.99461	0.00000098

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 295 of 320

Operation Mode	802.11 ac_VHT80	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
	3.6V	42	5210	5,210.00179	-0.00000034
-10 °C	3.0 V	58	5290	5,290.00281	-0.00000053
-10 C	3V	42	5210	5,209.99758	0.00000046
	3 V	58	5290	5,289.99665	0.00000063
25 ℃	3.3V	42	5210	5,209.99981	0.00000004
23 C	J.J V	58	5290	5,290.00014	-0.00000003
	3.6V	42	5210	5,210.00963	-0.00000185
55 ℃ 3V	58	5290	5,289.99787	0.00000040	
	42	5210	5,209.99312	0.00000132	
	٥v	58	5290	5,289.99999	0.0000000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 296 of 320

5 Miuntes:

Operation Mode	802.11 a	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
-10 °C	3.6V	140	5700	5,700.00294	-0.00000052
-10 C	3V	140	5700	5,700.00738	-0.00000129
25 ° C	3.3V	140	5700	5,699.99924	0.00000013
55 ° C	3.6V	140	5700	5,699.99997	0.00000000
55 C	3V	140	5700	5,699.99536	0.00000081
Operation Mode	ļ	802.11 n_HT40		Test Date	2018.10.02
Temperature		:23 ℃		Test By	Gary
Humidity		:68 %		•	•

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.99841	0.00000031
	3.6V	62	5310	5,309.99017	0.00000185
-10 °C		102	5510	5,510.00613	-0.00000111
-10 C		38	5190	5,190.00694	-0.00000134
	3V	62	5310	5,310.00444	-0.00000084
		102	5510	5,509.99614	0.00000070
		38	5190	5,190.00045	-0.00000009
25 ° ⊂	3.3V	62	5310	5,309.99241	0.00000143
		102	5510	5,509.99178	0.00000149
		38	5190	5,189.99114	0.00000171
	3.6V	62	5310	5,309.99111	0.00000167
55 ℃		102	5510	5,510.00596	-0.00000108
	3V	38	5190	5,189.99854	0.00000028
		62	5310	5,310.00137	-0.00000026
		102	5510	5,509.99266	0.00000133

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 297 of 320

Operation Mode	802.11 ac_VHT80	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
	3.6V	42	5210	5,209.99118	0.00000169
-10 °C	3.0 V	58	5290	5,290.00519	-0.00000098
-10 C	3V	42	5210	5,210.00102	-0.00000020
	JV	58	5290	5,289.99983	0.00000003
25 °C	3.3V	42	5210	5,210.00899	-0.00000173
25 C	3.3 v	58	5290	5,290.00255	-0.00000048
	3.6V	42	5210	5,209.99293	0.00000136
	58	5290	5,290.00243	-0.00000046	
)55 C	25 °C 3V	42	5210	5,209.99237	0.00000147
	υ	58	5290	5,290.00472	-0.00000089

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.

Phys A faxing is the sample of 90 days only.

Phys A faxing is the sam may be prosecuted to the fullest extent of the law.



Page: 298 of 320

10 Minutes:

Operation Mode	802.11 a	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %	-	

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
-10 ℃	3.6V	140	5700	5,699.99657	0.00000060
-10 C	3V	140	5700	5,700.00178	-0.00000031
25 ℃	3.3V	140	5700	5,699.99058	0.00000165
55 °C	3.6V	140	5700	5,699.99406	0.00000104
55 C	3V	140	5700	5,700.00683	-0.00000120
Operation Mode		802.11 n_HT40		Test Date	2018.10.02
Temperature		:23 ℃		Test By	Gary
Humidity		:68 %			

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.99661	0.00000065
	3.6V	62	5310	5,310.00447	-0.00000084
-10 °C		102	5510	5,509.99788	0.0000038
-10 C		38	5190	5,189.99448	0.00000106
	3V	62	5310	5,310.00198	-0.00000037
		102	5510	5,510.00790	-0.00000143
		38	5190	5,190.00513	-0.00000099
25 ° ⊂	3.3V	62	5310	5,309.99803	0.00000037
		102	5510	5,509.99885	0.00000021
		38	5190	5,190.00489	-0.00000094
	3.6V	62	5310	5,309.99330	0.00000126
55 ℃		102	5510	5,509.99066	0.00000170
	3V	38	5190	5,190.00769	-0.00000148
		62	5310	5,310.00737	-0.00000139
		102	5510	5,510.00845	-0.00000153

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 299 of 320

Operation Mode	802.11 ac_VHT80	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
	3.6V	42	5210	5,210.00114	-0.00000022
-10 °C	J.0 V	58	5290	5,290.00422	-0.00000080
-10 C	3V	42	5210	5,209.99492	0.00000097
		58	5290	5,289.99039	0.00000182
25 ℃	3.3V	42	5210	5,210.00869	-0.00000167
25 C	J.J V	58	5290	5,290.00158	-0.00000030
	3.6V	42	5210	5,210.00363	-0.00000070
55 %	55 °C 3V	58	5290	5,290.00494	-0.00000093
35 C		42	5210	5,210.00536	-0.00000103
	3 V	58	5290	5,290.00943	-0.00000178

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.

Phys A faxing is the sample of 90 days only.

Phys A faxing is the sam may be prosecuted to the fullest extent of the law.



Page: 300 of 320

MIMO

Startup:

Operation Mode	802.11 a	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.99393	0.00000117
		44	5220	5,220.00586	-0.00000112
		48	5240	5,239.99686	0.00000060
		52	5260	5,259.99197	0.00000153
		60	5300	5,300.00135	-0.00000025
	3.6V	64	5320	5,320.00821	-0.00000154
		100	5500	5,500.00679	-0.00000123
		116	5580	5,580.00999	-0.00000179
		140	5700	5,699.99932	0.00000012
		144	5720	5,720.00557	-0.00000097
		149	5745	5,745.00228	-0.00000040
		157	5785	5,784.99005	0.00000172
		165	5825	5,825.00332	-0.00000057
-10 ℃		36	5180	5,180.00359	-0.00000069
		44	5220	5,219.99279	0.00000138
		48	5240	5,239.99891	0.00000021
		52	5260	5,260.00869	-0.00000165
		60	5300	5,299.99092	0.00000171
	3V	64	5320	5,320.00963	-0.00000181
		100	5500	5,499.99985	0.00000003
		116	5580	5,580.00054	-0.00000010
		140	5700	5,700.00163	-0.00000029
		144	5720	5,719.99421	0.00000101
		149	5745	5,744.99463	0.0000093
		157	5785	5,785.00144	-0.00000025
		165	5825	5,824.99158	0.00000145

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 301 of 320

Γ		36	5180	E 170 00012	0.00000036
		36 44	5180	5,179.99812 5,220.00008	-0.00000001
		48	5240	5,240.00645	-0.00000123
		52	5260	5,259.99886	0.00000022
		60	5300	5,300.00506	-0.00000095
25 ℃	3.3V	64	5320	5,319.99943	0.00000011
		100	5500	5,499.99738	0.00000048
		116	5580	5,579.99041	0.00000172
		140	5700	5,699.99435	0.00000099
		144	5720	5,720.00023	-0.00000004
		149	5745	5,744.99559	0.00000077
		157	5785	5,784.99737	0.00000045
		165	5825	5,825.00364	-0.00000063
		36	5180	5,179.99443	0.00000108
		44	5220	5,219.99903	0.00000019
		48	5240	5,240.00822	-0.00000157
		52	5260	5,259.99062	0.00000178
		60	5300	5,299.99637	0.00000068
		64	5320	5,319.99370	0.00000118
	3.6V	100	5500	5,500.00216	-0.00000039
		116	5580	5,580.00215	-0.00000039
		140	5700	5,699.99415	0.00000103
		144	5720	5,720.00821	-0.00000144
		149	5745	5,745.00885	-0.00000154
		157	5785	5,784.99482	0.00000089
		165	5825	5,825.00693	-0.00000119
55 °C		36	5180	5,180.00079	-0.00000015
_		44	5220	5,219.99496	0.00000097
		48	5240	5,239.99677	0.00000062
		52	5260	5,259.99353	0.00000123
		60	5300	5,299.99863	0.00000026
•	3V	64	5320	5,320.00588	-0.00000111
		100	5500	5,500.00797	-0.00000145
		116	5580	5,579.99098	0.00000162
		140	5700	5,699.99448	0.0000097
		144	5720	5,720.00001	0.0000000
		149	5745	5,744.99984	0.00000003
		157	5785	5,784.99480	0.0000090
		165	5825	5,824.99600	0.00000069

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 302 of 320

Operation Mode	802.11 n_HT40	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.99839	0.00000031
		46	5230	5,229.99897	0.00000020
		54	5270	5,270.00157	-0.00000030
		62	5310	5,310.00949	-0.00000179
	3.6V	102	5510	5,509.99848	0.00000028
		110	5550	5,550.00873	-0.00000157
		134	5670	5,669.99854	0.00000026
		142	5710	5,709.99500	0.00000087
		151	5755	5,755.00468	-0.00000081
-10 ℃		159	5795	5,794.99563	0.00000075
		38	5190	5,190.00879	-0.00000169
		46	5230	5,229.99059	0.00000180
		54	5270	5,269.99118	0.00000167
		62	5310	5,310.00132	-0.00000025
	3V	102	5510	5,510.00259	-0.00000047
	110	5550	5,549.99500	0.00000090	
		134	5670	5,669.99565	0.0000077
		142	5710	5,709.99246	0.00000132
		151	5755	5,755.00353	-0.00000061
		159	5795	5,795.00413	-0.00000071

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.

Phys A faxing is the sample of 90 days only.

Phys A faxing is the sam may be prosecuted to the fullest extent of the law.



Page: 303 of 320

		38	5190	5,190.00565	-0.00000109
		46	5230	5,230.00640	-0.00000122
		54	5270	5,269.99002	0.00000189
		62	5310	5,310.00633	-0.00000119
25 ° ⊂	3.3V	102	5510	5,510.00867	-0.00000157
		110	5550	5,549.99753	0.00000045
		134	5670	5,670.00181	-0.00000032
		142	5710	5,710.00443	-0.00000077
		151	5755	5,754.99072	0.00000161
		159	5795	5,794.99415	0.00000101
		38	5190	5,189.99044	0.00000184
		46	5230	5,230.00911	-0.00000174
		54	5270	5,270.00249	-0.00000047
		62	5310	5,309.99875	0.00000023
	3.6V	102	5510	5,509.99869	0.00000024
		110	5550	5,550.00807	-0.00000145
		134	5670	5,669.99129	0.00000154
		142	5710	5,710.00882	-0.00000154
		151	5755	5,755.00392	-0.00000068
		159	5795	5,795.00333	-0.00000057
55 ° C		38	5190	5,190.00533	-0.00000103
		46	5230	5,230.00020	-0.00000004
		54	5270	5,270.00333	-0.00000063
		62	5310	5,309.99827	0.00000033
	3V	102	5510	5,510.00005	-0.00000001
		110	5550	5,549.99636	0.00000066
		134	5670	5,669.99695	0.0000054
		142	5710	5,710.00673	-0.00000118
		151	5755	5,754.99377	0.00000108
		159	5795	5,794.99657	0.00000059

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.

Phys A faxing is the sample of 90 days only.

Phys A faxing is the sam may be prosecuted to the fullest extent of the law.



Page: 304 of 320

Operation Mode	802.11 ac_VHT80	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		42	5210	5,209.99154	0.00000162
		58	5290	5,289.99247	0.00000142
	3.6V	106	5530	5,530.00518	-0.0000094
		122	5610	5,610.00654	-0.00000117
		138	5690	5,690.00953	-0.00000168
-10 °C		155	5775	5,775.00993	-0.00000172
		42	5210	5,210.00148	-0.00000028
		58	5290	5,290.00605	-0.00000114
	3V	106	5530	5,529.99999	0.00000000
		122	5610	5,610.00758	-0.00000135
		138	5690	5,690.00751	-0.00000132
		155	5775	5,774.99429	0.00000099
		42	5210	5,210.00473	-0.00000091
		58	5290	5,290.00524	-0.00000099
25 ° ⊂	3.3V	106	5530	5,530.00411	-0.00000074
		122	5610	5,609.99304	0.00000124
		138	5690	5,690.00529	-0.00000093
		155	5775	5,774.99100	0.00000156
		42	5210	5,209.99848	0.00000029
		58	5290	5,290.00576	-0.00000109
	3.6V	106	5530	5,530.00023	-0.00000004
		122	5610	5,609.99367	0.00000113
		138	5690	5,689.99451	0.00000097
55 ° ⊂		155	5775	5,774.99506	0.00000086
		42	5210	5,209.99490	0.00000098
		58	5290	5,290.00604	-0.00000114
	3V	106	5530	5,530.00952	-0.00000172
		122	5610	5,609.99744	0.00000046
		138	5690	5,689.99799	0.00000035
		155	5775	5,774.99101	0.00000156

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.

Phys A faxing is the sample of 90 days only.

Phys A faxing is the sam may be prosecuted to the fullest extent of the law.



Page: 305 of 320

2 Minutes:

Operation Mode	802.11 a	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

			Measured	Spectrum	45
Test Temp.	Test Voltage	Channel	Frequency	Frequency	ΔFrequency
			(MHz)	(MHz)	(MHz)
		36	5180	5,180.00091	-0.00000018
		44	5220	5,219.99672	0.00000063
		48	5240	5,240.00219	-0.00000042
		52	5260	5,259.99780	0.00000042
		60	5300	5,299.99383	0.00000116
	3.6V	64	5320	5,320.00783	-0.00000147
		100	5500	5,499.99781	0.00000040
		116	5580	5,580.00543	-0.00000097
		140	5700	5,700.00508	-0.00000089
		144	5720	5,719.99490	0.00000089
		149	5745	5,745.00657	-0.00000114
		157	5785	5,785.00166	-0.00000029
		165	5825	5,824.99439	0.00000096
-10 °C		36	5180	5,180.00264	-0.00000051
		44	5220	5,220.00586	-0.00000112
		48	5240	5,240.00062	-0.00000012
		52	5260	5,260.00962	-0.00000183
		60	5300	5,300.00488	-0.00000092
	3V	64	5320	5,320.00892	-0.00000168
		100	5500	5,500.00751	-0.00000137
		116	5580	5,579.99087	0.00000164
		140	5700	5,699.99240	0.00000133
		144	5720	5,719.99428	0.00000100
		149	5745	5,745.00714	-0.00000124
		157	5785	5,785.00754	-0.00000130
		165	5825	5,825.00463	-0.00000079

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 306 of 320

	1	1 2/	F100	F 100 00007	0.00000100
		36	5180	5,180.00987	-0.00000190
		44	5220	5,219.99471	0.00000101
		48	5240	5,240.00905	-0.00000173
		52	5260	5,260.00636	-0.00000121
		60	5300	5,299.99408	0.00000112
25 ℃	3.3V	64	5320	5,319.99953	0.00000009
		100	5500	5,499.99415	0.00000106
		116	5580	5,580.00870	-0.00000156
		140	5700	5,699.99853	0.00000026
		144	5720	5,719.99480	0.00000091
		149	5745	5,745.00808	-0.00000141
		157	5785	5,785.00008	-0.00000001
		165	5825	5,825.00665	-0.00000114
		36	5180	5,180.00763	-0.00000147
		44	5220	5,219.99909	0.00000017
		48	5240	5,240.00481	-0.00000092
		52	5260	5,260.00878	-0.00000167
		60	5300	5,299.99600	0.00000076
		64	5320	5,320.00782	-0.00000147
	3.6V	100	5500	5,500.00932	-0.00000169
		116	5580	5,580.00466	-0.00000083
		140	5700	5,700.00048	-0.00000008
		144	5720	5,720.00916	-0.00000160
		149	5745	5,745.00638	-0.00000111
		157	5785	5,784.99193	0.00000139
		165	5825	5,824.99682	0.00000055
55 ℃		36	5180	5,180.00561	-0.00000108
		44	5220	5,220.00119	-0.00000023
		48	5240	5,239.99910	0.00000017
		52	5260	5,259.99666	0.00000063
		60	5300	5,299.99488	0.00000097
	3V	64	5320	5,320.00775	-0.00000146
		100	5500	5,499.99492	0.00000092
		116	5580	5,580.00382	-0.00000068
		140	5700	5,700.00350	-0.00000061
		144	5720	5,719.99978	0.00000004
		149	5745	5,745.00976	-0.00000170
		157	5785	5,785.00389	-0.00000067
		165	5825	5,824.99842	0.00000027

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.

Phys A faxing is the sample of 90 days only.

Phys A faxing is the sam may be prosecuted to the fullest extent of the law.



Page: 307 of 320

Operation Mode	802.11 n_HT40	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.99096	0.00000174
		46	5230	5,229.99558	0.00000085
		54	5270	5,270.00035	-0.00000007
		62	5310	5,309.99735	0.00000050
	3.6V	102	5510	5,509.99882	0.00000021
		110	5550	5,549.99232	0.00000138
		134	5670	5,670.00939	-0.00000166
		142	5710	5,710.00664	-0.00000116
		151	5755	5,755.00802	-0.00000139
-10 ℃		159	5795	5,795.00912	-0.00000157
		38	5190	5,190.00019	-0.00000004
		46	5230	5,230.00638	-0.00000122
		54	5270	5,269.99068	0.00000177
		62	5310	5,310.00352	-0.00000066
	3V	102	5510	5,509.99374	0.00000114
		110	5550	5,549.99837	0.0000029
		134	5670	5,669.99782	0.0000038
		142	5710	5,709.99303	0.00000122
		151	5755	5,754.99198	0.00000139
		159	5795	5,795.00602	-0.00000104

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 308 of 320

	1	1			
		38	5190	5,190.00789	-0.00000152
		46	5230	5,229.99084	0.00000175
		54	5270	5,269.99346	0.00000124
		62	5310	5,310.00567	-0.00000107
25 ° C	3.3V	102	5510	5,510.00058	-0.00000010
		110	5550	5,550.00102	-0.00000018
		134	5670	5,669.99944	0.00000010
		142	5710	5,710.00593	-0.00000104
		151	5755	5,754.99803	0.00000034
		159	5795	5,794.99983	0.00000003
		38	5190	5,190.00504	-0.00000097
		46	5230	5,229.99271	0.00000139
		54	5270	5,270.00628	-0.00000119
		62	5310	5,310.00027	-0.00000005
	3.6V	102	5510	5,510.00248	-0.00000045
		110	5550	5,549.99139	0.00000155
		134	5670	5,670.00183	-0.00000032
		142	5710	5,709.99122	0.00000154
		151	5755	5,754.99514	0.00000084
		159	5795	5,794.99291	0.00000122
55 ℃		38	5190	5,190.00014	-0.00000003
		46	5230	5,229.99537	0.00000089
		54	5270	5,270.00900	-0.00000171
		62	5310	5,309.99775	0.00000042
	3V	102	5510	5,509.99868	0.0000024
		110	5550	5,550.00371	-0.00000067
		134	5670	5,669.99361	0.00000113
		142	5710	5,710.00093	-0.00000016
		151	5755	5,754.99164	0.00000145
		159	5795	5,794.99384	0.00000106

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 309 of 320

Operation Mode	802.11 ac_VHT80	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		42	5210	5,209.99472	0.00000101
		58	5290	5,289.99608	0.00000074
	3.6V	106	5530	5,529.99789	0.0000038
		122	5610	5,609.99339	0.00000118
		138	5690	5,690.00475	-0.00000084
-10 °C		155	5775	5,775.00601	-0.00000104
		42	5210	5,209.99283	0.00000138
		58	5290	5,289.99224	0.00000147
	3V	106	5530	5,530.00854	-0.00000154
		122	5610	5,610.00719	-0.00000128
		138	5690	5,690.00225	-0.00000040
		155	5775	5,775.00509	-0.00000088
		42	5210	5,209.99911	0.0000017
		58	5290	5,290.00522	-0.00000099
25 ° C	3.3V	106	5530	5,530.00465	-0.00000084
		122	5610	5,610.00970	-0.00000173
		138	5690	5,690.00277	-0.00000049
		155	5775	5,774.99254	0.00000129
		42	5210	5,210.00853	-0.00000164
		58	5290	5,290.00608	-0.00000115
	3.6V	106	5530	5,529.99695	0.00000055
		122	5610	5,610.00785	-0.00000140
		138	5690	5,690.00954	-0.00000168
55 °C		155	5775	5,775.00657	-0.00000114
		42	5210	5,209.99873	0.0000024
		58	5290	5,290.00731	-0.00000138
	3V	106	5530	5,529.99944	0.0000010
		122	5610	5,609.99539	0.00000082
		138	5690	5,690.00597	-0.00000105
		155	5775	5,774.99405	0.00000103

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.

Phys A faxing is the sample of 90 days only.

Phys A faxing is the sam may be prosecuted to the fullest extent of the law.



Page: 310 of 320

5 Minutes:

Operation Mode	802.11 a	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

			Measured	Spectrum	45
Test Temp.	Test Voltage	Channel	Frequency	Frequency	ΔFrequency
-			(MHz)	(MHz)	(MHz)
		36	5180	5,179.99137	0.00000167
		44	5220	5,220.00751	-0.00000144
		48	5240	5,240.00601	-0.00000115
		52	5260	5,260.00886	-0.00000168
		60	5300	5,299.99699	0.0000057
	3.6V	64	5320	5,319.99024	0.00000184
		100	5500	5,499.99736	0.00000048
		116	5580	5,579.99789	0.00000038
		140	5700	5,699.99979	0.0000004
		144	5720	5,720.00539	-0.00000094
		149	5745	5,744.99421	0.00000101
		157	5785	5,785.00816	-0.00000141
		165	5825	5,825.00468	-0.00000080
-10 ℃		36	5180	5,179.99981	0.00000004
		44	5220	5,219.99854	0.00000028
		48	5240	5,240.00794	-0.00000151
	3V	52	5260	5,260.00175	-0.00000033
		60	5300	5,300.00768	-0.00000145
		64	5320	5,320.00093	-0.00000017
		100	5500	5,500.00176	-0.00000032
		116	5580	5,580.00846	-0.00000152
		140	5700	5,700.00576	-0.00000101
		144	5720	5,720.00497	-0.00000087
		149	5745	5,744.99619	0.0000066
		157	5785	5,784.99404	0.00000103
		165	5825	5,824.99334	0.00000114

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 311 of 320

36		ı	·	1		
A8			36	5180	5,180.00214	-0.00000041
52						
25 °C 3.3V 64 5320 5,300.00023 -0.00000004 100 5500 5,500.00748 -0.0000136 116 5580 5,580.00363 -0.00000065 1440 5700 5,700.00216 -0.00000038 1444 5720 5,719.99629 -0.00000047 157 5785 5,785.00778 -0.00000134 165 5825 5,824.99637 -0.00000134 44 5220 5,220.00236 -0.00000046 48 5220 5,220.00236 -0.00000046 52 48 5240 5,240.00243 -0.00000046 52 52 5260 5,260.00494 -0.00000046 52 52 5260 5,260.00494 -0.00000046 60 5300 5,299.99632 -0.00000046 64 5320 5,320.00822 -0.00000046 116 5580 5,579.99214 -0.00000014 116 5580 5,579.99214 -0.00000014 140 5700 5,700.00832 -0.00000014 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.00000014 149 5745 5,745.00390 -0.00000014 149 5745 5,745.00390 -0.00000014 149 5745 5,745.00390 -0.000000167 144 5220 5,239.99007 -0.00000018 165 5825 5,249.9938 0.00000167 44 5220 5,239.99007 0.00000018 48 5240 5,239.99007 0.00000016 100 5500 5,599.99108 0.0000016 116 5580 5,580.0956 -0.00000116 116 5580 5,580.0956 -0.00000171 140 5700 5,699.99821 0.00000016 1140 5700 5,749.99362 0.00000016 1140 5700 5,699.99821 0.00000016 1140 5700 5,699.99821 0.00000016 1140 5700 5,699.99821 0.00000016					5,240.00504	-0.00000096
25 °C 3.3V 64 5320 5,320,00597 -0,00000112 100 5500 5,500,00748 -0,00000136 116 5580 5,580,00363 -0,00000055 140 5700 5,700,00216 -0,00000035 144 5720 5,719,99629 0,00000047 157 5785 5,785,00778 -0,00000134 165 5825 5,824,99637 0,00000045 44 5220 5,220,00236 -0,00000046 552 5260 5,240,00243 -0,00000046 552 5260 5,220,00236 -0,00000046 552 5260 5,220,00236 -0,00000046 552 5260 5,220,00236 -0,00000046 552 5260 5,220,00236 -0,00000046 552 5260 5,240,00243 -0,00000046 64 5320 5,320,00822 -0,00000155 3.6V 100 5500 5,500,00396 -0,00000072 116 5580 5,579,99214 0,00000141 140 5700 5,700,00832 -0,00000141 144 5720 5,720,00139 -0,00000024 144 5720 5,720,00139 -0,000000167 44 5220 5,239,9907 0,00000167 44 5220 5,239,9907 0,00000167 44 5220 5,239,9907 0,00000167 44 5220 5,239,9907 0,00000161 116 5580 5,580,00956 -0,0000017 116 5580 5,580,00956 0,0000017 116 5580 5,580,00956 0,0000017 116 5580 5,580,00956 0,00000161 140 5700 5,699,99821 0,00000018 144 5720 5,720,00964 -0,0000017 140 5700 5,699,99821 0,00000018 144 5720 5,720,00964 -0,00000018 144 5720 5,720,00964 -0,00000018 144 5720 5,720,00964 -0,00000018 144 5720 5,720,00964 -0,00000018 144 5720 5,720,00964 -0,00000018			52	5260	· ·	0.00000093
100 5500 5,500.00748 -0.00000136 116 5580 5,580.00363 -0.0000065 140 5700 5,700.00216 -0.0000038 144 5720 5,719.99629 0.00000065 149 5745 5,745.00773 -0.0000017 157 5785 5,824.99637 -0.00000134 44 5220 5,220.00236 -0.00000134 44 5220 5,220.00236 -0.00000045 48 5240 5,240.00243 -0.0000014 52 52 5260 5,260.00494 -0.00000069 64 5320 5,320.00822 -0.0000069 64 5320 5,320.00822 -0.0000015 116 5580 5,579.99214 -0.0000015 116 5580 5,579.99214 -0.0000014 140 5700 5,700.00832 -0.0000014 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.00000014 140 5700 5,700.00832 -0.00000014 140 5700 5,700.00832 -0.00000014 140 5700 5,700.00832 -0.0000014 140 5700 5,700.00832 -0.0000014 140 5700 5,700.00832 -0.0000016 157 5785 5,785.00190 -0.00000018 157 5785 5,785.00190 -0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000164 165 5825 5,824.99283 0.00000164 165 5825 5,824.99283 0.00000164 165 5825 5,824.99283 0.00000165 165 5825 5,824.99283 0.00000165 165 5825 5,824.99283 0.00000166 165 5825 5,824.99283 0.00000166 165 5825 5,824.99283 0.00000166 165 5825 5,824.99283 0.00000166 165 5825 5,824.99283 0.00000166 165 5825 5,824.99283 0.00000166 165 5825 5,824.99283 0.00000166 165 5825 5,824.99283 0.00000166 165 5825 5,824.99283 0.00000166 165 5825 5,824.99283 0.00000166 165 5825 5,824.99283 0.00000166 165 5825 5,824.99283 0.000000166 165 5825 5,824.99283 0.000000166 165 5825 5,824.99283 0.000000166 165 5825 5,824.99283 0.000000168 167 570 5,899.99210 0.000000168 167 5700 5,699.99821 0.0000000160 160 5700 5,699.99821 0.0000000160 160 5700 5,699.99821 0.0000000160			60	5300	5,300.00023	-0.00000004
116 5580 5,580.00363 -0.00000065 140 5700 5,700.00216 -0.0000038 144 5720 5,719.99629 0.00000065 149 5745 5,745.00273 -0.00000047 157 5785 5,785.00778 -0.00000134 165 5825 5,824.99637 -0.00000045 44 5220 5,220.00236 -0.0000045 48 5240 5,240.00243 -0.00000046 52 5260 5,260.00494 -0.00000094 60 5300 5,299.99632 0.00000069 64 5320 5,320.00822 -0.0000072 116 5580 5,579.99214 0.0000015 3.6V 100 5500 5,500.00396 -0.00000072 144 5720 5,720.00139 -0.00000072 144 5720 5,720.00139 -0.00000014 140 5700 5,700.00832 -0.00000014 144 5720 5,720.00139 -0.00000014 149 5745 5,745.00390 -0.000000123 165 5825 5,824.99283 0.00000163 164 5220 5,219.99160 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000163 165 5825 5,824.99283 0.00000167 165 5525 5,824.99283 0.000000167 165 5525 5,824.99283 0.000000163 166 5300 5,299.99108 0.00000161 167 5500 5,499.99362 0.00000168 168 5520 5,260.00253 0.00000168 169 5520 5,560.00253 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 170 5,699.99821 0.000000168 170 5,699.99821 0.000000169 170 5,699.99821 0.000000169 170 5,700.0000000000000000000000000000000000	25 ° C	3.3V	64	5320	5,320.00597	-0.00000112
140 5700 5,700.00216 -0.00000038 144 5720 5,719,99629 0.0000065 149 5745 5,745.00273 -0.00000047 157 5785 5,785.00778 -0.00000134 165 5825 5,824,99637 0.00000042 44 5220 5,220.00236 -0.00000045 48 5240 5,240.00243 -0.00000046 52 5260 5,260.00494 -0.00000046 52 5260 5,260.00494 -0.00000069 64 5320 5,320.00822 -0.0000069 64 5320 5,320.00822 -0.00000155 3.6V 100 5500 5,500.00396 -0.00000072 116 5580 5,579,99214 0.00000072 116 5580 5,579,99214 0.00000014 144 5720 5,720.00139 -0.00000068 157 5785 5,785.00190 -0.00000033 165 5825 5,824,99283 0.00000167 44 5220 5,219,99160 0.00000167 44 5220 5,219,99160 0.00000161 48 5240 5,239,99007 0.00000161 48 5240 5,239,99007 0.00000161 160 5580 5,599,99108 0.00000161 160 5580 5,299,99108 0.00000161 160 5580 5,299,99108 0.00000168 157 5785 5,880,0956 -0.00000168 160 5300 5,499,99362 0.00000168 160 5580 5,580,0956 -0.00000171 160 5580 5,580,0956 -0.00000161 160 5580 5,580,0956 -0.00000161 160 5580 5,599,99921 0.000000168 144 5720 5,720,00964 -0.000000161 160 5580 5,744,99774 0.00000031 144 5720 5,720,00964 -0.00000031 144 5720 5,720,00964 -0.00000031 149 5745 5,744,99774 0.00000031			100	5500	5,500.00748	-0.00000136
144 5720 5,719,99629 0.00000065 149 5745 5,745.00273 -0.0000047 157 5785 5,785.00778 -0.00000134 165 5825 5,824.99637 0.00000062 36 5180 5,180.00693 -0.00000134 44 5220 5,220.00236 -0.00000045 48 5240 5,240.00243 -0.00000046 52 5260 5,260.00494 -0.00000094 60 5300 5,299.99632 0.00000155 48 5320 5,320.00822 -0.0000015 3.6V 100 5500 5,500.00396 -0.00000072 116 5580 5,579.99214 0.00000072 116 5580 5,579.99214 0.00000072 144 5720 5,720.00139 -0.00000014 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.00000024 149 5745 5,745.00390 -0.000000163 157 5785 5,824.99283 0.00000167 444 5220 5,219.99160 0.00000167 444 5220 5,219.99160 0.00000167 448 5240 5,239.99007 0.00000161 488 5240 5,239.99007 0.00000161 488 5240 5,239.99007 0.00000161 488 5240 5,239.99007 0.00000161 100 5500 5,499.99108 0.00000161 116 5580 5,260.00253 -0.000000161 116 5580 5,260.00253 -0.000000161 116 5580 5,260.00253 -0.000000161 116 5580 5,260.00253 -0.000000161 116 5580 5,299.99108 0.00000161 116 5580 5,299.99108 0.00000161 116 5580 5,580.00956 0.000000161 116 5580 5,580.00956 0.000000161 1144 5720 5,720.00964 -0.00000161 1149 5745 5,744.99774 0.00000033 144 5720 5,720.00964 -0.00000162			116	5580	5,580.00363	-0.00000065
149 5745 5,745.00273 -0.00000047 157 5785 5,785.00778 -0.00000134 165 5825 5,824.99637 0.00000062 36 5180 5,180.00693 -0.00000134 44 5220 5,220.00236 -0.00000045 48 5240 5,240.00243 -0.00000046 52 5260 5,260.00494 -0.00000069 64 5320 5,299.99632 0.00000069 64 5320 5,320.00822 -0.0000015 116 5580 5,579.99214 0.00000072 116 5580 5,579.99214 0.00000072 116 5580 5,779.90214 0.00000072 1144 5720 5,720.00139 -0.00000141 144 5720 5,720.00139 -0.00000068 157 5785 5,785.00190 -0.00000024 149 5745 5,745.00390 -0.000000163 156 5825 5,824.99283 0.00000163 157 5785 5,824.99283 0.00000167 44 5220 5,219.99160 0.00000167 44 5220 5,219.99160 0.00000167 48 5240 5,239.9907 0.00000161 48 5240 5,239.9907 0.00000161 48 5240 5,239.99108 0.00000161 160 5500 5,499.99362 0.00000161 160 5500 5,499.99362 0.00000161 160 5500 5,499.99362 0.00000161 160 5500 5,499.99362 0.00000161 160 5500 5,499.99362 0.00000161 160 5500 5,580.00956 0.00000161 160 5700 5,699.99821 0.000000161 160 5700 5,699.99821 0.000000161 160 5700 5,699.99821 0.000000161 160 5700 5,699.99821 0.000000161 160 5700 5,699.99821 0.000000161 160 5700 5,699.99821 0.000000161 160 5700 5,699.99821 0.000000161			140	5700	5,700.00216	-0.00000038
157 5785 5,785.00778 -0.00000134 165 5825 5,824.99637 0.00000062 36 5180 5,180.00693 -0.00000134 44 5220 5,220.00236 -0.0000045 48 5240 5,240.00243 -0.00000046 52 5260 5,260.00494 -0.00000094 60 5300 5,299.99632 0.00000069 64 5320 5,320.00822 -0.00000155 3.6V 100 5500 5,500.00396 -0.0000012 116 5580 5,579.99214 0.00000141 140 5700 5,700.00832 -0.00000146 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.00000088 157 5785 5,785.00190 -0.00000018 155 5825 5,824.99283 0.00000116 44 5220 5,219.99160 0.00000161 44 5220 5,219.99160 0.00000161 48 5240 5,239.99007 0.00000018 3V 64 5320 5,319.99915 0.00000018 3V 64 5320 5,319.99915 0.00000016 100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.0000016 100 5500 5,499.99362 0.0000016 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000171 140 5700 5,699.99821 0.00000016 144 5720 5,720.0064 -0.00000171 140 5700 5,699.99821 0.00000016 144 5720 5,720.0064 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000168			144	5720	5,719.99629	0.00000065
165 5825 5,824,99637 0.00000062 36 5180 5,180.00693 -0.00000134 44 5220 5,220.00236 -0.00000045 48 5240 5,240.00243 -0.00000046 52 5260 5,260.00494 -0.00000069 60 5300 5,299,99632 0.00000069 64 5320 5,320.00822 -0.00000155 116 5580 5,579,99214 0.00000141 140 5700 5,700.00832 -0.00000146 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.00000088 157 5785 5,785.00190 -0.00000133 165 5825 5,824,99283 0.00000163 55 ○C 30 5180 5,179,99136 0.00000161 44 5220 5,219,99160 0.00000161 48 5240 5,239,99007 0.00000161 48 5240 5,239,99007 0.00000161 48 5240 5,239,99007 0.00000161 48 5240 5,239,99007 0.00000161 48 5240 5,239,99007 0.00000161 48 5240 5,239,99008 0.00000161 48 5240 5,239,99008 0.00000161 48 5240 5,239,99008 0.00000161 48 5240 5,239,99008 0.00000161 48 5240 5,239,99008 0.00000161 48 5240 5,239,99008 0.00000161 49 5745 5,744,99734 0.000000161 116 5580 5,580,00956 -0.00000161 140 5700 5,699,99821 0.000000161 144 5720 5,720,00964 -0.00000168 144 5720 5,720,00964 -0.00000168 149 5745 5,744,99774 0.00000039 157 5785 5,784,99063 0.00000162			149	5745	5,745.00273	-0.00000047
36 5180 5,180,00693 -0.00000134 44 5220 5,220,00236 -0.0000045 48 5240 5,240,00243 -0.00000046 52 5260 5,260,00494 -0.00000094 60 5300 5,299,99632 0.00000069 64 5320 5,320,00822 -0.00000155 3.6V 100 5500 5,500,00396 -0.00000072 116 5580 5,579,99214 0.00000141 140 5700 5,700,00832 -0.00000146 144 5720 5,720,00139 -0.00000024 149 5745 5,745,00390 -0.00000018 157 5785 5,785,00190 -0.00000183 165 5825 5,824,99283 0.00000167 44 5220 5,219,99160 0.00000161 48 5240 5,239,9907 0.00000161 48 5240 5,239,9907 0.00000161 48 5240 5,239,9907 0.0000018 3V 64 5320 5,319,9915 0.0000016 100 5500 5,499,99362 0.0000016 116 5580 5,580,00956 -0.0000016 116 5580 5,580,00956 -0.00000171 140 5700 5,699,99821 0.00000171 140 5700 5,699,99821 0.00000018 144 5720 5,720,00964 -0.0000018 149 5745 5,744,99774 0.00000039 157 5785 5,784,99063 0.00000162			157	5785	5,785.00778	-0.00000134
44 5220 5,220.00236 -0.00000045 48 5240 5,240.00243 -0.00000046 52 5260 5,260.00494 -0.00000094 60 5300 5,299.99632 0.00000069 64 5320 5,320.00822 -0.00000155 116 5580 5,579.99214 0.0000014 140 5700 5,700.00832 -0.00000146 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.00000018 157 5785 5,785.00190 -0.00000018 158 5240 5,239.9907 0.00000161 48 5240 5,239.9907 0.00000161 48 5240 5,239.9907 0.0000016 48 5320 5,319.9915 0.0000016 3V 64 5320 5,319.9915 0.0000016 100 5500 5,499.99362 0.0000016 116 5580 5,580.00956 -0.0000016 116 5580 5,580.00956 -0.0000016 116 5580 5,580.00956 -0.00000116 116 5580 5,580.00956 -0.00000116 116 5580 5,580.00956 -0.00000116 116 5580 5,580.00956 -0.00000116 1140 5700 5,699.99821 0.00000018 144 5720 5,720.00964 -0.00000031 144 5720 5,720.00964 -0.00000031 144 5720 5,720.00964 -0.00000018			165	5825	5,824.99637	0.00000062
48 5240 5,240.00243 -0.00000046 52 5260 5,260.00494 -0.0000094 60 5300 5,299.99632 0.00000069 64 5320 5,320.00822 -0.00000155 3.6V 100 5500 5,500.00396 -0.0000072 116 5580 5,579.99214 0.00000141 140 5700 5,700.00832 -0.00000146 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.0000008 157 5785 5,785.00190 -0.00000018 155 5825 5,824.99283 0.00000123 165 5825 5,824.99283 0.00000123 165 5825 5,824.99283 0.00000167 164 5220 5,219.99160 0.00000161 168 5240 5,239.99007 0.000000161 169 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5300 5,299.99108 0.00000168 160 5500 5,499.99362 0.0000016 160 5500 5,499.99362 0.0000016 160 5700 5,699.99821 0.00000016 160 5700 5,699.99821 0.00000016 160 5700 5,699.99821 0.00000016 170 5700 5,699.99821 0.00000016 170 5700 5,699.99821 0.00000016 170 5700 5,699.99821 0.00000016			36	5180	5,180.00693	-0.00000134
52 5260 5,260.00494 -0.00000094 60 5300 5,299.99632 0.00000069 64 5320 5,320.00822 -0.00000155 110 5500 5,500.00396 -0.00000141 140 5700 5,700.00832 -0.00000146 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.0000008 157 5785 5,785.00190 -0.00000018 1585 5825 5,824.99283 0.00000167 44 5220 5,219.99160 0.00000161 48 5240 5,239.99007 0.00000161 48 5240 5,239.99007 0.00000161 48 5240 5,239.99007 0.00000168 60 5300 5,299.99108 0.00000168 60 5300 5,299.99108 0.00000168 116 5580 5,580.00956 -0.0000016 110 5500 5,499.99362 0.00000116 110 5700 5,699.99821 0.00000017 140 5700 5,699.99821 0.00000018 144 5720 5,720.00964 -0.0000018 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			44	5220	5,220.00236	-0.00000045
55 ℃ 60 5300 5,299.99632 0.00000069 64 5320 5,320.00822 -0.00000155 70 100 5500 5,500.00396 -0.00000072 116 5580 5,579.99214 0.00000141 140 5700 5,700.00832 -0.00000146 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.00000033 165 5825 5,824.99283 0.00000123 165 5825 5,824.99283 0.00000167 44 5220 5,219.99160 0.00000167 48 5240 5,239.99007 0.00000161 48 5240 5,239.99007 0.00000168 60 5300 5,299.99108 0.00000168 60 5300 5,299.99108 0.00000168 100 5500 5,499.99362 0.00000171 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.000000171 140 5700 5,699.99821 0.00000018 144 5720 5,720.00964 -0.0000018 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			48	5240	5,240.00243	-0.00000046
55 °C 64 5320 5,320.00822 -0.00000155 100 5500 5,500.00396 -0.00000072 116 5580 5,579.99214 0.00000141 140 5700 5,700.00832 -0.00000146 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.00000068 157 5785 5,785.00190 -0.00000033 165 5825 5,824.99283 0.00000123 165 5825 5,824.99283 0.00000167 44 5220 5,219.99160 0.00000161 48 5240 5,239.99007 0.00000161 48 5240 5,239.99007 0.00000168 60 5300 5,299.99108 0.00000168 60 5300 5,299.99108 0.00000168 100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000031 144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			52	5260	5,260.00494	-0.00000094
3.6V 100 5500 5,500.00396 -0.00000072 116 5580 5,579.99214 0.00000141 140 5700 5,700.00832 -0.00000146 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.00000033 165 5825 5,824.99283 0.00000123 165 5825 5,824.99283 0.00000167 44 5220 5,219.99160 0.00000161 48 5240 5,239.9907 0.00000161 48 5240 5,239.9907 0.00000160 52 5260 5,260.00253 -0.00000168 60 5300 5,299.99108 0.00000168 60 5300 5,299.99108 0.0000016 100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000018 144 5720 5,720.00964 -0.0000018 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			60	5300	5,299.99632	0.00000069
116 5580 5,579.99214 0.00000141 140 5700 5,700.00832 -0.00000146 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.00000033 165 5825 5,824.99283 0.00000123 165 5825 5,824.99283 0.00000167 44 5220 5,219.99160 0.00000161 48 5240 5,239.99007 0.00000190 52 5260 5,260.00253 -0.0000018 60 5300 5,299.99108 0.00000168 60 5300 5,299.99108 0.0000016 100 5500 5,499.99362 0.0000016 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.0000018 144 5720 5,720.00964 -0.0000018 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			64	5320	5,320.00822	-0.00000155
140 5700 5,700.00832 -0.00000146 144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.00000068 157 5785 5,785.00190 -0.00000033 165 5825 5,824.99283 0.00000167 44 5220 5,219.99160 0.00000161 48 5240 5,239.99007 0.00000161 48 5240 5,239.99007 0.00000190 52 52 5260 5,260.00253 -0.00000148 60 5300 5,299.99108 0.00000168 100 5500 5,499.99362 0.0000016 116 5580 5,580.0956 -0.00000116 116 5580 5,580.0956 -0.00000171 140 5700 5,699.99821 0.00000018 144 5720 5,720.00964 -0.0000018 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162		3.6V	100	5500	5,500.00396	-0.00000072
144 5720 5,720.00139 -0.00000024 149 5745 5,745.00390 -0.00000068 157 5785 5,785.00190 -0.00000033 165 5825 5,824.99283 0.00000123 36 5180 5,179.99136 0.00000167 44 5220 5,219.99160 0.00000161 48 5240 5,239.99007 0.00000190 52 5260 5,260.00253 -0.00000148 60 5300 5,299.99108 0.00000168 60 5300 5,299.99108 0.0000016 100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000018 144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			116	5580	5,579.99214	0.00000141
149 5745 5,745.00390 -0.00000068 157 5785 5,785.00190 -0.00000033 165 5825 5,824.99283 0.00000123 36 5180 5,179.99136 0.00000167 44 5220 5,219.99160 0.00000161 48 5240 5,239.99007 0.00000190 52 5260 5,260.00253 -0.0000048 60 5300 5,299.99108 0.00000168 60 5300 5,299.99108 0.0000016 100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.00000116 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000031 144 5720 5,720.00964 -0.0000018 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			140	5700	5,700.00832	-0.00000146
157 5785 5,785.00190 -0.00000033 165 5825 5,824.99283 0.00000123 36 5180 5,179.99136 0.00000167 44 5220 5,219.99160 0.00000161 48 5240 5,239.99007 0.00000190 52 5260 5,260.00253 -0.00000048 60 5300 5,299.99108 0.00000168 3V 64 5320 5,319.99915 0.00000016 100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000171 144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			144	5720	5,720.00139	-0.00000024
165 5825 5,824.99283 0.00000123 S55 °C			149	5745	5,745.00390	-0.00000068
36 5180 5,179.99136 0.00000167 44 5220 5,219.99160 0.00000161 48 5240 5,239.99007 0.00000190 52 5260 5,260.00253 -0.00000048 60 5300 5,299.99108 0.00000168 64 5320 5,319.99915 0.00000016 100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000031 144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			157	5785	5,785.00190	-0.00000033
44 5220 5,219.99160 0.00000161 48 5240 5,239.99007 0.000000190 52 5260 5,260.00253 -0.00000048 60 5300 5,299.99108 0.000000168 3V 64 5320 5,319.99915 0.00000016 100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000031 144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			165	5825	5,824.99283	0.00000123
48 5240 5,239.99007 0.000000190 52 5260 5,260.00253 -0.00000048 60 5300 5,299.99108 0.000000168 3V 64 5320 5,319.99915 0.00000016 100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000031 144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162	55 ° ⊂		36	5180	5,179.99136	0.00000167
52 5260 5,260.00253 -0.00000048 60 5300 5,299.99108 0.00000168 3V 64 5320 5,319.99915 0.00000016 100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000031 144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.000000162			44	5220	5,219.99160	0.00000161
3V 60 5300 5,299.99108 0.00000168 64 5320 5,319.99915 0.00000016 100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000031 144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			48	5240	5,239.99007	0.00000190
3V 64 5320 5,319.99915 0.00000016 100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000031 144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			52	5260	5,260.00253	-0.00000048
100 5500 5,499.99362 0.00000116 116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000031 144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			60	5300	5,299.99108	0.00000168
116 5580 5,580.00956 -0.00000171 140 5700 5,699.99821 0.00000031 144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.000000162		3V	64	5320	5,319.99915	0.0000016
140 5700 5,699.99821 0.00000031 144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			100	5500	5,499.99362	0.00000116
144 5720 5,720.00964 -0.00000168 149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			116	5580	5,580.00956	-0.00000171
149 5745 5,744.99774 0.00000039 157 5785 5,784.99063 0.00000162			140	5700	5,699.99821	0.0000031
157 5785 5,784.99063 0.00000162			144	5720	5,720.00964	-0.00000168
			149	5745	5,744.99774	0.0000039
165 5825 5,824.99022 0.00000168			157	5785	5,784.99063	0.00000162
			165	5825	5,824.99022	0.00000168

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.

Phys A faxing is the sample of 90 days only.

Phys A faxing is the sam may be prosecuted to the fullest extent of the law.



Page: 312 of 320

Operation Mode	802.11 n_HT40	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.99026	0.00000188
	[46	5230	5,229.99575	0.00000081
	[54	5270	5,270.00454	-0.0000086
		62	5310	5,310.00471	-0.00000089
	3.6V	102	5510	5,509.99810	0.00000035
		110	5550	5,550.00217	-0.00000039
		134	5670	5,670.00924	-0.00000163
		142	5710	5,709.99433	0.00000099
		151	5755	5,755.00080	-0.0000014
-10 °C		159	5795	5,794.99787	0.00000037
		38	5190	5,190.00090	-0.00000017
	[46	5230	5,230.00136	-0.00000026
		54	5270	5,269.99082	0.00000174
		62	5310	5,310.00160	-0.0000030
	3V	102	5510	5,509.99022	0.00000178
	[110	5550	5,549.99597	0.0000073
	[134	5670	5,669.99235	0.00000135
	[142	5710	5,709.99369	0.00000111
	[151	5755	5,754.99904	0.0000017
		159	5795	5,795.00295	-0.00000051

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 313 of 320

		38	5190	5,190.00611	-0.00000118
		46	5230	5,229.99805	0.00000037
		54	5270	5,269.99279	0.00000137
		62	5310	5,309.99263	0.00000139
25 °C	3.3V	102	5510	5,510.00677	-0.00000123
		110	5550	5,549.99981	0.00000003
		134	5670	5,670.00940	-0.00000166
		142	5710	5,710.00014	-0.00000002
		151	5755	5,754.99259	0.00000129
		159	5795	5,794.99177	0.00000142
		38	5190	5,189.99838	0.00000031
		46	5230	5,229.99496	0.00000096
		54	5270	5,270.00299	-0.00000057
		62	5310	5,310.00644	-0.00000121
	3.6V	102	5510	5,509.99085	0.00000166
		110	5550	5,549.99083	0.00000165
		134	5670	5,670.00756	-0.00000133
		142	5710	5,710.00670	-0.00000117
		151	5755	5,755.00951	-0.00000165
		159	5795	5,794.99615	0.00000066
55 °C		38	5190	5,189.99566	0.0000084
		46	5230	5,229.99708	0.00000056
		54	5270	5,270.00853	-0.00000162
		62	5310	5,310.00442	-0.00000083
	3V	102	5510	5,509.99436	0.00000102
		110	5550	5,550.00981	-0.00000177
		134	5670	5,669.99869	0.00000023
		142	5710	5,710.00555	-0.00000097
		151	5755	5,754.99530	0.00000082
		159	5795	5,795.00696	-0.00000120

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.

Phys A faxing is the sample of 90 days only.

Phys A faxing is the sam may be prosecuted to the fullest extent of the law.



Page: 314 of 320

Operation Mode	802.11 ac_VHT80	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		42	5210	5,209.99131	0.00000167
		58	5290	5,289.99580	0.00000079
	3.6V	106	5530	5,529.99181	0.00000148
		122	5610	5,609.99889	0.00000020
		138	5690	5,689.99227	0.00000136
-10 ℃		155	5775	5,774.99450	0.00000095
		42	5210	5,209.99238	0.00000146
	[58	5290	5,290.00116	-0.00000022
	3V	106	5530	5,530.00885	-0.00000160
		122	5610	5,609.99478	0.00000093
		138	5690	5,689.99434	0.00000099
		155	5775	5,775.00434	-0.00000075
		42	5210	5,210.00160	-0.00000031
		58	5290	5,289.99718	0.00000053
25 ° ⊂	3.3V	106	5530	5,530.00830	-0.00000150
		122	5610	5,610.00313	-0.00000056
		138	5690	5,690.00641	-0.00000113
		155	5775	5,775.00972	-0.00000168
		42	5210	5,209.99339	0.00000127
		58	5290	5,290.00834	-0.00000158
	3.6V	106	5530	5,530.00313	-0.00000057
		122	5610	5,609.99708	0.00000052
		138	5690	5,689.99816	0.00000032
55 ° C		155	5775	5,775.00901	-0.00000156
		42	5210	5,210.00979	-0.00000188
		58	5290	5,289.99030	0.00000183
	3V	106	5530	5,529.99197	0.00000145
		122	5610	5,610.00625	-0.00000111
		138	5690	5,689.99232	0.00000135
		155	5775	5,775.00298	-0.00000052

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 315 of 320

10 Minutes:

Operation Mode	802.11 a	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

			Measured	Spectrum	A.E.,
Test Temp.	Test Voltage	Channel	Frequency	Frequency	ΔFrequency
			(MHz)	(MHz)	(MHz)
		36	5180	5,180.00057	-0.00000011
		44	5220	5,220.00252	-0.0000048
		48	5240	5,240.00591	-0.00000113
		52	5260	5,260.00437	-0.00000083
		60	5300	5,300.00994	-0.00000188
	3.6V	64	5320	5,320.00948	-0.00000178
		100	5500	5,499.99481	0.00000094
		116	5580	5,579.99487	0.00000092
		140	5700	5,699.99700	0.00000053
		144	5720	5,719.99783	0.0000038
		149	5745	5,744.99263	0.00000128
		157	5785	5,784.99349	0.00000113
		165	5825	5,825.00954	-0.00000164
-10 °C		36	5180	5,180.00861	-0.00000166
		44	5220	5,220.00636	-0.00000122
		48	5240	5,239.99434	0.00000108
		52	5260	5,260.00425	-0.00000081
		60	5300	5,300.00116	-0.00000022
	3V	64	5320	5,320.00832	-0.00000156
		100	5500	5,499.99717	0.00000051
		116	5580	5,579.99092	0.00000163
		140	5700	5,699.99939	0.00000011
		144	5720	5,720.00554	-0.00000097
		149	5745	5,744.99401	0.00000104
		157	5785	5,784.99661	0.00000059
		165	5825	5,824.99911	0.00000015

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Page: 316 of 320

	Τ	36	5180	5,179.99318	0.00000132
		44	5220	5,220.00147	-0.00000132
				<u>'</u>	
		48	5240	5,239.99855	0.00000028
		52	5260	5,260.00347	-0.00000066
05.45	0.017	60	5300	5,300.00337	-0.00000064
25 ° C	3.3V	64	5320	5,320.00150	-0.00000028
		100	5500	5,499.99986	0.00000003
		116	5580	5,579.99992	0.00000001
		140	5700	5,700.00983	-0.00000172
		144	5720	5,719.99702	0.00000052
		149	5745	5,744.99094	0.00000158
		157	5785	5,785.00309	-0.00000053
		165	5825	5,824.99276	0.00000124
		36	5180	5,180.00595	-0.00000115
		44	5220	5,219.99612	0.00000074
		48	5240	5,239.99044	0.00000182
		52	5260	5,259.99149	0.00000162
		60	5300	5,299.99278	0.00000136
		64	5320	5,319.99881	0.00000022
	3.6V	100	5500	5,500.00742	-0.00000135
		116	5580	5,580.00038	-0.00000007
		140	5700	5,699.99650	0.00000061
		144	5720	5,720.00624	-0.00000109
		149	5745	5,744.99375	0.00000109
		157	5785	5,784.99295	0.00000122
		165	5825	5,824.99427	0.00000098
55 ° ⊂		36	5180	5,179.99229	0.00000149
		44	5220	5,219.99192	0.00000155
		48	5240	5,239.99823	0.00000034
		52	5260	5,260.00730	-0.00000139
		60	5300	5,299.99871	0.00000024
	3V	64	5320	5,319.99059	0.00000177
		100	5500	5,500.00882	-0.00000160
		116	5580	5,580.00138	-0.00000025
		140	5700	5,699.99491	0.00000089
		144	5720	5,719.99500	0.00000087
		149	5745	5,744.99536	0.00000081
		157	5785	5,784.99546	0.00000079
		165	5825	5,824.99522	0.00000082

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.

Phys A faxing is the sample of 90 days only.

Phys A faxing is the sam may be prosecuted to the fullest extent of the law.



Page: 317 of 320

Operation Mode	802.11 n_HT40	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.99416	0.00000113
		46	5230	5,229.99695	0.00000058
		54	5270	5,270.00824	-0.00000156
		62	5310	5,310.00588	-0.00000111
	3.6V	102	5510	5,510.00591	-0.00000107
		110	5550	5,549.99649	0.00000063
		134	5670	5,670.00817	-0.00000144
		142	5710	5,709.99530	0.00000082
		151	5755	5,755.00593	-0.00000103
-10 °C		159	5795	5,795.00364	-0.00000063
		38	5190	5,190.00648	-0.00000125
		46	5230	5,230.00096	-0.00000018
		54	5270	5,270.00496	-0.00000094
		62	5310	5,309.99825	0.00000033
	3V	102	5510	5,510.00592	-0.00000107
		110	5550	5,549.99245	0.00000136
		134	5670	5,670.00389	-0.00000069
		142	5710	5,709.99090	0.00000159
		151	5755	5,755.00590	-0.00000103
		159	5795	5,795.00100	-0.00000017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 318 of 320

	1	T 00		F 400 00000	0.00000100
		38	5190	5,189.99002	0.00000192
		46	5230	5,229.99671	0.00000063
		54	5270	5,270.00870	-0.00000165
		62	5310	5,310.00857	-0.00000161
25 ° C	3.3V	102	5510	5,509.99436	0.00000102
		110	5550	5,550.00313	-0.00000056
		134	5670	5,669.99102	0.00000158
		142	5710	5,710.00335	-0.00000059
		151	5755	5,754.99381	0.00000108
		159	5795	5,795.00565	-0.00000097
		38	5190	5,190.00889	-0.00000171
		46	5230	5,229.99311	0.00000132
		54	5270	5,269.99369	0.00000120
		62	5310	5,310.00581	-0.00000109
	3.6V	102	5510	5,509.99576	0.00000077
		110	5550	5,549.99024	0.00000176
		134	5670	5,670.00519	-0.00000092
		142	5710	5,710.00667	-0.00000117
		151	5755	5,755.00112	-0.00000019
		159	5795	5,795.00668	-0.00000115
55 ° ⊂		38	5190	5,190.00716	-0.00000138
		46	5230	5,229.99587	0.00000079
		54	5270	5,269.99525	0.00000090
		62	5310	5,309.99765	0.0000044
	3V	102	5510	5,510.00837	-0.00000152
		110	5550	5,550.00744	-0.00000134
		134	5670	5,669.99605	0.00000070
		142	5710	5,710.00113	-0.00000020
		151	5755	5,755.00634	-0.00000110
		159	5795	5,794.99157	0.00000146

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxin, whether the sample of may be prosecuted to the fullest extent of the law.



Page: 319 of 320

Operation Mode	802.11 ac_VHT80	Test Date	2018.10.02
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
-10 ℃		42	5210	5,209.99596	0.00000077
		58	5290	5,290.00447	-0.00000084
	3.6V	106	5530	5,530.00803	-0.00000145
		122	5610	5,610.00278	-0.00000050
		138	5690	5,689.99093	0.00000159
		155	5775	5,774.99703	0.00000051
		42	5210	5,210.00256	-0.00000049
		58	5290	5,290.00919	-0.00000174
	3V	106	5530	5,529.99398	0.00000109
		122	5610	5,609.99272	0.00000130
		138	5690	5,690.00359	-0.00000063
		155	5775	5,774.99947	0.00000009
25 ℃		42	5210	5,209.99710	0.00000056
		58	5290	5,290.00231	-0.00000044
	3.3V	106	5530	5,529.99910	0.00000016
		122	5610	5,609.99877	0.00000022
		138	5690	5,689.99511	0.00000086
		155	5775	5,775.00129	-0.00000022
55 °C		42	5210	5,210.00210	-0.00000040
		58	5290	5,289.99990	0.00000002
	3.6V	106	5530	5,529.99447	0.00000100
		122	5610	5,609.99488	0.00000091
		138	5690	5,689.99363	0.00000112
		155	5775	5,775.00257	-0.00000044
		42	5210	5,209.99575	0.00000082
		58	5290	5,290.00171	-0.00000032
	3V	106	5530	5,530.00765	-0.00000138
		122	5610	5,610.00737	-0.00000131
	[138	5690	5,690.00726	-0.00000128
		155	5775	5,774.99527	0.00000082

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the state of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of the sample(s) tested and such sample(s) are retained for 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.
Phys A faxing is the sample of 90 days only.

Phys A faxing is the sample of 90 days only.

Phys A faxing is the sam may be prosecuted to the fullest extent of the law.



Page: 320 of 320

14 ANTENNA REQUIREMENT

Standard Applicable 14.1

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

14.2 **Antenna Connected Construction**

The antenna is designed with unique RF connector and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留印天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.