

# **ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT**

# INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C AND INDUSTRY CANADA RSS 247 REQUIREMENT

OF

FCC Applicant:	Murata Manufacturing Co., Ltd.
	10-1, Higashikotari 1-chome, Nagaokakyo-shi, Kyoto 617-8555 Japan
IC Applicant:	Murata Manufacturing Co., Ltd.
	10-1, Higashikotari 1-chome, Nagaokakyo-shi, Kyoto 617-8555 Japan
Product Name:	Communication Module
Brand Name:	MURATA
Model No.:	LBEQ6ZZ1PN
Model Difference:	N/A
FCC ID:	VPYLB1PN
IC:	772C-LB1PN
Report Number:	ER/2018/80100
FCC Rule Part:	§15.247, Cat: DTS
IC Rule Part:	RSS-247 issue 2 Feb 2017
Issue Date:	Nov. 13, 2018
Date of Test:	Aug. 28, 2018 ~ Oct. 01, 2018
Date of EUT Received:	Aug. 22, 2018
We hereby certify that:	

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits. The test results of this report relate only to the tested sample identified in this report.

Tested By:

CHUN; CHIZEH, C CHUN CHIEH CHEN / Asst.

Supervisor

Approved By: \_\_\_\_\_\_ Jim Chang / Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# **Revision History**

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
ER/2018/80100	Rev.00	Initial creation of docu- ment	All	Oct. 18, 2018	Elle Chang
ER/2018/80100	Rev.01	Section 8, 9, 10, 12, 14, 15	17, 21~22, 24~29, 32~38, 90~92, 93~96	Nov. 13, 2018	Elle Chang

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



# **Table of Contents**

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULTS	9
4	DESCRIPTION OF TEST MODES	9
5	MEASUREMENT UNCERTAINTY	11
6	CONDUCTED EMISSION TEST	12
7	DUTY CYCLE OF TEST SIGNAL	16
8	PEAK OUTPUT POWER MEASUREMENT	18
9	6dB & 99% BANDWIDTH MEASUREMENT	23
10	CONDUCTED BAND EDGE AND SPURIOUS EMISSION MEASUREMENT	30
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	39
12	PEAK POWER SPECTRAL DENSITY	88
13	ANTENNA REQUIREMENT	93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **GENERAL INFORMATION** 1

#### **1.1 Product description**

General:

Product Name:	Communication Module
Brand Name:	MURATA
Model No.:	LBEQ6ZZ1PN
Model Difference:	N/A
Hardware version:	N/A
Software version:	N/A
Power Supply:	Typ. 3.3V, Min 3.0V, Max 3.6V from DC power supply

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



#### WLAN 2.4GHz:

Wi-Fi	Frequency Range	Channels	Rated Power in dBm (Peak)	Rated Power in dBm (EIRP)	Type of Emission	Modulation Technology	
802.11b			19.69	19.15	13M4G1D	DSSS,	
802.11g	2412-2462	11	24.68	18.73	16M8D1D		
802.11n HT20			25.23	20.63	17M7D1D	OFDM	
Antenna Designation <sup>2</sup>			Dipole Antenna, Gain: 2.37dBi Model No: GW.59.3153; Supplier: Taoglas				
Modulati	on type:	CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM					
Transitio	n Rate:	802.11 b: 1/2/5.5/11 Mbps 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 144.4Mbps					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SGS Taiwan Lith</u> <u>MultikungRand NewTaineinflustrialPark WukuDistrict NewTaineiCity Taiwan24803/新 th. 市 5. 股區新 th. 產業 関區 5. T. 8. 134 號</u>

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



## 1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance v05

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

RSS-247 issue 2 Feb. 2017

RSS-Gen. issue 5 Apr. 2018

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

#### 1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803

(TAF code 0513)

FCC Registration and Designation number are: 509634 / TW0001

Canada Registration Number: 4620A-4

## **1.4 Special Accessories**

There are no special accessories used while test was conducted.


## **1.5 Equipment Modifications**

There was no modification incorporated into the EUT.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





# 2 SYSTEM TEST CONFIGURATION

## 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

## 2.3 Test Procedure

## 2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207 & RSS-Gen §8.8. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

## 2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

## 2.4 Measurement Results Explanation Example

## For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. **Note:** 

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss and attenuator.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.:ER/2018/80100 Page 8 of 93



# 2.5 Configuration of Tested System Fig. 2-1 Radiated Emission Configuration

# Fig.2-3 Conducted Emission (Antenna Port) Configuration







Fig. 2-2 Conducted Emission (AC Power Line) Configuration




## Table 2-1 Equipment Used in Tested System

ltem	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2	Notebook	Lenovo	L440	R9-007LAZ	Shielded	Unshielded
3	DC power supply	Agilent	E3634A	MY53180030	N/A	Unshielded
4	Test tool kit	N/A	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





## **3 SUMMARY OF TEST RESULTS**

FCC Rules	IC Rules	Description Of Test	Result
§15.207(a)	RSS-Gen §8.8	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	RSS-247 §5.4(4)	Peak Output Power	Compliant
§15.247(a)(2)	RSS-247 §5.1 (1) RSS-Gen §6.7	6dB & 99% Emission Bandwidth	Compliant
§15.247(d)	RSS-247 §5.5 RSS-Gen §8.10	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	RSS-247 §5.5 RSS-Gen §8.9 RSS-Gen §8.10 RSS-Gen §6.13	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	RSS-247 §5.2(2)	Power Spectral Density	Compliant
§15.203 §15.247(b)	RSS- Gen §6.8	Antenna Requirement	Compliant

# 4 DESCRIPTION OF TEST MODES

## 4.1 Operated in 2400 ~ 2483.5MHz Band

11 channels are provided for 802.11b, 802.11g and 802.11n\_HT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
1	2412 MHz	7	2442 MHz
2	2417 MHz	8	2447 MHz
3	2422 MHz	9	2452 MHz
4	2427 MHz	10	2457 MHz
5	2432 MHz	11	2462 MHz
6	2437 MHz		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

## **RADIATED EMISSION TEST:**

RADIATED EMISSION TEST (BELOW 1 GHz)						
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11g	1 to 11	1,6,11	OFDM	6	Ch0	

	RADIATED EMISSION TEST (ABOVE 1 GHz)					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11b	1 to 11	1, 6, 11	DSSS	1	Ch0	
802.11g	1 to 11	1, 6, 11	OFDM	6	Ch0	
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 8	Ch0	

#### Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

## ANTENNA PORT CONDUCTED MEASUREMENT:

	CONDUCTED TEST					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11b	1 to 11	1, 6, 11	DSSS	11	Ch0	
802.11g	1 to 11	1, 6, 11	OFDM	54	Ch0	
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 8	Ch0	

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **MEASUREMENT UNCERTAINTY** 5

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 0.84 dB
6dB Bandwidth	+/- 51.33 Hz
100 KHz Bandwidth Of Frequency Band Edge	+/- 0.84 dB
Peak Power Density	+/- 1.3 dB
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz-30MHz: +/-2.87dB			
	30MHz - 167MHz: +/- 4.22dB			
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB			
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB			
	1GHz - 18GHz: +/- 4.08dB			
	18GHz - 40GHz: +/- 4.08dB			

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方方就明,此報告結本性可測码之标而頁頁,「同時比稀治性外留知灯、今本版本大学本公司會型时了,「个当時均復彩" This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



# 6 CONDUCTED EMISSION TEST

#### 6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)				
MHz	Quasi-peak	Average			
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			
Note 1.The lower limit shall apply at th	e transition frequencies				

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

#### 6.2 Measurement Equipment Used

Conducted Emission Test Site										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
<b>EMI Test Receiver</b>	R&S	ESCI7	100335	2018/02/02	2019/02/01					
DC Power Supply	Anritsu	E3640A	KR93300208	2018/08/15	2019/08/14					
LISN	SCHWARZ BECK	NSLK 8127	8127-649	2018/05/18	2019/05/17					

## 6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnet is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新 the TARE Market & 素国 EALPA the Company for the state of the state of the state of the state of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



## 6.4 Test SET-UP (Block Diagram of Configuration)



#### **6.5 Measurement Procedure**

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

## 6.6 Measurement Result


Note: Refer to next page for measurement data and plots. Note2: The \* reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment	
1		0.1660	34.78	0.04	34.82	65.16	-30.34	peak		
2	•	0.1900	44.99	0.04	45.03	64.04	-19.01	peak		
3		0.2140	42.09	0.04	42.13	63.05	-20.92	peak		
4		0.2620	35.77	0.04	35.81	61.37	-25.56	peak		
5		0.3980	35.15	0.04	35.19	57.90	-22.71	peak		
6		5.3100	38.30	0.21	38.51	60.00	-21.49	peak		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document is issued by the Company subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document is issued by the Company subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



# 7 DUTY CYCLE OF TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

## Formula:

Duty Cycle = Ton / (Ton+Toff)

## **Measurement Procedure:**

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

## **Duty Cycle:**

	Duty Cycle (%)	Duty Factor (dB)	1/T (kHz)	VBW setting (kHz)
802.11b	99.83	0.01	0.08	0.01
802.11g	98.95	0.05	0.48	0.01
802.11n_20	97.81	0.10	1.02	2.00

Duty Cycle Factor: 10 \* log(1/0.99831) = 0.01 Duty Cycle Factor: 10 \* log(1/0.98945) = 0.05 Duty Cycle Factor: 10 \* log(1/0.97813) = 0.1 Duty Cycle Factor: 10 \* log(1/0.99) = 0.04

b = 99.831%, g = 98.945%,  $n_ht_20 = 97.813\%$ 

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 7.1 DUTY CYCLE TEST SIGNAL Measurement Result


Duty Cycle\_802.11b\_20MHz\_Chain0\_2412MHz



## Duty Cycle\_802.11n\_20MHz\_Chain0\_2412MHz



#### Duty Cycle\_802.11g\_20MHz\_Chain0\_2412MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 8 PEAK OUTPUT POWER MEASUREMENT

## 8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

Per RSS-247 §5.4(4)

For DTSs employing digital modulation techniques operating in the bands 902-928 MHz and 2400-2483.5 MHz, the maximum peak conducted output power shall not exceed 1W. Except as provided in Section 5.4(5), the e.i.r.p. shall not exceed 4 W.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

As per FCC KDB 662911 D01

Unequal antenna gains, with equal transmit powers. For antenna gains given by G1, G2, ..., GN dBi.

(i) If transmit signals are correlated, then Directional gain

=  $10 \log[(10^{G1/20} + 10^{G2/20} + ... + 10^{GN/20})^2/N_{ANT}] dBi$ 

[Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.]

Frequency (MHz)	Effective Legacy Gain (dBi)	Conducted Power Limit (dBm)
2412~24 <mark>6</mark> 2	2.37	30.00

The antenna gain is not grater than 6 dBi. Therefore, reduction of power is not required.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




## 8.2 Measurement Equipment Used

	Conducted Emission Test Site										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.						
TYPE		NUMBER	NUMBER	CAL.							
Power Meter	Anritsu	ML2496A	1804001	2018/02/01	2019/01/31						
Power Sensor	Anritsu	MA2411B	1726104	2018/02/01	2019/01/31						
Power Sensor	Anritsu	MA2411B	1726107	2018/02/01	2019/01/31						
DC Power Supply	Anritsu	E3640A	MY52410006	2017/11/28	2018/11/27						
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01						
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/02	2019/01/01						
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01						
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A						

## 8.3 Test Set-up

Power Meter:



## **8.4 Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

#### **Power Meter:**

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### 8.5 Measurement Result

802.1	802.11b Ch0									
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit			RESULT			
1	2412	1	19.33	1 Watt =	30.00	dBm	PASS			
2	2417	1	19.66	1 Watt =	30.00	dBm	PASS			
6	2437	1	19.63	1 Watt =	30.00	dBm	PASS			
10	2457	1	19.69	1 Watt = 30.00 dBm			PASS			
11	2462	1	19.25	1 Watt = 30.00 dBm			PASS			
802.1	1b Ch0									
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)		Limit F					
1	2412	1	14.95	1 Watt =	30.00	dBm	PASS			
2	2417	1	16.46	1 Watt =	30.00	dBm	PASS			
6	2437	1	16.78	1 Watt =	30.00	dBm	PASS			
10	2457	1	15.16	1 Watt =	30.00	dBm	PASS			
11	2462	1	14.73	1 Watt =	30.00	dBm	PASS			

802.1	802.11g Ch0										
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit			RESULT				
1	2412	6	24.20	1 Watt =	30.00	dBm	PASS				
2	2417	6	24.59	1 Watt =	30.00	dBm	PASS				
6	2437	6	24.18	1 Watt = 30.00 dBm			PASS				
10	2457	6	24.68	1 Watt = 30.00 dBm			PASS				
11	2462	6	24.12	1 Watt = 30.00 dBm			PASS				
802.1	1g Ch0										
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)		Limit F						
1	2412	6	13.41	1 Watt =	30.00	dBm	PASS				
2	2417	6	16.36	1 Watt =	30.00	dBm	PASS				
6	2437	6	16.00	1 Watt =	30.00	dBm	PASS				
10	2457	6	15.21	1 Watt =	30.00	dBm	PASS				
11	2462	6	12.33	1 Watt =	30.00	dBm	PASS				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format document is issued by the Company subject to its document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.1	802.11n_HT20M MIMO										
СН	Freq. (MHz)	Data Rate	a Power e (dBm) Output Pow		Total Peak Output Power	Limit (dBm)	RESULT				
	()		CH 0	CH 1	(dBm)	(0.2.1.)					
1	2412	MCS8	19.17	19.42	22.31	30.00	PASS				
6	2437	MCS8	22.47 21.95		25.23	30.00	PASS				
11	2462	MCS8	18.89 18.62		21.77	30.00	PASS				
802.1	1n_HT20	M MIMC	)								
СН	Freq. (MHz)	Data Rate	Po	Dutput wer Bm)	Max. Avg. Output include tune up tolerance Power	Limit (dBm)	RESULT				
			CH 0	CH 1	(dBm)						
1	2412	MCS8	9.24	9.28	12.37	30.00	PASS				
6	2437	MCS8	12.24 12.05		15.25	30.00	PASS				
11	2462	MCS8	8.65	8.58	11.72	30.00	PASS				

\* Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





#### EIRP

ſ	802.1	1b Ch0											ĺ
	CH Freq. (MHz)		Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)		RP 3m)		Limit		RES	SULT	
	1	2412	1	14.95	2.37	17	.32	4W=	36	dBm	PA	SS	
	2	2417	1	16.46	2.37	18	.83	4W=	36	dBm	PA	ISS	
	6	2437	1	16.78	2.37	19	.15	4W=	36	dBm	PA	ISS	
	10	2457	1	15.16	2.37	17	.53	4W=	36	dBm	PA	ISS	
	11	2462	1	14.73	2.37	17	.10	4W=	36	dBm	PA	ISS	
	802.1 <sup>°</sup>	1g Ch0											
	СН	Freq. (MHz)	Data Rate	Avg. Output Power (dBm)	Antenna Gain (dBi)		RP 3m)		Limit		RES	SULT	
	1	2412	6	13.41	2.37	15	.78	4W=	36	dBm	PA	ISS	
	2	2417	6	16.36	2.37	18	.73	4W=	36	dBm	PA	ISS	
	6	2437	6	16.00	2.37	18	.37	4W=	36	dBm	PA	SS	
	10	2457	6	15.21	2.37	17	.58	4W=	36	dBm	PA	SS	
	11	2462	6	12.33	2.37	14	.70	4W=	36	dBm	PA	SS	
302.1	1n_H1	Г20M MIN											
СН	Fre (MH		a F	ourpur Power dRm) CH 1	Total Av Output Po (dBm)	-	G	tenna Jain JBi)	EIRF (dBm		mit Bm)	RES	ULT
1	241	2 MCS	58 19.1	7 19.42	12.37		5	.38	17.75	5	36	PA	SS
6	243	7 MCS	8 22.4	7 21.95	15.25		5	.38	20.63	3	36	PA	SS
11	246	2 MCS	68 18.8	9 18.62	11.72		5	.38	17.10	)	36	PA	SS

\* Note: EIRP = Average Power + Gain

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

(新年方方) 就例 「近報考验未僅有利気(人体的資質」)「同時式体的運貨体制的)で、参照考末型本公司 音道 デリ・不可能力後表。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for elec-tronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 9 6DB & 99% BANDWIDTH MEASUREMENT

#### 9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

The occupied bandwidth or the "99% emission bandwidth" is defined as the frequency range between two points, one above and the other below the carrier frequency, within which 99% of the total transmitted power of the fundamental transmitted emission is contained. The occupied bandwidth shall be reported for all equipment in addition to the specified bandwidth required in the applicable RSSs

#### 9.2 Measurement Equipment Used

Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	R&S	FSV-30	101398	2017/10/19	2018/10/18			
DC Power Supply	Anritsu	E3640A	MY52410006	2017/11/28	2018/11/27			
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01			
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/02	2019/01/01			
Coaxial Cables	N/A	WK CE Cable	N/A	2018/01/02	2019/01/01			
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A			

#### 9.3 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. For 6dB Bandwidth:

Set the spectrum analyzer as RBW = 100 kHz, VBW = 3\*RBW, Span = 30M/50MHz, Detector=peak, Sweep=auto.

- 5. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:

Set the spectrum analyzer as RBW=1%, VBW = 3\*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.

- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.

## 9.5 Measurement Result

#### 6dB Bandwidth

802.11b Ch0								
Freq.	6dB BW	Limit	Result					
(MHz)	(kHz)	(kHz)	Result					
2412	10090.00	> 500	PASS					
2437	10080.00	> 500	PASS					
2462	10070.00	> 500	PASS					

Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Result
2412	16380.00	> 500	PASS
2437	16360.00	> 500	PASS
2462	16370.00	> 500	PASS

802.11_	n_HT20 Ch0	802.11_n_HT20 Ch1					
Freq.	6dB BW	Limit	Result	Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Result	(MHz)	(kHz)	(kHz)	Result
2412	17330.00	> 500	PASS	2412	17600.00	> 500	PASS
2437	17530.00	> 500	PASS	2437	17610.00	> 500	PASS
2462	17340.00	> 500	PASS	2462	17610.00	> 500	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

#### Report No.:ER/2018/80100 Page 25 of 93



#### 99% Bandwidth

802.11b Ch0					
Freq. 99% BW					
(MHz)	(MHz)				
2412	13.264				
2437	13.410				
2462	13.239				

802.11g Ch0						
Freq.	99% BW					
(MHz)	(MHz)					
2412	16.716					
2437	16.777					
2462	16.729					

802.11n_H	F20M Ch0	802.11n_HT20M Ch1		
Freq.	99% BW	Freq.	99% BW	
(MHz)	(MHz)	(MHz)	(MHz)	
2412	17.691	2412	17.623	
2437	17.672	2437	17.636	
2462	17.715	2462	17.633	

\*Refer to next page for plots


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format document is issued by the Company subject to its document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### OBW 6dB\_802.11b\_20MHz\_Chain0\_2412MHz






#### OBW 6dB\_802.11b\_20MHz\_Chain0\_2462MHz



#### OBW 6dB\_802.11g\_20MHz\_Chain0\_2412MHz



#### OBW 6dB\_802.11g\_20MHz\_Chain0\_2437MHz



#### OBW 6dB\_802.11g\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions htm</u> and, for electronic format documents is subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279


f (886-2) 2298-0488

#### OBW 6dB\_802.11n\_20MHz\_Chain0\_2412MHz





#### OBW 6dB\_802.11n\_20MHz\_Chain0\_2462MHz



#### OBW 6dB\_802.11n\_20MHz\_Chain1\_2412MHz



#### OBW 6dB\_802.11n\_20MHz\_Chain1\_2437MHz



#### OBW 6dB\_802.11n\_20MHz\_Chain1\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions htm</u> and, for electronic format documents is subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sas.com

#### IC OBW 99%\_802.11b\_20MHz\_Chain0\_2412MHz






#### IC OBW 99%\_802.11b\_20MHz\_Chain0\_2462MHz











#### IC OBW 99%\_802.11g\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions htm</u> and, for electronic format documents is subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488

#### IC OBW 99%\_802.11n\_20MHz\_Chain0\_2412MHz

Center Freq 2.412000000 G		Center Freg 2.453 Trig Free Run Althen: 30 48	AvgPlaid 100/100	Radio St.	1000 C	Frequency
Ref Offset 12.5 dB Ref 20.00 dBm						
						Center Freq 2.412000000 GHz
and and a second				Just		
400 400						
Center 2.412 GHz #Res BW 300 kHz		FVBW 1 M	ни		an 30 MHz 1.067 ms	CF Step 3.000000 MH-
Occupied Bandwidth		Total	Power 16	.5 dBm		duta Mar
17.	691 MH	z				Freq Offset
Transmit Freq Error	-2.750 kH	Iz OBW	Power	99.00 %		0 H4
x dB Bandwidth	17.58 MH	lz ×d₿		6.00 dB		
			210	-		




# IC OBW 99%\_802.11n\_20MHz\_Chain0\_2437MHz

#### IC OBW 99%\_802.11n\_20MHz\_Chain0\_2462MHz




#### IC OBW 99%\_802.11n\_20MHz\_Chain1\_2412MHz



# IC OBW 99%\_802.11n\_20MHz\_Chain1\_2437MHz



#### IC OBW 99%\_802.11n\_20MHz\_Chain1\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions htm</u> and, for electronic format documents is subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司	t (886-2) 2299-3279
--------------	---------------------

f (886-2) 2298-0488



# 10 CONDUCTED BAND EDGE AND SPURIOUS EMISSION MEASUREMENT

## 10.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.


In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a) & RSS-Gen §8.10, must also comply with the radiated emission limits specified in §15.209(a) & RSS-Gen §8.9.

If the transmitter complies with the conducted power limits based on the use of root-mean-square averaging over a time interval, as permitted under Section 5.4(d), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general field strength limits specified in RSS-Gen is not required.

Conducted Emission Test Site							
EQUIPMENT	MFR	MODEL SERIAL		LAST	CAL DUE.		
TYPE		NUMBER	NUMBER	CAL.			
Spectrum Analyzer	R&S	FSV-30	101398	2017/10/19	2018/10/18		
DC Power Supply	Anritsu	E3640A	MY5241000 6	2017/11/28	2018/11/27		
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01		
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/02	2019/01/01		
Coaxial Cables	N/A	WK CE Ca- ble	N/A	2018/01/02	2019/01/01		
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A		

#### 10.2 Measurement Equipment Used

## 10.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### **10.4 Measurement Procedure**

#### **Conducted Band Edge Limt**

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8.Allow trace to fully stabilize.

9.Use the peak marker function to determine the maximum amplitude level.

## **Conducted Band Edge:**

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker 1 20dBm
- 8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

#### **Conducted Spurious Emission:**

- 1. To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 3. Set RBW = 100 kHz & VBW= 300 kHz, Detector =Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its Congret Conditions of Service printed overlast, available on request or as

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnet is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新 the TARE Market & 素国 EALPA the Company for the state of the state of the state of the state of the law.



#### 10.5 **Measurement Result**

Referer	nce Leve	of Limit 802.11b mode	Referer	nce Leve	l of Limit 802.11g mode
Freq.	PSD	Reference Level of Limit	Freq.	PSD	Reference Level of Limit
(MHz)	(dBm)	(dBm)	(MHz)	(dBm)	(dBm)
2412	5.25	-14.75	2412	1.96	-18.04
2437	7.51	-12.49	2437	5.55	-14.45
2462	5.75	-14.25	2462	1.31	-18.69

#### Reference Level of Limit 802.11n20 mode

Freq.	PSD	Reference Level of Limit				
(MHz)	(dBm)	(dBm)				
2412	2.02	-17.98				
2437	4.92	-15.08				
2462	0.92	-19.08				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



#### Reference Level\_802.11b\_20MHz\_Chain0\_2412MHz





#### Reference Level\_802.11b\_20MHz\_Chain0\_2462MHz



Reference Level\_802.11g\_20MHz\_Chain0\_2412MHz



#### Reference Level\_802.11g\_20MHz\_Chain0\_2437MHz



#### Reference Level\_802.11g\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions htm</u> and, for electronic format documents is subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



#### Report No.: ER/2018/80100 Page 34 of 93


#### Reference Level\_802.11n\_20MHz\_Chain0\_2412MHz



ter Freq 2.437000000 GHz Aug Type Log Pur Francis Trig Free Rut Entres: 30 elli Auto Tu Ref 20.00 dBm 4.92 Center Fr Start Fre Stop Fre 2,453 to a CF Step 3.00 Freq Offse . Span 30.00 MHz Sweep 2.933 ms (1001 pts) r 2.43700 GHz tes BW 100 kHz FVBW 300 KHz

Reference Level\_802.11n\_20MHz\_Chain0\_2437MHz

#### Reference Level\_802.11n\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document contained hereon reflects the Company's findings at the time of its intervention only and within the limits of documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

#### Band Edge\_802.11b\_20MHz\_Chain0\_2412MHz

SG



#### Band Edge\_802.11b\_20MHz\_Chain0\_2462MHz



#### Band Edge\_802.11g\_20MHz\_Chain0\_2412MHz



#### Band Edge\_802.11g\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### Band Edge\_802.11n\_20MHz\_Chain0\_2412MHz



#### Band Edge\_802.11n\_20MHz\_Chain0\_2462MHz

Center Freq 2.483500000		Avg Tpt	e Log Pur	PLN Heres LL 2018 PLN2 1315 1 Total community	Frequency
Ref Offset 15.51 dB Ref 20.00 dBm	Auto Tune				
	haven				Center Free 2.483500000 GH:
210 E.L.	and and a	1 <sup>2</sup>			Start Free 2.433500000 GH
61 61 93					Stop Fre 2.533500000 GH
Center 2.48350 GHz FRes BW 100 kHz	an 100.0 MHz ms (1001 pts)	CF Step 10.000000 MH			
2 N 1 7 24 4 N 7 24 6 6 7 8	13 2 GHz 0.47 13 5 GHz -39,13 13 6 GHz -38,59 13 6 GHz -38,59	dBm dBm			Freq Offset 0 Ha
9 10 11			anatas)		


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責, 同時此樣品僅保留的无。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Com-pany's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be processed to the bulket of the law. prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### Spurious Emission\_802.11b\_20MHz\_Chain0\_2412MHz




#### Spurious Emission\_802.11b\_20MHz\_Chain0\_2437MHz




#### Spurious Emission\_802.11b\_20MHz\_Chain0\_2462MHz



#### Spurious Emission\_802.11g\_20MHz\_Chain0\_2412MHz



#### Spurious Emission\_802.11g\_20MHz\_Chain0\_2437MHz



#### Spurious Emission\_802.11g\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



### Report No.:ER/2018/80100 Page 38 of 93


#### Spurious Emission\_802.11n\_20MHz\_Chain0\_2412MHz

Senter Freq 13.0150	PNO. Fam	Trig Free Run Atten: 20 all	Aug Type Log-Pur	1440 11111111	Frequency
Ref Offeet 151 Ref 20.00 d	51 dll		Mare	24.102.5 GHz -21.08 dBm	Auto Tune
*** 0 <sup>1</sup>					Center Freq 13.01500000 GHz
	07			min	Start Freq 30.000000 MHz
					Stop Freq 26.00000000 GH
Center 13.02 GHz Res BW 100 kHz	FVB	SHA GOC M	Sweep 2	Span 25.97 GHz 482 s (30001 pts)	CF Step 2.58700000 GHG Auto Mar
	2.408 9 GHz 4.924 0 GHz 7.236 0 GHz 24.102 5 GHz	4.39 (Bm 40:12 dBm 38:90 dBm 2108 dBm	ACTOR CONTRACTOR		Freq Offset
9 10 11					



#### Spurious Emission\_802.11n\_20MHz\_Chain0\_2437MHz

#### Spurious Emission\_802.11n\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.tw.sgs.com	
			Marshan of COC Oracin	



# 11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

# 11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the RSS-Gen §8.10 Table 7.

And according to 15.33(a)(1) & RSS-Gen §6.13(a) for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

According to RSS-Gen §8.9 Table 5 & 6 Except where otherwise indicated in the applicable RSS, radiated emissions shall comply with the field strength limits shown in table 5 and table 6. Additionally, the level of any transmitter unwanted emission shall not exceed the level of the transmitter's fundamental emission

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

### Note:

1. The lower limit shall apply at the transition frequencies.

2. Emission level ( $dB\mu V/m$ ) = 20 log Emission level ( $dB\mu V/m$ )

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## **11.2 Measurement Equipment Used:**

966 Chamber										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Bi-log Antenna	SCHWAZBECK	VULB9168	378	2017/12/29	2018/12/28					
Horn Antenna	Schwarzbeck	BBHA9120D	1441	2018/08/16	2019/08/15					
Horn Antenna	Schwarzbeck	BBHA9170	184	2017/12/12	2018/12/11					
Loop Antenna	ETS.LINDGREN	6502	148045	2018/09/25	2019/09/24					
3m Site NSA	SGS	966 chamber	N/A	2018/01/02	2019/01/01					
Spectrum Analyz- er	Agilent	E4446A	MY51100003	2018/05/15	2019/05/14					
EMI Test Receiver	R&S	ESCI7	100335	2018/02/02	2019/02/01					
DC Power Supply	Anritsu	E3640A	MY52410006	2017/11/28	2018/11/27					
Pre-Amplifier	HP	8449B	3008A00578	2018/01/02	2019/01/01					
Pre-Amplifier	HP	8447D	2944A07676	2018/01/02	2019/01/01					
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	2017/10/27	2018/10/26					
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01					
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	2018/01/02	2019/01/01					
Low Loss Cable	Huber Suhner	966_RX	9	2018/01/02	2019/01/01					
Notebook	Lenovo	T440P	P0000564	N/A	N/A					


NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




# 11.3 Test SET-UP

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



# (B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



## **11.4 Measurement Procedure**

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



## 11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

## FS = RA + AF + CL - AG

Where	5	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

## 11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

### 11.7 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the tellest extent of the law. SGS Taiwan Ltd. No.134. WuKungRoad. NewTaibeild. NewTaibeildty: NewTaibeildty: Terms 24803/新 北市 五股 原新 北產業 風 原 五 工 路 134 號



## **Radiated Band Edge Measurement Result**

Operation Band Fundamental Frequency Operation Mode EUT Pol. :802.11b :2412 MHz :Bandedge CH LOW :E2 Plane Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-09-06 :21 deg\_C / 62 RH :Wei :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2385.96	Average	50.61	0.19	50.80	54.00	-3.20
2385.96	Peak	57.92	0.19	58.11	74.00	-15.89
2390.00	Average	44.71	0.20	44.91	54.00	-9.09
2390.00	Peak	54.76	0.20	54.96	74.00	-19.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 45 of 93



Operation Band : Fundamental Frequency : Operation Mode : EUT Pol. :

:802.11b :2412 MHz :Bandedge CH LOW :E2 Plane Test Date:2Temp./Humi.:2Engineer:VMeasurement Antenna Pol.:H

:2018-09-06 :21 deg\_C / 62 RH :Wei :HORIZONTAL



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
	MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
_	2390.00	Average	39.60	0.20	39.80	54.00	-14.20
	2390.00	Peak	50.51	0.20	50.71	74.00	-23.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 46 of 93



Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11b :2417 MHz :Bandedge CH LOW :E2 Plane Test Date:2018-1Temp./Humi.:21 degEngineer:WeiMeasurement Antenna Pol.:VERTIN

:2018-10-22 :21 deg\_C / 62 RH :Wei :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	47.02	0.20	47.22	54.00	-6.78
2390.00	Peak	55.68	0.20	55.88	74.00	-18.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 47 of 93



Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11b :2417 MHz :Bandedge CH LOW :E2 Plane Test Date:201Temp./Humi.:21Engineer:WeMeasurement Antenna Pol.:HO

:2018-10-22 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	41.27	0.20	41.47	54.00	-12.53
2390.00	Peak	52.13	0.20	52.33	74.00	-21.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 48 of 93



Operation Band:8Fundamental Frequency:2Operation Mode:EEUT Pol.:E

:802.11b :2457 MHz :Bandedge CH HIGH :E2 Plane Test Date:2018-Temp./Humi.:21 deEngineer:WeiMeasurement Antenna Pol.:VERT

:2018-10-22 :21 deg\_C / 62 RH :Wei :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	41.80	0.53	42.33	54.00	-11.67
2483.50	Peak	53.38	0.53	53.91	74.00	-20.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 49 of 93



Operation Band :8 Fundamental Frequency :2 Operation Mode :E EUT Pol. :6

:802.11b :2457 MHz :Bandedge CH HIGH :E2 Plane Test Date:2Temp./Humi.:2Engineer:WMeasurement Antenna Pol.:H

:2018-10-22 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	39.27	0.53	39.80	54.00	-14.20
2483.50	Peak	52.59	0.53	53.12	74.00	-20.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 50 of 93



Operation Band:8Fundamental Frequency:2Operation Mode:EEUT Pol.:E

:802.11b :2462 MHz :Bandedge CH HIGH :E2 Plane Test Date:2018-0Temp./Humi.:21 degEngineer:WeiMeasurement Antenna Pol.:VERTIN

:2018-09-06 :21 deg\_C / 62 RH :Wei :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	49.77	0.53	50.30	54.00	-3.70
2483.50	Peak	56.64	0.53	57.17	74.00	-16.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 51 of 93



Operation Band:aFundamental Frequency:aOperation Mode:aEUT Pol.:a

:802.11b :2462 MHz :Bandedge CH HIGH :E2 Plane Test Date:2Temp./Humi.:2Engineer:WMeasurement Antenna Pol.:H

:2018-09-06 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	39.89	0.53	40.42	54.00	-13.58
2483.50	Peak	52.02	0.53	52.55	74.00	-21.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 52 of 93



Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11g :2412 MHz :Bandedge CH LOW :E2 Plane Test Date:201Temp./Humi.:21Engineer:WeMeasurement Antenna Pol.:VEI

:2018-09-06 :21 deg\_C / 62 RH :Wei :VERTICAL



Detector	Spectrum	Factor	Actual	Limit	Margin	
Mode	Reading Level		FS	@3m		
PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
Average	52.18	0.20	52.38	54.00	-1.62	-
Peak	72.07	0.20	72.27	74.00	-1.73	
	Mode PK/QP/AV Average	ModeReading LevelPK/QP/AVdBµVAverage52.18	ModeReading LevelPK/QP/AVdBµVdBAverage52.180.20	ModeReading LevelFSPK/QP/AVdBµVdBdBµV/mAverage52.180.2052.38	Mode Reading Level FS @3m   PK/QP/AV dBμV dB dBμV/m dBμV/m   Average 52.18 0.20 52.38 54.00	Mode Reading Level FS @3m   PK/QP/AV dBμV dB dBμV/m dBμV/m dB   Average 52.18 0.20 52.38 54.00 -1.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 53 of 93



Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11g :2412 MHz :Bandedge CH LOW :E2 Plane Test Date:Temp./Humi.:Engineer:Measurement Antenna Pol.:

:2018-09-06 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	46.23	0.20	46.43	54.00	-7.57
2390.00	Peak	64.40	0.20	64.60	74.00	-9.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 54 of 93



Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11g :2417 MHz :Bandedge CH LOW :E2 Plane Test Date:2018-1Temp./Humi.:21 degEngineer:WeiMeasurement Antenna Pol.:VERTI

:2018-10-22 :21 deg\_C / 62 RH :Wei :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	52.83	0.20	53.03	54.00	-0.97
2390.00	Peak	73.10	0.20	73.30	74.00	-0.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 55 of 93



Operation Band Fundamental Frequency Operation Mode EUT Pol.

:802.11g :2417 MHz :Bandedge CH LOW :E2 Plane Test Date:2Temp./Humi.:2Engineer:WMeasurement Antenna Pol.:H

:2018-10-22 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Detector	Spectrum	Factor	Actual	Limit	Margin	
Mode	Reading Level		FS	@3m	-	
PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	_
Average	46.98	0.20	47.18	54.00	-6.82	-
Peak	67.76	0.20	67.96	74.00	-6.04	
	Mode PK/QP/AV Average	ModeReading LevelPK/QP/AVdBµVAverage46.98	ModeReading LevelPK/QP/AVdBµVdBAverage46.980.20	ModeReading LevelFSPK/QP/AVdBµVdBdBµV/mAverage46.980.2047.18	Mode Reading Level FS @3m   PK/QP/AV dBμV dB dBμV/m dBμV/m   Average 46.98 0.20 47.18 54.00	Mode Reading Level FS @3m   PK/QP/AV dBμV dB dBμV/m dBμV/m dB   Average 46.98 0.20 47.18 54.00 -6.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 56 of 93



Operation Band : Fundamental Frequency : Operation Mode : EUT Pol. :

:802.11g :2457 MHz :Bandedge CH HIGH :E2 Plane Test Date:2018-1Temp./Humi.:21 degEngineer:WeiMeasurement Antenna Pol.:VERTH

:2018-10-22 :21 deg\_C / 62 RH :Wei :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	52.07	0.53	52.60	54.00	-1.40
2483.50	Peak	71.74	0.53	72.27	74.00	-1.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 57 of 93



Operation Band:80Fundamental Frequency:24Operation Mode:BaEUT Pol.:Ea

:802.11g :2457 MHz :Bandedge CH HIGH :E2 Plane Test Date:20Temp./Humi.:27Engineer:WMeasurement Antenna Pol.:H

:2018-10-22 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	45.32	0.53	45.85	54.00	-8.15
2483.50	Peak	64.72	0.53	65.25	74.00	-8.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 58 of 93



Operation Band : Fundamental Frequency : Operation Mode : EUT Pol. :

:802.11g :2462 MHz :Bandedge CH HIGH :E2 Plane Test Date:2018-09Temp./Humi.:21 deg\_Engineer:WeiMeasurement Antenna Pol.:VERTIC

:2018-09-06 :21 deg\_C / 62 RH :Wei :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	51.49	0.53	52.02	54.00	-1.98
2483.50	Peak	72.12	0.53	72.65	74.00	-1.35
2496.60	Average	43.44	0.58	44.02	54.00	-9.98
2496.60	Peak	63.25	0.58	63.83	74.00	-10.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 59 of 93



Operation Band:aFundamental Frequency:aOperation Mode:aEUT Pol.:a

:802.11g :2462 MHz :Bandedge CH HIGH :E2 Plane Test Date:20Temp./Humi.:27Engineer:WMeasurement Antenna Pol.:H0

:2018-09-06 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	41.17	0.53	41.70	54.00	-12.30
2483.50	Peak	58.48	0.53	59.01	74.00	-14.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 60 of 93



Operation Band : Fundamental Frequency : Operation Mode : EUT Pol. :

:802.11n20 :2412 MHz :Bandedge CH LOW :E2 Plane Test Date:201Temp./Humi.:21Engineer:WeMeasurement Antenna Pol.:VE

:2018-09-06 :21 deg\_C / 62 RH :Wei :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	51.50	0.20	51.70	54.00	-2.30
2390.00	Peak	70.78	0.20	70.98	74.00	-3.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 61 of 93



Operation Band : Fundamental Frequency : Operation Mode : EUT Pol. :

:802.11n20 :2412 MHz :Bandedge CH LOW :E2 Plane Test Date Temp./Humi. Engineer Measurement Antenna Pol.

:2018-09-06 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	44.56	0.20	44.76	54.00	-9.24
2390.00	Peak	65.30	0.20	65.50	74.00	-8.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 62 of 93



Operation Band : Fundamental Frequency : Operation Mode : EUT Pol. :

:802.11n20 :2417 MHz :Bandedge CH LOW :E2 Plane Test Date:2018Temp./Humi.:21 deEngineer:WeiMeasurement Antenna Pol.:VER

:2018-10-22 :21 deg\_C / 62 RH :Wei :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2390.00	Average	50.38	0.20	50.58	54.00	-3.42
2390.00	Peak	72.48	0.20	72.68	74.00	-1.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 63 of 93



Operation Band : Fundamental Frequency : Operation Mode : EUT Pol. :

:802.11n20 :2417 MHz :Bandedge CH LOW :E2 Plane Test Date:20Temp./Humi.:21Engineer:WeMeasurement Antenna Pol.:HO

:2018-10-22 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Detector	Spectrum	Factor	Actual	Limit	Margin
Mode	Reading Level		FS	@3m	
PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
Average	43.26	0.20	43.46	54.00	-10.54
Peak	65.20	0.20	65.40	74.00	-8.60
	Mode PK/QP/AV Average	ModeReading LevelPK/QP/AVdBµVAverage43.26	ModeReading LevelPK/QP/AVdBµVdBAverage43.260.20	ModeReading LevelFSPK/QP/AVdBµVdBdBµV/mAverage43.260.2043.46	Mode Reading Level FS @3m   PK/QP/AV dBμV dB dBμV/m dBμV/m   Average 43.26 0.20 43.46 54.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 64 of 93



Operation Band:8Fundamental Frequency:2Operation Mode:EEUT Pol.:E

:802.11n20 :2457 MHz :Bandedge CH HIGH :E2 Plane Test Date:2018-1Temp./Humi.:21 degEngineer:WeiMeasurement Antenna Pol.:VERTIO

:2018-10-22 :21 deg\_C / 62 RH :Wei :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	50.77	0.53	51.30	54.00	-2.70
2483.50	Peak	71.72	0.53	72.25	74.00	-1.75
2484.70	Average	50.58	0.53	51.11	54.00	-2.89
2484.70	Peak	71.84	0.53	72.37	74.00	-1.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 65 of 93



Operation Band:8Fundamental Frequency:2Operation Mode:EEUT Pol.:E

:802.11n20 :2457 MHz :Bandedge CH HIGH :E2 Plane Test Date:20Temp./Humi.:2Engineer:WMeasurement Antenna Pol.:H

:2018-10-22 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	44.22	0.53	44.75	54.00	-9.25
2483.50	Peak	64.45	0.53	64.98	74.00	-9.02
2484.40	Average	44.23	0.53	44.76	54.00	-9.24
2484.40	Peak	66.25	0.53	66.78	74.00	-7.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 66 of 93



Operation Band:80Fundamental Frequency:24Operation Mode:BaEUT Pol.:E2

:802.11n20 :2462 MHz :Bandedge CH HIGH :E2 Plane Test Date:2018Temp./Humi.:21 dEngineer:WeiMeasurement Antenna Pol.:VER

:2018-09-06 :21 deg\_C / 62 RH :Wei :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	50.00	0.53	50.53	54.00	-3.47
2483.50	Peak	70.95	0.53	71.48	74.00	-2.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 67 of 93



Operation Band:8Fundamental Frequency:2Operation Mode:EEUT Pol.:E

:802.11n20 :2462 MHz :Bandedge CH HIGH :E2 Plane Test Date:20Temp./Humi.:27Engineer:WMeasurement Antenna Pol.:H

:2018-09-06 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2483.50	Average	40.98	0.53	41.51	54.00	-12.49
2483.50	Peak	60.55	0.53	61.08	74.00	-12.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# Below 1GHz Worst-Case Data: Radiated Spurious Emission Measurement Result

Operation Band	:802.11g	Test Date	:2018-10-03
Fundamental Frequency	:2437 MHz	Temp./Humi.	:21 deg_C / 62 RH
Operation Mode	:Tx CH MID	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
87.23	Peak	43.74	-13.23	30.51	40.00	-9.49
216.24	Peak	36.45	-9.14	27.31	46.00	-18.69
264.74	Peak	42.12	-6.83	35.29	46.00	-10.71
311.30	Peak	34.24	-5.25	28.99	46.00	-17.01
408.30	Peak	32.93	-2.95	29.98	46.00	-16.02
455.83	Peak	34.12	-2.34	31.78	46.00	-14.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 69 of 93



Operation Band:802.11gFundamental Frequency:2437 MHzOperation Mode:Tx CH MIDEUT Pol.:E2 Plane

Test Date:20Temp./Humi.:21Engineer:WeMeasurement Antenna Pol.:HC

:2018-10-03 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
167.74	Peak	36.73	-7.31	29.42	43.50	-14.08
216.24	Peak	42.33	-9.14	33.19	46.00	-12.81
239.52	Peak	40.91	-7.83	33.08	46.00	-12.92
263.77	Peak	43.59	-6.88	36.71	46.00	-9.29
288.02	Peak	39.43	-5.89	33.54	46.00	-12.46
335.55	Peak	36.00	-4.89	31.11	46.00	-14.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# Above 1GHz Data: Radiated Spurious Emission Measurement Result External Antenna

Operation Band	:802.11b	Test Date	:2018-10-01
Fundamental Frequency	:2412 MHz	Temp./Humi.	:21 deg_C / 62 RH
Operation Mode	:Tx CH LOW	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL



Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
Average	43.76	5.61	49.37	54.00	-4.63
Peak	44.51	5.61	50.12	74.00	-23.88
	PK/QP/AV Average	ModeReading LevelPK/QP/AVdBµVAverage43.76	ModeReading LevelPK/QP/AVdBµVdBAverage43.765.61	ModeReading LevelFSPK/QP/AVdBµVdBdBµV/mAverage43.765.6149.37	Mode Reading Level FS @3m   PK/QP/AV dBµV dB dBµV/m dBµV/m   Average 43.76 5.61 49.37 54.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.:ER/2018/80100 Page 71 of 93

:2018-10-01


:Wei

:21 deg\_C / 62 RH

:HORIZONTAL



Operation Band:802.11bTest DateFundamental Frequency:2412 MHzTemp./Humi.Operation Mode:Tx CH LOWEngineerEUT Pol.:E2 PlaneMeasurement Antenna Pol.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	_
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	37.89	5.61	43.50	54.00	-10.50
4824.00	Peak	41.10	5.61	46.71	74.00	-27.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.:ER/2018/80100 Page 72 of 93



Operation Band	:802.11b	Test Date	:2018-10-01
Fundamental Frequency	:2437 MHz	Temp./Humi.	:21 deg_C / 62 RH
Operation Mode	:Tx CH MID	Engineer	:Wei
EUT Pol.	:E2 Plane	Measurement Antenna Pol.	:VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	45.76	5.85	51.61	54.00	-2.39
4874.00	Peak	46.56	5.85	52.41	74.00	-21.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.:ER/2018/80100 Page 73 of 93



**Operation Band** :802.11b Test Date :2018-10-01 **Fundamental Frequency** :21 deg\_C / 62 RH :2437 MHz Temp./Humi. **Operation Mode** :Tx CH MID Engineer :Wei EUT Pol. :E2 Plane Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	40.91	5.85	46.76	54.00	-7.24
4874.00	Peak	41.88	5.85	47.73	74.00	-26.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.:ER/2018/80100 Page 74 of 93



Operation Band:802.11bFundamental Frequency:2462 MHzOperation Mode:Tx CH HIGHEUT Pol.:E2 Plane

Test Date:2018-10-01Temp./Humi.:21 deg\_C / 62 RHEngineer:WeiMeasurement Antenna Pol.:VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	45.38	5.82	51.20	54.00	-2.80
4924.00	Peak	46.20	5.82	52.02	74.00	-21.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 75 of 93



Operation Band:802.11bFundamental Frequency:2462 MHzOperation Mode:Tx CH HIGHEUT Pol.:E2 Plane

Test Date:2Temp./Humi.:2Engineer:VMeasurement Antenna Pol.:H

:2018-10-01 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	40.71	5.82	46.53	54.00	-7.47
4924.00	Peak	42.86	5.82	48.68	74.00	-25.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.:ER/2018/80100 Page 76 of 93



Operation Band:802.11gTest DateFundamental Frequency:2412 MHzTemp./Humi.Operation Mode:Tx CH LOWEngineerEUT Pol.:E2 PlaneMeasurement Antenna Pol.

:2018-10-01 :21 deg\_C / 62 RH :Wei :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	26.64	5.61	32.25	54.00	-21.75
4824.00	Peak	37.28	5.61	42.89	74.00	-31.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document is subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Report No.:ER/2018/80100 Page 77 of 93



Operation Band:802.11gFundamental Frequency:2412 MHzOperation Mode:Tx CH LOWEUT Pol.:E2 Plane

Test Date:2Temp./Humi.:2Engineer:VMeasurement Antenna Pol.:H

:2018-10-01 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	28.54	5.61	34.15	54.00	-19.85
4824.00	Peak	38.59	5.61	44.20	74.00	-29.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format document is subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.:ER/2018/80100 Page 78 of 93



Operation Band:802.11gTest DateFundamental Frequency:2437 MHzTemp./Humi.Operation Mode:Tx CH MIDEngineerEUT Pol.:E2 PlaneMeasurement

Test Date:2018-10-01Temp./Humi.:21 deg\_C / 62 RHEngineer:WeiMeasurement Antenna Pol.:VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	27.21	5.85	33.06	54.00	-20.94
4874.00	Peak	37.74	5.85	43.59	74.00	-30.41
7311.00	Average	29.86	12.84	42.70	54.00	-11.30
7311.00	Peak	39.76	12.84	52.60	74.00	-21.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 79 of 93



Operation Band:802.11gFundamental Frequency:2437 MHzOperation Mode:Tx CH MIDEUT Pol.:E2 Plane

Test Date:2Temp./Humi.:2Engineer:WMeasurement Antenna Pol.:H

:2018-10-01 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	26.22	5.85	32.07	54.00	-21.93
4874.00	Peak	36.86	5.85	42.71	74.00	-31.29
7311.00	Average	29.14	12.84	41.98	54.00	-12.02
7311.00	Peak	38.68	12.84	51.52	74.00	-22.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.:ER/2018/80100 Page 80 of 93



Operation Band:802.11gFundamental Frequency:2462 MHzOperation Mode:Tx CH HIGHEUT Pol.:E2 Plane

Test Date:2018-10-01Temp./Humi.:21 deg\_C / 62 RHEngineer:WeiMeasurement Antenna Pol.:VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	28.23	5.82	34.05	54.00	-19.95
4924.00	Peak	38.74	5.82	44.56	74.00	-29.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 81 of 93



Operation Band:802.11gFundamental Frequency:2462 MHzOperation Mode:Tx CH HIGHEUT Pol.:E2 Plane

Test Date:2Temp./Humi.:2Engineer:WMeasurement Antenna Pol.:H

:2018-10-01 :21 deg\_C / 62 RH :Wei :HORIZONTAL




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	26.15	5.82	31.97	54.00	-22.03
4924.00	Peak	37.20	5.82	43.02	74.00	-30.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.:ER/2018/80100 Page 82 of 93





Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	28.64	5.61	34.25	54.00	-19.75
4824.00	Peak	38.27	5.61	43.88	74.00	-30.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.:ER/2018/80100 Page 83 of 93



ni. :21 deg_C / 62 RH :Wei ent Antenna Pol. :HORIZONTAL




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4824.00	Average	27.14	5.61	32.75	54.00	-21.25
4824.00	Peak	37.38	5.61	42.99	74.00	-31.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Report No.:ER/2018/80100 Page 84 of 93





Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	28.42	5.85	34.27	54.00	-19.73
4874.00	Peak	38.52	5.85	44.37	74.00	-29.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明 小規告結果僅對測试之樣品負責,可時此樣品僅保留的人。本報告未經本公司者面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is enproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-reporting of this document is unplayed by the prosecuted to the fuller evant of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.:ER/2018/80100 Page 85 of 93



802.11n20 2437 MHz Tx CH MID E2 Plane	Test Date Temp./Humi. Engineer Measurement Antenna Pol.	:2018-10-01 :21 deg_C / 62 RH :Wei :HORIZONTAL
	2437 MHz Tx CH MID	2437 MHzTemp./Humi.Tx CH MIDEngineer



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4874.00	Average	27.41	5.85	33.26	54.00	-20.74
4874.00	Peak	37.34	5.85	43.19	74.00	-30.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明 小規告結果僅對測试之樣品負責,可時此樣品僅保留的人。本報告未經本公司者面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is enproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-reporting of this document is unplayed by the prosecuted to the fuller evant of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.:ER/2018/80100 Page 86 of 93



Operation Band:802.11n20Fundamental Frequency:2462 MHzOperation Mode:Tx CH HIGHEUT Pol.:E2 Plane

Test Date:2018-10-01Temp./Humi.:21 deg\_C / 62 RHEngineer:WeiMeasurement Antenna Pol.:VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	27.77	5.82	33.59	54.00	-20.41
4924.00	Peak	37.24	5.82	43.06	74.00	-30.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Report No.:ER/2018/80100 Page 87 of 93



Operation Band:802.11n20Fundamental Frequency:2462 MHzOperation Mode:Tx CH HIGHEUT Pol.:E2 Plane

Test Date:20Temp./Humi.:27Engineer:WMeasurement Antenna Pol.:H0

:2018-10-01 :21 deg\_C / 62 RH :Wei :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
4924.00	Average	27.50	5.82	33.32	54.00	-20.68
4924.00	Peak	37.23	5.82	43.05	74.00	-30.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# 12 PEAK POWER SPECTRAL DENSITY

## 12.1 Standard Applicable

## Per Part 15.247 (e)

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

This power spectral density shall be determined in accordance with the provisions of paragraph (b) of this section. The same method of determining the conducted output power shall be used to determine the power spectral density.


## Per RSS-247 section 5.4 d

For DTSs employing digital modulation techniques operating in the bands 902-928 MHz and 2400-2483.5 MHz, the maximum peak conducted output power shall not exceed 1 W. The e.i.r.p. shall not exceed 4 W, except as provided in section 5.4(e).

Conducted Emission Test Site							
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.		
TYPE		NUMBER	NUMBER	CAL.			
Spectrum Analyzer	R&S	FSV-30	101398	2017/10/19	2018/10/18		
DC Power Supply	Anritsu	E3640A	MY5241000 6	2017/11/28	2018/11/27		
Attenuator	Mini-Circuit	BW-S10W2+	2	2018/01/02	2019/01/01		
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/02	2019/01/01		
Coaxial Cables	N/A	WK CE Ca- ble	N/A	2018/01/02	2019/01/01		
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A		

## 12.2 Measurement Equipment Used

## 12.3 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



## 12.4 Measurement Procedure

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance & ANSI C63.10.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 3 kHz. & the VBW = 10 kHz
- For defining Restricted Band Edge Limit: Set the RBW = 100kHz & VBW = 300 kHz.
- 6. Detector = peak.
- 7. Sweep time = auto couple.
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.

## As per FCC KDB 662911 D01

Unequal antenna gains, with equal transmit powers. For antenna gains given by G1, G2, ..., GN dBi.

(i) If transmit signals are correlated, then Directional gain

=  $10 \log[(10^{G1/20} + 10^{G2/20} + ... + 10^{GN/20})^2/N_{ANT}] dBi$ 

[Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.].

Frequency (MHz)	Effective Legacy Gain (dBi)	Peak spectral density (dBm/3kHz)
2412~24 <mark>6</mark> 2	2.37	8.00

The antenna gain is not grater than 6 dBi. Therefore, reduction of power is not required.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### **12.5 Measurement Result**

POWER DENSITY 802.11b			POWER DENSITY 802.11g				
Freq.	PPSD	Limit	Result	Freq.	PPSD	Limit	Decult
(MHz)	(dBm/3kHz)	(dBm/3kHz)	Result	(MHz)	(dBm/3kHz)	(dBm/3kHz)	Result
2412	-9.04	8.00	PASS	2412	-13.78	8.00	PASS
2437	-7.32	8.00	PASS	2437	-10.86	8.00	PASS
2462	-8.52	8.00	PASS	2462	-13.50	8.00	PASS

POWER DENSITY 802.11n HT20					
Freq.	PPSD	Limit	Result		
(MHz)	(dBm/3kHz)	(dBm/3kHz)	Result		
2412	-12.71	8.00	PASS		
2437	-10.78	8.00	PASS		
2462	-13.80	8.00	PASS		

10.30 dB for SISO mode offset

\*Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### Power Density\_802.11b\_20MHz\_Chain0\_2412MHz








#### Power Density\_802.11b\_20MHz\_Chain0\_2462MHz




Power Density\_802.11g\_20MHz\_Chain0\_2412MHz



#### Power Density\_802.11g\_20MHz\_Chain0\_2437MHz



#### Power Density\_802.11g\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


**台灣檢驗科技股份有限公司** t (886-2) 2299-3279

f (886-2) 2298-0488



#### Report No.: ER/2018/80100 Page 92 of 93

#### Power Density\_802.11n\_20MHz\_Chain0\_2412MHz



Power Density\_802.11n\_20MHz\_Chain0\_2437MHz



#### Power Density\_802.11n\_20MHz\_Chain0\_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms and conditions</u> for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reproduced except in full, without prior which approved a set of the law. prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.tw.sgs.com
	1		Member of SGS Group



## **13 ANTENNA REQUIREMENT**

## 13.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

## 13.2 Antenna Connected Construction

The antenna is designed with unique RF connector and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號