

Page 1 of 116

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H and FCC PART 24 SUBPART E and PART 27, AND INDUSTRY CANADA RSS-132, RSS-133, RSS-139 REQUIREMENT

OF

Applicant: Murata Manufacturing Co., Ltd.

1-10-1 Higashikotari, Nagaokakyo-shi, Kyoto 617-8555 Japan

Product Name: Communication Module

Brand Name:muRataModel No.:1SSModel Difference:N/A

FCC ID: VPYLB1SS IC: 772C-LB1SS

Report Number: T190624W03-RP

FCC Rule Part: 2, 22H & 24E & 27

RSS 132 Issue 3 Jan. 2013, RSS 133 Issue 6 Jan. 2018,

RSS 139 Issue 3 Jul. 2015,

Issue Date: Sep. 16, 2019

Date of Test: Jun. 24, 2019 ~ Jul. 04, 2019

Date of EUT Received: Jun. 24, 2019

Compliance Certification Services Inc.Wugu Lab.

Issued by:

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891,

Taiwan. (R.O.C.) service@ccsrf.com

The test Result was tested by Compliance Certification Services Inc. The test data, data evaluation, test procedures, and equipment configurations shown in this report were given in ANSI C63.26: 2015 and compliance standards.

The test results of this report relate only to the tested sample (EUT) identified in this report The test Report of full or partial shall not copy. Without written approval of Compliance Certification Services Inc. (Wugu Laboratory).

Tested By:

Jerry Lu / Sr. Engineer

Approved By:

Kevin Tsai / Deputy Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所有分類、明 : 近根音級不便可測に入体の具具 「同時配株の理味留列先」を報告を整本を図る面配可 「不可能的模製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Compliance Certification Services Inc. No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路11號



Page 2 of 116

Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
T190624W03-RP	Rev.00	Initial creation of docu- ment	All	Sep. 05, 2019	Elle Chang
T190624W03-RP	Rev.01	Updated power table at section 6.5	19~22	Sep. 11, 2019	Elle Chang
T190624W03-RP	Rev.02	Updated type of emission at section 1.3	6	Sep. 16, 2019	Elle Chang



Page 3 of 116

Contents

1	GENERAL PRODUCT INFORMATION	4
2	SYSTEM TEST CONFIGURATION	8
3	SUMMARY OF TEST RESULTS	11
4	DESCRIPTION OF TEST MODES	12
5	MEASUREMENT UNCERTAINTY	15
6	MAXMUM OUTPUT POWER	16
7	OCCUPIED BANDWIDTH MEASUREMENT	23
8	OUT OF BAND EMISSION AT ANTENNA TERMINALS	42
9	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	67
10	FREQUENCY STABILITY MEASUREMENT	97
11	DEAK TO AVERAGE RATIO	103



Page 4 of 116

GENERAL PRODUCT INFORMATION

1.1 Product Description

General:

	-
Product Name:	Communication Module
Brand Name:	muRata
Model No.:	1SS
Model Difference:	N/A
Hardware Version:	1.0
Software Version:	1.0
Power Supply:	3.3Vdc or 5Vdc from USB Port
IMEI:	356321100004845

Antenna Designation

Vendor	Туре	Antenna Modelt No.	Modulation	Frequen (MHz)			Peak Antenna Gain (dBi)
			LTE Band 2	1850	1	1910	1.8
			LTE Band 4	1710	?	1755	-0.4
			LTE Band 5	824	?	849	1.5
			LTE Band 12	699	~	716	-0.1
Murata	Monopole	ANT-LTE3-2	LTE Band 13	777	~	787	1.1
			LTE Band 17	704	1	716	-0.1
			LTE Band 66	1710	~	1780	0.5
			LTE Band 71	663	~	698	0.5
			LTE Band 85	698	~	716	0.0



Page 5 of 116

1.2 Frequency Range

NB IoT Band	Subcarrier Spacing (kHz)	Operation Frequency (MHz)		
2	3.75	1850		1910
2	15	1830	-	1910
4	3.75	1710		1755
4	15	1/10	-	1755
5	3.75	824	_	849
)	15	ŏ24	-	ŏ49
12	3.75	699		714
12	15	099	_	716
13	3.75	777		787
13	15	111	-	101
17	3.75	704	_	71,4
17	15	704	-	716

NB IoT Band	Subcarrier Spacing (kHz)	Operation Frequency (MHz)		
66	3.75	1710		1700
00	15	1710	-	1780
71	3.75	663		698
/ 1	15	003	-	090
85	3.75	698		714
63	15	098	-	716



Page 6 of 116

1.3 Type of Emission & Max ERP/EIRP Power Measurement Result:

		1				
NB IoT Band	Modulation	ERP / EIRP (dBm)		(W)	99% BW (kHz)	Type of Emission
2	BPSK	24.99	EIRP	0.316	312.1000	312KG7D
2	QPSK	24.90	EIRP	0.309	281.9000	282KG7D
NB IoT Band	Modulation		ERP / EIRP (dBm)		99% BW (kHz)	Type of Emission
4	BPSK	22.76	EIRP	0.189	288.8000	289KG7D
4	QPSK	22.63	EIRP	0.183	275.4000	275KG7D
NB IoT Band	Modulation	ERP / EIRP (dBm)		(W)	99% BW (kHz)	Type of Emission
5	BPSK	24.71	ERP	0.296	291.2000	291KG7D
5	QPSK	24.68	ERP	0.294	284.2000	284KG7D
NB loT Band	Modulation		ERP / EIRP (dBm)		99% BW (kHz)	Type of Emission
12	BPSK	23.38	ERP	0.218	291.7000	292KG7D
12	QPSK	23.30	ERP	0.214	281.1000	281KG7D
NB loT Band	Modulation	ERP/ (dB		(W)	99% BW (kHz)	Type of Emission
13	BPSK	24.50	ERP	0.282	311.0000	311KG7D
13	QPSK	24.40	ERP	0.275	287.5000	288KG7D

NB IoT Band	Modulation	ERP / EIRP (dBm)		(W)	99% BW (kHz)	Type of Emission
17	BPSK	23.37	ERP	0.217	296.6000	297KG7D
17	QPSK	23.28	ERP	0.213	287.2000	287KG7D
NB loT Band	Modulation	ERP / (dB		(W)	99% BW (kHz)	Type of Emission
66	BPSK	23.85	EIRP	0.243	314.6000	315KG7D
66	OPSK	22.7E	LIDD	0 227	270 0000	2701/070
00	UPSK	23.75	EIRP	0.237	279.0000	279KG7D
NB loT Band	Modulation	ERP /	EIRP	(W)	99% BW (kHz)	Type of Emission
NB IoT		ERP/	EIRP		99% BW	Type of
NB loT Band	Modulation	ERP/ (dB	EIRP m)	(W)	99% BW (kHz)	Type of Emission
NB loT Band 71	Modulation BPSK	ERP / (dB	EIRP m) ERP ERP	(W) 0.264	99% BW (kHz) 278.9000	Type of Emission
NB loT Band 71 71 NB loT	Modulation BPSK QPSK	ERP / (dB 24.22 24.14 ERP /	EIRP m) ERP ERP	(W) 0.264 0.259	99% BW (kHz) 278.9000 277.0000 99% BW	Type of Emission 279KG7D 277KG7D Type of

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction decuments. This document capacity of special parties of the Company, Any Unauthorized electronic field. documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Compliance Certification Services Inc. | No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路11號



Page 7 of 116

1.4 Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22, 24, 27.

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03r01

TS 151 010-1 is used to set, and measure the output power.

RSS Gen Issue 5 Apr. 2018 , RSS-132 Issue 3 Jan. 2013,

RSS-133 Issue 6 Jan. 2018 , RSS-139 Issue 3 Jul. 2015,

Note: All test items have been performed and record as per the above standards.

1.5 Test Facility

Compliance Certification Services Inc. Wugu Lab. No.11, Wugong 6th Rd.,

Wugu Dist., New Taipei City 24891, Taiwan. (R.O.C.) (TAF code 1309)

FCC Registration Numbers are: TW1309

Canada Registration Number: 2324G

1.6 Special Accessories

No special accessories were used during testing.

1.7 Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 8 of 116

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3 Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured ANSI C63.26-2015, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured ANSI C63.26-2015, The EUT is a placed on as turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 9 of 116

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation in physical test.

	RF cable loss (dB)	Attenuation factor(dB)	offset(dB)
Low Band (Below 1GHz)	4	10	14
High Band (Above 1 GHz)	4	10	14

2.5 Final Amplifier Voltage and Current Information:

LTE Band 2

Test mode	DC voltage (V)	DC current (mA)
LTE Band 2_3.75K	5	257.000
LTE Band 2_15K	5	298.000

LTE Band 4

Test mode	DC voltage (V)	DC current (mA)
LTE Band 4_3.75K	5	265.000
LTE Band 4_15K	5	280.000

LTE Band 5

Test mode	DC voltage (V)	DC current (mA)
LTE Band 5_3.75K	5	273.000
LTE Band 5_15K	5	274.000

LTE Band 12

Test mode	DC voltage (V)	DC current (mA)
LTE Band 12_3.75K	5	285.000
LTE Band 12_15K	5	250.000

LTE Band 13

Test mode	DC voltage (V)	DC current (mA)
LTE Band 13_3.75K	5	262.000
LTE Band 13_15K	5	268.000

LTE Band 17

Test mode	DC voltage (V)	DC current (mA)
LTE Band 17_3.75K	5	288.000

LTE Band 66

Test mode	DC voltage (V)	DC current (mA)
LTE Band 66_3.75K	5	285.000
LTE Band 66_15K	5	296.000

LTE Band 71

Test mode	DC voltage (V)	DC current (mA)
LTE Band 71_3.75K	5	265.000
LTE Band 71_15K	5	289.000

LTE Band 85

Test mode	DC voltage (V)	DC current (mA)
LTE Band 71_3.75K	5	266.000
LTE Band 71_15K	5	262.000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 10 of 116

2.6 Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Radio Communication Analyer	Anritsu	MT8821C	6261786084	shielded	Un-shielded
2.	DC Power Supply	Anritsu	E3640A	MY40000811	N/A	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Compliance Certification Services Inc. |

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路11號



Page 11 of 116

SUMMARY OF TEST RESULTS

FCC Rules	IC Rules	Description Of Test	Result
§2.1046(a)	N/A	RF Power Output	Compliant
§2.1046(a) §22.913(a)(5) §24.232(c) §27.50(b)(9) §27.50(c)(9) §27.50(d)(4)	§6.8 (RSS-Gen Issue 5) §5.4 (RSS-132) §6.4 (RSS-133) §6.5 (RSS-139)	ERP/ EIRP measurement	Compliant
§2.1049(h)	§6.7 (RSS-Gen Issue 5) §2.3 (RSS-133)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a) §27.53(c)(f) §27.53(g) §27.53(h)	§6.13 (RSS-Gen Issue 5) §5.4 (RSS-132) §6.5 (RSS-133) §6.6 (RSS-139)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(c)(f) §27.53(g) §27.53(h)	§6.12 (RSS-Gen Issue 5) §5.4 (RSS-132) §6.5 (RSS-133) §6.6 (RSS-139)	Field Strength of Spurious Radiation	Compliant
§24.232(d) §27.50((B)	§5.4 (RSS-132) §6.4 (RSS-133) §6.5 (RSS-139)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54	§6.11 (RSS-Gen Issue 5) §5.4 (RSS-132) §6.3 (RSS-133) §6.4 (RSS-139)	Frequency Stability	Compliant



Page 12 of 116

DESCRIPTION OF TEST MODES

4.1 The Worst Test Modes and Configuration

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:


NB IoT Modes	Radiated Emission			
ivioues	E1	E2	Н	
B2	ı	-	٧	
B4	ı	1	٧	
B5	-	-	٧	
B12	-	-	٧	
B13	ı	1	٧	
B17	-	-	٧	
B66	ı	ı	٧	
B71	ı	ı	٧	
B85	-	ı	V	

NB IoT	Test Items	Subc	arrier	Modu	lation		Test	
Modes	rest items	3.75	15	BPSK	QPSK	ш	М	Н
	EIRP	V	V	V	V	٧	٧	٧
	Occupied Bandwidth	V	V	V	V	٧	٧	٧
	Band Edge Compliance	V	V	V	V	٧	1	٧
B2	Peak-To-Average Ratio	V	V	V	V	٧	٧	٧
	Frequency Stability	V	V	V	V	•	٧	-
	Conducted Spurious Emission	V	V	V	V	٧	٧	٧
	Radiated Spurious Emission	V	-	V	-	٧	٧	٧

NB IoT	Test Items	Subc	arrier	Modulation		Test		
Modes	rest items	3.75	15	BPSK	QPSK	ш	М	Η
	EIRP	V	V	V	V	>	٧	٧
	Occupied Bandwidth	V	V	V	V	>	٧	٧
	Band Edge Compliance	V	V	V	V	>	-	٧
B4	Peak-To-Average Ratio	V	V	V	V	>	٧	٧
	Frequency Stability	V	V	V	V	ı	٧	-
	Conducted Spurious Emission	V	V	V	V	>	٧	٧
	Radiated Spurious Emission	V	-	V	=	V	V	V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





NB IoT	Test Items	Tost Itoms Subcarrier		Modu	Test			
Modes	rest items	3.75	15	BPSK	QPSK	Ш	М	Н
	EIRP	V	V	V	V	٧	٧	٧
	Occupied Bandwidth	V	V	V	V	٧	٧	٧
	Band Edge Compliance	V	V	V	V	٧	1	٧
B5	Peak-To-Average Ratio	V	V	V	V	٧	٧	٧
	Frequency Stability	V	V	V	V	•	٧	-
	Conducted Spurious Emission	V	V	V	V	٧	٧	٧
	Radiated Spurious Emission	V	-	V	-	٧	٧	V

NB IoT	Test Items	Subc	Subcarrier		Modulation		Test		
Modes	rest items	3.75	15	BPSK	QPSK	ш	М	Н	
	EIRP	V	V	V	V	٧	٧	٧	
	Occupied Bandwidth	V	V	V	V	٧	٧	٧	
	Band Edge Compliance	V	V	V	V	٧	-	٧	
B12	Peak-To-Average Ratio	V	V	V	V	٧	٧	٧	
	Frequency Stability	V	V	V	V	•	٧	-	
	Conducted Spurious Emission	V	V	V	V	٧	٧	٧	
	Radiated Spurious Emission	٧	-	V	-	٧	٧	٧	

NB IoT	Test Items	Subc	Subcarrier		Modulation		Test		
Modes	rest items	3.75	15	BPSK	QPSK	ш	Μ	Н	
	EIRP	V	V	V	V	٧	٧	٧	
	Occupied Bandwidth	V	V	V	V	٧	٧	٧	
	Band Edge Compliance	V	V	V	V	٧	•	٧	
B13	Peak-To-Average Ratio	V	V	V	V	٧	٧	٧	
	Frequency Stability	V	V	V	V	ı	٧	1	
	Conducted Spurious Emission	V	V	V	V	٧	٧	٧	
	Radiated Spurious Emission	V	-	V	1	٧	٧	٧	

NB IoT	Test Items	Subc	Subcarrier		Modulation		Test		
Modes	rest items	3.75	15	BPSK	QPSK	ш	М	Н	
	EIRP	V	V	V	V	٧	٧	٧	
	Occupied Bandwidth	V	V	V	V	٧	٧	V	
	Band Edge Compliance	V	V	V	V	٧	-	٧	
B17	Peak-To-Average Ratio	V	V	V	V	٧	٧	٧	
	Frequency Stability	V	V	V	V	ı	٧	-	
	Conducted Spurious Emission	V	V	V	V	٧	٧	V	
	Radiated Spurious Emission	V	-	V	-	V	V	٧	



Page 14 of 116

NB IoT	Test Items	Subcarrier		Modulation		Test		
Modes	rest items	3.75	15	BPSK	QPSK	Ш	М	I
	EIRP	V	V	V	V	٧	٧	٧
	Occupied Bandwidth	V	V	V	V	٧	٧	٧
	Band Edge Compliance	V	V	V	V	٧	ı	٧
B66	Peak-To-Average Ratio	V	V	V	V	٧	٧	٧
	Frequency Stability	V	V	V	V	-	٧	-
	Conducted Spurious Emission	V	V	V	V	٧	٧	٧
	Radiated Spurious Emission	V	-	V	-	٧	٧	٧

NB IoT	Test Items	Subcarrier		Modulation		Test		
Modes	rest items	3.75	15	BPSK	QPSK	Ш	М	Н
	EIRP	V	V	V	V	٧	٧	٧
	Occupied Bandwidth	V	V	V	V	٧	٧	٧
	Band Edge Compliance	V	V	V	V	٧	ı	٧
B71	Peak-To-Average Ratio	V	V	V	V	٧	٧	٧
	Frequency Stability	V	V	V	V	-	٧	-
	Conducted Spurious Emission	V	V	V	V	٧	٧	٧
	Radiated Spurious Emission	V	-	V	-	V	٧	٧

NB IoT	Test Items	Subc	Subcarrier		Modulation		Test		
Modes	rest items	3.75	15	BPSK	QPSK	ш	М	Н	
	EIRP	V	V	V	V	٧	٧	٧	
	Occupied Bandwidth	V	V	V	V	٧	٧	٧	
	Band Edge Compliance	V	V	V	V	٧	-	٧	
B85	Peak-To-Average Ratio	V	V	V	V	٧	٧	٧	
	Frequency Stability	V	V	V	V	-	٧	-	
	Conducted Spurious Emission	V	V	V	V	٧	٧	٧	
	Radiated Spurious Emission	V	-	V	-	٧	٧	٧	



Page 15 of 116

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Output Power	+/- 1.15 dB
99% Occupied Bandwidth	+/- 0.89%
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.89 dB
Frequency Stability vs. Temperature	+/- 2.64 Hz
3M Semi Anechoic Chamber / 30M~200M	+/- 4.12 dB
3M Semi Anechoic Chamber / 200MHz ~ 1GHz	+/- 4.68
3M Semi Anechoic Chamber / 1GHz ~ 8GHz	+/- 5.18
3M Semi Anechoic Chamber / 8GHz ~ 18GHz	+/- 5.47
3M Semi Anechoic Chamber / 18GHz ~ 26GHz	+/- 3.81
3M Semi Anechoic Chamber / 26GHz ~ 40GHz	+/- 3.87

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. Determination of compliance is based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.



Page 16 of 116

6 MAXMUM OUTPUT POWER

6.1 Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

ERP/EIRP LIMIT

According to FCC §2.1046

FCC 22.913(a) (5) mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

FCC 24.232(b) Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50(a)(3) Mobile and portable stations (hand-held devices) are limited to 250 mW/ 5MHz EIRP.

FCC 27.50(c)(10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27.50(d)(4) Fixed, mobile, and portable (hand-held) stations are limited to 1W EIRP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP

According to RSS-132 §5.4

The peak e.i.r.p. for transmitters operating in the band 824-849 MHz shall not exceed the limits 11.5W given in SRSP-530.

According to RSS-133 §6.4

The peak e.i.r.p. for transmitters operating in the band 1850-1910 MHz shall not exceed the limits 2W given in SRSP-510.

According to RSS 139 §6.4


The average equivalent isotropically radiated power (e.i.r.p.) for fixed, mobile and portable transmitters in the 1710-1755 MHz shall not exceed 1 watt.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 17 of 116

6.2 Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3 Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

All LTE bands conducted average power is obtained from the simulator telecommunication test set.

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP.

TEST PROCEDURE:

ANSI C63.26:2015 KDB 971168 D01 Section 5.6

ERP/EIRP = PMeas + GT-LC

where: ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.2 For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 18 of 116

6.4 Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Radio Communica- tion Analyer	Anritsu	MT8821C	6261786084	01/09/2019	01/08/2020				
DC Power Supply	Agilent	E3640A	MY4000081 1	12/11/2018	12/10/2019				

6.5 Measurement Result

Gain: 1.8

	1.0		LTE NB-loT Band 2				
Channel	Freq.	Modulation	Subcarrier Spacing	N	Measure	Result	
Chamilei	(MHz)	Wodulation	(kHz)	N _{tones}	Power(dBm)	EIRP(dBm)	
		BPSK	3.75	1@0	23.19	24.99	
		DI OIX	5.19	1@47	23.16	24.96	
18601	1850.1	BPSK	15	1@11	23.06	24.86	
10001	1030.1			1@0	23.09	24.89	
		QPSK	15	1@11	23.1	24.9	
			1	12@0	20.17	21.97	
	1000	BPSK	3.75	1@0	22.93	24.73	
				1@47	22.96	24.76	
18900		1880	1880	BPSK	15	1@11	22.8
10900	1000		15	1@0	22.9	24.7	
		QPSK		1@11	22.89	24.69	
				12@0	20.17	21.97	
		BPSK	3.75	1@0	22.5	24.3	
		BESK	3.73	1@47	22.48	24.28	
19199	1909.9	BPSK	15	1@11	22.32	24.12	
19199	1909.9			1@0	22.38	24.18	
		QPSK	15	1@11	22.39	24.19	
				12@0	19.7	21.5	



Page 19 of 116

Gain: -0.4

			LTE NB-loT Band 4			
Channel	Freq.	Modulation	Subcarrier Spacing	N _{tones}	Measure	Result
Chamilei	(MHz)	Woddiation	(kHz)	■tones	Power(dBm)	EIRP(dBm)
		BPSK	3.75	1@0	22.91	22.51
		DI OK		1@47	22.91	22.51
19951	1710.1	BPSK	15	1@11	22.86	22.46
19951	17 10.1	QPSK		1@0	22.88	22.48
			15	1@11	22.9	22.5
				12@0	21.21	20.81
		BPSK 3.75	3 75	1@0	22.93	22.53
			0.10	1@47	22.93	22.53
20175	1732.5	BPSK	15	1@11	22.83	22.43
20173	1732.3		15	1@0	22.89	22.49
		QPSK		1@11	22.88	22.48
				12@0	21.11	20.71
		BPSK	3.75	1@0	23.13	22.73
		DF SIX	5.75	1@47	23.16	22.76
20399	1754.9	BPSK	15	1@11	23.02	22.62
20399	1734.9			1@0	23.01	22.61
		QPSK	15	1@11	23.03	22.63
				12@0	21.35	20.95

Gain: 1.5

			LTE NB-loT Band 5			
Channel	Freq.	Modulation	Subcarrier Spacing	N.	Measure	Result
Chamilei	(MHz)	Woddiation	(kHz)	N _{tones}	Power(dBm)	ERP(dBm)
		BPSK	3.75	1@0	23.11	24.61
		DI OIX	3.73	1@47	23.1	24.6
20401	824.1	BPSK	15	1@11	22.99	24.49
20401	024.1			1@0	23.05	24.55
		QPSK	15	1@11	23.06	24.56
			1	12@0	21.25	22.75
	836.5	BPSK	3.75	1@0	23.2	24.7
				1@47	23.21	24.71
20525		BPSK	15	1@11	23.12	24.62
20323	030.3		15	1@0	23.18	24.68
		QPSK		1@11	23.17	24.67
				12@0	21.33	22.83
		BPSK	3.75	1@0	23.15	24.65
		DESK	3.73	1@47	23.08	24.58
20649	848.9	BPSK	15	1@11	23.01	24.51
20049	040.9	QPSK		1@0	23.05	24.55
			15	1@11	23.07	24.57
				12@0	21.12	22.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction decuments. This document capacity of special parties of the Company, Any Unauthorized electronic field. documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Compliance Certification Services Inc. | No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路11號



Page 20 of 116

Gain: -0.1

			LTE NB-loT Band 12	2			
Channel	Freq.	Modulation	Subcarrier Spacing	N	Measure	Result	
Chamilei	(MHz)	Wodulation	(kHz)	N _{tones}	Power(dBm)	ERP(dBm)	
		BPSK	3.75	1@0	23.23	23.13	
		DI OIX	5.79	1@47	23.25	23.15	
23011	699.1	BPSK	15	1@11	23.14	23.04	
23011	033.1			1@0	23.19	23.09	
		QPSK	15	1@11	23.18	23.08	
				12@0	21.28	21.18	
	707.5		BPSK	3.75	1@0	23.43	23.33
		DI OIC	5.76	1@47	23.42	23.32	
23095		BPSK	15	1@11	23.34	23.24	
23093	101.5		15	1@0	23.38	23.28	
		QPSK		1@11	23.4	23.3	
				12@0	21.45	21.35	
		BPSK	3.75	1@0	23.44	23.34	
		DI OK	5.19	1@47	23.48	23.38	
23179	715.9	BPSK	15	1@11	23.32	23.22	
23179	1 15.9			1@0	23.35	23.25	
		QPSK	15	1@11	23.37	23.27	
				12@0	21.58	21.48	

Gain: 1.1

			LTE NB-loT Band 13	3			
Channel	Freq.	Modulation	Subcarrier Spacing	N _{tones}	Measure	Measure Result	
Chamile	(MHz)	Woddiation	(kHz)	tones	Power(dBm)	ERP(dBm)	
		BPSK	3.75	1@0	23.39	24.49	
		Di Oit	5.75	1@47	23.39	24.49	
23181	777.1	BPSK	15	1@11	23.18	24.28	
20101	111.1			1@0	23.22	24.32	
		QPSK	15	1@11	23.25	24.35	
				12@0	21.37	22.47	
		BPSK	3.75	1@0	23.38	24.48	
		DFOR	5.75	1@47	23.4	24.5	
23230	782	BPSK	15	1@11	23.22	24.32	
23230	702			1@0	23.24	24.34	
		QPSK	15	1@11	23.25	24.35	
				12@0	21.48	22.58	
		BPSK	3.75	1@0	23.32	24.42	
		DESK	3.73	1@47	23.33	24.43	
23279	786.9	BPSK	15	1@11	23.23	24.33	
23219	700.9			1@0	23.28	24.38	
		QPSK	15	1@11	23.3	24.4	
				12@0	21.4	22.5	



Page 21 of 116

Gain		,		
- aın	١.	- (1	

	LTE NB-IoT Band 17									
Channel	Freq.	Modulation	Subcarrier Spacing	N _{tones}	Measure	Result				
Chamile	(MHz)	Woddiation	(kHz)	■tones	Power(dBm)	ERP(dBm)				
		BPSK	3.75	1@0	23.37	23.27				
		DI OIX	5.79	1@47	23.36	23.26				
23731	704.1	BPSK	15	1@11	23.23	23.13				
23731	704.1			1@0	23.27	23.17				
		QPSK	15	1@11	23.3	23.2				
				12@0	21.37	21.27				
		BPSK	3.75	1@0	23.47	23.37				
		DI OIX	5.19	1@47	23.46	23.36				
23790	710	BPSK	15	1@11	23.33	23.23				
23790	710			1@0	23.33	23.23				
		QPSK	15	1@11	23.36	23.26				
				12@0	21.56	21.46				
		BPSK	3.75	1@0	23.43	23.33				
		DF SK	3.73	1@47	23.43	23.33				
23849	715.9	BPSK	15	1@11	23.33	23.23				
23049	1 15.9			1@0	23.36	23.26				
		QPSK	15	1@11	23.38	23.28				
				12@0	21.53	21.43				

Gain: 0.5

	LTE NB-IoT Band 66								
Channel	Freq.	Modulation	Subcarrier Spacing	N	Measure Result				
Chamilei	(MHz)	Woddiation	(kHz)	N _{tones}	Power(dBm)	EIRP(dBm)			
		BPSK	3.75	1@0	22.97	23.47			
		DI OK	5.19	1@47	22.96	23.46			
131973	1710.1	BPSK	15	1@11	22.81	23.31			
131973	17 10.1			1@0	22.85	23.35			
		QPSK	15	1@11	22.86	23.36			
				12@0	21.1	21.6			
		BPSK	3.75	1@0	22.79	23.29			
		DF 3K	5.75	1@47	22.81	23.31			
132322	1745	BPSK	15	1@11	22.71	23.21			
132322	1743			1@0	22.73	23.23			
		QPSK	15	1@11	22.76	23.26			
				12@0	20.97	21.47			
		BPSK	3.75	1@0	23.33	23.83			
		DESK	3.73	1@47	23.35	23.85			
132671	1779.9	BPSK	15	1@11	23.12	23.62			
132071	1119.9			1@0	23.22	23.72			
		QPSK	15	1@11	23.25	23.47 23.46 23.31 23.35 23.36 21.6 23.29 23.31 23.21 23.23 23.26 21.47 23.83 23.85 23.62			
				12@0	21.49	21.99			



Page 22 of 116

0.5 Gain:

			LTE NB-loT Band 71				
Channel	Freq.	Modulation	Subcarrier Spacing	Measure	leasure Result		
Chamilei	(MHz)	Wodulation	(kHz)	N _{tones}	Power(dBm)	ERP(dBm)	
		BPSK	3.75	1@0	23.21	23.71	
		DI OK	5.19	1@47	23.2	23.7	
133123	663.1	BPSK	15	1@11	23.15	23.65	
100120	000.1			1@0	23.15	23.65	
		QPSK	15	1@11	23.17	23.67	
				12@0	21.18	21.68	
		BPSK	3.75	1@0	23.42	23.92	
		DF SIX	5.75	1@47	23.41	23.91	
133297	680.5	BPSK	15	1@11	23.31	23.81	
133291	000.5			1@0	23.35	23.85	
		QPSK	15	1@11	23.38	23.88	
				12@0	21.38	21.88	
		BPSK	3.75	1@0	23.72	24.22	
		DF SIX	5.75	1@47	23.71	24.21	
133471	697.9	BPSK	15	1@11	23.62	24.12	
133471	097.9			1@0	23.64	24.14	
		QPSK	15	1@11	23.61	24.11	
				12@0	21.8	22.3	

Gain: 0

			LTE NB-loT Band 85	5		
Channel	Freq.	Modulation	Subcarrier Spacing	N _{tones}	Measure	Result
Chamilei	(MHz)	Woddiation	(kHz)	tones	Power(dBm)	ERP(dBm)
		BPSK	3.75	1@0	23.35	23.35
		DI OIX	5.75	1@47	23.32	23.32
134003	698.1	BPSK	15	1@11	23.17	23.17
134003	030.1			1@0	23.17	23.17
		QPSK	15	1@11	23.24	23.24
				12@0	21.32	21.32
		BPSK	3.75	1@0	23.52	23.52
		DFOR	5.75	1@47	23.5	23.5
134092	707	BPSK	15	1@11	23.42	23.42
134092	101			1@0	23.45	23.45
		QPSK	15	1@11	23.46	23.46
				12@0	21.44	21.44
		BPSK	3.75	1@0	23.54	23.54
		DFOR	5.75	1@47	23.52	23.52
134181	715.9	BPSK	15	1@11	23.47	23.47
134101	1 15.9			1@0	23.49	23.49
		QPSK	15	1@11	23.5	ERP(dBm) 23.35 23.32 23.17 23.17 23.24 21.32 23.52 23.5 23.42 23.45 23.45 23.46 21.44 23.54 23.52 23.47
				12@0	21.5	21.5




Page 23 of 116

OCCUPIED BANDWIDTH MEASUREMENT

7.1 Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

7.2 Test Set-up



7.3 Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% ~ 5% of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= 1% ~ 5%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page 24 of 116

7.4 Measurement Equipment Used


Condu	cted Emission (r	measured at	antenna port) Test Site	
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
PXA Spectrum Ana- lyzer	Agilent	N9030A	MY5312076 0	04/22/2019	04/21/2020
DC Power Supply	Agilent	E3640A	MY4000081 1	12/11/2018	12/10/2019
Radio Communica- tion Analyer	Anritsu	MT8821C	6261786084	01/09/2019	01/08/2020
Temperature Chamber	TERCHY	MHG-120L F	911009	05/17/2019	05/16/2020
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2019	01/01/2020
Splitter	RF-LAMBAD	RFLT2W1G 18G	11-JSPF412 -018	01/02/2019	01/01/2020
Coaxial Cables	N/A	WK CE Ca- ble	N/A	01/02/2019	01/01/2020

7.5 Measurement Result

	LTE NB-IoT Band 2							
Channel	Freq.	Modulation	Subcarrier Spacing	N	Measure R	esult (kHz)		
Chainei	(MHz)	Modulation	(kHz)	N _{tones}	26dB BW	99% BW		
		BPSK	3.75	1@0	221.44	312.1		
18601	1850.1	QPSK	15	1@0	176.80	242.5		
		QPSK	15	12@0	220.76	281.9		
		BPSK	3.75	1@0	219.06	273.6		
18900	1880	QPSK	15	1@0	173.49	240.8		
		QPSK	15	12@0	215.15	262.0		
		BPSK	3.75	1@0	214.48	272.1		
19199	1909.9	QPSK	15	1@0	177.08	235.5		
		QPSK	15	12@0	212.88	264.8		

Report No.: T190624W03-RP Page 25 of 116

LTE NB-IoT Band 4							
01	Freq.	NA - d dal'a a	Subcarrier	N	Measure R	esult (kHz)	
Channel	(MHz)	Modulation	Spacing (kHz)	N _{tones}	26dB BW	99% BW	
		BPSK	3.75	1@0	217.47	274.5	
19951	1710.1	QPSK	15	1@0	168.34	234.1	
		QPSK	15	12@0	212.73	261.4	
		BPSK	3.75	1@0	216.51	288.8	
20175	1732.5	QPSK	15	1@0	170.08	238.6	
		QPSK	15	12@0	218.01	275.4	
		BPSK	3.75	1@0	217.35	278.0	
20399	1754.9	QPSK	15	1@0	171.86	229.4	
		QPSK	15	12@0	218.95	267.5	
		LT	E NB-IoT Band	d 5			
	Freq.		Subcarrier	N	Measure R	esult (kHz)	
Channel	(MHz)	Modulation	Spacing (kHz)	N _{tones}	26dB BW	99% BW	
		BPSK	3.75	1@0	217.92	291.2	
20401	824.1	QPSK	15	1@0	168.40	239.5	
		QPSK	15	12@0	221.09	282.5	
		BPSK	3.75	1@0	217.35	284.5	
20525	836.5	QPSK	15	1@0	168.79	228.4	
		QPSK	15	12@0	219.36	263.9	
		BPSK	3.75	1@0	216.12	267.3	
20649	848.9	QPSK	15	1@0	166.77	215.9	
		QPSK	15	12@0	219.73	284.2	
		LTE	NB-IoT Band	l 12			
Channal	Freq.	Madulation	Subcarrier	NI	Measure R	esult (kHz)	
Channel	(MHz)	Modulation	Spacing (kHz)	N _{tones}	26dB BW	99% BW	
		BPSK	3.75	1@0	213.36	274.4	
23011	699.1	QPSK	15	1@0	167.06	225.5	
		QPSK	15	12@0	215.43	281.1	
		BPSK	3.75	1@0	217.69	278.9	
23095	707.5	QPSK	15	1@0	174.15	230.8	
		QPSK	15	12@0	217.84	263.5	
		BPSK	3.75	1@0	214.15	291.7	
23719	715.9	QPSK	15	1@0	169.36	238.3	
		QPSK	15	12@0	213.35	263.8	





LTE NB-IoT Band 13							
Channel	Freq.	Modulation	Subcarrier	N	Measure R	esult (kHz)	
Chainei	(MHz)	iviouulation	Spacing (kHz)	N _{tones}	26dB BW	99% BW	
		BPSK	3.75	1@0	219.11	311.0	
23181	777.1	QPSK	15	1@0	170.67	239.0	
		QPSK	15	12@0	221.84	287.5	
		BPSK	3.75	1@0	217.06	295.4	
23230	782	QPSK	15	1@0	169.91	239.6	
		QPSK	15	12@0	220.90	280.6	
		BPSK	3.75	1@0	213.89	278.0	
23279	786.9	QPSK	15	1@0	175.53	229.4	
		QPSK	15	12@0	215.85	266.7	

	LTE NB-IoT Band 17								
Channel	Freq.	Modulation	Subcarrier	N	Measure R	Result (kHz)			
Chainei	(MHz)	iviouulation	Spacing (kHz)	N _{tones}	26dB BW	99% BW			
		BPSK	3.75	1@0	218.83	285.3			
23731	704.1	QPSK	15	1@0	166.40	210.6			
		QPSK	15	12@0	220.54	284.1			
		BPSK	3.75	1@0	214.54	274.5			
23790	710	QPSK	15	1@0	160.05	209.7			
		QPSK	15	12@0	216.59	277.2			
		BPSK	3.75	1@0	211.99	296.6			
23849	715.9	QPSK	15	1@0	164.64	213.4			
		QPSK	15	12@0	221.41	287.2			

	LTE NB-IoT Band 66							
Channel	Freq.	Modulation	Subcarrier Spacing	N	Measure R	Result (kHz)		
Chainei	(MHz)	Wodulation	(kHz)	N _{tones}	26dB BW	99% BW		
		BPSK	3.75	1@0	217.46	302.3		
131973	1710.1	QPSK	15	1@0	175.91	232.8		
		QPSK	15	12@0	216.89	230.8		
		BPSK	3.75	1@0	216.95	294.7		
132322	1745	QPSK	15	1@0	173.72	231.1		
		QPSK	15	12@0	217.10	279.0		
		BPSK	3.75	1@0	220.03	314.6		
132671	1779.9	QPSK	15	1@0	170.33	217.2		
		QPSK	15	12@0	214.65	274.1		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction decuments. This document capacity of special parties of the Company, Any Unauthorized electronic field. documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Compliance Certification Services Inc. | No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路11號




Page 27 of 116


LTE NB-IoT Band 71						
Channel	Freq. (MHz)	Modulation	Subcarrier	N _{tones}	Measure Result (kHz)	
			Spacing (kHz)		26dB BW	99% BW
133123	663.1	BPSK	3.75	1@0	218.13	278.4
		QPSK	15	1@0	166.12	232.1
		QPSK	15	12@0	215.54	277.0
133297	680.5	BPSK	3.75	1@0	217.93	278.9
		QPSK	15	1@0	167.60	232.2
		QPSK	15	12@0	218.91	265.3
133471	697.9	BPSK	3.75	1@0	217.71	273.9
		QPSK	15	1@0	168.06	236.9
		QPSK	15	12@0	215.40	264.7
LTE NB-IoT Band 85						
Channel	Freq. (MHz)	Modulation	Subcarrier	N _{tones}	Measure Result (kHz)	
			Spacing (kHz)		26dB BW	99% BW
134003	698.1	BPSK	3.75	1@0	217.52	272.2
		QPSK	15	1@0	172.01	223.8
		QPSK	15	12@0	164.12	236.5
134092	707	BPSK	3.75	1@0	220.45	297.8
		QPSK	15	1@0	169.57	216.2
		QPSK	15	12@0	217.26	265.0
134181	715.9	BPSK	3.75	1@0	217.83	288.5
		QPSK	15	1@0	166.73	235.7
		QPSK	15	12@0	216.31	277.6




Report No.: T190624W03-RP Page 28 of 116

Band2_3.75kHz_BPSK_1_0_CH18601






Band2_15kHz_QPSK_1_0_CH18601






Band2_15kHz_QPSK_1_0_CH18900



Band2_3.75kHz_BPSK_1_0_CH19199



15kHz_QPSK_1_0 CH19199 Band2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所形力 机侧 化板容易光性到過級人体命員員 「同時氏体命性体質別大 《本板容米壁本公司書面計刊》不可称放展 。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路11號 SGS Compliance Certification Services Inc. 1

t:(886-2) 2299-9720 f:(886-2) 2298-1882 www.sgs.tw www.ccsrf.com



Report No.: T190624W03-RP Page 29 of 116

Band2_15kHz_QPSK_12_0_CH18601




Band4_3.75kHz_BPSK_1_0_CH19951



Band2_15kHz_QPSK_12_0_CH18900



Band4_3.75kHz_BPSK_1_0_CH20175



Band2_15kHz_QPSK_12_0_CH19199







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: T190624W03-RP Page 30 of 116

Band4_15kHz_QPSK_1_0_CH19951



Band4_15kHz_QPSK_12_0_CH19951










Band4_15kHz_QPSK_12_0_CH20175



Band4_15kHz_QPSK_1 0 CH20399







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: T190624W03-RP Page 31 of 116

Band5_3.75kHz_BPSK_1_0_CH20401




Band5_15kHz_QPSK_1_0_CH20401




Band5_3.75kHz_BPSK_1_0_CH20525




Band5_15kHz_QPSK_1_0_CH20525



Band5_3.75kHz_BPSK_1_0_CH20649



Band5_15kHz_QPSK_1 0 CH20649



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: T190624W03-RP Page 32 of 116

Band5_15kHz_QPSK_12_0_CH20401




Band12_3.75kHz_BPSK_1_0_CH23011




Band5_15kHz_QPSK_12_0_CH20525




Band12_3.75kHz_BPSK_1_0_CH23095



Band5_15kHz_QPSK_12_0_CH20649



Band12_3.75kHz_BPSK_1_0_CH23179



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。





Report No.: T190624W03-RP Page 33 of 116


Band12_15kHz_QPSK_1_0_CH23011




Band12_15kHz_QPSK_12_0_CH23011









Band12_15kHz_QPSK_12_0_CH23095



Band12_15kHz_QPSK_1_0_CH23179








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: T190624W03-RP Page 34 of 116


Band13_3.75kHz_BPSK_1_0_CH23181




Band13_15kHz_QPSK_1_0_CH23181














Band13_3.75kHz_BPSK_1_0_CH23279







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: T190624W03-RP Page 35 of 116


Band13_15kHz_QPSK_12_0_CH23181



Band17_3.75kHz_BPSK_1_0_CH23731




Band13_15kHz_QPSK_12_0_CH23230




Band17_3.75kHz_BPSK_1_0_CH23790



Band13_15kHz_QPSK_12_0_CH23279



Band17_3.75kHz_BPSK_1_0_CH23849




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: T190624W03-RP Page 36 of 116


Band17_15kHz_QPSK_1_0_CH23731




Band17_15kHz_QPSK_12_0_CH23731










Band17_15kHz_QPSK_12_0_CH23790



Band17_15kHz_QPSK_1_0_CH23849







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: T190624W03-RP Page 37 of 116

Band66_3.75kHz_BPSK_1_0_CH131973

Center Fre enter 1.71 GHz Res BW 20 kHz CF Step #VBW 62 kHz Ma Occupied Bandwidth Total Power 28.7 dBm 217.46 kHz Transmit Freq Error -13.062 kHz % of OBW Power 99.00 % 302.3 kHz x dB Bandwidth x dB -26.00 dB

Band66_15kHz_QPSK_1_0_CH131973









Band66_15kHz_QPSK_1_0_CH132322



Band66_3.75kHz_BPSK_1_0_CH132671








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。





Report No.: T190624W03-RP Page 38 of 116

Band66_15kHz_QPSK_12_0_CH131973




Band71_3.75kHz_BPSK_1_0_CH133123









Band71_3.75kHz_BPSK_1_0_CH133297



Band66_15kHz_QPSK_12_0_CH132671








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: T190624W03-RP Page 39 of 116

Band71_15kHz_QPSK_1_0_CH133123




Band71_15kHz_QPSK_12_0_CH133123




Band71_15kHz_QPSK_1_0_CH133297





Band71_15kHz_QPSK_12_0_CH133297



Band71_15kHz_QPSK_1_0_CH133471








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Report No.: T190624W03-RP Page 40 of 116

Band85_3.75kHz_BPSK_1_0_CH134003




Band85_15kHz_QPSK_1_0_CH134003




Band85_3.75kHz_BPSK_1_0_CH134092




Band85_15kHz_QPSK_1_0_CH134092



Band85_3.75kHz_BPSK_1_0_CH134181







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。