





Band5_3.75kHz_BPSK_1_0_CH20401








Band5_3.75kHz_BPSK_1_0_CH20649



Band5_15kHz_QPSK_1_0_CH20401



Band5_15kHz_QPSK_1_0_CH20525




Band5_15kHz_QPSK_1_0_CH20649




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製














Band12_3.75kHz_BPSK_1_0_CH23179



Band12_15kHz_QPSK_1_0_CH23011



Band12_15kHz_QPSK_1_0_CH23095




Band12_15kHz_QPSK_1_0_CH23179




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製






Band13_3.75kHz_BPSK_1_0_CH23181








Band13_3.75kHz_BPSK_1_0_CH23279




Band13_15kHz_QPSK_1_0_CH23181



Band13_15kHz_QPSK_1_0_CH23230




Band13_15kHz_QPSK_1_0_CH23279



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製














Band17_3.75kHz_BPSK_1_0_CH23849



Band17_15kHz_QPSK_1_0_CH23731



Band17_15kHz_QPSK_1_0_CH23790



Band17_15kHz_QPSK_1_0_CH23849




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製







Band66_3.75kHz_BPSK_1_0_CH131973









Band66_3.75kHz_BPSK_1_0_CH132671




Band66_15kHz_QPSK_1_0_CH131973



Band66_15kHz_QPSK_1_0_CH132322




Band66_15kHz_QPSK_1_0_CH132671



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製















Band71_3.75kHz_BPSK_1_0_CH133471




Band71_15kHz_QPSK_1_0_CH133123



Band71_15kHz_QPSK_1_0_CH133297




Band71_15kHz_QPSK_1_0_CH133471



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製





Band85_3.75kHz_BPSK_1_0_CH134003








Band85_3.75kHz_BPSK_1_0_CH134181




Band85_15kHz_QPSK_1_0_CH134003



Band85_15kHz_QPSK_1_0_CH134092



Band85_15kHz_QPSK_1_0_CH134181




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製




8.5.3 Emissions in 1559-1610 MHz


Band13_3.75kHz_BPSK_1_0_CH23181_763-775MHz




Band13_3.75kHz_BPSK_1_0_CH23181 793-805MHz




Band13_3.75kHz_BPSK_1_0_CH23230_763-775MHz



Band13_3.75kHz_BPSK_1_0_CH23230_793-805MHz



Band13_3.75kHz_BPSK_1_0_CH23279_763-775MHz



Band13_3.75kHz_BPSK_1_0_CH23279_793-805MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: T190624W03-RP Page 66 of 116

Band13_15kHz_QPSK_1_0_CH23181_763-775MHz



Band13_15kHz_QPSK_1_0_CH23181_793-805MHz




Band13_15kHz_QPSK_1_0_CH23230_763-775MHz




Band13_15kHz_QPSK_1_0_CH23230_793-805MHz



Band13_15kHz_QPSK_1_0_CH23279_763-775MHz



Band13_15kHz_QPSK_1_0_CH23279_793-805MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Page 67 of 116

9 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53 (h), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

- (2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB (-13dBm)
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

§27.53 (f) For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

FCC §27.53(c) (5) & FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the the transmitter power.transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 68 of 116

According to RSS-132 §5.5

Mobile and base station equipment shall comply with the limits in (i) and (ii) below.

(i) In the first 1.0 MHz band immediately outside and adjacent to each of the sub-bands specified in Section 5.1, the power of emissions per any 1% of the occupied bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p (watts).

After the first 1.0 MHz immediately outside and adjacent to each of the sub-bands, the power of emissions in any 100 kHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p (watts). If the measurement is performed using 1% of the occupied bandwidth, power integration over 100 kHz is required.

According to RSS-133 §6.5.1

Equipment shall comply with the limits in (i) and (ii) below.

- (i) In the 1.0 MHz bands immediately outside and adjacent to the equipment's operating frequency block, the emission power per any 1% of the emission bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p(watts).
- (ii) After the first 1.0 MHz, the emission power in any 1 MHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p(watts). If the measurement is performed using 1% of the emission bandwidth, power integration over 1.0 MHz is required.

According to RSS-139 §6.5

- (i) In the first 1.0 MHz bands immediately outside and adjacent to the equipment's operating frequency block, the emission power per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in watts) by at least 43 + 10 log10(P), dB.
- (ii) After the first 1.0 MHz outside the equipment's operating frequency block, the emission power in any 1 MHz bandwidth shall be attenuated below the transmitter output power P (in watts) by at least 43 + 10 log10(P), dB.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 69 of 116

Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber Equipment

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)^{\text{Note}}$
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)^{\text{Note}}$
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 1.2 for the permitted frequency ranges for various equipment types.

Radiated Emission Test Set-Up, Frequency Below 1000MHz
Radiated Emission Test Set-UP Frequency Over 1 GHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




Page 70 of 116




9.2 EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 71 of 116

9.3 Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)



Page 72 of 116

9.4 Measurement Equipment Used:

	966A Chamber									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
DC Power Supply	GWINSTEK	SPS-3610	GPE880163	01/14/2019	01/13/2020					
PSA Series Spectrum Analyzer	Agilent	E4446A	MY46180323	05/29/2019	05/28/2020					
Digital Ther- mo-Hygro Meter	WISEWIND	1206	D07	01/30/2019	01/29/2020					
Pre-Amplifier	MITEQ	AMF-6F-260400-40 -8P	985646	02/26/2019	02/25/2020					
Pre-Amplifier	EMEC	EM330	60609	02/26/2019	02/25/2020					
Pre-Amplifier	HP	8449B	3008A00965	02/26/2019	02/25/2020					
Horn Antenna	Schwarzbeck	BBHA9170	184	12/27/2018	12/26/2019					
Horn Antenna	ETS LINDGREN	3116	26370	12/26/2018	12/25/2019					
Horn Antenna	SCHWARZBECK	BBHA 9120D	779	03/09/2019	03/08/2020					
Bilog Antenna	Sunol Sciences	JB3	A030105	07/13/2018	07/12/2019					
Bilog Antenna	Sunol Sciences	JB1	A052609	03/06/2019	03/05/2020					
double Ridged Guide Horn Antenna	ETC	MCTD 1209	DRH13M02003	08/20/2018	08/19/2019					
Loop Antenna	COM-POWER	AL-130	121051	03/22/2019	03/21/2020					
Loop Antenna	ETS.LINDGREN	6502	148045	10/08/2018	10/07/2019					
Attenuator	Marvelous	MVE2213-10	RF80	02/26/2019	02/25/2020					
Radio Communica- tion Analyer	Anritsu	MT8821C	6261786084	01/09/2019	01/08/2020					
Cable	HUBER SUHNER	SUCOFLEX 104PEA	25157	02/26/2019	02/25/2020					
Cable	HUBER SUHNER	SUCOFLEX 104PEA	20995	02/26/2019	02/25/2020					
High Pass Filter	Woken	EWT-57-0209	RF43	02/26/2019	02/25/2020					
High Pass Filter	R&S	F13 HPF 3GHz	RF64	02/26/2019	02/25/2020					
Notch Filter	EWT	EWT-54-0037	RF53	02/26/2019	02/25/2020					
Notch Filter	EWT	EWT-54-0038	RF55	02/26/2019	02/25/2020					
Band Reject Filter	WI	WRCJV2300/270 0-2240/2760-40/1 2SS	2	02/26/2019	02/25/2020					
Band Reject Filter	WI	WRCGV695/920- 635/980-40/12SS	2	02/26/2019	02/25/2020					
Software		e3 V6.	11-20180413							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SSSContinuous**Continuous**Continuous**Chile Notes** Notes



Page 73 of 116

9.5 Measurement Result:


Radiated Spurious Emission Measurement Result: NB_IOT-Band 2 (The Worst Case)

Report Number : T190624W03 **Operation Mode** : NB IOT B2 3.75kHz BPSK 1 0

:Tx CH Low Test Mode **EUT Pol** : H Plane

: 18601 1850.1 MHz Test Channel

Test Date :2019-07-04 Temp./Humi. : 26/62 :VERTICAL Antenna Pol. Engineer : Jerry



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-44.38	-13.83	-30.10	-0.45	-13.00	-31.38
133.79	-65.41	-54.94	-9.52	-0.95	-13.00	-52.41
280.26	-68.46	-64.49	-2.59	-1.38	-13.00	-55.46
418.00	-63.96	-60.37	-1.90	-1.69	-13.00	-50.96
495.60	-62.59	-58.73	-2.00	-1.86	-13.00	-49.59
687.66	-59.33	-55.77	-1.35	-2.21	-13.00	-46.33
3700.20	-52.34	-59.13	12.50	-5.71	-13.00	-39.34
7400.40	-40.99	-43.52	10.60	-8.07	-13.00	-27.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 74 of 116

Report Number **Operation Mode** : T190624W03

: NB IOT B2 3.75kHz BPSK 1 0


Test Mode **EUT Pol**

:Tx CH Low : H Plane

Test Channel : 18601_1850.1 MHz **Test Date** :2019-07-04 Temp./Humi. : 26/62

Antenna Pol. :HORIZONTAL

Engineer : Jerry



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-43.88	-13.33	-30.10	-0.45	-13.00	-30.88
144.46	-66.01	-57.21	-7.81	-0.99	-13.00	-53.01
248.25	-67.27	-64.14	-1.83	-1.30	-13.00	-54.27
408.30	-63.54	-60.07	-1.80	-1.67	-13.00	-50.54
507.24	-63.19	-59.49	-1.81	-1.89	-13.00	-50.19
697.36	-60.03	-56.41	-1.40	-2.22	-13.00	-47.03
5550.30	-40.06	-46.17	13.20	-7.09	-13.00	-27.06
7400.40	-29.44	-31.97	10.60	-8.07	-13.00	-16.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 75 of 116


Radiated Spurious Emission Measurement Result: NB_IOT-Band 4 (The Worst Case)

Report Number : T190624W03 **Operation Mode** : NB IOT B4 3.75kHz BPSK 1 47

Test Mode :Tx CH High **EUT Pol** : H Plane

: 20399 1754.9 MHz Test Channel

:2019-07-04 Test Date Temp./Humi. : 26/62 Antenna Pol. :VERTICAL Engineer : Jerry



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
44.55	-43.44	-27.04	-15.86	-0.54	-13.00	-30.44
129.91	-64.02	-52.90	-10.19	-0.93	-13.00	-51.02
293.84	-67.95	-64.41	-2.12	-1.42	-13.00	-54.95
405.39	-64.13	-60.66	-1.80	-1.67	-13.00	-51.13
490.75	-63.08	-59.06	-2.17	-1.85	-13.00	-50.08
700.27	-59.81	-56.17	-1.41	-2.23	-13.00	-46.81
7019.60	-40.49	-43.54	11.00	-7.95	-13.00	-27.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 76 of 116

Report Number **Operation Mode** : T190624W03


: NB IOT B4 3.75kHz BPSK 1 47

Test Mode :Tx CH High **EUT Pol** : H Plane

Test Channel : 20399_1754.9 MHz **Test Date** :2019-07-04 Temp./Humi. : 26/62

Antenna Pol. :HORIZONTAL

Engineer : Jerry



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		J
 MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-44.12	-13.57	-30.10	-0.45	-13.00	-31.12
128.94	-65.18	-54.14	-10.11	-0.93	-13.00	-52.18
243.40	-66.51	-63.27	-1.96	-1.28	-13.00	-53.51
408.30	-64.09	-60.62	-1.80	-1.67	-13.00	-51.09
519.85	-63.22	-59.91	-1.40	-1.91	-13.00	-50.22
699.30	-59.84	-56.21	-1.40	-2.23	-13.00	-46.84
5264.70	-43.18	-49.56	13.20	-6.82	-13.00	-30.18
7019.60	-31.54	-34.59	11.00	-7.95	-13.00	-18.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 77 of 116


Radiated Spurious Emission Measurement Result: NB_IOT-Band 5 (The Worst Case)

Report Number : T190624W03 **Operation Mode** : NB IOT B5 3.75kHz BPSK 1 47

Test Mode :Tx CH Mid **EUT Pol** : H Plane

Test Channel : 20525 836.5 MHz

:2019-07-04 Test Date Temp./Humi. : 26/62 Antenna Pol. :VERTICAL Engineer : Jerry



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-44.45	-13.90	-30.10	-0.45	-13.00	-31.45
141.55	-65.13	-55.85	-8.30	-0.98	-13.00	-52.13
288.99	-68.46	-64.82	-2.24	-1.40	-13.00	-55.46
369.50	-63.94	-60.55	-1.80	-1.59	-13.00	-50.94
505.30	-62.85	-59.08	-1.89	-1.88	-13.00	-49.85
684.75	-59.92	-56.41	-1.30	-2.21	-13.00	-46.92
1673.00	-48.44	-54.70	9.84	-3.58	-13.00	-35.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所形分列就可能被害的不能可测点人体的更具 可可能成品性能量别大。各种音乐整本公司者面针 1 不可能功度表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Member of the SGS Group (SGS SA)



Page 78 of 116

Report Number **Operation Mode** : T190624W03

: NB IOT B5 3.75kHz BPSK 1 47


Test Mode **EUT Pol**

:Tx CH Mid : H Plane

Test Channel : 20525_836.5 MHz **Test Date** :2019-07-04 Temp./Humi. : 26/62

Antenna Pol. :HORIZONTAL

Engineer : Jerry



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		J
 MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-44.24	-13.69	-30.10	-0.45	-13.00	-31.24
151.25	-66.77	-58.71	-7.05	-1.01	-13.00	-53.77
240.49	-67.34	-63.99	-2.08	-1.27	-13.00	-54.34
410.24	-64.37	-60.89	-1.80	-1.68	-13.00	-51.37
451.95	-62.47	-58.61	-2.10	-1.76	-13.00	-49.47
687.66	-59.60	-56.04	-1.35	-2.21	-13.00	-46.60
1673.00	-48.60	-54.86	9.84	-3.58	-13.00	-35.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 79 of 116


Radiated Spurious Emission Measurement Result: NB_IOT-Band 12 (The Worst Case)

Report Number : T190624W03 **Operation Mode** : NB IOT B12 3.75kHz BPSK 1 47

Test Mode :Tx CH High **EUT Pol** : H Plane

: 23179 715.9 MHz Test Channel

:2019-07-04 Test Date Temp./Humi. : 26/62 Antenna Pol. :VERTICAL Engineer : Jerry



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-43.59	-13.04	-30.10	-0.45	-13.00	-30.59
133.79	-64.93	-54.46	-9.52	-0.95	-13.00	-51.93
282.20	-68.69	-64.79	-2.51	-1.39	-13.00	-55.69
408.30	-64.59	-61.12	-1.80	-1.67	-13.00	-51.59
497.54	-62.98	-59.12	-2.00	-1.86	-13.00	-49.98
697.36	-59.08	-55.46	-1.40	-2.22	-13.00	-46.08
1431.80	-33.83	-38.74	8.19	-3.28	-13.00	-20.83
2147.70	-43.76	-49.03	9.42	-4.15	-13.00	-30.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 80 of 116

Report Number **Operation Mode** : T190624W03


: NB IOT B12 3.75kHz BPSK 1 47

Test Mode :Tx CH High **EUT Pol** : H Plane

Test Channel : 23179_715.9 MHz **Test Date** :2019-07-04 Temp./Humi. : 26/62

Antenna Pol. :HORIZONTAL

Engineer : Jerry



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
31.94	-44.02	-15.39	-28.16	-0.47	-13.00	-31.02
128.94	-66.95	-55.91	-10.11	-0.93	-13.00	-53.95
246.31	-66.38	-63.22	-1.87	-1.29	-13.00	-53.38
359.80	-63.53	-60.18	-1.78	-1.57	-13.00	-50.53
451.95	-62.92	-59.06	-2.10	-1.76	-13.00	-49.92
696.39	-59.08	-55.46	-1.40	-2.22	-13.00	-46.08
1431.80	-30.86	-35.77	8.19	-3.28	-13.00	-17.86
2147.70	-43.75	-49.02	9.42	-4.15	-13.00	-30.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 81 of 116

Radiated Spurious Emission Measurement Result: NB_IOT-Band 13 (The Worst Case)

Report Number **Operation Mode** : T190624W03

: NB IOT B13 3.75kHz BPSK 1 47


Test Mode

:Tx CH Mid

EUT Pol : H Plane

: 23230 782 MHz Test Channel

:2019-07-04 **Test Date** Temp./Humi. : 26/62 Antenna Pol. :VERTICAL Engineer : Jerry



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-43.73	-13.18	-30.10	-0.45	-13.00	-30.73
133.79	-64.37	-53.90	-9.52	-0.95	-13.00	-51.37
298.69	-68.68	-65.22	-2.03	-1.43	-13.00	-55.68
382.11	-63.68	-60.60	-1.46	-1.62	-13.00	-50.68
478.14	-62.70	-58.48	-2.40	-1.82	-13.00	-49.70
696.39	-58.57	-54.95	-1.40	-2.22	-13.00	-45.57
1564.00	-44.79	-50.73	9.38	-3.44	-40.00	-4.79
2346.00	-41.78	-47.26	9.87	-4.39	-13.00	-28.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 82 of 116

Report Number **Operation Mode** : T190624W03

: H Plane

: NB IOT B13 3.75kHz BPSK 1 47


Test Mode **EUT Pol**

:Tx CH Mid

Test Channel : 23230_782 MHz **Test Date** :2019-07-04 Temp./Humi. : 26/62

Antenna Pol. :HORIZONTAL

Engineer : Jerry



	Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
	30.00	-44.01	-13.46	-30.10	-0.45	-13.00	-31.01
	154.16	-65.81	-58.01	-6.78	-1.02	-13.00	-52.81
	253.10	-67.00	-64.01	-1.68	-1.31	-13.00	-54.00
	385.99	-63.49	-60.46	-1.40	-1.63	-13.00	-50.49
	461.65	-62.86	-58.91	-2.17	-1.78	-13.00	-49.86
	665.35	-60.10	-56.43	-1.49	-2.18	-13.00	-47.10
	1564.00	-48.25	-54.19	9.38	-3.44	-40.00	-8.25
	2346.00	-45.50	-50.98	9.87	-4.39	-13.00	-32.50
	6256.00	-40.06	-45.06	12.50	-7.50	-13.00	-27.06
	7038.00	-43.02	-46.06	11.00	-7.96	-13.00	-30.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 83 of 116


Radiated Spurious Emission Measurement Result: LTE-Band 13 (763~755MHz) (The Worst Case)

Report Number Test Date :2019-07-04 : T190624W03

Operation Mode : NB IOT B13 3.75kHz BPSK 1 47 Temp./Humi. : 26/62 Test Mode :Tx CH Mid Antenna Pol. :VERTICAL

EUT Pol : H Plane Engineer : Jerry

Test Channel : 23230 782 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
771.46	-81.35	-77.62	-1.40	-2.33	-35.00	-46.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 84 of 116

Report Number **Operation Mode** : T190624W03

: NB IOT B13 3.75kHz BPSK 1 47


Test Mode **EUT Pol**

:Tx CH Mid

: H Plane Test Channel : 23230_782 MHz **Test Date** :2019-07-04 Temp./Humi. : 26/62

Antenna Pol. :HORIZONTAL

Engineer : Jerry



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
772.74	-82.85	-79.11	-1.40	-2.34	-35.00	-47.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 85 of 116


Radiated Spurious Emission Measurement Result: LTE-Band 13 (793~805MHz) (The Worst Case)

Report Number **Test Date** :2019-07-04 : T190624W03

Operation Mode : NB IOT B13 3.75kHz BPSK 1 47 Temp./Humi. : 26/62 Test Mode :Tx CH Mid Antenna Pol. :VERTICAL

EUT Pol : H Plane Engineer : Jerry

Test Channel : 23230 782 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
795.70	-82.63	-79.06	-1.21	-2.36	-35.00	-47.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 86 of 116

Report Number Operation Mode : T190624W03

: NB IOT B13 3.75kHz BPSK 1 47


Test Mode EUT Pol :Tx CH Mid : H Plane

Test Channel : 23230_782 MHz

Test Date :2019-07-04 Temp./Humi. : 26/62

Antenna Pol. :HORIZONTAL

Engineer : Jerry



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
 MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
799.40	-84.11	-80.45	-1.29	-2.37	-35.00	-49.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 87 of 116


Radiated Spurious Emission Measurement Result: LTE-Band 13 (1559~1610MHz) (The **Worst Case**)

Report Number **Test Date** :2019-07-04 : T190624W03

Operation Mode : NB IOT B13 3.75kHz BPSK 1 47 Temp./Humi. : 26/62 Test Mode :Tx CH Mid Antenna Pol. :VERTICAL

EUT Pol : H Plane Engineer : Jerry

Test Channel : 23230 782 MHz



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
1563.74	-56.71	-62.65	9.38	-3.44	-40.00	-16.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 88 of 116

Report Number Operation Mode : T190624W03

: NB IOT B13 3.75kHz BPSK 1 47


Test Mode EUT Pol :Tx CH Mid : H Plane

Test Channel : 23230_782 MHz

Test Date :2019-07-04 Temp./Humi. : 26/62

Antenna Pol. :HORIZONTAL

Engineer : Jerry



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
1588.68	-56.72	-62.78	9.53	-3.47	-40.00	-16.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 89 of 116


Radiated Spurious Emission Measurement Result: NB_IOT-Band 17 (The Worst Case)

Report Number : T190624W03 **Operation Mode** : NB IOT B17 3.75kHz BPSK 1 0

Test Mode :Tx CH Mid **EUT Pol** : H Plane

: 23790 710 MHz Test Channel

:2019-07-04 Test Date Temp./Humi. : 26/62 Antenna Pol. :VERTICAL Engineer : Jerry



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-44.13	-13.58	-30.10	-0.45	-13.00	-31.13
-65.40	-56.12	-8.30	-0.98	-13.00	-52.40
-68.60	-64.81	-2.40	-1.39	-13.00	-55.60
-63.60	-60.13	-1.80	-1.67	-13.00	-50.60
-63.50	-60.23	-1.36	-1.91	-13.00	-50.50
-58.70	-55.10	-1.39	-2.21	-13.00	-45.70
-32.26	-37.12	8.12	-3.26	-13.00	-19.26
-44.22	-49.65	9.56	-4.13	-13.00	-31.22
	-44.13 -65.40 -68.60 -63.60 -63.50 -58.70 -32.26	Output Level dBm -44.13 -13.58 -65.40 -56.12 -68.60 -64.81 -63.60 -60.13 -63.50 -60.23 -58.70 -32.26 -37.12	dBm Output Level dBm Gain dBi/dBd -44.13 -13.58 -30.10 -65.40 -56.12 -8.30 -68.60 -64.81 -2.40 -63.60 -60.13 -1.80 -63.50 -60.23 -1.36 -58.70 -55.10 -1.39 -32.26 -37.12 8.12	dBm Output Level dBm Gain dBi/dBd Loss dBi/dBd -44.13 -13.58 -30.10 -0.45 -65.40 -56.12 -8.30 -0.98 -68.60 -64.81 -2.40 -1.39 -63.60 -60.13 -1.80 -1.67 -63.50 -60.23 -1.36 -1.91 -58.70 -55.10 -1.39 -2.21 -32.26 -37.12 8.12 -3.26	dBm Output Level dBm Gain dBi/dBd Loss dB -44.13 -13.58 -30.10 -0.45 -13.00 -65.40 -56.12 -8.30 -0.98 -13.00 -68.60 -64.81 -2.40 -1.39 -13.00 -63.60 -60.13 -1.80 -1.67 -13.00 -63.50 -60.23 -1.36 -1.91 -13.00 -58.70 -55.10 -1.39 -2.21 -13.00 -32.26 -37.12 8.12 -3.26 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 90 of 116

Report Number **Operation Mode** : T190624W03


: NB IOT B17 3.75kHz BPSK 1 0

Test Mode :Tx CH Mid **EUT Pol** : H Plane

Test Channel : 23790_710 MHz **Test Date** :2019-07-04 Temp./Humi. : 26/62

Antenna Pol. :HORIZONTAL

Engineer : Jerry



	Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
	30.00	-44.03	-13.48	-30.10	-0.45	-13.00	-31.03
	128.94	-66.17	-55.13	-10.11	-0.93	-13.00	-53.17
	255.04	-67.19	-64.28	-1.60	-1.31	-13.00	-54.19
	410.24	-63.86	-60.38	-1.80	-1.68	-13.00	-50.86
	485.90	-62.70	-58.58	-2.28	-1.84	-13.00	-49.70
	691.54	-59.80	-56.18	-1.40	-2.22	-13.00	-46.80
	1420.00	-30.74	-35.60	8.12	-3.26	-13.00	-17.74
	2130.00	-42.70	-48.13	9.56	-4.13	-13.00	-29.70
	6390.00	-40.29	-44.92	12.22	-7.59	-13.00	-27.29
	7100.00	-38.38	-41.20	10.80	-7.98	-13.00	-25.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 91 of 116

Radiated Spurious Emission Measurement Result: NB_IOT-Band 66 (The Worst Case)

Report Number

: T190624W03

: NB IOT B66 3.75kHz BPSK 1 0


Operation Mode Test Mode

:Tx CH Mid

EUT Pol : H Plane

Test Channel : 132671 1779.9 MHz

:2019-07-04 Test Date Temp./Humi. : 26/62 Antenna Pol. :VERTICAL Engineer : Jerry



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-44.01	-13.46	-30.10	-0.45	-13.00	-31.01
128.94	-64.25	-53.21	-10.11	-0.93	-13.00	-51.25
288.99	-68.23	-64.59	-2.24	-1.40	-13.00	-55.23
376.29	-63.97	-60.71	-1.65	-1.61	-13.00	-50.97
503.36	-63.02	-59.21	-1.93	-1.88	-13.00	-50.02
672.14	-59.25	-55.70	-1.36	-2.19	-13.00	-46.25
7119.60	-37.32	-40.10	10.76	-7.98	-13.00	-24.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 92 of 116

Report Number **Operation Mode** : T190624W03

: NB IOT B66 3.75kHz BPSK 1 0


Test Mode **EUT Pol**

:Tx CH Mid : H Plane

Test Channel : 132671_1779.9 MHz **Test Date** :2019-07-04 Temp./Humi. : 26/62

Antenna Pol. :HORIZONTAL

Engineer : Jerry



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-44.10	-13.55	-30.10	-0.45	-13.00	-31.10
143.49	-65.80	-56.82	-8.00	-0.98	-13.00	-52.80
291.90	-63.79	-60.22	-2.16	-1.41	-13.00	-50.79
338.46	-63.48	-60.43	-1.53	-1.52	-13.00	-50.48
522.76	-61.55	-58.30	-1.34	-1.91	-13.00	-48.55
686.69	-59.53	-55.99	-1.33	-2.21	-13.00	-46.53
5339.70	-41.19	-47.58	13.28	-6.89	-13.00	-28.19
7119.60	-28.55	-31.33	10.76	-7.98	-13.00	-15.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 93 of 116

Radiated Spurious Emission Measurement Result: NB_IOT-Band 71 (The Worst Case)


Report Number : T190624W03 **Operation Mode**

: NB IOT B71 3.75kHz BPSK 1 0

Test Mode :Tx CH High **EUT Pol** : H Plane

Test Channel : 133471 697.9 MHz

:2019-07-04 Test Date Temp./Humi. : 26/62 Antenna Pol. :VERTICAL Engineer : Jerry



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-44.54	-13.99	-30.10	-0.45	-13.00	-31.54
134.76	-64.46	-54.16	-9.35	-0.95	-13.00	-51.46
291.90	-68.51	-64.94	-2.16	-1.41	-13.00	-55.51
359.80	-64.00	-60.65	-1.78	-1.57	-13.00	-51.00
458.74	-62.96	-59.08	-2.10	-1.78	-13.00	-49.96
657.59	-59.50	-55.84	-1.50	-2.16	-13.00	-46.50
1395.80	-39.68	-36.45	0.00	-3.23	-13.00	-26.68
2093.70	-47.78	-43.69	0.00	-4.09	-13.00	-34.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Page 94 of 116

Report Number **Operation Mode** : T190624W03


: NB IOT B71 3.75kHz BPSK 1 0

Test Mode :Tx CH High **EUT Pol** : H Plane

Test Channel : 133471_697.9 MHz **Test Date** :2019-07-04 Temp./Humi. : 26/62

Antenna Pol. :HORIZONTAL

Engineer : Jerry



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-44.21	-13.66	-30.10	-0.45	-13.00	-31.21
141.55	-65.07	-55.79	-8.30	-0.98	-13.00	-52.07
243.40	-67.06	-63.82	-1.96	-1.28	-13.00	-54.06
396.66	-64.37	-61.09	-1.63	-1.65	-13.00	-51.37
516.94	-61.74	-58.38	-1.46	-1.90	-13.00	-48.74
673.11	-60.03	-56.50	-1.34	-2.19	-13.00	-47.03
1395.80	-35.66	-40.40	7.97	-3.23	-13.00	-22.66
2093.70	-44.98	-50.73	9.84	-4.09	-13.00	-31.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所形分列就可能被害的不能可测点人体的更具 可可能成品性能量别大。各种音乐整本公司者面针 1 不可能功度表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 95 of 116


Radiated Spurious Emission Measurement Result: NB_IOT-Band 85 (The Worst Case)

Report Number ::T190624W03 **Operation Mode** : NB IOT B85 3.75kHz BPSK 1 0 Temp./Humi.

Test Mode : Tx CH High **EUT Pol** : H Plane

Test Channel : 134180 715.9 MHz

:2019-07-04 Test Date : 26/62 Antenna Pol. :VERTICAL Engineer : Jerry



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-44.41	0.00	-30.10	-0.45	-13.00	-31.41
133.79	-65.45	0.00	-9.52	-0.95	-13.00	-52.45
294.81	-68.49	0.00	-2.10	-1.42	-13.00	-55.49
374.35	-64.30	0.00	-1.71	-1.60	-13.00	-51.30
466.50	-62.98	0.00	-2.33	-1.79	-13.00	-49.98
689.60	-59.21	0.00	-1.39	-2.21	-13.00	-46.21
1431.80	-33.69	0.00	8.19	-3.28	-13.00	-20.69
2147.70	-43.78	0.00	9.42	-4.15	-13.00	-30.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所形分列就可能被害的不能可测点人体的更具 可可能成品性能量别大。各种音乐整本公司者面针 1 不可能功度表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 96 of 116

Report Number **Operation Mode** ::T190624W03

: NB_IOT B85 3.75kHz BPSK 1 0

Test Mode **EUT Pol**


: Tx CH High

Test Channel

: H Plane : 134180_715.9 MHz **Test Date** :2019-07-04 Temp./Humi. : 26/62

Antenna Pol. :HORIZONTAL

Engineer : Jerry



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
30.00	-44.04	0.00	-30.10	-0.45	-13.00	-31.04
128.94	-65.50	0.00	-10.11	-0.93	-13.00	-52.50
251.16	-66.40	0.00	-1.75	-1.30	-13.00	-53.40
367.56	-64.20	0.00	-1.80	-1.59	-13.00	-51.20
507.24	-63.28	0.00	-1.81	-1.89	-13.00	-50.28
691.54	-59.33	0.00	-1.40	-2.22	-13.00	-46.33
1431.80	-30.81	0.00	8.19	-3.28	-13.00	-17.81
2147.70	-43.39	0.00	9.42	-4.15	-13.00	-30.39
7159.00	-40.29	0.00	10.72	-7.99	-13.00	-27.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations unded the transaction from exercising all their rights and obligations under the transaction documents. This document special electronic forgency of electronic forgency of the content or transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 97 of 116

10 FREQUENCY STABILITY MEASUREMENT

10.1 Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

10.2 Test Set-up



Note: Measurement setup for testing on Antenna connector

10.3 Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所形分列就可能被害的不能可能可能的性格。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 98 of 116

10.4 Measurement Equipment Used


Conduc	Conducted Emission (measured at antenna port) Test Site								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
PXA Spectrum Ana- lyzer	Agilent	N9030A	MY5312076 0	04/22/2019	04/21/2020				
DC Power Supply	Agilent	E3640A	MY4000081 1	12/11/2018	12/10/2019				
Radio Communica- tion Analyer	Anritsu	MT8821C	6261786084	01/09/2019	01/08/2020				
Temperature Chamber	TERCHY	MHG-120L F	911009	05/17/2019	05/16/2020				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2019	01/01/2020				
Splitter	RF-LAMBAD	RFLT2W1G 18G	11-JSPF412 -018	01/02/2019	01/01/2020				
Coaxial Cables	N/A	WK CE Ca- ble	N/A	01/02/2019	01/01/2020				

10.5 Measurement Result

		LTE NB IoT Band 2	1880	MHz
	Lin	nit: within freqeuncy b	lock	
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Frequency error
	FREQU	ENCY ERROR vs. V	OLTAGE	
5.75	20	1880	0	0.000
5	20	1880.00008	80	0.043
4.25	20	1880.00007	70	0.037
2.4(End point)	20	1879.99994	60	-0.032
	FREC	UENCY ERROR vs.	Temp.	
5	50	1879.99993	70	-0.037
5	40	1880.00000	0	0.000
5	30	1880.00007	70	0.037
5	20	1879.99994	60	-0.032
5	10	1879.99992	80	-0.043
5	0	1879.99998	20	-0.011
5	-10	1879.99994	60	-0.032
5	-20	1880.00000	0	0.000
5	-30	1880.00006	60	0.032

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations unded the transaction from exercising all their rights and obligations under the transaction documents. This document special electronic forgency of electronic forgency of the content or transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Compliance Certification Services Inc. |

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路11號





Page 99 of 116


		LTE NB IoT Band 4	1733	MHz
	Lin	nit: within freqeuncy b	lock	
Vdc	Temp. (°ℂ)	Freq. (MHz)	Delta (Hz)	Frequency error
	FREQU	ENCY ERROR vs. V	OLTAGE	
5.75	20	1732.50003	30	0.017
5	20	1732.5	0	0.000
4.25	20	1732.49994	60	-0.035
2.4(End point)	20	1732.50004	40	0.023
	FREC	UENCY ERROR vs.	Temp.	
5	50	1732.50004	40	0.023
5	40	1732.50005	50	0.029
5	30	1732.49993	70	-0.040
5	20	1732.50005	50	0.029
5	10	1732.50003	30	0.017
5	0	1732.50005	50	0.029
5	-10	1732.50005	50	0.029
5	-20	1732.49998	20	-0.012
5	-30	1732.49996	40	-0.023

		LTE NB IoT Band 5	888	MHz
		Limit: +/- 2.5 ppm		
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Frequency error
	FREQU	ENCY ERROR vs. V	OLTAGE	
5.75	20	888.00004	40	0.045
5	20	888	0	0.045
4.25	20	888.00003	30	0.045
2.4(End point)	20	887.99996	40	0.045
	FREC	UENCY ERROR vs.	Temp.	
5	50	888.00003	30	0.034
5	40	887.99993	70	-0.079
5	30	887.99996	40	-0.045
5	20	888.00006	60	0.068
5	10	887.99996	40	-0.045
5	0	888.00006	60	0.068
5	-10	887.99998	20	-0.023
5	-20	887.99992	80	-0.090
5	-30	888.00000	0	0.000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSC continence Continence Service leve. No. 41.1 **Witten Divided No. **No. 1.2 ** SGS Compliance Certification Services Inc. |






	L	TE NB IoT Band 12	708	MHz				
	Limit: within freqeuncy block							
Vdc	Temp. (°ℂ)	Freq. (MHz)	Delta (Hz)	Frequency error				
	FREQU	ENCY ERROR vs. V	OLTAGE					
5.75	20	707.50001	10	0.014				
5	20	707.49995	50	-0.071				
4.25	20	707.50002	20	0.028				
2.4(End point)	20	707.50002	20	0.028				
	FREC	UENCY ERROR vs.	Temp.					
5	50	707.50006	60	0.085				
5	40	707.50002	20	0.028				
5	30	707.50000	0	0.000				
5	20	707.49995	50	-0.071				
5	10	707.50006	60	0.085				
5	0	707.50001	10	0.014				
5	-10	707.49994	60	-0.085				
5	-20	707.50008	80	0.113				
5	-30	707.50007	70	0.099				

	L	TE NB IoT Band 13	782	MHz
	Lin	nit: within freqeuncy b	lock	
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Frequency error
	FREQU	ENCY ERROR vs. V	OLTAGE	
5.75	20	782.00002	20	0.026
5	20	782.00001	10	0.013
4.25	20	782.00006	60	0.077
2.4(End point)	20	782.00005	50	0.064
	FREC	UENCY ERROR vs.	Temp.	
5	50	782.00002	20	0.026
5	40	781.99995	50	-0.064
5	30	782.00001	10	0.013
5	20	782.00000	0	0.000
5	10	781.99992	80	-0.102
5	0	781.99994	60	-0.077
5	-10	782.00003	30	0.038
5	-20	782.00005	50	0.064
5	-30	781.99994	60	-0.077

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSC continence Continence Service leve. No. 41.1 **Witten Divided No. **No. 1.2 **






	L	TE NB IoT Band 17	710	MHz				
	Limit: within freqeuncy block							
Vdc	Temp. (°ℂ)	Freq. (MHz)	Delta (Hz)	Frequency error				
	FREQU	ENCY ERROR vs. V	OLTAGE					
5.75	20	709.99994	60	-0.085				
5	20	709.99996	40	-0.056				
4.25	20	710.00004	40	0.056				
2.4(End point)	20	709.99997	30	-0.042				
	FREC	UENCY ERROR vs.	Temp.					
5	50	709.99999	10	-0.014				
5	40	710.00002	20	0.028				
5	30	710.00003	30	0.042				
5	20	710.00000	0	0.000				
5	10	710.00000	0	0.000				
5	0	710.00005	50	0.070				
5	-10	710.00003	30	0.042				
5	-20	710.00006	60	0.085				
5	-30	709.99999	10	-0.014				

	L	TE NB IoT Band 66	1745	MHz
	Lin	nit: within freqeuncy b	lock	
Vdc	Temp. (°ℂ)	Freq. (MHz)	Delta (Hz)	Frequency error
	FREQU	ENCY ERROR vs. V	OLTAGE	
5.75	20	1744.99993	70	-0.040
5	20	1744.99993	70	-0.040
4.25	20	1745.00002	20	0.011
2.4(End point)	20	1745	0	0.000
	FREG	UENCY ERROR vs.	Temp.	
5	50	1745.00004	40	0.023
5	40	1745.00002	20	0.011
5	30	1744.99998	20	-0.011
5	20	1744.99993	70	-0.040
5	10	1744.99997	30	-0.017
5	0	1745.00003	30	0.017
5	-10	1745.00005	50	0.029
5	-20	1744.99993	70	-0.040
5	-30	1745.00004	40	0.023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSC continence Continence Service leve. No. 41.1 **Witten Divided No. **No. 1.2 **





	L	TE NB IoT Band 71	681	MHz				
	Limit: within freqeuncy block							
Vdc	Temp. (°ℂ)	Freq. (MHz)	Delta (Hz)	Frequency error				
	FREQU	ENCY ERROR vs. V	OLTAGE					
5.75	20	680.5	0	0.000				
5	20	680.49997	30	-0.044				
4.25	20	680.49995	50	-0.073				
2.4(End point)	20	680.49995	50	-0.073				
	FREG	UENCY ERROR vs.	Temp.					
5	50	680.50004	40	0.059				
5	40	680.50000	0	0.000				
5	30	680.50006	60	0.088				
5	20	680.50003	30	0.044				
5	10	680.49992	80	-0.118				
5	0	680.50003	30	0.044				
5	-10	680.49992	80	-0.118				
5	-20	680.49995	50	-0.073				
5	-30	680.50001	10	0.015				

	L	TE NB IoT Band 85	707	MHz				
Limit: within freqeuncy block								
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Frequency error				
	FREQU	ENCY ERROR vs. V	OLTAGE					
5.75	20	707.00007	70	0.099				
5	20	706.99995	50	-0.071				
4.25	20	706.99995	50	-0.071				
2.4(End point)	20	706.99992	80	-0.113				
	FREC	UENCY ERROR vs.	Temp.					
5	50	706.99992	80	-0.113				
5	40	706.99996	40	-0.057				
5	30	706.99997	30	-0.042				
5	20	707.00001	10	0.014				
5	10	707.00007	70	0.099				
5	0	706.99998	20	-0.028				
5	-10	707.00004	40	0.057				
5	-20	707.00000	0	0.000				
5	-30	707.00003	30	0.042				

Note: The battery is rated 5Vdc.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路11號 SGS Compliance Certification Services Inc. |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSC continence Continence Service leve. No. 41.1 **Witten Divided No. **No. 1.2 **




Page 103 of 116

11 **PEAK TO AVERAGE RATIO**

11.1 Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

11.2 Test SET-UP



11.3 Measurement Procedure

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

11.4 Measurement Equipment Used

Conduc	Conducted Emission (measured at antenna port) Test Site								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
PXA Spectrum Ana- lyzer	Agilent	N9030A	MY5312076 0	04/22/2019	04/21/2020				
DC Power Supply	Agilent	E3640A	MY4000081 1	12/11/2018	12/10/2019				
Radio Communica- tion Analyer	Anritsu	MT8821C	6261786084	01/09/2019	01/08/2020				
Temperature Chamber	TERCHY	MHG-120L F	911009	05/17/2019	05/16/2020				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2019	01/01/2020				
Splitter	RF-LAMBAD	RFLT2W1G 18G	11-JSPF412 -018	01/02/2019	01/01/2020				
Coaxial Cables	N/A	WK CE Ca- ble	N/A	01/02/2019	01/01/2020				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所形分列就可能被害的不能可能可能的性格。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路11號 SGS Compliance Certification Services Inc. |



11.5 Measurement Result

Tabular Results:

LTE NB-IoT Band 2							
Channel	Freq.	Modulation	Subcarrier	NI.	Peak-to-Average		
Charine	(MHz)	Modulation	Spacing (kHz)	N_{tones}	Power Ratio(dB)		
18601	1850.1	BPSK	15	1@0	9.06		
18001	1000.1	QPSK	15	12@0	9.38		
18900	1880	BPSK	15	1@0	9.53		
18900	1000	QPSK	15	12@0	11.72		
19199	1909.9	BPSK	15	1@0	8.72		
19199		QPSK	15	12@0	11.47		

LTE NB-IoT Band 4							
Channel	Freq.	Modulation	Subcarrier	N	Peak-to-Average		
Charmer	(MHz)	Modulation	Spacing (kHz)	N _{tones}	Power Ratio(dB)		
10051	19951 1710.1	BPSK	15	1@0	8.02		
17751		QPSK	15	12@0	12.55		
20175	1732.5	BPSK	15	1@0	9.07		
20173	1732.3	QPSK	15	12@0	10.8		
20399	1754.9	BPSK	15	1@0	7.36		
20399		QPSK	15	12@0	11.68		


	LTE NB-IoT Band 5							
Channel	Freq.	Modulation	Subcarrier	N _{tones}	Peak-to-Average			
Charine	(MHz)	Modulation	Spacing (kHz)	tones	Power Ratio(dB)			
20401	20401 824.1	BPSK	15	1@0	11.64			
20401	024.1	QPSK	15	12@0	7.56			
20525	836.5	BPSK	15	1@0	12.02			
20020	030.3	QPSK	15	12@0	9.84			
20649	848.9	BPSK	15	1@0	10.36			
20049	040.9	QPSK	15	12@0	10.18			

	LTE NB-IoT Band 12							
Channel	Freq.	Modulation	Subcarrier	N	Peak-to-Average			
Charine	(MHz)	Modulation	Spacing (kHz)	N _{tones}	Power Ratio(dB)			
22011	23011 699.1	BPSK	15	1@0	8.24			
23011		QPSK	15	12@0	7.14			
23095	707.5	BPSK	15	1@0	8.11			
23093	707.3	QPSK	15	12@0	9.33			
23719	715.9	BPSK	15	1@0	11.61			
23/19	710.9	QPSK	15	12@0	8.11			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSC continence Continence Service leve. No. 41.1 **Witten Divided No. **No. 1.2 **





LTE NB-loT Band 13							
Channel	Freq.	Modulation	Subcarrier	N	Peak-to-Average		
Charmer	(MHz)	Modulation	Spacing (kHz)	N _{tones}	Power Ratio(dB)		
22101	23181 777.1	BPSK	15	1@0	8.12		
23101		QPSK	15	12@0	9.96		
23230	782	BPSK	15	1@0	8		
23230	702	QPSK	15	12@0	9.92		
23279	786.9	BPSK	15	1@0	9.08		
		QPSK	15	12@0	9.31		

	LTE NB-IoT Band 17							
Channel	Freq.	Modulation	Subcarrier	N.	Peak-to-Average			
Charine	(MHz)	Modulation	Spacing (kHz)	N _{tones}	Power Ratio(dB)			
23731	704.1	BPSK	15	1@0	8.46			
23/31	704.1	QPSK	15	12@0	10.06			
23790	710	BPSK	15	1@0	7.68			
23/90	710	QPSK	15	12@0	8.71			
23849	715.9	BPSK	15	1@0	7.7			
23049		QPSK	15	12@0	9.2			

	LTE NB-IoT Band 66							
Channel	Freq.	Modulation	Subcarrier	N _{tones}	Peak-to-Average			
Charine	(MHz)	Modulation	Spacing (kHz)	tones	Power Ratio(dB)			
121072	131973 1710.1	BPSK	15	1@0	10.05			
131973		QPSK	15	12@0	11.2			
132322	1745	BPSK	15	1@0	10.02			
132322	1743	QPSK	15	12@0	12.75			
132671	1779.9	BPSK	15	1@0	10.28			
1320/1		QPSK	15	12@0	11.03			

LTE NB-loT Band 71							
Channel	Freq.	Modulation	Subcarrier	N	Peak-to-Average		
Charmer	(MHz)	Modulation	Spacing (kHz)	N_{tones}	Power Ratio(dB)		
122122	133123 663.1	BPSK	15	1@0	7.78		
133123		QPSK	15	12@0	8.66		
133297	680.5	BPSK	15	1@0	9.74		
133297	000.3	QPSK	15	12@0	12.2		
133471	697.9	BPSK	15	1@0	8.44		
		QPSK	15	12@0	12.16		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSC continence Continence Service leve. No. 41.1 **Witten Divided No. **No. 1.2 ** SGS Compliance Certification Services Inc. |

No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891, Taiwan / 新北市五股區五工六路11號



Page 106 of 116


LTE NB-IoT Band 85							
Channel	Freq. (MHz)	Modulation	Subcarrier Spacing (kHz)	N _{tones}	Peak-to-Average Power Ratio(dB)		
134003	698.1	BPSK	15	1@0	10.28		
134003	090.1	QPSK	15	12@0	11.18		
134092	707	BPSK	15	1@0	8.75		
134092		QPSK	15	12@0	9.98		
134181	715.9	BPSK	15	1@0	7.74		
		QPSK	15	12@0	11.3		

Please refer to next page for test plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCSC continence Continence Service leve. No. 41.1 **Witten Divided No. **No. 1.2 **






Band2 15kHz BPSK 1 0 CH18601








Band2 15kHz BPSK 1 0 CH19199



Band2_15kHz_QPSK_12_0_CH18601



Band2_15kHz_QPSK_12_0_CH18900




Band2 15kHz QPSK 12 0 CH19199



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

下手が可能できる。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Band4 15kHz BPSK 1 0 CH19951









Band4 15kHz BPSK 1 0 CH20399



Band4 15kHz QPSK 12 0 CH19951



Band4 15kHz QPSK 12 0 CH20175




Band4 15kHz QPSK 12 0 CH20399



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

下手が可能できる。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Band5 15kHz BPSK 1 0 CH20401








Band5 15kHz BPSK 1 0 CH20649




Band5 15kHz QPSK 12 0 CH20401



Band5 15kHz QPSK 12 0 CH20525



Band5 15kHz QPSK 12 0 CH20649



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

下手が可能できる。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.