


Report No.: TERF2310002627ER Page: 65 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sqs.com.tw



Report No.: TERF2310002627ER Page: 66 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 67 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488

```
www.sqs.com.tw
```



Report No.: TERF2310002627ER Page: 68 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

```
www.sqs.com.tw
```



Report No.: TERF2310002627ER Page: 69 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sqs.com.tw



Report No.: TERF2310002627ER Page: 70 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sqs.com.tw



Report No.: TERF2310002627ER Page: 71 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sqs.com.tw



Report No.: TERF2310002627ER Page: 72 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sqs.com.tw



Report No.: TERF2310002627ER Page: 73 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 74 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 75 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 76 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 77 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 78 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sqs.com.tw



Report No.: TERF2310002627ER Page: 79 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sqs.com.tw



Report No.: TERF2310002627ER Page: 80 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sqs.com.tw



Report No.: TERF2310002627ER Page: 81 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sqs.com.tw



Report No.: TERF2310002627ER Page: 82 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 83 of 646





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134號 SGS Taiwan Ltd.

f (886-2) 2298-0488

```
www.sqs.com.tw
```



MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT 9

9.1 **Standard Applicable**

9.1.1 **Duty Cycle**

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.sqs.com.tw

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FCC 9.1.2

EUT TEGORY Fixed point-to- point Outdoor AP	Conducted Output Power 1 Watt(30dBm)	EIRP Not required	TPC	Antenna Directional Gain Requirements
point	1 Watt(30dBm)	Not required		
Outdoor AP			Not required	23dBi
	1 Watt(30dBm)	Elevation angle above 30 degrees 125mW (21dBm)	Not required	6dBi
Indoor AP	1 Watt(30dBm)	Not required	Not required	6dBi
Other	250mW(23.98dBm)	Not required	Not required	6dBi
Other	250mW(23.98dBm) or 11dBm+10 log B	Not required	When EIRP >500mW At least 6dB below EIRP 1W (30dBm)	6dBi
Other	250mW(23.98dBm) or 11dBm+10 log B	Not required		6dBi
Other	1 Watt(30dBm)	Not required	Not required	6dBi
ixed point-to-point	1 Watt(30dBm)	Not required	Not required	Not required
Indoor AP (a channel spans 5725~5850 and 5850~5895MHz)	Not required	36dBm	Not required	Not required
indoor client (a channel spans 5725~5850 and 5850~5895MHz)	Not required	30dBm	Not required	Not required
ubordinate device	Not required	36dBm	Not required	Not required
(a 58 (a 57 58 ub	725~5850 and 50~5895MHz) indoor client channel spans 725~5850 and 50~5895MHz) pordinate device	725~5850 and Not required 50~5895MHz) indoor client indoor client Not required 725~5850 and Not required 50~5895MHz) vordinate device vordinate device Not required nnas of directional gain greater that	725~5850 and 50~5895MHz)Not required36dBmindoor client channel spans 725~5850 and 50~5895MHz)Not required30dBmwordinate deviceNot required36dBmanas of directional gain greater than the antenna requirem	725~5850 and 50~5895MHz)Not required360BmNot requiredindoor client channel spans 725~5850 and 50~5895MHz)Not required30dBmNot required

2. For the 10 log B, B is the 26 dB emission bandwidth.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents issued by the Company subject to its General Conductors and http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



FREQUENC			RSS-247 §6	5.2.1~6.2.4	
Y BAND (MHz)	C	EUT CATEGORY	EIRP	Conducted Output Power	TPC
	V	OEM devices installed in vehicles	30 mW or 1.76 + 10 log10B	N/A	At least 3dB below 30mW EIRP
5150~5250	50~5250 Other device		200 mW or 10 + 10 log10B dBm	N/A	N/A
	V	OEM devices installed in vehicles	30 mW or 1.76 + 10 log10B	N/A	At least 3dB below 30mW EIRP
		Other device	1.0 W or 17 + 10 log10B dBm	250 mW or 11 +10 log10B	EIRP >500mW, at least 6dB below 1W EIRP
5250~5350		Outdoor Fixed with EIRP>200mW	-13 dBW/MHz for 0°≤ θ< 8° -13 −0.716 (θ-8) dBW/MHz for 8° ≤ θ< 40° -35.9 −1.22 (θ-40) dBW/MHz for 40° ≤ θ ≤ 45° -42 dBW/MHz for θ > 45°	N/A	EIRP >500mW, at least 6dB below 1W EIRP
5470-5600 and 5650-5725	V	All	1.0 W or 17 + 10 log10B dBm	250 mW or 11 +10 log10B	EIRP >500mW, at least 6dB below 1W EIRP
5725~5850	V	All	N/A	1 W	N/A

1 For equipment operating in the band 5725-5850 MHz, If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum transmit power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

2. For the 10 log B, B is the 99% emission bandwidth.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488




9.2 **Test Setup**

9.2.1 **Duty Cycle**



9.2.2 **Output Power**



9.3 **Measurement Procedure**

9.3.1 **Duty Cycle Measurements**

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz.
- 4. Detector = Peak

9.3.2 **Output Power Measurements**

- 1. Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules . 2.
- Remove the antenna from the EUT and then connect a low loss RF cable from the an-3. tenna port to the power meter
- 4. Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
- 5. Record the max. reading and add 10 log(1/duty cycle).
- 6. Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.
- MIMO mode: offset is set with "measure and add 10 Log (N)" to measurement for MIMO mode. Offset = 7. cable loss + 10 log (N), where N is number of transmitting antenna, cable loss is specified below.

Note:

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



• DirectionalGain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream; NSS = the number of independent spatial streams of data; NANT = the total number of antennas $g_{j,k}$ = / 20 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not; G_k is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Duty Cycle Measurement Result 9.4

Mo	ode	Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802	.11a	99.03	0.04	0.70	0.01
802.11n_20		98.82	0.05	0.75	0.01
802.11ac_20		98.83	0.05	0.74	0.01
802.1	1n_40	97.65	0.10	1.51	2.00
802.1	1ac_40	97.67	0.10	1.49	2.00
802.11ac_80		95.40	0.20	3.01	4.00
Mode	RU config.	Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log(1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
	Full	98.49	0.07	0.96	0.01
802.11ax 20	26-Tone RU	82.30	0.85	0.74	1.00
002.11ax_20	52-Tone RU	82.30	0.85	0.74	1.00
	106-Tone RU	82.70	0.82	0.74	1.00
902 11ov 40	Full	97.17	0.12	1.82	2.00
802.11ax_40	242-Tone RU	82.30	0.85	0.74	1.00
902 11ox 90	Full	95.45	0.20	3.40	4.00
802.11ax_80	484-Tone RU	82.30	0.85	0.74	1.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: TERF2310002627ER Page: 90 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


SGS Taiwan Ltd. t (886-2) 2299-3279 台灣檢驗科技股份有限公司


f (886-2) 2298-0488

www.sqs.com.tw



Report No.: TERF2310002627ER Page: 91 of 646





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.sqs.com.tw



9.5 **Output Power Measurement Result**

9.5.1 **FCC Output power**

802.11a WLAN1

002.11a_				TOTAL	TOTAL		
СН	Frequency	Data	Power	TOTAL POWER	POWER	REQUIRED LIMIT	RESULT
	(MHz)	Rate	set	(dBm)	(mW)	(dBm)	
36	5180	6	16	15.61	36.411	23.98	PASS
44	5220	6	16	15.78	37.865	23.98	PASS
48	5240	6	16	15.78	37.865	23.98	PASS
52	5260	6	16	15.70	37.173	23.88	PASS
60	5300	6	16	15.80	38.039	23.96	PASS
64	5320	6	16	15.80	38.039	23.92	PASS
100	5500	6	14.25	13.97	24.959	23.95	PASS
116	5580	6	15.5	15.87	38.657	23.90	PASS
140	5700	6	14	13.86	24.335	23.91	PASS
144	5720(U-NII 2C)	6	15.5	14.64	29.10	22.65	PASS
144	5720 (U-NII 3)	6	15.5	9.64	9.21	30	PASS
149	5745	6	15.5	15.64	36.663	30	PASS
157	5785	6	16	15.99	39.740	30	PASS
165	5825	6	16.5	15.90	38.925	30	PASS

802.11a WI AN2

002.11a_				TOTAL	TOTAL	DEQUIDED	
СН	Frequency (MHz)	Data Rate	Power set	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	6	16.5	15.53	35.746	23.98	PASS
44	5220	6	16.5	15.72	37.345	23.98	PASS
48	5240	6	16.5	15.77	37.778	23.98	PASS
52	5260	6	17	15.67	36.918	23.86	PASS
60	5300	6	17	15.70	37.173	23.9	PASS
64	5320	6	17	15.71	37.259	23.91	PASS
100	5500	6	15.25	13.82	24.112	23.89	PASS
116	5580	6	17	15.83	38.303	23.88	PASS
140	5700	6	15.25	13.79	23.946	23.83	PASS
144	5720(U-NII 2C)	6	16.5	14.60	28.83	22.67	PASS
144	5720 (U-NII 3)	6	16.5	9.64	9.21	30	PASS
149	5745	6	16	15.60	36.327	30	PASS
157	5785	6	16.5	15.91	39.015	30	PASS
165	5825	6	16.5	15.87	38.657	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 93 of 646

802.11a_2TX

011	Frequency	Data	Power	Avg. POV	/ER (dBm)	TOTAL	TOTAL	REQUIRED	DEQUET
СН	(MHz)	Rate	set	WLAN1	WLAN2	POWER (dBm)	POWER (mW)	LIMIT (dBm)	RESULT
36	5180	6	16.5	15.80	15.40	18.62	72.732	23.98	PASS
44	5220	6	16.5	15.98	15.52	18.77	75.313	23.98	PASS
48	5240	6	16.5	16.02	15.53	18.79	75.762	23.98	PASS
52	5260	6	16.5	15.88	15.08	18.51	70.975	23.86	PASS
60	5300	6	16.5	15.99	15.07	18.57	71.894	23.9	PASS
64	5320	6	16.5	16.02	15.08	18.59	72.244	23.91	PASS
100	5500	6	14.75	14.62	13.20	16.98	49.893	23.89	PASS
116	5580	6	16.5	16.59	15.19	18.96	78.683	23.88	PASS
140	5700	6	14.75	14.60	13.25	16.99	50.002	23.83	PASS
144	5720(U-NII 2C)	6	16	14.88	14.01	17.48	55.915	22.65	PASS
144	5720 (U-NII 3)	6	16	9.88	9.05	12.50	17.772	30	PASS
149	5745	6	16	15.77	15.39	18.60	72.390	30	PASS
157	5785	6	16.5	16.05	15.68	18.88	77.296	30	PASS
165	5825	6	16.5	15.91	15.67	18.80	75.933	30	PASS

802.11n_HT20_WLAN1

СН	Frequency (MHz)	Data Rate	Power set	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	16.5	15.86	38.562	23.98	PASS
44	5220	MCS0	16	15.74	37.511	23.98	PASS
48	5240	MCS0	16	15.79	37.945	23.98	PASS
52	5260	MCS0	16	15.75	37.597	23.94	PASS
60	5300	MCS0	16	15.80	38.033	23.98	PASS
64	5320	MCS0	16	15.84	38.384	23.97	PASS
100	5500	MCS0	13.25	12.95	19.731	23.98	PASS
116	5580	MCS0	15.5	15.89	38.829	23.98	PASS
140	5700	MCS0	13.75	13.54	22.602	23.94	PASS
144	5720(U-NII 2C)	MCS0	15.5	14.62	28.99	23.96	PASS
144	5720 (U-NII 3)	MCS0	15.5	9.81	9.57	30	PASS
149	5745	MCS0	16	15.87	38.651	30	PASS
157	5785	MCS0	16	15.94	39.279	30	PASS
165	5825	MCS0	16.5	15.88	38.740	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



100

116

140

144

144

149

157

165

5500

5580

5700

5720(U-NII 2C)

5720 (U-NII 3)

5745

5785

5825

Report No.: TERF2310002627ER Page: 94 of 646

802.11n_HT20_WLAN2

	Frequency	Data		Power	TOTAL	. TOT	AL	REQU	IIRED	
СН	Frequency (MHz)	Rate		set	POWER	R POW	/ER	LIN	1IT	RESULT
		Nate		361	(dBm)	(m)	N)	(dB	3m)	
36	5180	MCS0		16.5	15.59	36.2	237	23.	.98	PASS
44	5220	MCS0		16.5	15.71	37.2	252	23.	.98	PASS
48	5240	MCS0		16.5	15.78	37.8	858	23.	.98	PASS
52	5260	MCS0		17	15.65	36.7	'41	23.	.97	PASS
60	5300	MCS0		17	15.71	37.2	252	23.	.98	PASS
64	5320	MCS0		17	15.76	37.6	684	23.	.98	PASS
100	5500	MCS0		14.5	12.91	19.5	550	23.	.96	PASS
116	5580	MCS0		17	15.76	37.6	684	23.	.95	PASS
140	5700	MCS0		14.75	13.52	22.4	99	23.	.95	PASS
144	5720(U-NII 2C)	MCS0		16.5	14.53	28.	36	23.	.98	PASS
144	5720 (U-NII 3)	MCS0		16.5	9.70	9.3	33	3	0	PASS
149	5745	MCS0		16.5	15.86	38.5	562	3	0	PASS
157	5785	MCS0		16.5	15.80	38.0)33	3	0	PASS
165	5825	MCS0		16.5	15.76	37.6	684	3	0	PASS
802.11n_HT	20_2TX		•		•	•			•	
	Frequency	Data	Powe	Avg. PC	WER (dBm)	TOTAL	тот		REQUIRED	
СН	(MHz)	Rate	set		WLAN2	POWER	POW			RESULT
36	5180	MCS0	16.5		15.42	(dBm) 18.73	(m) 74.5	,	(dBm) 23.98	PASS
44	5220	MCS0	16.5		15.42	18.78	74.5		23.98	PASS
44	5240	MCS0	16.5		15.56	18.83	76.3		23.98	PASS
52	5260	MCS0	16.5		15.12	18.56	71.7		23.98	PASS
60	5300	MCS0	16.5		15.11	18.57	71.9		23.97	PASS
64	5320	MCS0	16.5	16.03	15.13	18.62	72.6		23.96	PASS

13.75

16.5

13.75

16

16

16

16.5

16.5

13.46

16.59

13.55

14.87

10.06

15.89

16.09

15.90

12.16

15.23

12.26

13.98

9.15

15.38

15.74

15.69

15.87

18.97

15.96

17.46

12.64

18.65

18.93

18.81

38.639

78.975

39.487

55.692

18.356

73.356

78.170

76.000

PASS

PASS

PASS

PASS

PASS

PASS

PASS

PASS

23.95

23.94

23.96

22.73

30

30

30

30

MCS0

MCS0

MCS0

MCS0

MCS0

MCS0

MCS0

MCS0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 95 of 646

802.11n_HT40_WLAN1

СН	Frequency (MHz)	Data Rate	Power set	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	15.5	14.91	30.998	23.98	PASS
46	5230	MCS0	15	14.71	29.602	23.98	PASS
54	5270	MCS0	15	14.71	29.602	23.98	PASS
62	5310	MCS0	15	14.77	30.014	23.98	PASS
102	5510	MCS0	11.75	11.56	14.333	23.98	PASS
110	5550	MCS0	14.5	14.78	30.083	23.98	PASS
134	5670	MCS0	14.5	14.77	30.014	23.98	PASS
142	5710(U-NII 2C)	MCS0	14.5	14.04	25.33	23.98	PASS
142	5710 (U-NII 3)	MCS0	14.5	5.64	3.67	30	PASS
151	5755	MCS0	15	14.82	30.362	30	PASS
159	5795	MCS0	15	14.87	30.713	30	PASS
802.11n_	HT40_WLAN2					•	
СН	Frequency (MHz)	Data Rate	Power set	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	16	14.84	30.502	23.98	PASS
46	5230	MCS0	15.5	14.69	29.466	23.98	PASS
54	5270	MCS0	16	14.65	29.196	23.98	PASS
62	5310	MCS0	16	14.71	29.602	23.98	PASS
102	5510	MCS0	13	11.53	14.234	23.98	PASS
110	5550	MCS0	16	14.75	29.876	23.98	PASS
134	5670	MCS0	15.5	14.64	29.129	23.98	PASS
142	5710(U-NII 2C)	MCS0	15.5	13.97	24.97	23.98	PASS
142	5710 (U-NII 3)	MCS0	15.5	5.67	3.69	30	PASS
174	5710(0-1113)	11000	10.0				
151	5755	MCS0	15.5	14.80	30.222	30	PASS
	, ,			14.80 14.78	30.222 30.083		PASS PASS

СН	Frequency	Data	Power	Avg. POV	VER (dBm)	TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
Сп	(MHz)	Rate	set	WLAN1	WLAN2	(dBm)	(mW)	(dBm)	RESULT
38	5190	MCS0	15.5	14.97	14.39	17.70	58.928	23.98	PASS
46	5230	MCS0	15.5	15.01	14.49	17.77	59.860	23.98	PASS
54	5270	MCS0	15.5	14.92	14.08	17.53	56.674	23.98	PASS
62	5310	MCS0	15.5	15.01	14.05	17.57	57.149	23.98	PASS
102	5510	MCS0	12	11.58	10.19	13.95	24.854	23.98	PASS
110	5550	MCS0	15.5	15.48	14.20	17.90	61.668	23.98	PASS
134	5670	MCS0	15.5	15.44	14.35	17.94	62.269	23.98	PASS
142	5710(U-NII 2C)	MCS0	15.5	14.68	13.71	17.23	52.875	23.98	PASS
142	5710 (U-NII 3)	MCS0	15.5	6.28	5.41	8.88	7.722	30	PASS
151	5755	MCS0	15.5	15.15	14.69	17.94	62.225	30	PASS
159	5795	MCS0	15.5	15.14	14.74	17.96	62.491	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 96 of 646

802.11ac_VHT20_WLAN1

СН	Frequency (MHz)	Data Rate		Powe set		TOTAL POWER (dBm)	TOT POW (mV	/ER	L	QUIRED IMIT dBm)	RESULT
36	5180	MCS0		16.5	,	15.85	38.4	69	2	23.98	PASS
44	5220	MCS0		16		15.73	37.4			23.98	PASS
48	5240	MCS0		16		15.78	37.8	54		23.98	PASS
52	5260	MCS0		16		15.71	37.2			23.94	PASS
60	5300	MCS0		16		15.78	37.8			23.98	PASS
64	5320	MCS0		16		15.81	38.1			23.97	PASS
100	5500	MCS0		13.25	5	12.86	19.3			23.98	PASS
116	5580	MCS0		15.5		15.88	38.7			23.98	PASS
140	5700	MCS0		13.75		13.53	22.5			23.94	PASS
144	5720(U-NII 2C)	MCS0		15.5		14.61	28.9			23.96	PASS
144	5720 (U-NII 3)	MCS0		15.5		9.80	9.5			30	PASS
149	5745	MCS0		16		15.85	38.4			30	PASS
157	5785	MCS0		16		15.90	38.9			30	PASS
165	5825	MCS0		16.5	;	15.87	38.6			30	PASS
	VHT20_WLAN2						1				
	_					TOTAL	тот	Δι	REC	UIRED	
СН	Frequency	Data		Powe	er	POWER					RESULT
	(MHz)	Rate		set		(dBm)		(mW)		dBm)	
36	5180	MCS0		16.5		15.57	36.0	,	-	23.98	PASS
44	5220	MCS0		16.5		15.70	37.1			23.98	PASS
48	5240	MCS0		16.5		15.74	37.5			23.98	PASS
52	5260	MCS0		10.0	,	15.61	36.4			23.97	PASS
60	5300	MCS0		17		15.69	37.0			23.98	PASS
64	5320	MCS0		17		15.75	37.5			23.98	PASS
100	5500	MCS0		14.5		12.81	19.1			23.96	PASS
116	5580	MCS0		17	,	15.75	37.5			23.95	PASS
140	5700	MCS0		14.75	5	13.51	22.4		_	23.95	PASS
140	5720(U-NII 2C)	MCS0		16.5		14.51	28.2			23.98	PASS
144	5720 (U-NII 3)	MCS0		16.5		9.68	9.2			30	PASS
149	5745	MCS0		10.5	,	15.64	36.6			30	PASS
143	5785	MCS0		16		15.51	35.5			30	PASS
165	5825	MCS0		16.5		15.75	37.5			30	PASS
802.11ac_VI		WOOU		10.0	,	13.73	37.0	35		50	FAOO
002.11ac_VI			-	۵۷		WER (dBm)	TOTAL	то	TAL	REQUIRED	
СН	Frequency (MHz)	Data Rate	Powe set		LAN1	WLAN2	POWER (dBm)	POV	VER W)	LIMIT (dBm)	RESULT
36	5180	MCS0	16.5		5.94	15.37	18.68		718	23.98	PASS
44	5220	MCS0	16.5		5.98	15.52	18.77	75.		23.98	PASS
48	5240	MCS0	16.5		6.04	15.54	18.81		800	23.98	PASS
52	5260	MCS0 MCS0	16.5		5.91	15.11	18.54	71.4		23.98	PASS
60 64	5300 5320	MCS0	16.5 16.5		5.96 6.01	15.06 15.11	18.54 18.59	71. 72.		23.97 23.96	PASS PASS
100	5500	MCS0	13.7		3.30	12.03	15.72		348	23.90	PASS
116	5580	MCS0	16.5		6.48	15.27	18.93		134	23.94	PASS
140	5700	MCS0	13.7	5 1	3.54	12.24	15.95	39.	354	23.96	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

MCS0

MCS0

MCS0

MCS0

MCS0

t (886-2) 2299-3279

5720(U-NII 2C)

5720 (U-NII 3)

5745

5785

5825

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

16

16

16

16.5

16.5

14.82

10.01

15.88

16.08

15.89

13.97

9.14

15.37

15.73

15.67

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

17.43

12.61

18.64

18.92

18.79

SGS Taiwan Ltd.

144

144

149

157

165

f (886-2) 2298-0488

www.sqs.com.tw

Member of SGS Group

55.277

18.219

73.179

77.982

75.732

22.73

30

30

30

30

PASS

PASS

PASS

PASS

PASS



802.11ac_VHT40_WLAN1

СН	Frequency (MHz)	Data Rate	Power set	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	15	14.70	29.528	23.98	PASS
46	5230	MCS0	15	14.70	29.528	23.98	PASS
54	5270	MCS0	15	14.69	29.460	23.98	PASS
62	5310	MCS0	15	14.76	29.939	23.98	PASS
102	5510	MCS0	12	11.54	14.264	23.98	PASS
110	5550	MCS0	14.5	14.77	30.008	23.98	PASS
134	5670	MCS0	14.5	14.66	29.258	23.98	PASS
142	5710(U-NII 2C)	MCS0	14.5	14.03	25.27	23.98	PASS
142	5710 (U-NII 3)	MCS0	14.5	5.63	3.66	30	PASS
151	5755	MCS0	15	14.81	30.286	30	PASS
159	5795	MCS0	15	14.84	30.496	30	PASS

802.11ac_VHT40_WLAN2

сн	Frequency (MHz)	Data Rate	Power set	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	16	14.67	29.325	23.98	PASS
46	5230	MCS0	15.5	14.62	28.989	23.98	PASS
54	5270	MCS0	16	14.64	29.123	23.98	PASS
62	5310	MCS0	16	14.67	29.325	23.98	PASS
102	5510	MCS0	13.25	11.51	14.166	23.98	PASS
110	5550	MCS0	16	14.74	29.802	23.98	PASS
134	5670	MCS0	15.5	14.63	29.056	23.98	PASS
142	5710(U-NII 2C)	MCS0	15.5	13.96	24.91	23.98	PASS
142	5710 (U-NII 3)	MCS0	15.5	5.66	3.68	30	PASS
151	5755	MCS0	15.5	14.79	30.147	30	PASS
159	5795	MCS0	15.5	14.77	30.008	30	PASS

802.11ac_VHT40_2TX

СН	Frequency	Data	Power	Avg. POWER (dBm)		TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
Ch	(MHz)	Rate	set	WLAN1	WLAN2	(dBm)	(mW)	(dBm)	
38	5190	MCS0	15.5	14.86	14.43	17.66	58.385	23.98	PASS
46	5230	MCS0	15.5	15.02	14.48	17.77	59.856	23.98	PASS
54	5270	MCS0	15.5	14.93	14.06	17.53	56.617	23.98	PASS
62	5310	MCS0	15.5	14.97	14.07	17.56	56.963	23.98	PASS
102	5510	MCS0	12	11.56	10.14	13.92	24.663	23.98	PASS
110	5550	MCS0	15.5	15.46	14.14	17.86	61.131	23.98	PASS
134	5670	MCS0	15.5	15.41	14.31	17.91	61.765	23.98	PASS
142	5710(U-NII 2C)	MCS0	15.5	14.30	13.72	17.03	50.460	23.98	PASS
142	5710 (U-NII 3)	MCS0	15.5	5.90	5.42	8.68	7.373	30	PASS
151	5755	MCS0	15.5	15.14	14.69	17.93	62.137	30	PASS
159	5795	MCS0	15.5	15.09	14.72	17.92	61.967	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw



802.11ac_VHT80_WLAN1

СН	Frequency (MHz)	Data Rate		Power set	TOTAL POWER (dBm)	-	/ER	LI	UIRED MIT Bm)	RESULT
42	5210	MCS0		13	12.73	18.7	69	23	3.98	PASS
58	5290	MCS0		13	12.78	18.9	87	23	3.98	PASS
106	5530	MCS0		11.75	11.96	15.7	20	23	3.98	PASS
122	5610	MCS0		12.5	12.97	19.8	36	23	3.98	PASS
138	5690(U-NII 2C)	MCS0		12.5	12.47	17.6	67	23	3.98	PASS
138	5690 (U-NII 3)	MCS0		12.5	1.33	1.3	6	3	30	PASS
155	5775	MCS0		13	12.97	19.8			30	PASS
302.11ac	VHT80_WLAN2		I		1	-	•		I	
СН	Frequency (MHz)	Data Rate		Power	TOTAL	_			UIRED MIT	RESULT
	(11172)	Kale		set	(dBm)	(mV	∧)	(dl	Bm)	
42	5210	MCS0		13.5	12.71	18.6	83	23.98		PASS
58	5290	MCS0		13.5	12.50	17.8	01	23.98		PASS
106	5530	MCS0		13	11.91	15.5	40	23	3.98	PASS
122	5610	MCS0		13.5	12.83	19.2	07	23	3.98	PASS
138	5690(U-NII 2C)	MCS0		13.5	12.40	17.3	38	23	8.98	PASS
138	5690 (U-NII 3)	MCS0		13.5	1.15	1.3	0	3	30	PASS
155	5775	MCS0		13	12.73	18.7	69	3	30	PASS
02.11ac_V	HT80_2TX		!		+	•			•	
СН	Frequency	Data	Powe	r ^{Avg. Po}	OWER (dBm)	TOTAL POWER	TO1 POV		REQUIRED	RESULT
	(MHz)	Rate	set	WLAN	1 WLAN2	(dBm)	(m)	W)	(dBm)	
42	5210	MCS0	13.5	13.16		15.83	38.2		23.98	PASS
58	5290	MCS0	13.5	12.81	12.19	15.53	35.6			PASS
106	5530	MCS0	12.5	12.48		14.80		.206 23.98		PASS
122	5610	MCS0	13	13.40		15.75		37.620 23.98 36.266 23.98		PASS
138	5690(U-NII 2C)	MCS0 MCS0	13.5	13.12	11.97	15.60			23.98	PASS PASS
138	5690 (U-NII 3)		13.5	1.98	0.72	4.41 15 98	2.7		30	PASS
155	5775	MCS0	13.5	13.11	12.81	15.98	39.6		30	1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.11ax_HE20_WLAN1

СН	Frequency (MHz)	Data Rate	RU config.	Power set	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
		MCS0	full	16	15.88	38.691	23.98	PASS
36	5180	MCS0	26/0	9	8.31	6.770	23.98	PASS
50	5100	MCS0	52/37	9	8.38	6.880	23.98	PASS
		MCS0	106/53	9	8.62	7.286	23.98	PASS
44	5220	MCS0	full	16	15.97	39.501	23.98	PASS
48	5240	MCS0	full	16	15.99	39.683	23.98	PASS
52	5260	MCS0	full	16	15.85	38.424	23.98	PASS
60	5300	MCS0	full	16	15.93	39.139	23.98	PASS
		MCS0	full	16	15.99	39.683	23.98	PASS
64	5320	MCS0	26/8	9	8.83	7.631	23.98	PASS
04	5520	MCS0	52/40	9	8.89	7.737	23.98	PASS
		MCS0	106/54	9	8.60	7.253	23.98	PASS
	5500	MCS0	full	13	12.96	19.752	23.98	PASS
100		MCS0	26/0	9	8.43	6.960	23.98	PASS
100	5500	MCS0	52/37	9	8.51	7.089	23.98	PASS
		MCS0	106/53	9	8.60	7.253	23.98	PASS
116	5580	MCS0	full	15.5	15.99	39.683	23.98	PASS
	5700	MCS0	full	13.5	13.55	22.626	23.98	PASS
140		MCS0	26/8	9	8.97	7.881	23.98	PASS
140		MCS0	52/40	9	8.98	7.900	23.98	PASS
		MCS0	106/54	9	9.10	8.138	23.98	PASS
144	5720(U-NII 2C)	MCS0	full	15.5	14.73	29.684	22.78	PASS
144	5720 (U-NII 3)	MCS0	full	15.5	10.00	10.000	30	PASS
		MCS0	full	15.5	15.90	38.869	30	PASS
149	5745	MCS0	26/0	9	8.70	7.406	30	PASS
149	5745	MCS0	52/37	9	8.75	7.492	30	PASS
		MCS0	106/53	9	9.07	8.082	30	PASS
157	5785	MCS0	full	16	15.97	39.501	30	PASS
		MCS0	full	16	15.91	38.959	30	PASS
165	5825	MCS0	26/8	9	8.11	6.465	30	PASS
105	3023	MCS0	52/40	9	8.12	6.480	30	PASS
		MCS0	106/54	9	8.33	6.815	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.11ax_HE20_WLAN2

СН	Frequency (MHz)	Data Rate	RU config.	Power set	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
		MCS0	full	16.5	15.76	37.636	23.98	PASS
36	5180	MCS0	26/0	9	7.60	5.749	23.98	PASS
	5160	MCS0	52/37	9	7.67	5.843	23.98	PASS
		MCS0	106/53	9	7.77	5.991	23.98	PASS
44	5220	MCS0	full	16.5	15.96	39.410	23.98	PASS
48	5240	MCS0	full	16.5	15.98	39.592	23.98	PASS
52	5260	MCS0	full	16.5	15.72	37.291	23.98	PASS
60	5300	MCS0	full	16.5	15.74	37.463	23.98	PASS
		MCS0	full	16.5	15.79	37.897	23.98	PASS
64	5320	MCS0	26/8	9	8.03	6.347	23.98	PASS
04	5520	MCS0	52/40	9	8.09	6.436	23.98	PASS
		MCS0	106/54	9	7.93	6.216	23.98	PASS
	5500	MCS0	full	14.5	12.93	19.616	23.98	PASS
100		MCS0	26/0	9	7.68	5.856	23.98	PASS
100		MCS0	52/37	9	7.68	5.856	23.98	PASS
		MCS0	106/53	9	7.83	6.074	23.98	PASS
116	5580	MCS0	full	16.5	15.80	37.985	23.98	PASS
	5700	MCS0	full	14.5	13.54	22.574	23.98	PASS
140		MCS0	26/8	9	8.15	6.525	23.98	PASS
140		MCS0	52/40	9	8.17	6.555	23.98	PASS
		MCS0	106/54	9	8.17	6.569	23.98	PASS
144	5720(U-NII 2C)	MCS0	full	16	14.56	28.543	22.85	PASS
144	5720 (U-NII 3)	MCS0	full	16	9.95	9.881	30	PASS
		MCS0	full	16	15.89	38.780	30	PASS
149	5745	MCS0	26/0	9	8.35	6.833	30	PASS
149	5745	MCS0	52/37	9	8.35	6.833	30	PASS
		MCS0	106/53	9	8.44	6.990	30	PASS
157	5785	MCS0	full	16	15.84	38.336	30	PASS
		MCS0	full	16	15.81	38.072	30	PASS
165	5825	MCS0	26/8	9	8.22	6.631	30	PASS
105	5025	MCS0	52/40	9	8.23	6.647	30	PASS
		MCS0	106/54	9	8.39	6.910	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sgs.com.tw



Report No.: TERF2310002627ER Page: 101 of 646

802.11ax_HE20_2TX

	Frequency	Data	B U (Power	Avg. POV	VER (dBm)	TOTAL	TOTAL	REQUIRED	
СН	(MHz)	Rate	RU config.	set	WLAN1	WLAN2	POWER (dBm)	POWER (mW)	LIMIT (dBm)	RESULT
		MCS0	full	16.5	16.10	15.67	18.90	77.566	23.98	PASS
36	5180	MCS0	26/0	9	8.34	7.62	11.00	12.593	23.98	PASS
30	5160	MCS0	52/37	9	8.44	7.75	11.11	12.927	23.98	PASS
		MCS0	106/53	9	8.67	7.88	11.31	13.515	23.98	PASS
44	5220	MCS0	full	16.5	16.21	15.72	18.98	79.037	23.98	PASS
48	5240	MCS0	full	16.5	16.19	15.76	18.99	79.190	23.98	PASS
52	5260	MCS0	full	16.5	16.16	15.35	18.78	75.513	23.98	PASS
60	5300	MCS0	full	16.5	16.28	15.37	18.86	76.828	23.98	PASS
		MCS0	full	16.5	16.24	15.39	18.84	76.597	23.98	PASS
64	5200	MCS0	26/8	9	8.90	8.05	11.50	14.132	23.98	PASS
64	5320	MCS0	52/40	9	8.92	8.10	11.54	14.242	23.98	PASS
		MCS0	106/54	9	8.62	7.96	11.32	13.545	23.98	PASS
		MCS0	full	13.5	13.44	12.25	15.89	38.833	23.98	PASS
400	5500	MCS0	26/0	9	8.52	7.69	11.13	12.975	23.98	PASS
100	5500	MCS0	52/37	9	8.60	7.70	11.18	13.121	23.98	PASS
		MCS0	106/53	9	8.67	7.89	11.31	13.529	23.98	PASS
116	5580	MCS0	full	16.5	16.61	15.24	18.99	79.162	23.98	PASS
		MCS0	full	13.5	13.56	12.33	15.99	39.763	23.98	PASS
4.40	5700	MCS0	26/8	9	9.00	8.17	11.61	14.491	23.98	PASS
140	5700	MCS0	52/40	9	9.00	8.19	11.62	14.522	23.98	PASS
		MCS0	106/54	9	9.15	8.26	11.74	14.938	23.98	PASS
144	5720(U-NII 2C)	MCS0	full	16	15.08	14.16	17.65	58.207	22.78	PASS
144	5720 (U-NII 3)	MCS0	full	16	10.35	9.55	12.98	19.851	30	PASS
	, , , ,	MCS0	full	16	15.91	15.52	18.73	74.572	30	PASS
	5745	MCS0	26/0	9	8.73	8.36	11.56	14.306	30	PASS
149	5745	MCS0	52/37	9	8.81	8.37	11.60	14.461	30	PASS
		MCS0	106/53	9	9.09	8.52	11.83	15.239	30	PASS
157	5785	MCS0	full	16.5	16.18	15.78	18.99	79.268	30	PASS
		MCS0	full	16.5	16.05	15.91	18.99	79.194	30	PASS
405	5005	MCS0	26/8	9	8.20	8.27	11.24	13.309	30	PASS
165	5825	MCS0	52/40	9	8.18	8.24	11.22	13.232	30	PASS
		MCS0	106/54	9	8.36	8.46	11.43	13.885	30	PASS

802.11ax_HE40_WLAN1

СН	Frequency (MHz)	Data Rate	RU config.	Power set	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	full	15	14.96	31.367	23.98	PASS
30	5190	MCS0	242/61	9	8.67	7.355	23.98	PASS
46	5230	MCS0	full	15	15.00	31.657	23.98	PASS
54	5270	MCS0	full	15	14.91	31.008	23.98	PASS
62	5310	MCS0	full	15	14.99	31.584	23.98	PASS
02	5510	MCS0	242/62	9	9.20	8.310	23.98	PASS
102	5510	MCS0	full	11	11.58	14.403	23.98	PASS
102	5510	MCS0	242/61	9	8.74	7.475	23.98	PASS
110	5550	MCS0	full	14.5	14.88	14.403	23.98	PASS
134	5670	MCS0	full	14.5	14.96	31.367	23.98	PASS
134	5070	MCS0	242/62	9	9.38	8.662	23.98	PASS
142	5710(U-NII2C)	MCS0	full	14.5	14.38	27.422	23.98	PASS
142	5710 (U-NII 3)	MCS0	full	14.5	5.96	3.944	30	PASS
151	EZEE	MCS0	full	14.5	14.87	30.723	30	PASS
101	5755	MCS0	242/61	9	9.09	8.102	30	PASS
150	E70E	MCS0	full	15	14.95	31.294	30	PASS
159	5795	MCS0	242/62	9	8.87	7.702	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



802.11ax_HE40_WLAN2

СН	Frequency (MHz)	Data Rate	RU config.		Power set	TOTAL POWER (dBm)		/ER	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	full		15.5	14.87	30.7	23	23.98	PASS
30	5190	MCS0	242/61		9	8.05	6.3	77	23.98	PASS
46	5230	MCS0	full		15.5	14.93	31.1	51	23.98	PASS
54	5270	MCS0	full		15.5	14.68	29.4	08	23.98	PASS
60	5240	MCS0	full		15.5	14.74	29.8	17	23.98	PASS
62	5310	MCS0	242/62		9	8.27	6.70	08	23.98	PASS
100	5540	MCS0	full		12.75	11.56	14.3	37	23.98	PASS
102	5510	MCS0	242/61		9	7.92	6.18	39	23.98	PASS
110	5550	MCS0	full		15.5	14.81	14.3	37	23.98	PASS
40.4		MCS0	full		15.5	14.93	31.1	51	23.98	PASS
134	5670	MCS0	242/62		9	7.97	6.26	50	23.98	PASS
142	5710(U-NII2C)	MCS0	full		15.5	14.23	26.4	66	23.98	PASS
142	5710 (U-NII 3)	MCS0	full		15.5	5.84	3.83	36	30	PASS
		MCS0	full		15	14.85	30.5	82	30	PASS
151	5755	MCS0	242/61		9	8.49	7.05	57	30	PASS
450	5705	MCS0	full		15.5	14.81	30.3	02	30	PASS
159	5795	MCS0	242/62		9	8.82	7.6	14	30	PASS
802.11ax_H	E40_2TX									
	Frequency	Data		Power	Avg. PO	WER (dBm)	TOTAL	тот		
СН	(MHz)	Rate	RU config.	set	WLAN1	WLAN2	POWER (dBm)	POW (mW		RESULT
38	5190	MCS0	full	15.5	15.20	14.72	17.98	62.82		PASS
46		MCS0 MCS0	242/61	9 15.5	8.74	8.06 14.66	11.42 17.97	13.86 62.65		PASS PASS
40 54	5230 5270	MCS0	full full	15.5	15.23	14.00	17.97	60.95		PASS
62		MCS0	full	15.5	15.31	14.36	17.88	61.3		PASS
62	5310	MCS0	242/62	9	9.22	8.30	11.79	15.10		PASS
102	5510	MCS0	full	11.5	11.59	10.24	13.98	25.0		PASS
110	5550	MCS0 MCS0	242/61 full	9 15.5	8.88 15.55	7.93	11.44 17.95	13.92 25.01		PASS PASS
		MCS0	full	15.5	15.47	14.23	17.93 17.97	62.72		PASS
134	5670	MCS0	242/62	9	9.42	8.00	11.77	15.04		PASS
142	5710(U-NII 2C)	MCS0	full	15.5	14.72	13.80	17.29	53.62		PASS
142	5710 (U-NII 3)	MCS0	full	15.5	6.30	5.41	8.89	7.74		PASS
151	5755	MCS0 MCS0	full 242/61	15 9	15.20 9.18	14.72 8.55	17.98 11.88	62.82 15.42		PASS PASS
		MCS0 MCS0		9 15	9.18	8.55	11.88 17.99	63.0		PASS
159	5795	MCS0	242/62	9	8.92	8.86	11.90	15.47		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



802.11ax_HE80_WLAN1

СН	Frequency (MHz)	Data Rate	RU config.	Р	ower set	TOTAL POWER (dBm)	TOT POW (m\	/ER	L	QUIRED IMIT IBm)	RESULT
42	5210	MCS0	full		13	12.98	19.8	71	2	23.98	PASS
42	5210	MCS0	484/65		9	8.86	7.68	34	2	23.98	PASS
58	5290	MCS0	full		13	12.97	19.8	25	2	23.98	PASS
50	5290	MCS0	484/66		9	8.60	7.23	38	2	23.98	PASS
106	5530	MCS0	full		11.5	11.99	15.8	21	2	3.98	PASS
100	5550	MCS0	484/65		9	9.03	7.99	91	2	3.98	PASS
122	5610	MCS0	full		12	12.90	19.5	09	2	3.98	PASS
IZZ	5010	MCS0	484/66		9	9.81	9.56	63	2	23.98	PASS
138	5690(U-NII 2C)	MCS0	full		12.5	12.57	18.0	72	2	23.98	PASS
138	5690 (U-NII 3)	MCS0	full		12.5	1.00	1.25	57		30	PASS
		MCS0	full		12.5	12.86	19.3	30		30	PASS
155	5775	MCS0	484/65		9	9.22	8.34	18		30	PASS
		MCS0	484/66		9	9.05	8.02	28		30	PASS
302.11ax	HE80_WLAN2										
СН	Frequency (MHz)	Data Rate	RU config.		ower set	TOTAL POWER (dBm)	TOT POW (m\	/ER	L L	QUIRED IMIT JBm)	RESULT
		MCS0	full		13.5	12.95	19.7			, 3.98	PASS
42	5210	MCS0	484/65		9	8.37	6.86	-		23.98	PASS
		MCS0	full		13.5	12.73	18.7			23.98	PASS
58	5290	MCS0	484/66		9	8.30	6.75			23.98	PASS
400	5500	MCS0	full	1	2.75	11.97	15.7	48	2	23.98	PASS
106	5530	MCS0	484/65		9	8.12	6.48	30	2	23.98	PASS
400	5040	MCS0	full		13.5	12.88	19.4	19	2	3.98	PASS
122	5610	MCS0	484/66		9	8.44	6.97	76	2	3.98	PASS
138	5690(U-NII 2C)	MCS0	full		13.5	12.53	17.9	25	2	3.98	PASS
138	5690 (U-NII 3)	MCS0	full		13.5	0.89	1.22	27		30	PASS
	////////_////////	MCS0	full		13	12.81	19.1	08		30	PASS
155	5775	MCS0	484/65		9	8.67	7.35	55		30	PASS
		MCS0	484/66		9	8.96	7.86	63		30	PASS
302.11ax_H	E80_2TX Frequency	Data	Dilleonfin	Power	Avg. P	OWER (dBm)	TOTAL		TAL	REQUIRE	RESULT
СН	(MU-)	Data	RU config.	0.01			POWER		WER	LIMIT	I KESUL

СН	Frequency	Data	Dilleonfin	Power	Avg. POW	/ER (dBm)	TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
СП	(MHz)	Rate	RU config.	set	WLAN1	WLAN2	(dBm)	(mW)	(dBm)	RESULI
42	5210	MCS0	full	13.5	13.27	12.67	15.99	39.746	23.98	PASS
42	5210	MCS0	484/65	9	8.89	8.42	11.67	14.681	23.98	PASS
58	5290	MCS0	full	13.5	13.37	12.46	15.95	39.367	23.98	PASS
50	5290	MCS0	484/66	9	9.03	8.34	11.70	14.808	23.98	PASS
106	5530	MCS0	full	12.25	12.48	11.13	14.87	30.689	23.98	PASS
100	5550	MCS0	484/65	9	9.16	8.13	11.68	14.729	23.98	PASS
122	5610	MCS0	full	13	13.56	12.24	15.96	39.468	23.98	PASS
122	5010	MCS0	484/66	9	9.82	8.45	12.20	16.577	23.98	PASS
138	5690(U-NII 2C)	MCS0	full	13.5	13.21	12.09	15.70	37.140	23.98	PASS
138	5690 (U-NII 3)	MCS0	full	13.5	1.64	0.45	4.09	2.566	30	PASS
		MCS0	full	13.5	13.13	12.82	15.99	39.722	30	PASS
155	5775	MCS0	484/65	9	9.23	8.69	11.97	15.757	30	PASS
		MCS0	484/66	9	9.13	9.04	12.09	16.187	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



ISED Conducted output power and EIRP 9.5.2

802.11a_WLAN1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
100	5500	13.97	24.959	23.19	PASS
116	5580	15.87	38.657	23.24	PASS
140	5700	13.86	24.335	23.27	PASS
144	5720(U-NII 2C)	14.64	29.095	22.29	PASS
144	5720 (U-NII 3)	9.64	9.208	30	PASS
149	5745	15.64	36.663	30	PASS
157	5785	15.99	39.740	30	PASS
165	5825	15.90	38.925	30	PASS

802.11a_WLAN2

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
100	5500	13.82	24.112	23.18	PASS
116	5580	15.83	38.303	23.19	PASS
140	5700	13.79	23.946	23.18	PASS
144	5720(U-NII 2C)	14.60	28.829	22.23	PASS
144	5720 (U-NII 3)	9.64	9.211	30	PASS
149	5745	15.60	36.327	30	PASS
157	5785	15.91	39.015	30	PASS
165	5825	15.87	38.657	30	PASS

802.11a_2TX

СН	Frequency	AVERAGE POWER (dBm)		TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
011	(MHz)	WLAN1	WLAN2	(dBm)	(mW)	(dBm)	RESULT
100	5500	14.62	13.20	16.98	49.893	23.18	PASS
116	5580	16.59	15.19	18.96	78.683	23.19	PASS
140	5700	14.60	13.25	16.99	50.002	23.18	PASS
144	5720(U-NII 2C)	14.88	14.01	17.48	55.915	22.23	PASS
144	5720 (U-NII 3)	9.88	9.05	12.50	17.772	30	PASS
149	5745	15.77	15.39	18.60	72.390	30	PASS
157	5785	16.05	15.68	18.88	77.296	30	PASS
165	5825	15.91	15.67	18.80	75.933	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction for exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.11n_HT20_WLAN1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
100	5500	12.95	19.731	23.46	PASS
116	5580	15.89	38.829	23.45	PASS
140	5700	13.54	22.602	23.45	PASS
144	5720(U-NII 2C)	14.62	28.989	22.4	PASS
144	5720 (U-NII 3)	9.81	9.572	30	PASS
149	5745	15.87	38.651	30	PASS
157	5785	15.94	39.279	30	PASS
165	5825	15.88	38.740	30	PASS

802.11n_HT20_WLAN2

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
100	5500	12.91	19.550	23.46	PASS
116	5580	15.76	37.684	23.46	PASS
140	5700	13.52	22.499	23.46	PASS
144	5720(U-NII 2C)	14.53	28.358	22.4	PASS
144	5720 (U-NII 3)	9.70	9.326	30	PASS
149	5745	15.86	38.562	30	PASS
157	5785	15.80	38.033	30	PASS
165	5825	15.76	37.684	30	PASS

802.11n HT20 2TX

СН	Frequency	AVERAGE POWER (dBm)		TOTAL	TOTAL POWER	REQUIRED LIMIT	RESULT	
on	(MHz)	WLAN1	WLAN2	(dBm)	(mW)	(dBm)	ILCOLT	
100	5500	13.46	12.16	15.87	38.639	23.46	PASS	
116	5580	16.59	15.23	18.97	78.975	23.45	PASS	
140	5700	13.55	12.26	15.96	39.487	23.45	PASS	
144	5720(U-NII 2C)	14.87	13.98	17.46	55.692	22.4	PASS	
144	5720 (U-NII 3)	10.06	9.15	12.64	18.356	30	PASS	
149	5745	15.89	15.38	18.65	73.356	30	PASS	
157	5785	16.09	15.74	18.93	78.170	30	PASS	
165	5825	15.90	15.69	18.81	76.000	30	PASS	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

```
f (886-2) 2298-0488
```

www.sgs.com.tw

Member of SGS Group



802.11n_HT40_WLAN1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
102	5510	11.56	14.333	23.98	PASS
110	5550	14.78	30.083	23.98	PASS
134	5670	14.77	30.014	23.98	PASS
142	5710(U-NII 2C)	14.04	25.330	23.98	PASS
142	5710 (U-NII 3)	5.64	3.665	30	PASS
151	5755	14.82	30.362	30	PASS
159	5795	14.87	30.713	30	PASS

802.11n HT40 WLAN2

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
102	5510	11.53	14.234	23.98	PASS
110	5550	14.75	29.876	23.98	PASS
134	5670	14.64	29.129	23.98	PASS
142	5710(U-NII 2C)	13.97	24.974	23.98	PASS
142	5710 (U-NII 3)	5.67	3.689	30	PASS
151	5755	14.80	30.222	30	PASS
159	5795	14.78	30.083	30	PASS

802.11n_HT40_2TX

СН	Frequency	AVERAGE POWER (dBm)		TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
on	(MHz)	WLAN1 WLAN2		(dBm)	(mW)	(dBm)	RECOL
102	5510	11.58	10.19	13.95	24.854	23.98	PASS
110	5550	15.48	14.20	17.90	61.668	23.98	PASS
134	5670	15.44	14.35	17.94	62.269	23.98	PASS
142	5710(U-NII 2C)	14.68	13.71	17.23	52.875	23.98	PASS
142	5710 (U-NII 3)	6.28	5.41	8.88	7.722	30	PASS
151	5755	15.15	14.69	17.94	62.225	30	PASS
159	5795	15.14	14.74	17.96	62.491	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



802.11ac_VHT20_WLAN1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
100	5500	12.86	19.325	23.46	PASS
116	5580	15.88	38.736	23.45	PASS
140	5700	13.53	22.548	23.45	PASS
144	5720(U-NII 2C)	14.61	28.920	22.4	PASS
144	5720 (U-NII 3)	9.80	9.549	30	PASS
149	5745	15.85	38.469	30	PASS
157	5785	15.90	38.914	30	PASS
165	5825	15.87	38.647	30	PASS

802.11ac_VHT20_WLAN2

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
100	5500	12.81	19.103	23.46	PASS
116	5580	15.75	37.593	23.46	PASS
140	5700	13.51	22.445	23.46	PASS
144	5720(U-NII 2C)	14.51	28.225	22.4	PASS
144	5720 (U-NII 3)	9.68	9.282	30	PASS
149	5745	15.64	36.653	30	PASS
157	5785	15.51	35.572	30	PASS
165	5825	15.75	37.593	30	PASS

802.11ac VHT20 2TX

сн	Frequency	AVERAGE POWER (dBm)		TOTAL POWER	TOTAL POWER	REQUIRED	RESULT
GII	(MHz)	WLAN1	WLAN2	(dBm)	(mW)	(dBm)	RESOLT
100	5500	13.30	12.03	15.72	37.348	23.46	PASS
116	5580	16.48	15.27	18.93	78.134	23.45	PASS
140	5700	13.54	12.24	15.95	39.354	23.45	PASS
144	5720(U-NII 2C)	14.82	13.97	17.43	55.277	22.4	PASS
144	5720 (U-NII 3)	10.01	9.14	12.61	18.219	30	PASS
149	5745	15.88	15.37	18.64	73.179	30	PASS
157	5785	16.08	15.73	18.92	77.982	30	PASS
165	5825	15.89	15.67	18.79	75.732	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



802.11ac_VHT40_WLAN1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
102	5510	11.54	14.264	23.98	PASS
110	5550	14.77	30.008	23.98	PASS
134	5670	14.66	29.258	23.98	PASS
142	5710(U-NII 2C)	14.03	25.267	23.98	PASS
142	5710 (U-NII 3)	5.63	3.656	30	PASS
151	5755	14.81	30.286	30	PASS
159	5795	14.84	30.496	30	PASS

802.11ac_VHT40_WLAN2

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
102	5510	11.51	14.166	23.98	PASS
110	5550	14.74	29.802	23.98	PASS
134	5670	14.63	29.056	23.98	PASS
142	5710(U-NII 2C)	13.96	24.912	23.98	PASS
142	5710 (U-NII 3)	5.66	3.680	30	PASS
151	5755	14.79	30.147	30	PASS
159	5795	14.77	30.008	30	PASS

802.11ac_VHT40_2TX

СН	Frequency	AVERAGE POWER (dBm)		TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
CIT	(MHz) WLAN1 W		WLAN2	(dBm)	(mW)	(dBm)	RESULT
102	5510	11.56	10.14	13.92	24.663	23.98	PASS
110	5550	15.46	14.14	17.86	61.131	23.98	PASS
134	5670	15.41	14.31	17.91	61.765	23.98	PASS
142	5710(U-NII 2C)	14.30	13.72	17.03	50.460	23.98	PASS
142	5710 (U-NII 3)	5.90	5.42	8.68	7.373	30	PASS
151	5755	15.14	14.69	17.93	62.137	30	PASS
159	5795	15.09	14.72	17.92	61.967	30	PASS

802.11ac_VHT80_WLAN1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
106	5530	11.96	15.720	23.98	PASS
138	5690(U-NII 2C)	12.47	17.671	23.98	PASS
138	5690 (U-NII 3)	1.33	1.360	30	PASS
155	5775	12.97	19.836	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction for exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



802.11ac_VHT80_WLAN2

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
106	5530	11.91	15.540	23.98	PASS
138	5710(U-NII 2C)	12.40	17.381	23.98	PASS
138	5690 (U-NII 3)	1.15	1.302	30	PASS
155	5775	12.73	18.769	30	PASS

802.11ac_VHT80_2TX

CH		AVERAGE POWER (dBm)		TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
	(MHz)	WLAN1	WLAN2	(dBm)	(mW)	(dBm)	RECOL
106	5530	12.48	10.96	14.80	30.206	23.98	PASS
138	5710(U-NII 2C)	13.12	11.97	15.60	36.266	23.98	PASS
138	5690 (U-NII 3)	1.98	0.72	4.41	2.759	30	PASS
155	5775	13.11	12.81	15.98	39.604	30	PASS

802.11ax_HE20_WLAN1

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
		full	12.96	19.752	23.74	PASS
100	5500	26/0	8.43	6.960	23.74	PASS
100	5500	52/37	8.51	7.089	23.74	PASS
		106/53	8.60	7.253	23.74	PASS
116	5580	full	15.99	39.683	23.73	PASS
		full	13.55	22.626	23.73	PASS
140	5700	26/8	8.97	7.881	23.73	PASS
140	5700	52/40	8.98	7.900	23.73	PASS
		106/54	9.10	8.138	23.73	PASS
144	5720(U-NII	full	14.73	29.684	22.59	PASS
144	5720 (U-NII 3)	full	10.00	10.000	30	PASS
		full	15.90	38.869	30	PASS
149	5745	26/0	8.70	7.406	30	PASS
149	5745	52/37	8.75	7.492	30	PASS
		106/53	9.07	8.082	30	PASS
157	5785	full	15.97	39.501	30	PASS
		full	15.91	38.959	30	PASS
165	5825	26/8	8.11	6.465	30	PASS
105	5625	52/40	8.12	6.480	30	PASS
		106/54	8.33	6.815	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



802.11ax_HE20_WLAN2

сн	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
		full	12.93	19.616	23.73	PASS
100	5500	26/0	7.68	5.856	23.73	PASS
100	5500	52/37	7.68	5.856	23.73	PASS
		106/53	7.83	6.074	23.73	PASS
116	5580	full	15.80	37.985	23.74	PASS
		full	13.54	22.574	23.73	PASS
140	5700	26/8	8.15	6.525	23.73	PASS
140	5700	52/40	8.17	6.555	23.73	PASS
		106/54	8.17	6.569	23.73	PASS
144	5720(U-NII	full	14.56	28.543	22.58	PASS
144	5720 (U-NII 3)	full	9.95	9.881	30	PASS
		full	15.89	38.780	30	PASS
149	5745	26/0	8.35	6.833	30	PASS
149	5745	52/37	8.35	6.833	30	PASS
		106/53	8.44	6.990	30	PASS
157	5785	full	15.84	38.336	30	PASS
		full	15.81	38.072	30	PASS
165	5825	26/8	8.22	6.631	30	PASS
105	5625	52/40	8.23	6.647	30	PASS
		106/54	8.39	6.910	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.11ax_HE20_2TX

СН	Frequency	RII contig		E POWER 3m)	TOTAL POWER	TOTAL POWER	REQUIRED LIMIT	RESULT
	(MHz)	Ke comig.	WLAN1	WLAN2	(dBm)	(mW)	(dBm)	1120021
		full	13.44	12.25	15.89	38.833	23.73	PASS
100	5500	26/0	8.52	7.69	11.13	12.975	23.73	PASS
100	5500	52/37	8.60	7.70	11.18	13.121	23.73	PASS
		106/53	8.67	7.89	11.31	13.529	23.73	PASS
116	5580	full	16.61	15.24	18.99	79.162	23.73	PASS
		full	13.56	12.33	15.99	39.763	23.73	PASS
140	5700	26/8	9.00	8.17	11.61	14.491	23.73	PASS
140	5700	52/40	9.00	8.19	11.62	14.522	23.73	PASS
		106/54	9.15	8.26	11.74	14.938	23.73	PASS
144	5720(U-NII	full	15.08	14.16	17.65	58.207	22.58	PASS
144	5720 (U-NII 3)	full	10.35	9.55	12.98	19.851	30	PASS
		full	15.91	15.52	18.73	74.572	30	PASS
149	5745	26/0	8.73	8.36	11.56	14.306	30	PASS
143	5745	52/37	8.81	8.37	11.60	14.461	30	PASS
		106/53	9.09	8.52	11.83	15.239	30	PASS
157	5785	full	16.18	15.78	18.99	79.268	30	PASS
		full	16.05	15.91	18.99	79.194	30	PASS
165	5825	26/8	8.20	8.27	11.24	13.309	30	PASS
105	5025	52/40	8.18	8.24	11.22	13.232	30	PASS
		106/54	8.36	8.46	11.43	13.885	30	PASS

802.11ax_HE40_WLAN1

сн	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
102	5510	full	11.58	14.403	23.98	PASS
102	5510	242/61	8.74	7.475	23.98	PASS
110	5550	full	14.88	30.794	23.98	PASS
134	5670	full	14.96	31.367	23.98	PASS
134	5070	242/62	9.38	8.662	23.98	PASS
142	5710(U-NII	full	14.38	27.422	23.98	PASS
142	5710 (U-NII 3)	full	5.96	3.944	30	PASS
151	5755	full	14.87	30.723	30	PASS
151	5755	242/61	9.09	8.102	30	PASS
159	5795	full	14.95	31.294	30	PASS
109	5795	242/62	8.87	7.702	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

```
f (886-2) 2298-0488
```



802.11ax_HE40_WLAN2

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
102	5510	full	11.56	14.337	23.98	PASS
102	5510	242/61	7.92	6.189	23.98	PASS
110	5550	full	14.81	30.302	23.98	PASS
134	5670	full	14.93	31.151	23.98	PASS
134	5070	242/62	7.97	6.260	23.98	PASS
142	5710(U-NII	full	14.23	26.466	23.98	PASS
142	5710 (U-NII 3)	full	5.84	3.836	30	PASS
151	5755	full	14.85	30.582	30	PASS
101	5755	242/61	8.49	7.057	30	PASS
159	5795	full	14.81	30.302	30	PASS
109	5795	242/62	8.82	7.614	30	PASS

802.11ax_HE40_2TX

СН	CH Frequency (MHz)	RU config.	_	AVERAGE POWER (dBm)		TOTAL POWER	REQUIRED LIMIT	RESULT
		Ko ooning.	WLAN1	WLAN2	POWER (dBm)	(mW)	(dBm)	1120021
102	5510	full	11.59	10.24	13.98	25.016	23.98	PASS
102	5510	242/61	8.88	7.93	11.44	13.923	23.98	PASS
110	5550	full	15.55	14.23	17.95	62.444	23.98	PASS
134	5670	full	15.47	14.38	17.97	62.720	23.98	PASS
134	3070	242/62	9.42	8.00	11.77	15.046	23.98	PASS
142	5710(U-NII	full	14.72	13.80	17.29	53.626	23.98	PASS
142	5710 (U-NII 3)	full	6.30	5.41	8.89	7.740	30	PASS
151	5755	full	15.20	14.72	17.98	62.829	30	PASS
131	5755	242/61	9.18	8.55	11.88	15.427	30	PASS
159	5795	full	15.17	14.78	17.99	63.014	30	PASS
109	5795	242/62	8.92	8.86	11.90	15.475	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.11ax_HE80_WLAN1

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
106	5530	full	11.99	15.821	23.98	PASS
100	5550	484/65	9.03	7.991	23.98	PASS
138	5690(U-NII	full	12.57	18.072	23.98	PASS
138	5690 (U-NII 3)	full	1.00	1.257	30	PASS
		full	12.86	19.330	30	PASS
155	5775	484/65	9.22	8.348	30	PASS
		484/66	9.05	8.028	30	PASS

802.11ax_HE80_WLAN2

сн	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
106	5530	full	11.97	15.748	23.98	PASS
100	5550	484/65	8.12	6.480	23.98	PASS
138	5690(U-NII	full	12.53	17.925	23.98	PASS
138	5690 (U-NII 3)	full	0.89	1.227	30	PASS
		full	12.81	19.108	30	PASS
155	5775	484/65	8.67	7.355	30	PASS
		484/66	8.96	7.863	30	PASS

802.11ax_HE80_2TX

СН	Frequency	RU config.	AVERAGE POWER (dBm)		TOTAL POWER	TOTAL POWER	REQUIRED	RESULT
(MHz)	Ko conng.	WLAN1	WLAN2	(dBm)	(mW)	(dBm)		
106	5530	full	12.48	11.13	14.87	30.689	23.98	PASS
100	5550	484/65	9.16	8.13	11.68	14.729	23.98	PASS
138	5690(U-NII	full	13.21	12.09	15.70	37.140	23.98	PASS
138	5690 (U-NII 3)	full	1.64	0.45	4.09	2.566	30	PASS
		full	13.13	12.82	15.99	39.722	30	PASS
155	5775	484/65	9.23	8.69	11.97	15.757	30	PASS
		484/66	9.13	9.04	12.09	16.187	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



LOW POWER OF EIRP (TPC)

802.11a_WLAN1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	5.67	2.57	8.24	6.668	13.96	PASS
44	5220	5.41	2.57	7.98	6.281	13.96	PASS
48	5240	5.60	2.57	8.17	6.561	13.94	PASS
52	5260	5.62	2.57	8.19	6.592	13.96	PASS
60	5300	5.81	2.57	8.38	6.887	13.96	PASS
64	5320	5.65	2.57	8.22	6.637	13.95	PASS
802.11a WLA	N2	•	•			•	
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	5.39	0.06	5.45	3.508	13.95	PASS
44	5220	5.53	0.06	5.59	3.622	13.94	PASS
48	5240	5.39	0.06	5.45	3.508	13.95	PASS
52	5260	5.57	0.06	5.63	3.656	13.94	PASS
60	5300	5.64	0.06	5.70	3.715	13.95	PASS
64	5320	5.70	0.06	5.76	3.767	13.95	PASS
802.11a 2TX		0110	0.00	0.10	0.1.01	10.00	17,000
сн	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	8.80	1.49	10.30	10.715	13.95	PASS
44	5220	8.52	1.49	10.01	10.023	13.94	PASS
48	5240	8.57	1.49	10.06	10.139	13.94	PASS
52	5260	8.85	1.49	10.35	10.839	13.94	PASS
60	5300	8.89	1.49	10.39	10.940	13.95	PASS
64	5320	8.89	1.49	10.38	10.914	13.95	PASS
802.11n_HT2	0 WLAN1		•				
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	7.79	2.57	10.36	10.864	14.22	PASS
44	5220	7.75	2.57	10.32	10.765	14.22	PASS
48	5240	7.59	2.57	10.16	10.375	14.22	PASS
52	5260	7.73	2.57	10.30	10.715	14.21	PASS
60	5300	7.61	2.57	10.18	10.423	14.22	PASS
64	5320	7.58	2.57	10.15	10.351	14.22	PASS
802.11n_HT2	0_WLAN2						
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	7.62	0.06	7.68	5.861	14.23	PASS
44	5220	7.83	0.06	7.89	6.152	14.22	PASS
48	5240	7.56	0.06	7.62	5.781	14.22	PASS
50	5000	7.45	0.00	7 54	E 000	11.00	D A00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

5260

5300

5320

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

0.06

0.06

0.06

7.51

7.57

7.68

52

60 64

f (886-2) 2298-0488

7.45

7.51

7.62

www.sqs.com.tw

5.636

5.715

5.861

14.22

14.22

14.22

PASS

PASS

PASS



802.11n_HT20_2TX

		TOTAL	Antenna	510.0	FIDD	REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
36	5180	8.31	1.49	9.81	9.572	14.22	PASS
44	5220	8.51	1.49	10.01	10.023	14.22	PASS
48	5240	8.50	1.49	9.99	9.977	14.22	PASS
52	5260	8.46	1.49	9.96	9.908	14.21	PASS
60	5300	8.37	1.49	9.87	9.705	14.22	PASS
64	5320	8.50	1.49	9.99	9.977	14.22	PASS
802.11n HT4	40 WLAN1			•	•	•	•
	_	TOTAL	Antenna			REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
38	5190	8.55	2.57	11.12	12.942	14.77	PASS
46	5230	8.53	2.57	11.10	12.882	14.77	PASS
54	5270	8.74	2.57	11.31	13.521	14.77	PASS
62	5310	8.61	2.57	11.18	13.122	14.77	PASS
802.11n_HT4	10 WLAN2					•	•
	—	TOTAL	Antenna			REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
38	5190	8.43	0.06	8.49	7.063	14.77	PASS
46	5230	8.37	0.06	8.43	6.966	14.77	PASS
54	5270	8.59	0.06	8.65	7.328	14.77	PASS
62	5310	8.50	0.06	8.56	7.178	14.77	PASS
802.11n HT4	40 2TX	•					
		TOTAL	Antenna			REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
38	5190	8.43	1.49	9.92	9.817	14.77	PASS
46	5230	8.63	1.49	10.12	10.280	14.77	PASS
54	5270	8.45	1.49	9.94	9.863	14.77	PASS
62	5310	8.48	1.49	9.97	9.931	14.77	PASS
802.11ac_VH	IT20_WLAN1	•					•
Ī	—	TOTAL	Antenna	510.0	FIDD	REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
36	5180	7.76	2.57	10.33	10.789	14.22	PASS
44	5220	7.75	2.57	10.32	10.765	14.22	PASS
48	5240	7.53	2.57	10.10	10.233	14.22	PASS
					10.471	14.21	PASS
52	5260	7.63	2.57	10.20	10.471	4.Z	FAUU
-	5260 5300	7.63 7.74	2.57 2.57	10.20 10.31	10. 471 10.740	14.21	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



802.11ac_VHT20_WLAN2

Ī		TOTAL	Antenna		515.5	REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
36	5180	7.60	0.06	7.66	5.834	14.23	PASS
44	5220	7.57	0.06	7.63	5.794	14.22	PASS
48	5240	7.45	0.06	7.51	5.636	14.22	PASS
52	5260	7.58	0.06	7.64	5.808	14.22	PASS
60	5300	7.58	0.06	7.64	5.808	14.22	PASS
64	5320	7.49	0.06	7.55	5.689	14.22	PASS
802.11ac VH	T20 2TX	•		•	•		•
Ī	_	TOTAL	Antenna			REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
36	5180	8.35	1.49	9.84	9.638	14.22	PASS
44	5220	8.55	1.49	10.04	10.093	14.22	PASS
48	5240	8.61	1.49	10.10	10.233	14.22	PASS
52	5260	8.35	1.49	9.84	9.638	14.21	PASS
60	5300	8.41	1.49	9.90	9.772	14.22	PASS
64	5320	8.44	1.49	9.93	9.840	14.22	PASS
802.11ac VH				,			
	-	TOTAL	Antenna	1		REQUIRED	1
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
38	5190	8.42	2.57	10.99	12.560	14.77	PASS
46	5230	8.46	2.57	11.03	12.500 12.677	14.77	PASS
54	5270	8.68	2.57	11.25	13.335	14.77	PASS
62	5310	8.72	2.57	11.29	13.459	14.77	PASS
802.11ac_VH		0.72	2.57	11.25	13.433	14.77	FAGO
		TOTAL	Antenna		1	REQUIRED	T
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
СП	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	RESULI
	5400	· · ·	. ,	0.54		. ,	DA00
38	5190 5230	8.48	0.06	8.54	7.145	14.77	PASS
46	5230	8.41	0.06	8.47	7.031	14.77	PASS
54	5310	8.51	0.06	8.57	7.194	14.77	PASS
62		8.61	0.06	8.67	7.362	14.77	PASS
802.11ac_VH	140_21X	TOTAL		· · · · · · · · · · · · · · · · · · ·			1
	Frequency	TOTAL	Antenna	EIRP	EIRP	REQUIRED	
СН	(MHz)	POWER	Gain	(dBm)	(mW)	LIMIT	RESULT
		(dBm)	(dBi)			(dBm)	ļ
38	5190	8.38	1.49	9.87	9.705	14.77	PASS
46	5230	8.57	1.49	10.06	10.139	14.77	PASS
54	5270	8.44	1.49	9.94	9.863	14.77	PASS
62	5310	8.41	1.49	9.90	9.772	14.77	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



802.11ac_VHT80_WLAN1

СН	Fr	equency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
42		5210	8.52	2.57	11.09	12.853	14.77	PASS
58		5290	8.84	2.57	11.41	13.836	14.77	PASS
802.11ac	VHT80_WLA	N2						
СН	Fr	Frequency (MHz)		Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
42		5210	8.66	0.06	8.72	7.447	14.77	PASS
58		5290	8.26	0.06	8.32	6.792	14.77	PASS
802.11ac	VHT80 2TX				-			-
СН	Fr	Frequency (MHz)		Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
42		5210	8.72	1.49	10.21	10.495	14.77	PASS
58		5290	8.45	1.49	9.94	9.863	14.77	PASS
802.11ax	HE20_WLAN	1						
СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
		full	7.87	2.57	10.44	11.066	14.49	PASS
36	5180	26/0	5.30	2.57	7.87	6.124	14.49	PASS
30	5160	52/37	5.26	2.57	7.83	6.067	14.49	PASS
		106/53	5.56	2.57	8.13	6.501	14.49	PASS
44	5220	full	7.83	2.57	10.40	10.965	14.49	PASS
48	5240	full	7.73	2.57	10.30	10.715	14.49	PASS
52	5260	full	7.77	2.57	10.34	10.814	14.49	PASS
60	5300	full	7.69	2.57	10.26	10.617	14.5	PASS
		full	7.75	2.57	10.32	10.765	14.49	PASS
	1	26/8	5.68	2.57	8.25	6.683	14.49	
64	5320	20/0	5.06	2.31	0.20	0.003	14.49	PASS

802.11ax HE20 WLAN2

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
		full	7.66	0.06	7.72	5.916	14.48	PASS
36	5180	26/0	4.52	0.06	4.58	2.871	14.48	PASS
30	5160	52/37	4.59	0.06	4.65	2.917	14.48	PASS
		106/53	4.68	0.06	4.74	2.979	14.48	PASS
44	5220	full	7.89	0.06	7.95	6.237	14.49	PASS
48	5240	full	7.81	0.06	7.87	6.124	14.5	PASS
52	5260	full	7.85	0.06	7.91	6.180	14.49	PASS
60	5300	full	7.76	0.06	7.82	6.053	14.5	PASS
		full	7.71	0.06	7.77	5.984	14.5	PASS
64	5320	26/8	4.87	0.06	4.93	3.112	14.5	PASS
04	5520	52/40	4.90	0.06	4.96	3.133	14.5	PASS
		106/54	4.70	0.06	4.76	2.992	14.5	PASS

2.57

2.57

5.84

5.49

8.41

8.06

6.934

6.397

14.49

14.49

PASS

PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

52/40

106/54

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.11ax_HE20_2TX

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
		full	8.69	1.49	10.18	10.423	14.48	PASS
36	5180	26/0	7.86	1.49	9.36	8.630	14.48	PASS
	5160	52/37	7.98	1.49	9.47	8.851	14.48	PASS
		106/53	8.25	1.49	9.74	9.419	14.48	PASS
44	5220	full	8.76	1.49	10.26	10.617	14.49	PASS
48	5240	full	8.83	1.49	10.32	10.765	14.49	PASS
52	5260	full	8.67	1.49	10.16	10.375	14.49	PASS
60	5300	full	8.63	1.49	10.12	10.280	14.5	PASS
		full	8.73	1.49	10.22	10.520	14.49	PASS
64	5320	26/8	8.31	1.49	9.80	9.550	14.49	PASS
04	5520	52/40	8.41	1.49	9.90	9.772	14.49	PASS
		106/54	8.23	1.49	9.72	9.376	14.49	PASS
802.11ax	_HE40_WLAN	1	•		•	•		
СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
		full	8.58	2.57	11.15	13.032	14 77	PASS

	(10112)		(dBm)	(dBi)	(авті)	(11100)	(dBm)	
38	5190	full	8.58	2.57	11.15	13.032	14.77	PASS
50	5150	242/61	5.62	2.57	8.19	6.592	14.77	PASS
46	5230	full	8.84	2.57	11.41	13.836	14.77	PASS
54	5270	full	8.67	2.57	11.24	13.305	14.77	PASS
62	5310	full	8.74	2.57	11.31	13.521	14.77	PASS
02	5510	242/62	5.92	2.57	8.49	7.063	14.77	PASS

802.11ax_HE40_WLAN2

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	full	8.60	0.06	8.66	7.345	14.77	PASS
50	5190	242/61	4.88	0.06	4.94	3.119	14.77	PASS
46	5230	full	8.92	0.06	8.98	7.907	14.77	PASS
54	5270	full	8.71	0.06	8.77	7.534	14.77	PASS
62	5310	full	8.78	0.06	8.84	7.656	14.77	PASS
02	5510	242/62	5.10	0.06	5.16	3.281	14.77	PASS

802.11ax_HE40_2TX

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	full	8.79	1.49	10.28	10.666	14.77	PASS
30	5190	242/61	8.31	1.49	9.80	9.550	14.77	PASS
46	5230	full	8.82	1.49	10.32	10.765	14.77	PASS
54	5270	full	8.73	1.49	10.23	10.544	14.77	PASS
62	5310	full	8.73	1.49	10.22	10.520	14.77	PASS
02	5510	242/62	8.61	1.49	10.10	10.233	14.77	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



802.11ax_HE80_WLAN1

сн	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
42	5210	full	8.73	2.57	11.30	13.490	14.77	PASS
42	5210	484/65	5.66	2.57	8.23	6.653	14.77	PASS
58	5290	full	8.87	2.57	11.44	13.932	14.77	PASS
50	5290	484/66	5.32	2.57	7.89	6.152	14.77	PASS
802.11ax	_HE80_WLAN2	2						
СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
42	5210	full	8.83	0.06	8.89	7.745	14.77	PASS
42	5210	484/65	5.24	0.06	5.30	3.388	14.77	PASS
58	5290	full	8.55	0.06	8.61	7.261	14.77	PASS
50	5290	484/66	5.08	0.06	5.14	3.266	14.77	PASS
802.11ax	_HE80_2TX							
СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
42	5210	full	8.83	1.49	10.33	10.789	14.77	PASS
42	5210	484/65	8.61	1.49	10.11	10.257	14.77	PASS
58	5290	full	8.82	1.49	10.31	10.740	14.77	PASS
50	5290	484/66	8.54	1.49	10.04	10.093	14.77	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

```
www.sgs.com.tw
```



HIGH POWER OF EIRP

802.11a_WLAN1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	8.92	2.57	11.49	14.093	13.96	PASS
44	5220	8.63	2.57	11.20	13.183	13.96	PASS
48	5240	8.72	2.57	11.29	13.459	13.94	PASS
52	5260	8.74	2.57	11.31	13.521	13.96	PASS
60	5300	8.83	2.57	11.40	13.804	13.96	PASS
64	5320	8.88	2.57	11.45	13.964	13.95	PASS
100	5500	13.97	2.57	16.54	45.082	29.19	PASS
116	5580	15.87	2.57	18.44	69.823	29.24	PASS
140	5700	13.86	2.57	16.43	43.954	29.27	PASS

802.11a_WLAN2

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	8.50	0.06	8.56	7.178	13.95	PASS
44	5220	8.58	0.06	8.64	7.311	13.94	PASS
48	5240	8.60	0.06	8.66	7.345	13.95	PASS
52	5260	8.71	0.06	8.77	7.534	13.94	PASS
60	5300	8.77	0.06	8.83	7.638	13.95	PASS
64	5320	8.84	0.06	8.90	7.762	13.95	PASS
100	5500	13.82	0.06	13.88	24.434	29.18	PASS
116	5580	15.83	0.06	15.89	38.815	29.19	PASS
140	5700	13.79	0.06	13.85	24.266	29.18	PASS

802.11a_2TX

сн	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	11.97	1.49	13.46	22.182	13.95	PASS
44	5220	11.68	1.49	13.17	20.749	13.94	PASS
48	5240	11.72	1.49	13.22	20.989	13.94	PASS
52	5260	11.96	1.49	13.46	22.182	13.94	PASS
60	5300	11.96	1.49	13.45	22.131	13.95	PASS
64	5320	11.99	1.49	13.48	22.284	13.95	PASS
100	5500	16.98	1.49	18.47	70.307	29.18	PASS
116	5580	18.96	1.49	20.45	110.917	29.19	PASS
140	5700	16.99	1.49	18.48	70.469	29.18	PASS

802.11n_HT20_WLAN1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	10.96	2.57	13.53	22.542	14.22	PASS
44	5220	10.94	2.57	13.51	22.439	14.22	PASS
48	5240	10.86	2.57	13.43	22.029	14.22	PASS
52	5260	10.76	2.57	13.33	21.528	14.21	PASS
60	5300	10.84	2.57	13.41	21.928	14.22	PASS
64	5320	10.88	2.57	13.45	22.131	14.22	PASS
100	5500	12.95	2.57	15.52	35.645	29.46	PASS
116	5580	15.89	2.57	18.46	70.146	29.45	PASS
140	5700	13.54	2.57	16.11	40.832	29.45	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

f (886-2) 2298-0488

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



802.11n_HT20_WLAN2

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	10.91	0.06	10.97	12.503	14.23	PASS
44	5220	10.86	0.06	10.92	12.359	14.22	PASS
48	5240	10.80	0.06	10.86	12.190	14.22	PASS
52	5260	10.74	0.06	10.80	12.023	14.22	PASS
60	5300	10.78	0.06	10.84	12.134	14.22	PASS
64	5320	10.83	0.06	10.89	12.274	14.22	PASS
100	5500	12.91	0.06	12.97	19.815	29.46	PASS
116	5580	15.76	0.06	15.82	38.194	29.46	PASS
140	5700	13.52	0.06	13.58	22.803	29.46	PASS

802.11n_HT20_2TX

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	11.57	1.49	13.06	20.230	14.22	PASS
44	5220	11.72	1.49	13.21	20.941	14.22	PASS
48	5240	11.74	1.49	13.23	21.038	14.22	PASS
52	5260	11.53	1.49	13.02	20.045	14.21	PASS
60	5300	11.60	1.49	13.09	20.370	14.22	PASS
64	5320	11.64	1.49	13.13	20.559	14.22	PASS
100	5500	15.87	1.49	17.36	54.450	29.46	PASS
116	5580	18.97	1.49	20.47	111.429	29.45	PASS
140	5700	15.96	1.49	17.46	55.719	29.45	PASS

802.11n_HT40_WLAN1

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	11.56	2.57	14.13	25.882	14.77	PASS
46	5230	11.73	2.57	14.30	26.915	14.77	PASS
54	5270	11.75	2.57	14.32	27.040	14.77	PASS
62	5310	11.86	2.57	14.43	27.733	14.77	PASS
102	5510	11.56	2.57	14.13	25.882	30	PASS
110	5550	14.78	2.57	17.35	54.325	30	PASS
134	5670	14.77	2.57	17.34	54.200	30	PASS

802.11n HT40 WLAN2

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	11.52	0.06	11.58	14.388	14.77	PASS
46	5230	11.66	0.06	11.72	14.859	14.77	PASS
54	5270	11.74	0.06	11.80	15.136	14.77	PASS
62	5310	11.78	0.06	11.84	15.276	14.77	PASS
102	5510	11.53	0.06	11.59	14.421	30	PASS
110	5550	14.75	0.06	14.81	30.269	30	PASS
134	5670	14.64	0.06	14.70	29.512	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.11n_HT40_2TX

		TOTAL	Antenna	FIDD	FIDD	REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
38	5190	11.61	1.49	13.10	20.417	14.77	PASS
46	5230	11.72	1.49	13.21	20.941	14.77	PASS
54	5270	11.58	1.49	13.08	20.324	14.77	PASS
62	5310	11.63	1.49	13.12	20.512	14.77	PASS
102	5510	13.95	1.49	15.45	35.075	30	PASS
110	5550	17.90	1.49	19.39	86.896	30	PASS
134	5670	17.94	1.49	19.44	87.902	30	PASS
802.11ac	VHT20_WLAN1						
	Frequency	TOTAL	Antenna	EIRP	EIRP	REQUIRED	
СН	(MHz)	POWER (dBm)	Gain (dBi)	(dBm)	(mW)	LIMIT (dBm)	RESULT
36	5180	10.86	2.57	13.43	22.029	14.22	PASS
44	5220	10.89	2.57	13.46	22.182	14.22	PASS
48	5240	10.05	2.57	13.33	21.528	14.22	PASS
52	5260	10.75	2.57	13.32	21.478	14.21	PASS
60	5300	10.81	2.57	13.38	21.777	14.22	PASS
64	5320	10.85	2.57	13.42	21.979	14.22	PASS
100	5500	12.86	2.57	15.43	34.914	29.46	PASS
116	5580	15.88	2.57	18.45	69.984	29.45	PASS
140	5700	13.53	2.57	16.10	40.738	29.45	PASS
L	VHT20 WLAN2	10.00	2.07	10.10	40.700	20.40	17,00
		TOTAL	Antenna			REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	RESOLI
	5180	. ,	. ,	10.07	10.010	, ,	DAGO
36		10.81	0.06	10.87 10.89	12.218	14.23	PASS
44	5220 5240	10.83	0.06	10.89	12.274	14.22	PASS
48		40.70	0.00		44.007		
52		10.72	0.06	10.78	11.967	14.22	PASS
	5260	10.73	0.06	10.78 10.79	11.995	14.22 14.22	PASS
60	5260 5300	10.73 10.72	0.06 0.06	10.78 10.79 10.78	11.995 11.967	14.22 14.22 14.22	PASS PASS
60 64	5260 5300 5320	10.73 10.72 10.78	0.06 0.06 0.06	10.78 10.79 10.78 10.84	11.995 11.967 12.134	14.22 14.22 14.22 14.22 14.22	PASS PASS PASS
60 64 100	5260 5300 5320 5500	10.73 10.72 10.78 12.81	0.06 0.06 0.06 0.06	10.78 10.79 10.78 10.84 12.87	11.995 11.967 12.134 19.364	14.22 14.22 14.22 14.22 29.46	PASS PASS PASS PASS
60 64 100 116	5260 5300 5320 5500 5580	10.73 10.72 10.78 12.81 15.75	0.06 0.06 0.06 0.06 0.06	10.78 10.79 10.78 10.84 12.87 15.81	11.995 11.967 12.134 19.364 38.107	14.22 14.22 14.22 14.22 29.46 29.46	PASS PASS PASS PASS PASS
60 64 100 116 140	5260 5300 5320 5500 5580 5700	10.73 10.72 10.78 12.81	0.06 0.06 0.06 0.06	10.78 10.79 10.78 10.84 12.87	11.995 11.967 12.134 19.364	14.22 14.22 14.22 14.22 29.46	PASS PASS PASS PASS
60 64 100 116 140	5260 5300 5320 5500 5580	10.73 10.72 10.78 12.81 15.75 13.51	0.06 0.06 0.06 0.06 0.06 0.06	10.78 10.79 10.78 10.84 12.87 15.81	11.995 11.967 12.134 19.364 38.107	14.22 14.22 14.22 14.22 29.46 29.46 29.46	PASS PASS PASS PASS PASS
60 64 100 116 140 802.11ac	5260 5300 5320 5500 5580 5700	10.73 10.72 10.78 12.81 15.75 13.51 TOTAL	0.06 0.06 0.06 0.06 0.06 0.06 Antenna	10.78 10.79 10.78 10.84 12.87 15.81	11.995 11.967 12.134 19.364 38.107	14.22 14.22 14.22 14.22 29.46 29.46 29.46 29.46	PASS PASS PASS PASS PASS PASS
60 64 100 116 140	5260 5300 5320 5500 5580 5700 VHT20_2TX	10.73 10.72 10.78 12.81 15.75 13.51 TOTAL POWER	0.06 0.06 0.06 0.06 0.06 0.06 Antenna Gain	10.78 10.79 10.78 10.84 12.87 15.81 13.57	11.995 11.967 12.134 19.364 38.107 22.751	14.22 14.22 14.22 29.46 29.46 29.46 29.46 REQUIRED LIMIT	PASS PASS PASS PASS PASS
60 64 100 116 140 802.11ас_ Сн	5260 5300 5320 5500 5580 5700 VHT20_2TX Frequency (MHz)	10.73 10.72 10.78 12.81 15.75 13.51 TOTAL POWER (dBm)	0.06 0.06 0.06 0.06 0.06 0.06 Antenna Gain (dBi)	10.78 10.79 10.78 10.84 12.87 15.81 13.57 EIRP (dBm)	11.995 11.967 12.134 19.364 38.107 22.751 EIRP (mW)	14.22 14.22 14.22 29.46 29.46 29.46 REQUIRED LIMIT (dBm)	PASS PASS PASS PASS PASS PASS
60 64 100 116 140 802.11ас_ Сн 36	5260 5300 5320 5500 5580 5700 _VHT20_2TX Frequency (MHz) 5180	10.73 10.72 10.78 12.81 15.75 13.51 TOTAL POWER (dBm) 11.55	0.06 0.06 0.06 0.06 0.06 0.06 Antenna Gain (dBi) 1.49	10.78 10.79 10.78 10.84 12.87 15.81 13.57 EIRP (dBm) 13.04	11.995 11.967 12.134 19.364 38.107 22.751 EIRP (mW) 20.137	14.22 14.22 14.22 29.46 29.46 29.46 REQUIRED LIMIT (dBm) 14.22	PASS PASS PASS PASS PASS RESULT PASS
60 64 100 116 140 802.11ас_ Сн 36 44	5260 5300 5320 5500 5580 5700 VHT20_2TX Frequency (MHz) 5180 5220	10.73 10.72 10.78 12.81 15.75 13.51 TOTAL POWER (dBm) 11.55 11.71	0.06 0.06 0.06 0.06 0.06 0.06 Antenna Gain (dBi) 1.49 1.49	10.78 10.79 10.78 10.84 12.87 15.81 13.57 EIRP (dBm) 13.04 13.20	11.995 11.967 12.134 19.364 38.107 22.751 EIRP (mW) 20.137 20.893	14.22 14.22 14.22 29.46 29.46 29.46 REQUIRED LIMIT (dBm) 14.22 14.22	PASS PASS PASS PASS PASS PASS RESULT PASS PASS
60 64 100 116 140 802.11ас_ Сн 36 44 48	5260 5300 5320 5500 5580 5700 VHT20_2TX Frequency (MHz) 5180 5220 5240	10.73 10.72 10.78 12.81 15.75 13.51 TOTAL POWER (dBm) 11.55 11.71 11.73	0.06 0.06 0.06 0.06 0.06 Antenna Gain (dBi) 1.49 1.49 1.49	10.78 10.79 10.78 10.84 12.87 15.81 13.57 EIRP (dBm) 13.04 13.20 13.23	11.995 11.967 12.134 19.364 38.107 22.751 EIRP (mW) 20.137 20.893 21.038	14.22 14.22 14.22 29.46 29.46 29.46 REQUIRED LIMIT (dBm) 14.22 14.22 14.22	PASS PASS PASS PASS PASS PASS RESULT PASS PASS PASS
60 64 100 116 140 802.11ас_ Сн 36 44 48 52	5260 5300 5320 5500 5580 5700 VHT20_2TX Frequency (MHz) 5180 5220 5240 5240 5260	10.73 10.72 10.78 12.81 15.75 13.51 TOTAL POWER (dBm) 11.55 11.71 11.73 11.50	0.06 0.06 0.06 0.06 0.06 Antenna Gain (dBi) 1.49 1.49 1.49 1.49	10.78 10.79 10.78 10.84 12.87 15.81 13.57 EIRP (dBm) 13.04 13.20 13.23 13.00	11.995 11.967 12.134 19.364 38.107 22.751 EIRP (mW) 20.137 20.893 21.038 19.953	14.22 14.22 14.22 29.46 29.46 29.46 29.46 REQUIRED LIMIT (dBm) 14.22 14.22 14.22 14.22	PASS PASS PASS PASS PASS PASS PASS PASS
60 64 100 116 140 802.11ас_ Сн 36 44 48 52 60	5260 5300 5320 5500 5580 5700 VHT20_2TX Frequency (MHz) 5180 5220 5240 5240 5260 5300	10.73 10.72 10.78 12.81 15.75 13.51 TOTAL POWER (dBm) 11.55 11.71 11.73 11.50 11.57	0.06 0.06 0.06 0.06 0.06 Antenna Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49	10.78 10.79 10.78 10.84 12.87 15.81 13.57 EIRP (dBm) 13.04 13.20 13.23 13.00 13.06	11.995 11.967 12.134 19.364 38.107 22.751 EIRP (mW) 20.137 20.893 21.038 19.953 20.230	14.22 14.22 14.22 29.46 29.46 29.46 29.46 REQUIRED LIMIT (dBm) 14.22 14.22 14.22 14.22 14.21 14.22	PASS PASS PASS PASS PASS PASS PASS PASS
60 64 100 116 140 802.11ас Сн 36 44 48 52 60 60 64	5260 5300 5320 5500 5580 5700 VHT20_2TX Frequency (MHz) 5180 5220 5240 5240 5260 5260 5300 5320	10.73 10.72 10.78 12.81 15.75 13.51 TOTAL POWER (dBm) 11.55 11.71 11.73 11.50 11.57 11.61	0.06 0.06 0.06 0.06 0.06 Antenna Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49	10.78 10.79 10.78 10.84 12.87 15.81 13.57 EIRP (dBm) 13.04 13.20 13.23 13.00 13.06 13.10	11.995 11.967 12.134 19.364 38.107 22.751 EIRP (mW) 20.137 20.893 21.038 19.953 20.230 20.417	14.22 14.22 14.22 29.46 29.46 29.46 29.46 REQUIRED LIMIT (dBm) 14.22 14.22 14.22 14.22 14.22 14.22	PASS PASS PASS PASS PASS PASS PASS PASS
60 64 100 116 140 802.11ас_ Сн 36 44 48 52 60 60 64 100	5260 5300 5320 5500 5580 5700 VHT20_2TX Frequency (MHz) 5180 5220 5240 5220 5240 5260 5300 5320 5320 5320 5500	10.73 10.72 10.78 12.81 15.75 13.51 TOTAL POWER (dBm) 11.55 11.71 11.73 11.50 11.57 11.61 15.72	0.06 0.06 0.06 0.06 0.06 Antenna Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49 1.49	10.78 10.79 10.78 10.84 12.87 15.81 13.57 EIRP (dBm) 13.04 13.20 13.20 13.00 13.06 13.10 17.22	11.995 11.967 12.134 19.364 38.107 22.751 EIRP (mW) 20.137 20.893 21.038 19.953 20.230 20.417 52.723	14.22 14.22 14.22 29.46 29.46 29.46 29.46 REQUIRED LIMIT (dBm) 14.22 14.22 14.22 14.22 14.22 14.22 14.22 14.22	PASS PASS PASS PASS PASS PASS PASS PASS
60 64 100 116 140 802.11ас Сн 36 44 48 52 60 60 64	5260 5300 5320 5500 5580 5700 VHT20_2TX Frequency (MHz) 5180 5220 5240 5240 5260 5260 5300 5320	10.73 10.72 10.78 12.81 15.75 13.51 TOTAL POWER (dBm) 11.55 11.71 11.73 11.50 11.57 11.61	0.06 0.06 0.06 0.06 0.06 Antenna Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49	10.78 10.79 10.78 10.84 12.87 15.81 13.57 EIRP (dBm) 13.04 13.20 13.23 13.00 13.06 13.10	11.995 11.967 12.134 19.364 38.107 22.751 EIRP (mW) 20.137 20.893 21.038 19.953 20.230 20.417	14.22 14.22 14.22 29.46 29.46 29.46 29.46 REQUIRED LIMIT (dBm) 14.22 14.22 14.22 14.22 14.22 14.22	PASS PASS PASS PASS PASS PASS PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.11ac_VHT40_WLAN1

Ī	_	TOTAL	Antenna			REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
38	5190	11.54	2.57	14.11	25.763	14.77	PASS
46	5230	11.72	2.57	14.29	26.853	14.77	PASS
54	5270	11.73	2.57	14.30	26.915	14.77	PASS
62	5310	11.85	2.57	14.42	27.669	14.77	PASS
102	5510	11.54	2.57	14.11	25.763	30	PASS
110	5550	14.77	2.57	17.34	54.200	30	PASS
134	5670	14.66	2.57	17.23	52.845	30	PASS
802.11ac_VH	T40_WLAN2						
	_	TOTAL	Antenna			REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
38	5190	11.51	0.06	11.57	14.355	14.77	PASS
46	5230	11.62	0.06	11.68	14.723	14.77	PASS
54	5270	11.72	0.06	11.78	15.066	14.77	PASS
62	5310	11.77	0.06	11.83	15.241	14.77	PASS
102	5510	11.51	0.06	11.57	14.355	30	PASS
110	5550	14.74	0.06	14.80	30.200	30	PASS
134	5670	14.63	0.06	14.69	29.444	30	PASS
802.11ac_VH	T40 2TX			•	•		
Ī	—	TOTAL	Antenna			REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
38	5190	11.60	1.49	13.09	20.370	14.77	PASS
46	5230	11.71	1.49	13.20	20.893	14.77	PASS
54	5270	11.52	1.49	13.01	19.999	14.77	PASS
62	5310	11.58	1.49	13.07	20.277	14.77	PASS
102	5510	13.92	1.49	15.41	34.754	30	PASS
110	5550	17.86	1.49	19.36	86.298	30	PASS
134	5670	17.91	1.49	19.40	87.096	30	PASS
802.11ac_VH							
Ī	—	TOTAL	Antenna			REQUIRED	
СН	Frequency	POWER	Gain	EIRP	EIRP	LIMIT	RESULT
	(MHz)	(dBm)	(dBi)	(dBm)	(mW)	(dBm)	
42		· · ·					
58	5210	11 79	2 57	14 36	27 290	14 77	PASS
	5210 5290	11.79	2.57 2.57	14.36 14.43	27.290	14.77	PASS
106	5290	11.86	2.57	14.43	27.733	14.77	PASS
106 802 11ac VH	5290 5530						
802.11ac_VH	5290 5530 T80_WLAN2	11.86 11.96	2.57 2.57	14.43 14.53	27.733 28.379	14.77 30	PASS
802.11ac_VH	5290 5530	11.86 11.96 TOTAL	2.57 2.57 Antenna	14.43	27.733	14.77 30 REQUIRED	PASS PASS
	5290 5530 T80_WLAN2	11.86 11.96 TOTAL POWER	2.57 2.57 Antenna Gain	14.43 14.53	27.733 28.379	14.77 30 REQUIRED LIMIT	PASS
802.11ac_VH	5290 5530 T80_WLAN2 Frequency (MHz)	11.86 11.96 TOTAL POWER (dBm)	2.57 2.57 Antenna Gain (dBi)	14.43 14.53 EIRP (dBm)	27.733 28.379 EIRP (mW)	14.77 30 REQUIRED LIMIT (dBm)	PASS PASS RESULT
802.11ac_VH	5290 5530 T80_WLAN2 Frequency (MHz) 5210	11.86 11.96 TOTAL POWER (dBm) 11.72	2.57 2.57 Antenna Gain (dBi) 0.06	14.43 14.53 EIRP (dBm) 11.78	27.733 28.379 EIRP (mW) 15.066	14.77 30 REQUIRED LIMIT (dBm) 14.77	PASS PASS RESULT PASS
802.11ac_VH	5290 5530 T80_WLAN2 Frequency (MHz)	11.86 11.96 TOTAL POWER (dBm)	2.57 2.57 Antenna Gain (dBi)	14.43 14.53 EIRP (dBm)	27.733 28.379 EIRP (mW)	14.77 30 REQUIRED LIMIT (dBm)	PASS PASS RESULT

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.11ac_VHT80_2TX

сн		Frequency (MHz)		Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
42		5210	11.79	1.49	13.29	21.330	14.77	PASS
58		5290	11.72	1.49	13.21	20.941	14.77	PASS
106		5530	14.80	1.49	16.29	42.560	30	PASS
802.11ax	HE20_WLAN1							
СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
		full	10.99	2.57	13.56	22.699	14.49	PASS
36	5180	26/0	8.31	2.57	10.88	12.246	14.49	PASS
30	5160	52/37	8.38	2.57	10.95	12.445	14.49	PASS
		106/53	8.62	2.57	11.19	13.152	14.49	PASS
44	5220	full	10.96	2.57	13.53	22.542	14.49	PASS
48	5240	full	10.95	2.57	13.52	22.491	14.49	PASS
52	5260	full	10.97	2.57	13.54	22.594	14.49	PASS
60	5300	full	10.91	2.57	13.48	22.284	14.5	PASS
		full	10.96	2.57	13.53	22.542	14.49	PASS
64	5320	26/8	8.83	2.57	11.40	13.804	14.49	PASS
04	5520	52/40	8.89	2.57	11.46	13.996	14.49	PASS
		106/54	8.60	2.57	11.17	13.092	14.49	PASS
		full	12.96	2.57	15.53	35.727	29.74	PASS
100	5500	26/0	8.43	2.57	11.00	12.589	29.74	PASS
100	5500	52/37	8.51	2.57	11.08	12.823	29.74	PASS
		106/53	8.60	2.57	11.17	13.092	29.74	PASS
116	5580	full	15.99	2.57	18.56	71.779	29.73	PASS
		full	13.55	2.57	16.12	40.926	29.73	PASS
140	5700	26/8	8.97	2.57	11.54	14.256	29.73	PASS
140	5700	52/40	8.98	2.57	11.55	14.289	29.73	PASS
		106/54	9.10	2.57	11.67	14.689	29.73	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.11ax_HE20_WLAN2

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
		full	10.95	0.06	11.01	12.618	14.48	PASS
		26/0	7.60	0.06	7.66	5.834	14.48	PASS
36	5180 -	52/37	7.67	0.06	7.73	5.929	14.48	PASS
		106/53	7.77	0.06	7.83	6.067	14.48	PASS
44	5220	full	10.94	0.06	11.00	12.589	14.49	PASS
48	5240	full	10.93	0.06	10.99	12.560	14.5	PASS
52	5260	full	10.93	0.06	10.99	12.560	14.49	PASS
60	5300	full	10.87	0.06	10.93	12.388	14.5	PASS
		full	10.92	0.06	10.98	12.531	14.5	PASS
		26/8	8.03	0.06	8.09	6.442	14.5	PASS
64	5320 -	52/40	8.09	0.06	8.15	6.531	14.5	PASS
		106/54	7.93	0.06	7.99	6.295	14.5	PASS
		full	12.93	0.06	12.99	19.907	29.73	PASS
400		26/0	7.68	0.06	7.74	5.943	29.73	PASS
100	5500 -	52/37	7.68	0.06	7.74	5.943	29.73	PASS
		106/53	7.83	0.06	7.89	6.152	29.73	PASS
116	5580	full	15.80	0.06	15.86	38.548	29.74	PASS
		full	13.54	0.06	13.60	22.909	29.73	PASS
140	5700	26/8	8.15	0.06	8.21	6.622	29.73	PASS
140	5700 -	52/40	8.17	0.06	8.23	6.653	29.73	PASS
		106/54	8.17	0.06	8.23	6.653	29.73	PASS
802.11ax	HE20_2TX							-
			TOTAL	Antenna			DEALIDED	
			TOTAL	Antenna			REQUIRED	
СН	Frequency	RU config.	POWER	Gain	EIRP	EIRP		RESULT
СН	Frequency (MHz)	RU config.			EIRP (dBm)	EIRP (mW)		RESULT
СН		RU config.	POWER	Gain	(dBm)	(mW)	LIMIT (dBm)	
	(MHz)	full	POWER (dBm) 11.79	Gain (dBi) 1.49	(dBm) 13.28	(mW) 21.281	LIMIT (dBm) 14.48	PASS
СН 36		full 26/0	POWER (dBm) 11.79 11.00	Gain (dBi)	(dBm)	(mW) 21.281 17.783	LIMIT (dBm) 14.48 14.48	PASS PASS
	(MHz)	full 26/0 52/37	POWER (dBm) 11.79 11.00 11.11	Gain (dBi) 1.49 1.49	(dBm) 13.28 12.50	(mW) 21.281 17.783 18.239	LIMIT (dBm) 14.48 14.48 14.48	PASS PASS PASS
	(MHz)	full 26/0	POWER (dBm) 11.79 11.00	Gain (dBi) 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61	(mW) 21.281 17.783	LIMIT (dBm) 14.48 14.48	PASS PASS PASS PASS
36	(MHz) 5180	full 26/0 52/37 106/53	POWER (dBm) 11.79 11.00 11.11 11.31	Gain (dBi) 1.49 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61 12.80	(mW) 21.281 17.783 18.239 19.055	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.48	PASS PASS PASS
36	(MHz) 5180 5220	full 26/0 52/37 106/53 full	POWER (dBm) 11.79 11.00 11.11 11.31 11.97	Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46	(mW) 21.281 17.783 18.239 19.055 22.182	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.48 14.49	PASS PASS PASS PASS PASS
36 44 48	(MHz) 5180 5220 5240	full 26/0 52/37 106/53 full full	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98	Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48	(mW) 21.281 17.783 18.239 19.055 22.182 22.284	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.48 14.49 14.49	PASS PASS PASS PASS PASS PASS
36 44 48 52	(MHz) 5180 5220 5240 5260	full 26/0 52/37 106/53 full full full	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98 11.76	Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48 13.26	(mW) 21.281 17.783 18.239 19.055 22.182 22.284 21.184	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.48 14.49 14.49 14.49 14.49	PASS PASS PASS PASS PASS PASS PASS
36 44 48 52 60	(MHz) 5180 5220 5240 5260 5300	full 26/0 52/37 106/53 full full full full	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98 11.76 11.82	Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48 13.26 13.31	(mW) 21.281 17.783 18.239 19.055 22.182 22.284 21.184 21.429	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.48 14.49 14.49 14.49 14.49 14.5	PASS PASS PASS PASS PASS PASS PASS PASS
36 44 48 52	(MHz) 5180 5220 5240 5260	full 26/0 52/37 106/53 full full full full full full	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98 11.76 11.82 11.86	Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48 13.26 13.31 13.36	(mW) 21.281 17.783 18.239 19.055 22.182 22.284 21.184 21.429 21.677	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.49 14.49 14.49 14.49 14.5 14.5	PASS PASS PASS PASS PASS PASS PASS PASS
36 44 48 52 60	(MHz) 5180 5220 5240 5260 5300	full 26/0 52/37 106/53 full full full full full full 26/8	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98 11.76 11.82 11.86 11.50	Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48 13.26 13.31 13.36 13.00	(mW) 21.281 17.783 18.239 19.055 22.182 22.284 21.184 21.429 21.677 19.953	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.49 14.49 14.49 14.5 14.49 14.5 14.49 14.49	PASS PASS PASS PASS PASS PASS PASS PASS
36 44 48 52 60	(MHz) 5180 5220 5240 5260 5300	full 26/0 52/37 106/53 full full full full full full 26/8 52/40	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98 11.76 11.82 11.86 11.50 11.54	Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48 13.26 13.31 13.36 13.00 13.03	(mW) 21.281 17.783 18.239 19.055 22.182 22.284 21.184 21.429 21.677 19.953 20.091	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.49 14.49 14.49 14.49 14.5 14.49 14.49 14.49 14.49 14.49	PASS PASS PASS PASS PASS PASS PASS PASS
36 44 48 52 60 64	(MHz) 5180 5220 5240 5260 5300 5320	full 26/0 52/37 106/53 full full full full full 26/8 52/40 106/54	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98 11.76 11.82 11.86 11.50 11.54 11.32	Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48 13.26 13.31 13.36 13.00 13.03 12.81	(mW) 21.281 17.783 18.239 19.055 22.182 22.284 21.184 21.429 21.677 19.953 20.091 19.099	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.49 14.49 14.49 14.49 14.5 14.49 14.49 14.49 14.49 14.49 14.49	PASS PASS PASS PASS PASS PASS PASS PASS
36 44 48 52 60	(MHz) 5180 5220 5240 5260 5300	full 26/0 52/37 106/53 full full full full full 26/8 52/40 106/54 full	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98 11.76 11.82 11.86 11.50 11.54 11.32 15.89	Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48 13.26 13.31 13.36 13.00 13.03 12.81 17.39	(mW) 21.281 17.783 18.239 19.055 22.182 22.284 21.184 21.429 21.677 19.953 20.091 19.099 54.828	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 29.73	PASS PASS PASS PASS PASS PASS PASS PASS
36 44 48 52 60 64	(MHz) 5180 5220 5240 5260 5300 5320	full 26/0 52/37 106/53 full full full full full full 26/8 52/40 106/54 full 26/0	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98 11.76 11.82 11.86 11.50 11.54 11.32 15.89 11.13	Gain (dBi) 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48 13.26 13.31 13.36 13.00 13.03 12.81 17.39 12.62	(mW) 21.281 17.783 18.239 19.055 22.182 22.284 21.184 21.429 21.677 19.953 20.091 19.099 54.828 18.281	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 29.73 29.73	PASS PASS PASS PASS PASS PASS PASS PASS
36 44 48 52 60 64	(MHz) 5180 5220 5240 5260 5300 5320	full 26/0 52/37 106/53 full 26/8 52/40 106/54 full 26/0 52/37	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98 11.76 11.82 11.86 11.50 11.54 11.50 11.54 11.32 15.89 11.13 11.18	Gain (dBi) 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48 13.26 13.31 13.36 13.00 13.03 12.81 17.39 12.62 12.67	(mW) 21.281 17.783 18.239 19.055 22.182 22.284 21.184 21.429 21.677 19.953 20.091 19.099 54.828 18.281 18.493	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 29.73 29.73 29.73	PASS PASS PASS PASS PASS PASS PASS PASS
36 44 48 52 60 64 100	(MHz) 5180 5220 5240 5260 5300 5320 5320 5320	full 26/0 52/37 106/53 full 26/8 52/40 106/54 full 26/0 52/37 106/53	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98 11.76 11.82 11.86 11.50 11.54 11.54 11.32 15.89 11.13 11.18 11.18 11.31	Gain (dBi) 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48 13.26 13.31 13.36 13.00 13.03 12.81 17.39 12.62 12.67 12.81	(mW) 21.281 17.783 18.239 19.055 22.182 22.284 21.429 21.677 19.953 20.091 19.099 54.828 18.281 18.493 19.099	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 14.49 29.73 29.73 29.73 29.73	PASS PASS PASS PASS PASS PASS PASS PASS
36 44 48 52 60 64 100 116	(MHz) 5180 5220 5240 5260 5300 5320 5320 55500 55500	full 26/0 52/37 106/53 full full full full full 26/8 52/40 106/54 full 26/0 52/37 106/53 full	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98 11.76 11.82 11.86 11.50 11.54 11.54 11.32 15.89 11.13 11.13 11.31 11.31 11.31	Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48 13.26 13.31 13.36 13.00 13.03 12.81 17.39 12.62 12.67 12.81 20.48	(mW) 21.281 17.783 18.239 19.055 22.182 22.284 21.429 21.677 19.953 20.091 19.099 54.828 18.281 18.493 19.099 111.686	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.49 14.49 14.49 14.49 14.5 14.49 14.49 14.49 14.49 14.49 14.49 29.73 29.73 29.73 29.73	PASS PASS PASS PASS PASS PASS PASS PASS
36 44 48 52 60 64 100	(MHz) 5180 5220 5240 5260 5300 5320 5320 5320	full 26/0 52/37 106/53 full 26/8 52/40 106/54 full 26/0 52/37 106/53 full	POWER (dBm) 11.79 11.00 11.11 11.31 11.97 11.98 11.76 11.82 11.86 11.50 11.54 11.50 11.54 11.32 15.89 11.13 11.18 11.18 11.31 18.99 15.99	Gain (dBi) 1.49 1.49 1.49 1.49 1.49 1.49 1.49 1.49	(dBm) 13.28 12.50 12.61 12.80 13.46 13.48 13.26 13.31 13.36 13.00 13.03 12.81 17.39 12.62 12.67 12.81 20.48 17.49	(mW) 21.281 17.783 18.239 19.055 22.182 22.284 21.184 21.429 21.677 19.953 20.091 19.099 54.828 18.281 18.493 19.099 111.686 56.105	LIMIT (dBm) 14.48 14.48 14.48 14.48 14.49 14.49 14.49 14.5 14.49 14.49 14.49 14.49 14.49 14.49 29.73 29.73 29.73 29.73 29.73 29.73	PASS PASS PASS PASS PASS PASS PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

106/54

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.49

13.24

11.74

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

21.086

29.73

PASS



802.11ax_HE40_WLAN1

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	full	11.83	2.57	14.40	27.542	14.77	PASS
50	5190	242/61	8.67	2.57	11.24	13.305	14.77	PASS
46	5230	full	11.99	2.57	14.56	28.576	14.77	PASS
54	5270	full	11.95	2.57	14.52	28.314	14.77	PASS
62	5310	full	11.98	2.57	14.55	28.510	14.77	PASS
02	5510	242/62	9.20	2.57	11.77	15.031	14.77	PASS
102	5510	full	11.58	2.57	14.15	26.002	30	PASS
102	5510	242/61	8.74	2.57	11.31	13.521	30	PASS
110	5550	full	14.88	2.57	17.45	55.590	30	PASS
134	5670	full	14.96	2.57	17.53	56.624	30	PASS
134	5070	242/62	9.38	2.57	11.95	15.668	30	PASS

802.11ax_HE40_WLAN2

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	full	11.80	0.06	11.86	15.346	14.77	PASS
30	5190	242/61	8.05	0.06	8.11	6.471	14.77	PASS
46	5230	full	11.93	0.06	11.99	15.812	14.77	PASS
54	5270	full	11.98	0.06	12.04	15.996	14.77	PASS
62	5310	full	11.99	0.06	12.05	16.032	14.77	PASS
02	5510	242/62	8.27	0.06	8.33	6.808	14.77	PASS
102	5510	full	11.56	0.06	11.62	14.521	30	PASS
102	5510	242/61	7.92	0.06	7.98	6.281	30	PASS
110	5550	full	14.81	0.06	14.87	30.690	30	PASS
134	5670	full	14.93	0.06	14.99	31.550	30	PASS
134	5070	242/62	7.97	0.06	8.03	6.353	30	PASS

802.11ax_HE40_2TX

СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	full	11.90	1.49	13.40	21.878	14.77	PASS
30	5190	242/61	11.42	1.49	12.91	19.543	14.77	PASS
46	5230	full	11.98	1.49	13.48	22.284	14.77	PASS
54	5270	full	11.85	1.49	13.34	21.577	14.77	PASS
62	5310	full	11.91	1.49	13.40	21.878	14.77	PASS
02	5510	242/62	11.79	1.49	13.28	21.281	14.77	PASS
102	5510	full	13.98	1.49	15.48	35.318	30	PASS
102	5510	242/61	11.44	1.49	12.93	19.634	30	PASS
110	5550	full	17.95	1.49	19.45	88.105	30	PASS
134	5670	full	17.97	1.49	19.47	88.512	30	PASS
134	5070	242/62	11.77	1.49	13.27	21.232	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents issued by the Company subject to its General Conductors and http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



802.11ax_HE80_WLAN1

сн	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
42	5210	full	11.98	2.57	14.55	28.510	14.77	PASS
72	0210	484/65	8.86	2.57	11.43	13.900	14.77	PASS
58	5290	full	11.99	2.57	14.56	28.576	14.77	PASS
50	5250	484/66	8.60	2.57	11.17	13.092	14.77	PASS
106	5530	full	11.99	2.57	14.56	28.576	30	PASS
100	0000	484/65	9.03	2.57	11.60	14.454	30	PASS
802.11ax	HE80_WLAN2				-			
СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
42	5210	full	11.94	0.06	12.00	15.849	14.77	PASS
42	5210	484/65	8.37	0.06	8.43	6.966	14.77	PASS
E 0	5200	full	11.76	0.06	11.82	15.205	14.77	PASS
58	5290	484/66	8.30	0.06	8.36	6.855	14.77	PASS
106	5530	full	11.97	0.06	12.03	15.959	30	PASS
100	5550	484/65	8.12	0.06	8.18	6.577	30	PASS
802.11ax	HE80 2TX			-	-	-	-	
СН	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)	RESULT
40	5040	full	11.96	1.49	13.45	22.131	14.77	PASS
42	5210	484/65	11.67	1.49	13.16	20.701	14.77	PASS
E 9	5200	full	11.97	1.49	13.46	22.182	14.77	PASS
58	5290	484/66	11.70	1.49	13.20	20.893	14.77	PASS
106	5520	full	14.87	1.49	16.36	43.251	30	PASS
106	5530	484/65	11.68	1.49	13.18	20.797	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

```
www.sgs.com.tw
```



10 MAXIMUM POWER SPECTRAL DENSITY

10.1 FCC Standard

Operation Bands	EUT	CATEGORY	e-CRF Title 47 §15.407 Power Spectral Density	Antenna Directional Gain Requirements
	Outdoor Access Point (Master) 1. 17dBm/ MHz 2. EIRP<=125mW(21dBm) at any elevation angle > 30°		6dBi	
U-NII-1	III-1 Indoor Access Point (Master) 17dBm / MHz		6dBi	
	Fixed point-to- point Access 17dBm / MHz Ponit		23dBi	
	V	Client device	11dBm / MHz	6dBi
U-NII-2A	V	All	11dBm / MHz	6dBi
U-NII-2C	٧	All	11dBm / MHz	6dBi
U-NII-3	V	All	30dBm / 500kHz	6dBi
		Indoor AP	20dBm / MHz e.i.r.p.	Not required
U-NII-4		indoor client	14dBm / MHz e.i.r.p.	Not required
		subordinate device	20dBm / MHz e.i.r.p.	Not required
	•	•	ain greater than the antenna requirements uced by the amount in dB that the direction	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488




10.2 ISED Standard

FREQUENCY BAND	EUT CATEGORY		RSS-247 §6.2.1~6.2.4				
(MHz)			EIRP Density	Power Density			
5150~5250	V	OEM devices installed in vehicles	N/A	N/A			
		Other device	10 dBm/MHz	N/A			
5250~5350	V	OEM devices installed in vehicles	N/A	N/A			
		Other device	N/A	11 dBm/MHz			
5470-5600 and 5650-5725	V	All	N/A	11 dBm/MHz			
5725~5850	V	All	N/A	30 dBm/500kHz			

For equipment operating in the band 5725-5850 MHz, If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum transmit power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Test Setup 10.3



10.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.

4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (1001 pts), Detector = power averaging (rms), if available. Otherwise, use sample detector mode, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:

Set RBW=300kHz, VBW=1MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto, detector = RMS or sample, traces 100 sweeps of video averaging.

In addition, measurement bandwidth of Maximum PSD is specified in 500 kHz, add 10 log (500 kHz/RBW) to the measured result.

- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. (1)Duty cycle \geq 98% : Record the max. reading.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



(2)Duty cycle < 98% : Record the max. reading and add 10 log(1/duty cycle).

7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

Note:

As per section F. 2). e). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

• DirectionalGain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

 $g_{j,k}$ = / 20 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not; G_k is the gain in dBi of the kth antenna.

The antenna gain is not greater than 6 dBi. Therefore, reduction of power is not required.

10.5 Measurement Result

POWER DENSITY 802.11a MODE									
Frequency (MHz)	WLAN1 meas PSD (dBm/MHz)	WLAN2 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)		
5180	4.637	4.253	0.00	7.	46	11.00 dBm/MHz	-3.54		
5220	4.695	4.471	0.00	7.	59	11.00 dBm/MHz	-3.41		
5240	4.880	4.327	0.00	7.	62	11.00 dBm/MHz	-3.38		
5260	4.738	3.660	0.00	7.	24	11.00 dBm/MHz	-3.76		
5300	4.300	3.633	0.00	6.	6.99		-4.01		
5320	4.366	3.934	0.00	7.17		11.00 dBm/MHz	-3.83		
5500	2.035	0.681	0.00	4.42		11.00 dBm/MHz	-6.58		
5580	5.961	3.796	0.00	8.02		11.00 dBm/MHz	-2.98		
5700	4.164	2.333	0.00	6.35		11.00 dBm/MHz	-4.65		
5720 (U-NII 2C)	6.369	4.119	0.00	8.40		11.00 dBm/MHz	-2.60		
Frequency (MHz)	WLAN1 meas PSD (dBm/300kHz)	WLAN2 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)		
5720 (U-NII 3)	0.692	-1.672	0.00	2.22	4.90	30.00 dBm/500kHz	-25.10		
5745	-0.130	-1.201	0.00	2.22	4.60	30.00 dBm/500kHz	-25.40		
5785	0.993	-0.166	0.00	2.22	5.68	30.00 dBm/500kHz	-24.32		
5825	0.697	-0.375	0.00	2.22	5.42	30.00 dBm/500kHz	-24.58		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 131 of 646

		POWER DENS	ITY 802.11n HT20	MODE			
Frequency (MHz)	WLAN1 meas PSD (dBm/MHz)	WLAN2 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	4.555	3.890	0.00	7.25		11.00 dBm/MHz	-3.75
5220	4.800	4.064	0.00	7.	46	11.00 dBm/MHz	-3.54
5240	4.747	4.467	0.00		62	11.00 dBm/MHz	-3.38
5260	4.565	4.343	0.00		47	11.00 dBm/MHz	-3.53
5300	4.558	4.166	0.00	7.		11.00 dBm/MHz	-3.62
5320	4.325	3.675	0.00		02	11.00 dBm/MHz	-3.98
5500	0.949	-0.430	0.00		32	11.00 dBm/MHz	-7.68
5580	4.893	2.686	0.00		94	11.00 dBm/MHz	-4.06
5700	2.397	1.060	0.00		79	11.00 dBm/MHz	-6.21
5720 (U-NII 2C)	4.884	3.613	0.00	4.		11.00 dBm/MHz	-3.69
Frequency (MHz)	WLAN1 meas PSD (dBm/300kHz)	WLAN2 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	-0.226	-1.946	0.00	2.22	4.23	30.00 dBm/500kHz	-25.77
5745	-0.358	0.444	0.00	2.22	5.29	30.00 dBm/500kHz	-24.71
5785	0.002	-0.819	0.00	2.22	4.84	30.00 dBm/500kHz	-25.16
5825	-0.564	-0.747	0.00	2.22	4.58	30.00 dBm/500kHz	-25.42
0020	0.001		ITY 802.11n HT40				20.12
Frequency (MHz)	WLAN1 meas PSD (dBm/MHz)	WLAN2 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	0.747	-0.106	0.10	3.45		11.00 dBm/MHz	-7.55
5230	0.816	0.125	0.10	3.59		11.00 dBm/MHz	-7.41
5270	0.535	-0.333	0.10	3.23		11.00 dBm/MHz	-7.77
5310	0.365	-0.560	0.10	3.04		11.00 dBm/MHz	-7.96
5510	-3.759	-4.878	0.10	-1.17		11.00 dBm/MHz	-12.17
5550	0.487	-0.500	0.10	3.13		11.00 dBm/MHz	-7.87
5670	0.901	-0.355	0.10	3.43		11.00 dBm/MHz	-7.57
5710 (U-NII 2C)	1.317	-0.347	0.10	3.67		11.00 dBm/MHz	-7.33
Frequency (MHz)	WLAN1 meas PSD (dBm/300kHz)	WLAN2 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	-4.620	-5.280	0.10	2.22	0.39	30.00 dBm/500kHz	-29.61
5755	-2.690	-4.745	0.10	2.22	1.73	30.00 dBm/500kHz	-28.27
5795	-2.869	-4.995	0.10	2.22	1.53	30.00 dBm/500kHz	-28.47
		POWER DENSIT	Y 802.11ac VHT80	MODE			1
Frequency (MHz)	WLAN1 meas PSD (dBm/MHz)	WLAN2 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	-4.855	-5.185	0.20	-1.81		11.00 dBm/MHz	-12.81
5290	-5.007	-5.511	0.20	-2.04		11.00 dBm/MHz	-13.04
5530	-6.171	-7.621	0.20	-3.63		11.00 dBm/MHz	-14.63
5610	-4.838	-6.206	0.20	-2.26		11.00 dBm/MHz	-13.26
5690 (U-NII 2C)	-4.354	-5.596	0.20		.72	11.00 dBm/MHz	-12.72
Frequency (MHz)	WLAN1 meas PSD (dBm/300kHz)	WLAN2 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	-9.434	-11.114	0.20	2.22	-4.76	30.00 dBm/500kHz	-34.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 132 of 646

POWER DENSITY 802.11ax HE20 MODE									
Frequency (MHz)	RU config.	WLAN1 meas PSD (dBm/MHz)	WLAN2 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)	
	full	4.605	4.039	0.00	7.	34	11.00 dBm/MHz	-3.66	
5100	26/0	5.137	4.296	0.85	8.	60	11.00 dBm/MHz	-2.40	
5180	52/37	2.327	1.346	0.85	5.72		11.00 dBm/MHz	-5.28	
F	106/53	-0.192	-0.728	0.82	3.	38	11.00 dBm/MHz	-7.62	
5220	full	4.808	4.615	0.00	7.	72	11.00 dBm/MHz	-3.28	
5240	full	5.162	4.239	0.00	7.	74	11.00 dBm/MHz	-3.26	
5260	full	4.872	3.559	0.00	7.	28	11.00 dBm/MHz	-3.72	
5300	full	4.318	3.469	0.00	6.	92	11.00 dBm/MHz	-4.08	
	full	4.698	3.630	0.00	7.	21	11.00 dBm/MHz	-3.79	
5000	26/8	5.199	3.361	0.85	8.	8.24		-2.76	
5320	52/40	1.999	1.393	0.85	5.	5.57		-5.43	
_	106/54	-1.198	-1.036	0.82	2.	71	11.00 dBm/MHz	-8.29	
	full	0.787	-0.541	0.00	3.	3.18		-7.82	
5500	26/0	3.074	1.930	0.85	6.40		11.00 dBm/MHz	-4.60	
5500	52/37	-1.398	-0.109	0.85	3.	15	11.00 dBm/MHz	-7.85	
_	106/53	-1.830	-2.548	0.82	1.66		11.00 dBm/MHz	-9.34	
5580	full	5.967	3.761	0.00	8.01		11.00 dBm/MHz	-2.99	
	full	4.309	2.509	0.00	6.51		11.00 dBm/MHz	-4.49	
5700	26/8	5.699	5.088	0.85	9.	26	11.00 dBm/MHz	-1.74	
5700	52/40	2.876	2.390	0.85	6.50		11.00 dBm/MHz	-4.50	
	106/54	0.109	-0.683	0.82	3.	3.56		-7.44	
5720 (U-NII 2C)	full	6.464	4.154	0.00	8.	47	11.00 dBm/MHz	-2.53	
Frequency (MHz)	RU config.	WLAN1 meas PSD (dBm/300kHz)	WLAN2 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)	
5720 (U-NII 3)	full	1.036	-1.470	0.00	2.22	5.19	30.00 dBm/500kHz	-24.81	
İ	full	-0.307	-0.836	0.00	2.22	4.67	30.00 dBm/500kHz	-25.33	
5745	26/0	1.509	-0.815	0.85	2.22	6.58	30.00 dBm/500kHz	-23.42	
5/45	52/37	-2.138	-2.125	0.85	2.22	3.95	30.00 dBm/500kHz	-26.05	
	106/53	-5.037	-5.320	0.82	2.22	0.87	30.00 dBm/500kHz	-29.13	
5785	full	1.031	-0.090	0.00	2.22	5.74	30.00 dBm/500kHz	-24.26	
İ	full	0.606	-0.560	0.00	2.22	5.29	30.00 dBm/500kHz	-24.71	
5925	26/8	0.156	0.320	0.85	2.22	6.32	30.00 dBm/500kHz	-23.68	
5825	52/40	-2.794	-2.570	0.85	2.22	3.40	30.00 dBm/500kHz	-26.60	
	106/54	-5.546	-5.406	0.82	2.22	0.57	30.00 dBm/500kHz	-29.43	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

```
www.sgs.com.tw
```

Member of SGS Group



Report No.: TERF2310002627ER Page: 133 of 646

			POWER DENSI	TY 802.11ax HE40	MODE			
Frequency (MHz)	RU config.	WLAN1 meas PSD (dBm/MHz)	WLAN2 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5400	full	0.719	0.332	0.12	3.66		11.00 dBm/MHz	-7.34
5190	242/61	-2.906	-4.383	0.85	0.	28	11.00 dBm/MHz	-10.72
5230	full	0.952	0.460	0.12	3.	.84	11.00 dBm/MHz	-7.16
5270	full	0.530	-0.666	0.12	3.	10	11.00 dBm/MHz	-7.90
5040	full	0.228	-0.573	0.12	2.	98	11.00 dBm/MHz	-8.02
5310	242/62	-4.314	-4.602	0.85	-0	.60	11.00 dBm/MHz	-11.60
5540	full	-4.531	-5.549	0.12	-1	.88	11.00 dBm/MHz	-12.88
5510	242/61	-4.864	-6.101	0.85	-1	.58	11.00 dBm/MHz	-12.58
5550	full	0.928	-1.278	0.12	3.	09	11.00 dBm/MHz	-7.91
5070	full	2.392	-0.297	0.12	4.	38	11.00 dBm/MHz	-6.62
5670	242/62	-3.040	-5.142	0.85	-0	.10	11.00 dBm/MHz	-11.10
5710 (U-NII 2C)	full	2.620	0.144	0.12	4.	69	11.00 dBm/MHz	-6.31
Frequency (MHz)	RU config.	WLAN1 meas PSD (dBm/300kHz)	WLAN2 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	full	-3.461	-5.368	0.12	2.22	1.04	30.00 dBm/500kHz	-28.96
5755	full	-3.861	-4.774	0.12	2.22	1.06	30.00 dBm/500kHz	-28.94
5755 —	242/61	-7.808	-9.095	0.85	2.22	2.22 -2.32		-32.32
F70F	full	-3.755	-4.862	0.12	2.22	1.08	30.00 dBm/500kHz	-28.92
5795	242/62	-8.450	-8.557	0.85	2.22	-2.42	30.00 dBm/500kHz	-32.42
		<u>.</u>	POWER DENSI	TY 802.11ax HE80	MODE	·		
Frequency (MHz)	RU config.	WLAN1 meas PSD (dBm/MHz)	WLAN2 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
50.40	full	-4.082	-4.560	0.20	-1.10		11.00 dBm/MHz	-12.10
5210	484/65	-6.390	-7.239	0.85	-2	.93	11.00 dBm/MHz	-13.93
5000	full	-4.389	-5.468	0.20	-1	.68	11.00 dBm/MHz	-12.68
5290	484/66	-6.789	-7.129	0.85	-3	.10	11.00 dBm/MHz	-14.10
5500	full	-6.107	-6.787	0.20	-3	.22	11.00 dBm/MHz	-14.22
5530	484/65	-7.310	-8.093	0.85	-3.82		11.00 dBm/MHz	-14.82
	full	-3.734	-6.034	0.20	-1	.52	11.00 dBm/MHz	-12.52
5610	484/66	-6.090	-7.988	0.85	-3.08		11.00 dBm/MHz	-14.08
5690 (U-NII 2C)	full	-3.098	-4.966	0.20	-0.72		11.00 dBm/MHz	-11.72
Frequency (MHz)	RU config.	WLAN1 meas PSD (dBm/300kHz)	WLAN2 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	full	-8.848	-10.984	0.20	2.22	-4.36	30.00 dBm/500kHz	-34.36
	full	-8.366	-8.848	0.20	2.22	-3.17	30.00 dBm/500kHz	-33.17
5775	484/65	-11.004	-11.044	0.85	2.22	-4.94	30.00 dBm/500kHz	-34.94
	484/66	-11.262	-11.520	0.85	2.22 -5.31		30.00 dBm/500kHz	-35.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279


除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: TERF2310002627ER Page: 134 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.sqs.com.tw

Member of SGS Group



Report No.: TERF2310002627ER Page: 135 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: TERF2310002627ER Page: 136 of 646




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law 404144 14 路 134 號

台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
SGS Taiwan Ltd.	No.134,Wu Kung Road, New	Taipei Industrial Park, Wuku District, New	Taipei City, Taiwan/新北市五朋	这區新北產業園區五工路



Report No.: TERF2310002627ER Page: 137 of 646



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.sqs.com.tw

Member of SGS Group