

Page: 1 of 580

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: Murata Manufacturing Co., Ltd.

10-1, Higashikotari 1-chome Nagaokakyo-shi, Kyoto 617-8555 Japan

Murata Manufacturing Co., Ltd. Manufacturer:

10-1, Higashikotari 1-chome Nagaokakyo-shi, Kyoto 617-8555 Japan

Product Name: Communication Module

Brand Name: muRata

Model No.: For FCC:

LBEE5XV2EA

For ISED:

LBEE5XV2EA SANT, LBEE5XV2EA DANT

Model Difference: Refer to section 1.9

Report Number: TERF2211002261ER

FCC ID VPYLBEE5XV2EA

IC: 772C-LBEE5XV2EA

Date of EUT Received: November 08, 2022

Date of Test: November 29, 2022 ~ August 09, 2023

Issue Date: August 10, 2023

CHUN-CHIEH, CHEN

Approved By___

CHUN-CHIEH, CHEN

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.407, ISED RSS-248.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 2 of 580

Revision History						
Report Number	Revision	Description	Issue Date	Revised By	Remark	
TERF2211002261ER	00	Original	May 04, 2023	Violetta Tang		
TERF2211002261ER	01	Remove HMN information from page 9	June 02, 2023	Violetta Tang		
TERF2211002261ER	02	Correct firmware information on page 4	June 13, 2023	Violetta Tang		
TERF2211002261ER	03	Modify statements on page 54 & 67	July 27, 2023	Violetta Tang	*	
TERF2211002261ER	04	Add explanation for antenna selection on page 5 Add information of chosen antennas on page 55 & 68	July 28, 2023	Violetta Tang	*	
TERF2211002261ER	05	1. Update the date of test on the front page 2. Update the conducted test equipment list on page 19 3. Update the OBW test plots for section 8 on pages 26~ 51 4. Modify the order of PSD test plots for section 10 on pages 75~116		Violetta Tang	*	

Note:

- 1 . The remark "*" indicates modification of the report upon requests from certification
- 2 · Variant information of model numbers is provided by the applicant, test results of this report are applicable to the sample EUT(s) received.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 3 of 580

Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	10
3	SUMMARY OF TEST RESULT	14
4	DESCRIPTION OF TEST MODES	15
5	MEASUREMENT UNCERTAINTY	18
6	MEASUREMENT EQUIPMENT USED	19
7	CONDUCTED EMISSION TEST	22
8	EMISSION BANDWIDTH	25
9	MAXIMUM OUTPUT POWER	52
10	MAXIMUM POWER SPECTRAL DENSITY	66
11	IN-BAND EMISSION	117
12	UNDESIRABLE RADIATED EMISSIONS	140
13	CONTENTION BASED PROTOCOL	546
14	DEMONSTRATION OF PROPER POWER ADJUSTMENT BASED ON ASSOCIATED 577) AP
15	TRANSMISSION IN THE ABSENCE OF DATA	579
16	ANTENNA PEOLIDEMENT	520

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 4 of 580

1 GENERAL INFORMATION

1.1 Product Description

Product Name:	Communication Module		
Brand Name:	muRata		
Model No.:	For FCC: LBEE5XV2EA For ISED: LBEE5XV2EA_SANT, LBEE5XV2EA_DANT		
Model Difference:	Refer to section 1.9		
Hardware Version:	1.0		
Firmware Version:	1.1.1.1 1.1.2.1		
EUT Series No.:	SA2022019000001046		
Power Supply:	3.3Vdc, 1.8Vdc		
Test Software (Name/Version)	Tera Term / 4.71		

1.2 Modulation & Data Rate

SISO

Modulation type:	16QAM, QPSK, BPSK for OFDM in 802.11a
	1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK for OFDMA in 802.11ax
Transition Rate:	802.11 a: 6 - 24 Mbps
	802.11 ax_20MHz: up to 143.4 Mbps
	802.11 ax_40MHz: up to 286.8 Mbps
	802.11 ax_80MHz: up to 600.5 Mbps

MIMO

Modulation type:	1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK for OFDMA in 802.11ax
	802.11 ax_20MHz: up to 286.8 Mbps
Transition Rate:	802.11 ax_40MHz: up to 573.6 Mbps
	802.11 ax_80MHz: up to 1201 Mbps

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 5 of 580

1.3 Antenna Designation

SISO

Antenna Type	Supplier	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)	Directional Gain(dBi)
	Molex	146153	5925~7125	5.8	5.8
Dipole	Molex	219611	5925~7125	4	4
	Unictron	WT32D1-KX	5925~7125	4	4
Monopole	Murata	Type2EA_Antenna	5925~7125	2.5	2.5

MIMO

Antenna Type	Supplier	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)	Directional Gain(dBi)
Dinala	Molex	219611	5925~7125	4	7.01
Dipole	Unictron	WT32D1-KX	5925~7125	4	7.01

Note:

- Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- Antenna information is provided by the applicant.
- 3. When the antenna gain is the same, the antennas chosen provided the overall highest emissions.
- 4. For the dipole antenna
 - SISO mode selects part number 146153 as the final test.
 - MIMO mode selects part number WT32D1-KX as the final test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 6 of 580

WLAN 6E

VEAR OF					
WLAN	Frequency Range	Channels	Rated Power(E.I.R.P.) (dBm) (Worst Case)		
a 20MHz	5955~6415	24	14.78 dBm		
	6435~6515	5	14.79 dBm		
	6535~6875	18	14.73 dBm		
	6895~7095	11	15.74 dBm		

WLAN 6E

WLAN	Frequency Range	Channels	Rated Power(Avg) (dBm) (Worst Case)
	5955~6415	24	16.78 dBm
OV. HE 20MHz	6435~6515	5	16.76 dBm
ax_HE 20MHz	6535~6875	18	16.79 dBm
	6895~7095	11	17.74 dBm
ax_HE 40MHz	5965~6405	12	19.78 dBm
	6445~6525	3	19.79 dBm
	6565~6845	8	18.78 dBm
	6885~7085	6	19.79 dBm
ax_HE 80MHz	5985~6385	6	19.78 dBm
	6465	1	19.79 dBm
	6545~6865	5	19.77 dBm
	6945~7025	2	19.79 dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有的时,此就是处理度影响是少锋中色素,同时此类里度原列的主,来就是主领主人司事富统可,不可如此策制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 7 of 580

MIMO

WLAN 6E

WLAN	Frequency Range	Channels	Rated Power(E.I.R.P.) (dBm) (Worst Case)
	5955~6415	24	14.98 dBm
ov. HE 20MHz	6435~6515	5	14.98 dBm
ax_HE 20MHz	6535~6875	18	14.91 dBm
	6895~7095	11	14.98 dBm
ax_HE 40MHz	5965~6405	12	16.98 dBm
	6445~6525	3	16.99 dBm
	6565~6845	8	16.85 dBm
	6885~7085	6	16.98 dBm
ov LIE 90MUz	5985~6385	6	17.99 dBm
	6465	1	17.85 dBm
ax_HE 80MHz	6545~6865	5	17.87 dBm
	6945~7025	2	17.96 dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Member of SGS Group



Page: 8 of 580

Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

RSS-248, issue 2 Dec, 2022

RSS-Gen, issue 5 April, 2018

FCC KDB 987594 D02 U-NII 6GHz EMC Measurement v01r01

FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

ANSI C63.10:2013

1.6 **Test Facility**

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
		SAC 2]	
		SAC 3		
	No 124 Wu Kung Dood New Toingi	Conduction 1		
	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New	Conducted 1	TW0027	TW3702
	Taipei City, Taiwan.	Conducted 2	1 440027	
	Taiper City, Taiwaii.	Conducted 3		
		Conducted 4		
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.		Conduction C		
(TAF code 3702)		SAC C		
		SAC D		
		SAC G		
	No.2, Keji 1st Rd., Guishan District,	Conducted A		
		Conducted B	TW0028	
	Taoyuan City, Taiwan 333	Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
		Conducted G		

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.7 Special Accessories

There are no special accessories used while test was conducted.

Equipment Modifications 1.8

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 9 of 580

1.9 Model Variants

The LBEE5XV2EA_SANT and LBEE5XV2EA_DANT are electrically identical.

Model For ISED	Model For FCC	Chip on C101	RF functions
LBEE5XV2EA_SANT		CVMEEE72	2x2 WLAN2.4GHz,5GHz, 6GHz
LBEE5XV2EA_DANT	LBEE5XV2EA	CYW55573	+BT/ BLE

In addition, the differences of firmware versions are

Model	Firmware versions	Antenna connector(s)	WLAN	ВТ	BLE
LBEE5XV2EA_DANT	1.1.2.1	3 (ANTO, ANT1, BT_ANT)	ANTO, ANT1	BT_ANT	BT_ANT
LBEE5XV2EA SANT	1.1.1.1	2 (ANTO, ANT1)	ANTO, ANT1	ANT0	ANT0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報生结用攝影測建立幾只有著,同時世輕具攝風宛而手。大報生主概太公司書面對可,不可可以猶剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 10 of 580

2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.3.4 **CBP Test**

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer and signal generator and companion device to perform the test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報生结用攝影測建立幾只有著,同時世輕具攝風宛而手。大報生主概太公司書面對可,不可可以猶剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 11 of 580

2.4 Measurement Results Explanation Example

2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测过之样只有含,同时此样只属是例如于。大数华土德太公司隶而连可,不可如公海测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


www.sqs.com.tw





Page: 12 of 580



Test Configuration







2.6 Control Unit(s)

2.6.1 **Conduction setup**

	<u> </u>									
AC Power-Line Conducted Emission Test Site: Conduction 1										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
PC	GIGABYTE	GB-BXI7H-4500	N/A	N/A	N/A					
Adapter FSP GROUP INC.		FSP065-REB	N/A	N/A	N/A					

2.6.2 **Conducted Setup**

Conducted Emission Test Site: Conducted 2										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
PC	PC GIGABYTE		N/A	N/A	N/A					
Adapter FSP GROUP INC.		FSP065-REB	N/A	N/A	N/A					
Notebook	Lenovo	T440P	PC-014TAK	N/A	N/A					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 13 of 580

2.6.3 **Radiated Setup**

Radiated Emission Test Site: SAC 2										
EQUIPMENT TYPE MFR		MODEL NUMBER	MODEL NUMBER SERIAL NUMBER		CAL DUE.					
PC	GIGABYTE	GB-BXI7H-4500	N/A	N/A	N/A					
Adapter	FSP GROUP INC.	FSP065-REB	N/A	N/A	N/A					
Notebook Lenovo		T440P	PC-06L5W6	N/A	N/A					

2.6.4 **CBP Setup**

Conducted Emission Test Site: Conducted 5									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Notebook	Lenovo	L430	PK-126TN	N/A	N/A				
Notebook	Lenovo	T440P	PC-014TAK	N/A	N/A				
Communication Shenzhen Mura Module Technology Co., I		LBEE5XV2EA	00000312	N/A	N/A				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 14 of 580

3 SUMMARY OF TEST RESULT

FCC Rules	ISED Rules	Description Of Test	Result
§15.207	RSS-Gen §8.8	AC Power Line Conducted Emission	Compliant
§15.407(a)(10) §2.1049	RSS-248 §4.4	Emission Bandwidth	Compliant
§15.407(a)(4~8)	RSS-248 §4.6	S-248 §4.6 Maximum Conducted Output Power	
§15.407(a)(4~8)	RSS-248 §4.6	Power Spectral Density	Compliant
§15.407(b)(6)	RSS-248 §4.7	In-band emission	Compliant
§15.205 §15.209 §15.407(b)(5), (b)(8), (b)(9)	RSS-248 §4.7 Undesirable Radiated Emissions		Compliant
§15.407(d)(6)	RSS-248 §4.8	contention-based protocol	Compliant
§15.407(a)(7)(8)	NA	Test Demonstration of Proper Power Adjustment based on As- sociated AP	NA Device only associates with indoor AP
§15.407(c)	RSS-248 §4.11	Transmission in case of Absence of Information	Compliant
§15.203	N/A	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是结果做到到这个概念,因此他并是成是2000年。太祖生主领太公司事而统可,从可以必须则。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 15 of 580

DESCRIPTION OF TEST MODES

4.1 Operating Frequencies

37

41

45

6135

6155

6175

89

93

	3												
		U	NII-5 5	9	25~64	425 MHz							
	201	ЛНz			4	40MHz			0MHz				
СН	Freq. (MHz)	СН	Freq. (MHz)		СН	Freq. (MHz)		СН	Freq. (MHz)				
1	5955	49	6195		3	5965		7	5985				
5	5975	53	6215		11	6005		23	6065				
9	5995	57	6235		19	6045		39	6145				
13	6015	61	6255		27	6085		55	6225				
17	6035	65	6275		35	6125		71	6305				
21	6055	69	6295		43	6165		87	6385				
25	6075	73	6315		51	6205							
29	6095	77	6335		59	6245							
33	6115	81	6355		67	6285							

75

83

91

6325

6365

6405

6375

6395

6415

	UNI	l-	6 6	6425~6525 MHz						
2	0MHz		4	0MHz		80MHz				
СН	Freq. (MHz)		СН	Freq. (MHz)		СН	Freq. (MHz)			
97	6435		99	6445		103	6465			
101	6455		107	6485						
105	6475		115	6525						
109	6495				•					
113	6515									

	UNII-7 6525~6875 MHz													
	201	ЛHz			40MHz			80MHz						
СН	Freq. (MHz)	СН	Freq. (MHz)		СН	Freq. (MHz)		СН	Freq. (MHz)					
117	6535	153	6715		123	6565		119	6545					
121	6555	157	6735		131	6605		135	6625					
125	6575	161	6755		139	6645		151	6705					
129	6595	165	6775		147	6685		167	6785					
133	6615	169	6795		155	6725		183	6865					
137	6635	173	6815		163	6765				-				
141	6655	177	6835		171	6805								
145	6675	181	6855		179	6845								
149	6695	185	6875				-							

	UNI	-	8 6	875~712	UNII-8 6875~7125 MHz											
20	0MHz		4	0MHz		80MHz										
СН	Freq. (MHz)		СН	Freq. (MHz)		СН	Freq. (MHz)									
189	6895		187	6885		199	6945									
193	6915		195	6925		215	7025									
197	6935		203	6965												
201	6955		211	7005												
205	6975		219	7045												
209	6995		227	7085												
213	7015															
217	7035															
221	7055															
225	7075															
229	7095															

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 16 of 580

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst

The given UE is pre-scanned among below modes.

Modulation	Tr	ansmiss	sion Chair	1	Single Transmission Spatial	Multiple Transmission Spatial
⊠ 802.11 a	⊠ Ch0	⊠ Ch1	☐ Ch2	□ Ch3	⊠ 1TX	□ 2TX
□ 802.11 n	☐ Ch0	□ Ch1	☐ Ch2	□ Ch3	☐ 1TX	□ 2TX
☐ 802.11 ac	☐ Ch0	□ Ch1	☐ Ch2	□ Ch3	☐ 1TX	□ 2TX
⊠ 802.11 ax	⊠ Ch0	⊠ Ch1	☐ Ch2	☐ Ch3	⊠ 1TX	⊠ 2TX

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

	CONDUCTED TEST										
MODE	FREQUENC	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA					
MODE	Y BAND	CHANNEL	CHANNEL	MODULATION	(Mbps)	PORT					
	5955~6415	1 to 93	1,45,93								
802.11a	6435~6515	97 to 113	97,105,113	OFDM	6	Ch0					
002.11d	6535~6875	117 to 185	117,149,181,185	OFDIVI	0	CIIU					
	6895~7095	189 to 229	189,209,229]							

	CONDUCTED TEST									
MODE	FREQUENC	AVAILABLE	TESTED	MODULATION	RU	DATA RATE	ANTENNA			
WOOL	Y BAND	CHANNEL	CHANNEL	WIODOLATION	CONFIGURATION	(Mbps)	PORT			
	5955~6415	1 to 93	1,45,93		FULL RU					
802.11ax_HE20	6435~6515	97 to 113	97,105,113	OFDMA	26/0,26/8	MCS0	Ch0/2TX			
002.11dx_11L20	6535~6875	117 to 185	117,149,181,185	OLDIVIA	52/37,52/40	IVICOU	CHUZIA			
	6895~7095	189 to 229	189,209,229		106/53,106/54					
	5965~6405	3 to 91	3,43,91		FULL RU 242/61,242/62	MCS0	Ch0/2TX			
802.11ax_HE40	6445~6525	99 to 115	99,107,115	OFDMA						
002.11dx_11L40	6565~6845	123 to 179	123,147,179	OI DIVIA						
	6885~7085	187 to 227	187,195,211,227							
	5985~6385	7 to 87	7,39,87							
802.11ax_HE80	6465	103	103	OFDMA	FULL RU	MCS0	Ch0/2TX			
002.11ax_11L00	6545~6865	119 to 183	119,135,151,167,183	OIDIVIA	484/65,484/66	WICOU	CIIO/ZTX			
	6945~7025	199 to 215	199,215							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. t (886-2) 2299-3279 台灣檢驗科技股份有限公司



Page: 17 of 580

RADIATED EMISSION TEST (BELOW 1 GHz)											
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA	RATE	ANTENNA				
WIODL	BAND (MHz)	CHANNEL	CHANNEL	MODULATION	(Mb	ops)	PORT				
	5955~6415	1 to 93	45								
802.11a	6435~6515	97 to 113	105	OFDM 6		8	Ch0				
002.11d	6535~6875	117 to 185	181	OI DIVI	OI DIWI	U	CHO				
	6895~7095	189 to 229	209								
	5955~6415	1 to 93	45								
802.11ax_HE20	6435~6515	97 to 113	105	OFDMA	FULL RU	MCS0	2TX				
	6535~6875	117 to 185	181		FULL RU WICOU	WICOU	217				
	6895~7095	189 to 229	209]							

	RADIATED EMISSION TEST (ABOVE 1 GHz)										
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA					
WIODE	BAND (MHz)	CHANNEL	CHANNEL	MODOLITICIT	(Mbps)	PORT					
	5955~6415	1 to 93	1,45,93								
	6435~6515	97 to 113	97,105,113								
802.11a	6535~6875	117 to 185	117,149,181	OFDM	6	Ch0					
	0555-0675	117 10 105	,185								
	6895~7095	189 to 229	189,209,229								

	RADIATED EMISSION TEST (ABOVE 1 GHz)								
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	RU	DATA RATE	ANTENNA		
MODE	BAND (MHz)	CHANNEL	CHANNEL	WODOLATION	CONFIGUR	(Mbps)	PORT		
	5955~6415	1 to 93	1,45,93		FULL RU				
	6435~6515	97 to 113	97,105,113		26/0,26/8				
802.11ax_HE20	6535~6875	117 to 185	117,149,181	OFDMA	52/37,52/40	MCS0	Ch0/2TX		
	0555-0675	117 10 100	,185		106/53,106/	·			
	6895~7095	189 to 229	189,209,229		54				
	5965~6405	3 to 91	3,43,91						
	6445~6525	99 to 115	99,107,115		FULL RU	MCS0	Ch0/2TX		
802.11ax_HE40	6565~6845	123 to 179	123,147,179	OFDMA	242/61,242/				
	6885~7085	187 to 227	187,195,211		62				
	0005~7005	107 10 221	,227						
	5985~6385	7 to 87	7,39,87						
	6465	103	103		FULL RU				
802.11ax_HE80	6545~6865	119 to 183	119,135,151	OFDMA	484/65,484/	4/ MCS0	Ch0/2TX		
	0040~0000	11910 103	,167,183		66				
	6945~7025	199 to 215	199,215						

Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 18 of 580

MEASUREMENT UNCERTAINTY

Test Items	L	Incertair	nty
AC Power Line Conducted Emission	+/-	2.32	dB
Output Power measurement	+/-	1	dB
Emission Bandwidth	+/-	1.53	Hz
Undesignable radiated emission measure- ment	+/-	1.68	dB
Peak Power Density	+/-	2.16	dB
Temperature	+/-	0.7	°C
Humidity	+/-	3	%
DC / AC Power Source	+/-	1	%

Radiated Spurious Emission Measurement Uncertainty							
	+/-	2.8	dB	9kHz~30MHz			
Polarization: Vertical	+/-	4.82	dB	30MHz - 1000MHz			
Polarization. Vertical	+/-	4.37	dB	1GHz - 18GHz			
	+/-	4.21	dB	18GHz - 40GHz			
	+/-	2.8	dB	9kHz~30MHz			
Polarization: Horizontal	+/-	4.54	dB	30MHz - 1000MHz			
Polarization: Horizontal	+/-	4.37	dB	1GHz - 18GHz			
	+/-	4.21	dB	18GHz - 40GHz			

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 19 of 580

MEASUREMENT EQUIPMENT USED

Emission from AC power line

	AC Power-Line Conducted Emission Test Site: Conduction 1										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
EMI Test Receiver	R&S	ESR 7	102525	02/18/2023	02/17/2024						
Pulse Limiter	SCHWARZBECK	VTSD 9561F-N	793	06/22/2022	06/21/2023						
LISN	LISN SCHWARZBECK		NSLK 8127 01040		08/22/2023						
LISN	SCHWARZBECK	NSLK 8127	01041	10/25/2022	10/24/2023						
Coaxial Cables	EMC Instruments Corp.	EMCCFD300-BM-BM- 3000	161207	06/22/2022	06/21/2023						
DC Power Supply	Agilent	E3640A	MY40005907	10/07/2022	10/06/2023						
DC Power Supply	DC Power Supply Agilent		KR93300208	09/08/2022	09/07/2023						
Test Software	audix	e3	Ver. 9 210322	N.C.R	N.C.R						

Conducted Measurement

	Conducted Emission Test Site: Conducted 2										
EQUIPMENT TYPE	MFR	MODEL NUMBER SERIAL NUMBER		LAST CAL.	CAL DUE.						
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY59071541	07/14/2022	07/13/2023						
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY59071541	07/13/2023	07/12/2024						
Test Software	Test Software SGS		Ver. 21	N.C.R	N.C.R						
Power Meter	Anritsu	ML2496A	2132007	09/21/2022	09/20/2023						
Power Sensor	Anritsu	MA2411B	1911391	09/21/2022	09/20/2023						
Power Sensor	Anritsu	MA2411B	1911392	09/21/2022	09/20/2023						
DC Power Supply	Agilent	E3640A	MY40005907	10/07/2022	10/06/2023						
DC Power Supply	Gwinstek	SPS-3610	GEV856761	09/13/2022	09/12/2023						
Attenuator	KEYSIGHT	8494B	TH60073121	12/14/2021	12/13/2022						
Attenuator	KEYSIGHT	8494B	TH60073121	12/13/2022	12/12/2023						
DC Block	DC Block Mini-Circuits		1	12/14/2021	12/13/2022						
DC Block	Mini-Circuits	BLK-18-S+	1	12/13/2022	12/12/2023						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 20 of 580

6.3 Contention based protocol measurement

Conducted Emission Test Site: Conducted 5										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
DC Power Supply	Gwinstek	GPC-3060D	GEW925544	03/24/2023	03/23/2024					
DC Power Supply	Gwinstek	GPC-3060D	GEW925533	03/24/2023	03/23/2024					
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY59071406	06/15/2022	06/14/2023					
Frequency Extender	KEYSIGHT	N5182BX07 MY59360217		03/07/2023	03/06/2024					
Signal Generator	KEYSIGHT	N5182B	MY59100743 03/07/2023		03/06/2024					
Attenuator	Agilent	8495B	3308A22470	12/13/2022	12/12/2023					
Attenuator	HP	8494B	2812A17605	12/13/2022	12/12/2023					
DC Block	Mini-Circuits	BLK-18-S+	4	12/13/2022	12/12/2023					
Power Divider	RF-LAMBAD	RFLT2W1G18G	11-JSPF412-020	12/13/2022	12/12/2023					
Power Divider	RF-LAMBDA	RFLT2W1G18G	21032900018	12/13/2022	12/12/2023					
Power Divider	Titan	T0510E2W118Q	22015161	12/13/2022	12/12/2023					
Power Divider	Agilent	11636B	59351	12/13/2022	12/12/2023					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 21 of 580

6.4 Radiated Measurement

Radiated Emission Test Site: SAC 2									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
Horn Antenna	RF SPIN	DRH18-E	210303A18-ES	02/24/2022	02/23/2023				
Bi-log Antenna	SCHWARZBECK	VULB9168	9168-1278	02/25/2022	02/24/2023				
Loop Antenna	ETS.LINDGREN	6502	148045	10/05/2022	10/04/2023				
Horn Antenna	SCHWARZBECK	BBHA9170	184	12/30/2022	12/29/2023				
EXA Spectrum Analyzer	KEYSIGHT	N9010B	MY59071541	07/14/2022	07/13/2023				
Test Software	Audix	e3	Ver. 9.210322	N.C.R	N.C.R				
DC Power Supply	Agilent	E3640A	MY40005907	10/07/2022	10/06/2023				
DC Power Supply	Agilent	E3640A	KR93300208	09/08/2022	09/07/2023				
EMI Test Receiver	R&S	ESCI 7	100759	08/22/2022	08/21/2023				
Pre-Amplifier	EMCI	EMC330N	980826	08/31/2022	08/30/2023				
Pre-Amplifier	EMCI	EMC118A45SEE	980867	08/31/2022	08/30/2023				
Pre-Amplifier	EMCI	EMC184045B	980135	10/27/2022	10/26/2023				
Attenuator	Mini-Circuit	BW-S10W2+	2	12/13/2022	12/12/2023				
Bandreject Filter 5925-6425	Woken	WFIL-N5925-6425F	WRGBAFWC2F9	12/13/2022	12/12/2023				
Bandreject Filter 6425-6525	Woken	WFIL-N6425-6525F	WRGBAFWC2J1	12/13/2022	12/12/2023				
Bandreject Filter 6525-6875	Woken	WFIL-N6525-6875F	WRGBAFWC2J4	12/13/2022	12/12/2023				
Bandreject Filter 6875-7125	Woken	WFIL-N6875-7125F	WRGBAFWC2J9	12/13/2022	12/12/2023				
8.6GHz High Pass Filter	Titan	T04H86002600060S01	210619-2-7	12/13/2022	12/12/2023				
Coaxial Cables	EMCI	EMCCFD400-NM-NM-	RX Cable below 1G	08/31/2022	08/30/2023				
Coaxial Cables	EMCI	EMC104-SM-SM-600	RX Cable below 1G	08/31/2022	08/30/2023				
Coaxial Cables	EMCI	EMC105-SM-SM-2000	RX Cable below 1G	08/31/2022	08/30/2023				
Coaxial Cables	EMCI	EMC104-SM-SM-10000	RX Cable above 1G	08/31/2022	08/30/2023				
Coaxial Cables	EMCI	EMC105-SM-SM-1000	RX Cable above 1G	08/31/2022	08/30/2023				
Coaxial Cables	EMCI	EMC105-SM-SM-1500	RX Cable above 1G	08/31/2022	08/30/2023				
Coaxial Cables	EMCI	EMC105-SM-SM-2000	RX Cable above 1G	08/31/2022	08/30/2023				
Coaxial Cables	EMCI	EMCCFD400-NM-NM-	RX Cable below 30M	08/31/2022	08/30/2023				
Coaxial Cables	EMCI	EMC105-SM-SM-2000	RX Cable below 30M	08/31/2022	08/30/2023				
Site Cal	SGS	SAC 2	N/A	08/31/2022	08/30/2023				

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。本都學主德本公司書面對面,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 22 of 580

CONDUCTED EMISSION TEST

7.1 Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

Frequency range		mits BuV)
MHz	Quasi-peak	Average
0.15 to 0.50	66 to 56	56 to 46
0.50 to 5	56	46
5 to 30	60	50


Note

- 1. The lower limit shall apply at the transition frequencies
- 2.The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

7.2 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The LISN was connected with 120Vac/60Hz power source.

7.3 Test Setup



7.4 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compli-
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

7.5 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closest to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 23 of 580


AC POWER LINE CONDUCTED EMISSION TEST DATA

Report Number :TERF2211002261ER Test Site :Conduction 1

Test Mode :Operation (6E) Test Date :2023-03-02

Power :120V/60Hz Temp./Humi. :23.8/52

Probe :L Engineer :Ricky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.229	Peak	28.85	10.25	39.10	62.49	-23.39
0.528	Peak	18.39	10.26	28.65	56.00	-27.35
0.870	Peak	24.05	10.34	34.39	56.00	-21.61
1.349	Peak	27.05	10.67	37.72	56.00	-18.28
1.479	Peak	27.84	10.77	38.61	56.00	-17.39
1.847	Average	21.39	11.00	32.39	46.00	-13.61
1.847	QP	30.41	11.00	41.41	56.00	-14.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:Conduction 1


Page: 24 of 580

Report Number :TERF2211002261ER **Test Site**

Test Mode :Operation (6E) Test Date :2023-03-02

Power :120V/60Hz Temp./Humi. :23.8/52

Probe :N Engineer :Ricky Chen



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.222	Peak	29.11	10.25	39.36	62.75	-23.38
0.509	Peak	21.23	10.26	31.48	56.00	-24.52
0.870	Peak	24.58	10.34	34.92	56.00	-21.08
1.349	Peak	28.93	10.67	39.60	56.00	-16.40
1.479	Peak	30.56	10.77	41.32	56.00	-14.68
1.847	Average	21.38	11.00	32.38	46.00	-13.62
1.847	QP	30.46	11.00	41.46	56.00	-14.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 www.sqs.com.tw



Page: 25 of 580

EMISSION BANDWIDTH

Standard Applicable

The maximum transmitter channel bandwidth for U-NII devices in the 5.925-7.125 GHz band is 320 megahertz.

8.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - 3.a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto,

Detector = Peak.

Trace Mode = Max Hold,

Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.

- 3.b. Mark the peak frequency and -26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- 5. For 99% Bandwidth: Set the spectrum analyzer as

RBW=1%,

VBW = 3*RBW,

Span = 30M/50MHz,

Detector=Sample,

Sweep=auto.

- 6. Turn on the 99% bandwidth function, max reading.
- 7. Repeat above procedures until all frequency of interest measured was complete.

Test Setup 8.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 26 of 580



Measurement Result

8.4.1 **Bandwidth** SISO

802.11a_Ch0

СН	Frequency (MHz)	99% BW (MHz)	26dB BW (MHz)
1	5955	16.440	20.37
45	6175	16.527	20.23
93	6415	16.531	20.25
97	6435	16.418	20.15
105	6475	16.441	20.34
113	6515	16.529	20.88
117	6535	16.501	20.21
149	6695	16.528	20.29
181	6855	16.537	20.01
185	6875(U-NII 7)	8.259	10.06
185	6875(U-NII 8)	8.259	10.06
189	6895	16.576	20.27
209	6995	16.474	20.10
229	7095	16.544	20.73

802.11ax_HE20_Ch0

СН	Frequency (MHz)	99% BW (MHz)	26dB BW (MHz)
1	5955	18.962	21.38
45	6175	19.037	21.30
93	6415	19.030	21.50
97	6435	19.066	21.41
105	6475	19.005	21.75
113	6515	19.072	21.59
117	6535	19.044	21.30
149	6695	19.070	21.79
181	6855	19.093	21.19
185	6875(U-NII 7)	9.518	10.63
185	6875(U-NII 8)	9.518	10.63
189	6895	19.030	21.32
209	6995	19.059	21.07
229	7095	18.990	21.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 27 of 580

802.11ax_HE40_Ch0

СН	Frequency (MHz)	99% BW (MHz)	26dB BW (MHz)
3	5965	37.443	39.74
43	6165	37.441	40.79
91	6405	37.567	40.74
99	6445	37.522	39.77
107	6485	37.521	40.14
115	6525(U-NII 6)	18.781	20.38
115	6525(U-NII 7)	18.781	20.38
123	6565	37.607	40.88
147	6685	37.480	40.57
179	6845	37.565	41.63
187	6885(U-NII 7)	8.787	10.34
187	6885(U-NII 8)	28.787	30.34
195	6925	37.464	39.63
211	7005	37.499	41.94
227	7085	37.587	39.81

802.11ax_HE80_Ch0

СН	Frequency (MHz)	99% BW (MHz)	26dB BW (MHz)
7	5985	76.850	81.12
39	6145	76.918	80.70
87	6385	76.915	81.34
103	6465	76.923	80.65
119	6545(U-NII 6)	18.485	20.09
119	6545(U-NII 7)	58.485	60.09
135	6625	76.963	80.81
151	6705	76.918	80.63
167	6785	77.121	80.95
183	6865(U-NII 7)	48.619	50.73
183	6865(U-NII 8)	28.619	30.73
199	6945	76.970	80.84
215	7025	76.924	80.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 28 of 580

802.11ax_HE20_Ch0

СН	Frequency (MHz)	99% BW (MHz)	26dB BW (MHz)
1	5955	19.031	21.78
45	6175	19.060	21.66
93	6415	19.125	21.56
97	6435	19.004	21.28
105	6475	19.042	21.47
113	6515	19.063	21.66
117	6535	18.961	21.58
149	6695	19.077	21.64
181	6855	19.035	21.86
185	6875(U-NII 7)	9.525	10.57
185	6875(U-NII 8)	9.525	10.57
189	6895	19.035	21.44
209	6995	19.002	21.18
229	7095	19.095	21.37

802.11ax_HE20_Ch1

СН	Frequency (MHz)	99% BW (MHz)	26dB BW (MHz)
1	5955	19.040	21.15
45	6175	19.051	21.35
93	6415	18.999	21.58
97	6435	19.024	21.79
105	6475	19.035	21.37
113	6515	19.006	21.15
117	6535	19.024	21.13
149	6695	19.077	22.00
181	6855	18.991	21.31
185	6875(U-NII 7)	9.527	10.59
185	6875(U-NII 8)	9.527	10.59
189	6895	18.994	21.13
209	6995	19.071	20.93
229	7095	19.006	21.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 29 of 580

802.11ax_HE40_Ch0

СН	Frequency (MHz)	99% BW (MHz)	26dB BW (MHz)
3	5965	37.451	39.57
43	6165	37.590	39.87
91	6405	37.580	39.81
99	6445	37.586	39.73
107	6485	37.496	40.63
115	6525(U-NII 6)	18.795	20.17
115	6525(U-NII 7)	18.795	20.17
123	6565	37.508	39.79
147	6685	37.501	39.74
179	6845	37.508	39.76
187	6885(U-NII 7)	8.763	10.11
187	6885(U-NII 8)	28.763	30.11
195	6925	37.606	39.64
211	7005	37.553	40.03
227	7085	37.503	39.71

802.11ax_HE40_Ch1

СН	Frequency (MHz)	99% BW (MHz)	26dB BW (MHz)
3	5965	37.520	39.48
43	6165	37.531	39.33
91	6405	37.438	39.38
99	6445	37.624	39.61
107	6485	37.527	39.21
115	6525(U-NII 6)	18.813	20.57
115	6525(U-NII 7)	18.813	20.57
123	6565	37.694	39.75
147	6685	37.515	39.81
179	6845	37.588	40.61
187	6885(U-NII 7)	8.750	9.77
187	6885(U-NII 8)	28.750	29.77
195	6925	37.583	39.71
211	7005	37.542	41.39
227	7085	37.617	41.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 30 of 580

802.11ax_HE80_Ch0

СН	Frequency (MHz)	99% BW (MHz)	26dB BW (MHz)
7	5985	76.987	80.88
39	6145	76.946	81.07
87	6385	76.950	80.73
103	6465	76.912	80.69
119	6545(U-NII 6)	18.454	20.41
119	6545(U-NII 7)	58.454	60.41
135	6625	77.012	81.36
151	6705	76.949	81.05
167	6785	77.065	81.17
183	6865(U-NII 7)	48.518	50.30
183	6865(U-NII 8)	28.518	30.30
199	6945	76.951	80.91
215	7025	76.841	81.00

802.11ax_HE80_Ch1

СН	Frequency (MHz)	99% BW (MHz)	26dB BW (MHz)
7	5985	76.969	80.92
39	6145	76.904	80.41
87	6385	76.956	80.23
103	6465	77.134	80.32
119	6545(U-NII 6)	18.465	20.48
119	6545(U-NII 7)	58.465	60.48
135	6625	77.041	80.90
151	6705	76.844	81.44
167	6785	77.003	80.54
183	6865(U-NII 7)	48.550	50.47
183	6865(U-NII 8)	28.550	30.47
199	6945	77.018	80.75
215	7025	76.900	81.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.





Page: 31 of 580


SISO 802.11a_20MHz_Chain0_5955MHz Frequency • ٥ KEYSIGHT Input RF Settings 1 Graph Ref Lvi Offset 12.78 dB Ref Value 20.00 dBm Scale/Div 10.0 dB Auto Man Freq Offset 0 Hz Center 5.95500 GHz #Res BW 220.00 kHz leasure Trace Occupied Bandwidth 16.440 MHz Total Power 13.0 dBm % of OBW Power x dB Transmit Freq Error Local 1 5 C 1 ? Mar 09, 2023












Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 32 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 33 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 34 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 35 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 36 of 580




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 37 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可與以資剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 38 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488


SGS Taiwan Ltd.





Page: 39 of 580


MIMO











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 40 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 41 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可與以資剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 42 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 43 of 580



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 44 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 45 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format


documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the leimitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 46 of 580



除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 47 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the leimitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 48 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 49 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 50 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大司如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 51 of 580







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可與以資剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 52 of 580

9 MAXIMUM OUTPUT POWER

9.1 Standard Applicable

9.1.1 Duty Cycle

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

9.1.2 Output Power

§15.407(a)

- (4) For a standard power access point and fixed client device operating in the 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum e.i.r.p. over the frequency band of operation must not exceed 36 dBm.
 - For outdoor devices, the maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).
- (5) For an indoor access point operating in the 5.925-7.125 GHz band, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm.
- (6) For a subordinate device operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm.
- (7) For client devices, except for fixed client devices as defined in this subpart, operating under the control of a standard power access point in 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum e.i.r.p. over the frequency band of operation must not exceed 30 dBm and the device must limit its power to no more than 6 dB below its associated standard power access point's authorized transmit power.
- (8) For client devices operating under the control of an indoor access point in the 5.925-7.125 GHz bands, the maximum e.i.r.p. over the frequency band of operation must not exceed 24 dBm.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw




Page: 53 of 580


	EUT CATEGORY	Equipment Class	§15.407(a)	§RSS 248 4.6
	Standard Access Point	6SD	EIRP < 36dBm and antenna angle above 30 degrees < 21dBm EIRP for outdoor use	CIDD 4 204Dss
٧	indoor Access Point	6ID	EIRP < 30dBm	EIRP < 30dBm
	Subordinate Device	6PP	EIRP < 30dBm	
	Fixed Client	6FC	EIRP < 36dBm and antenna angle above 30 degrees < 21dBm EIRP for outdoor use	
	Indoor Client	6XD	EIRP < 24dBm	
	Standard Client	6FX	EIRP < 30dBm no more than 6 dB below its associated standard power access point's authorized trans-mit power	EIRP < 24dBm
	Dual Client	6CD	Compliance both indoor clinet and standard client limit	

Test Setup 9.2

9.2.1 **Duty Cycle**



9.2.2 **Output Power**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 54 of 580

As per section F. 2). e). (ii) and F. 2). f). of FCC KDB 662911 D01 If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

$$\bullet \quad Directional Gain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

NSS = the number of independent spatial streams of data;

NANT = the total number of antennas

 $g_{i,k} = 10^{Gk/20}$ if the kth antenna is being fed by spatial stream j, or zero if it is not;

Gk is the gain in dBi of the kth antenna.

(i) If all antennas have the same gain, GANT, Directional gain = GANT + Array Gain, where Array Gain is as follows.

For power measurements on IEEE 802.11 devices,

Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \le 4$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 55 of 580

9.3 Measurement Procedure

9.3.1 **Duty Cycle**

- 1. Set span = Zero
- 2. RBW = 8MHz
- VBW = 8MHz,
- Detector = Peak

9.3.2 **Output Power**

- Place the EUT on the table and set it in transmitting mode. 1.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- Power Meter is used as the auxiliary test equipment to conduct the output power meas-4. urement.
- Record the max. reading and add 10 log(1/duty cycle).
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.
- MIMO mode: offset is set with "measure and add 10 Log (N)" to measurement for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antenna.

The maximum antenna gain is selected just like below.

SISO/ MIMO	Antenna Type	Supplier	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)
SISO	Dipole	Molex	146153	5925~7125	5.8
MIMO	Dipole	Unictron	WT32D1-KX	5925~7125	4

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488




Page: 56 of 580

Measurement Result

9.4.1 **Duty Cycle**

Mode	Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11a	34.74	4.59	7.58	8.00
802.11ax_20	97.99	0.09	1.03	2.00
802.11ax_40	98.01	0.09	1.02	0.01
802.11ax_80	98.01	0.09	1.01	0.01







802.11ax_80MHz_Chain0_5985MHz ٥ Frequency KEYSIGHT Input RE Scale/Div 10 dB 0.17 d Swept Span Zero Span Full Span AUTO TUNE Res BW 8 MHz Auto Man (Δ) X Axis Scale 「☐ P Dec 13, 2022 ●

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 57 of 580

9.4.2 Conducted output power

802.11a Ch0

СН	Frequency (MHz)	Average POWER +Factor (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	8.98	5.8	14.78	30	PASS
45	6175	8.93	5.8	14.73	30	PASS
93	6415	8.85	5.8	14.65	30	PASS
97	6435	8.99	5.8	14.79	30	PASS
105	6475	8.92	5.8	14.72	30	PASS
113	6515	8.84	5.8	14.64	30	PASS
117	6535	8.85	5.8	14.65	30	PASS
149	6695	8.93	5.8	14.73	30	PASS
181	6855	8.92	5.8	14.72	30	PASS
185	6875(U-NII 7)	6.97	5.8	12.77	30	PASS
185	6875(U-NII 8)	6.97	5.8	12.77	30	PASS
189	6895	9.82	5.8	15.62	30	PASS
209	6995	9.90	5.8	15.70	30	PASS
229	7095	9.94	5.8	15.74	30	PASS

802.11a Ch1

СН	Frequency (MHz)	Average POWER +Factor (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
1	5955	8.96	5.8	14.76	30	PASS
45	6175	8.87	5.8	14.67	30	PASS
93	6415	8.57	5.8	14.37	30	PASS
97	6435	8.83	5.8	14.63	30	PASS
105	6475	8.68	5.8	14.48	30	PASS
113	6515	8.80	5.8	14.60	30	PASS
117	6535	8.75	5.8	14.55	30	PASS
149	6695	8.78	5.8	14.58	30	PASS
181	6855	8.64	5.8	14.44	30	PASS
185	6875(U-NII 7)	6.70	5.8	12.50	30	PASS
185	6875(U-NII 8)	6.70	5.8	12.50	30	PASS
189	6895	9.64	5.8	15.44	30	PASS
209	6995	9.74	5.8	15.54	30	PASS
229	7095	9.78	5.8	15.58	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 58 of 580

802.11ax_HE20_Ch0

СН	Frequency (MHz)	RU config.	Average POWER +Factor (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		full	10.90	5.8	16.70	30	PASS
	5055	26/0	1.98	5.8	7.78	30	PASS
1	5955	52/37	4.96	5.8	10.76	30	PASS
		106/53	7.97	5.8	13.77	30	PASS
45	6175	full	10.98	5.8	16.78	30	PASS
		full	10.92	5.8	16.72	30	PASS
	0445	26/8	1.95	5.8	7.75	30	PASS
93	6415	52/40	4.95	5.8	10.75	30	PASS
		106/54	7.79	5.8	13.59	30	PASS
		full	10.96	5.8	16.76	30	PASS
07	0.405	26/0	1.99	5.8	7.79	30	PASS
97	6435	52/37	4.98	5.8	10.78	30	PASS
		106/53	7.89	5.8	13.69	30	PASS
105	6475	full	10.84	5.8	16.64	30	PASS
		full	10.93	5.8	16.73	30	PASS
440	0545	26/8	1.99	5.8	7.79	30	PASS
113	6515	52/40	4.67	5.8	10.47	30	PASS
		106/54	7.99	5.8	13.79	30	PASS
	6535	full	10.99	5.8	16.79	30	PASS
447		26/0	1.96	5.8	7.76	30	PASS
117		52/37	3.95	5.8	9.75	30	PASS
		106/53	6.98	5.8	12.78	30	PASS
149	6695	full	10.82	5.8	16.62	30	PASS
		full	10.98	5.8	16.78	30	PASS
404	0055	26/8	1.93	5.8	7.73	30	PASS
181	6855	52/40	3.87	5.8	9.67	30	PASS
		106/54	6.95	5.8	12.75	30	PASS
185	6875(U-NII 7)	full	8.88	5.8	14.68	30	PASS
185	6875(U-NII 8)	full	8.88	5.8	14.68	30	PASS
		full	11.90	5.8	17.70	30	PASS
100	6005	26/0	2.97	5.8	8.77	30	PASS
189	6895	52/37	5.96	5.8	11.76	30	PASS
		106/53	7.87	5.8	13.67	30	PASS
209	6995	full	11.92	5.8	17.72	30	PASS
		full	11.94	5.8	17.74	30	PASS
220	7005	26/8	2.93	5.8	8.73	30	PASS
229	7095	52/40	5.70	5.8	11.50	30	PASS
		106/54	7.96	5.8	13.76	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 59 of 580

802.11ax HE20 Ch1

СН	Frequency (MHz)	RU config.	Average POWER +Factor (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
		full	10.88	5.8	16.68	30	PASS
	5055	26/0	1.85	5.8	7.65	30	PASS
1	5955	52/37	4.92	5.8	10.72	30	PASS
		106/53	7.95	5.8	13.75	30	PASS
45	6175	full	10.82	5.8	16.62	30	PASS
		full	10.85	5.8	16.65	30	PASS
02	6445	26/8	1.83	5.8	7.63	30	PASS
93	6415	52/40	4.93	5.8	10.73	30	PASS
		106/54	7.72	5.8	13.52	30	PASS
		full	10.93	5.8	16.73	30	PASS
07	0405	26/0	1.95	5.8	7.75	30	PASS
97	6435	52/37	4.92	5.8	10.72	30	PASS
		106/53	7.59	5.8	13.39	30	PASS
105	6475	full	10.82	5.8	16.62	30	PASS
		full	10.90	5.8	16.70	30	PASS
113	GE 1 E	26/8	1.68	5.8	7.48	30	PASS
113	6515	52/40	4.59	5.8	10.39	30	PASS
		106/54	7.96	5.8	13.76	30	PASS
	6535	full	10.93	5.8	16.73	30	PASS
117		26/0	1.93	5.8	7.73	30	PASS
117		52/37	3.91	5.8	9.71	30	PASS
		106/53	6.85	5.8	12.65	30	PASS
149	6695	full	10.80	5.8	16.60	30	PASS
		full	10.95	5.8	16.75	30	PASS
181	6855	26/8	1.88	5.8	7.68	30	PASS
101	0000	52/40	3.84	5.8	9.64	30	PASS
		106/54	6.90	5.8	12.70	30	PASS
185	6875(U-NII 7)	full	8.72	5.8	14.52	30	PASS
185	6875(U-NII 8)	full	8.72	5.8	14.52	30	PASS
		full	11.69	5.8	17.49	30	PASS
189	6895	26/0	2.88	5.8	8.68	30	PASS
109	0090	52/37	5.92	5.8	11.72	30	PASS
		106/53	7.85	5.8	13.65	30	PASS
209	6995	full	11.88	5.8	17.68	30	PASS
		full	11.92	5.8	17.72	30	PASS
229	7095	26/8	2.90	5.8	8.70	30	PASS
229	7095	52/40	5.57	5.8	11.37	30	PASS
		106/54	7.87	5.8	13.67	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 60 of 580

802.11ax HE40 Ch0

СН	Frequency (MHz)	RU config.	Average POWER +Factor (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	full	13.77	5.8	19.57	30	PASS
	3903	242/61	10.82	5.8	16.62	30	PASS
43	6165	full	13.92	5.8	19.72	30	PASS
91	6405	full	13.98	5.8	19.78	30	PASS
91	0403	242/62	10.83	5.8	16.63	30	PASS
99	99 6445	full	13.93	5.8	19.73	30	PASS
99	0445	242/61	10.89	5.8	16.69	30	PASS
107	107 6485	full	13.99	5.8	19.79	30	PASS
107		242/62	10.90	5.8	16.70	30	PASS
115	6525(U-NII 6)	full	10.86	5.8	16.66	30	PASS
115	6525(U-NII 7)	full	10.86	5.8	16.66	30	PASS
123	6565	full	12.98	5.8	18.78	30	PASS
123	0000	242/61	11.76	5.8	17.56	30	PASS
147	6685	full	12.96	5.8	18.76	30	PASS
179	6845	full	12.96	5.8	18.76	30	PASS
179	0043	242/62	11.97	5.8	17.77	30	PASS
187	6885(U-NII 7)	full	7.66	5.8	13.46	30	PASS
187	6885(U-NII 8)	full	12.81	5.8	18.61	30	PASS
195	6925	full	13.99	5.8	19.79	30	PASS
195	0925	242/61	11.83	5.8	17.63	30	PASS
211	7005	full	13.96	5.8	19.76	30	PASS
227	7095	full	13.92	5.8	19.72	30	PASS
221	7085	242/62	11.79	5.8	17.59	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 61 of 580

802.11ax HE40 Ch1

CH	Frequency (MHz)	RU config.	Average POWER +Factor (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
3	5965	full	13.57	5.8	19.37	30	PASS
3	3903	242/61	10.80	5.8	16.60	30	PASS
43	6165	full	13.66	5.8	19.46	30	PASS
91	6405	full	13.62	5.8	19.42	30	PASS
91	0403	242/62	10.81	5.8	16.61	30	PASS
00	99 6445	full	13.66	5.8	19.46	30	PASS
99	0443	242/61	10.85	5.8	16.65	30	PASS
107	107 6485	full	13.55	5.8	19.35	30	PASS
107	0400	242/62	10.71	5.8	16.51	30	PASS
115	6525(U-NII 6)	full	10.63	5.8	16.43	30	PASS
115	6525(U-NII 7)	full	10.63	5.8	16.43	30	PASS
123	6565	full	12.87	5.8	18.67	30	PASS
123	0303	242/61	11.65	5.8	17.45	30	PASS
147	6685	full	12.92	5.8	18.72	30	PASS
179	6845	full	12.93	5.8	18.73	30	PASS
179	0045	242/62	11.82	5.8	17.62	30	PASS
187	6885(U-NII 7)	full	7.34	5.8	13.14	30	PASS
187	6885(U-NII 8)	full	12.49	5.8	18.29	30	PASS
195	6025	full	13.66	5.8	19.46	30	PASS
190	6925	242/61	11.70	5.8	17.50	30	PASS
211	7005	full	13.66	5.8	19.46	30	PASS
227	7095	full	13.70	5.8	19.50	30	PASS
221	7085	242/62	11.72	5.8	17.52	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 62 of 580

802.11ax_HE80_Ch0

СН	Frequency (MHz)	RU config.	Average POWER +Factor (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	5985	full	13.97	5.8	19.77	30	PASS
,	3903	484/65	13.96	5.8	19.76	30	PASS
39	6145	full	13.91	5.8	19.71	30	PASS
87	6385	full	13.98	5.8	19.78	30	PASS
01	0303	484/66	13.97	5.8	19.77	30	PASS
		full	13.99	5.8	19.79	30	PASS
103	6465	484/65	13.96	5.8	19.76	30	PASS
		484/66	13.94	5.8	19.74	30	PASS
119	6545(U-NII 6)	full	7.52	5.8	13.32	30	PASS
119	6545(U-NII 7)	full	12.51	5.8	18.31	30	PASS
125	GGOE	full	13.97	5.8	19.77	30	PASS
135	6625	484/65	13.96	5.8	19.76	30	PASS
151	6705	full	13.96	5.8	19.76	30	PASS
167	6705	full	13.83	5.8	19.63	30	PASS
107	6785	484/66	13.93	5.8	19.73	30	PASS
183	6865(U-NII 7)	full	11.73	5.8	17.53	30	PASS
183	6865(U-NII 8)	full	9.42	5.8	15.22	30	PASS
100	6045	full	13.99	5.8	19.79	30	PASS
199	6945	484/65	13.88	5.8	19.68	30	PASS
245	7005	full	13.96	5.8	19.76	30	PASS
215	7025	484/66	13.88	5.8	19.68	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 63 of 580

802.11ax HE80 Ch1

СН	Frequency (MHz)	RU config.	Average POWER +Factor (dBm)	Antenna Gain (dBi)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
7	E00E	full	13.73	5.8	19.53	30	PASS
,	5985	484/65	13.53	5.8	19.33	30	PASS
39	6145	full	13.62	5.8	19.42	30	PASS
07	6205	full	13.62	5.8	19.42	30	PASS
07	87 6385	484/66	13.74	5.8	19.54	30	PASS
	103 6465	full	13.80	5.8	19.60	30	PASS
103		484/65	13.74	5.8	19.54	30	PASS
		484/66	13.76	5.8	19.56	30	PASS
119	6545(U-NII 6)	full	7.37	5.8	13.17	30	PASS
119	6545(U-NII 7)	full	12.36	5.8	18.16	30	PASS
135	6625	full	13.68	5.8	19.48	30	PASS
133	0025	484/65	13.52	5.8	19.32	30	PASS
151	6705	full	13.64	5.8	19.44	30	PASS
167	6785	full	13.65	5.8	19.45	30	PASS
107	0705	484/66	13.62	5.8	19.42	30	PASS
183	6865(U-NII 7)	full	11.62	5.8	17.42	30	PASS
183	6865(U-NII 8)	full	9.31	5.8	15.11	30	PASS
199	6945	full	13.65	5.8	19.45	30	PASS
199	0940	484/65	13.64	5.8	19.44	30	PASS
215	7025	full	13.66	5.8	19.46	30	PASS
215	7025	484/66	13.66	5.8	19.46	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 64 of 580

802.11ax 20 2TX

СН	C_20_2TX Frequency	RU config.		POWER + r(dBm)	TOTAL POWER	Antenna Gain	EIRP	REQUIRED EIRP LIMIT	RESULT
5	(MHz)	ne comig.	CH 0	CH 1	(dBm)	(dBi)	(dBm)	(dBm)	1120021
		full	7.93	7.97	10.96	4	14.96	30	PASS
1	5955	26/0	-0.97	-1.09	1.98	4	5.98	30	PASS
1	3933	52/37	1.96	1.81	4.89	4	8.89	30	PASS
		106/53	5.18	4.76	7.98	4	11.98	30	PASS
45	6175	full	7.98	7.95	10.97	4	14.97	30	PASS
		full	8.18	7.76	10.98	4	14.98	30	PASS
93	93 6415	26/8	-0.87	-1.66	1.76	4	5.76	30	PASS
93	0415	52/40	2.01	1.31	4.68	4	8.68	30	PASS
		106/54	5.02	4.34	7.70	4	11.70	30	PASS
		full	8.11	7.83	10.98	4	14.98	30	PASS
97	6435	26/0	-0.79	-1.28	1.98	4	5.98	30	PASS
91	0433	52/37	1.60	2.33	4.99	4	8.99	30	PASS
		106/53	4.70	4.41	7.57	4	11.57	30	PASS
105	6475	full	7.84	8.10	10.98	4	14.98	30	PASS
	6515	full	8.06	7.47	10.78	4	14.78	30	PASS
112		26/8	-1.12	-1.85	1.54	4	5.54	30	PASS
113		52/40	2.02	0.95	4.53	4	8.53	30	PASS
		106/54	5.03	4.35	7.71	4	11.71	30	PASS
	6535	full	7.90	7.07	10.51	4	14.51	30	PASS
117		26/0	-0.89	-2.12	1.55	4	5.55	30	PASS
117	0555	52/37	1.27	0.63	3.97	4	7.97	30	PASS
		106/53	4.44	3.45	6.98	4	10.98	30	PASS
149	6695	full	7.54	8.00	10.78	4	14.78	30	PASS
		full	7.42	8.34	10.91	4	14.91	30	PASS
181	6855	26/8	-1.75	-1.25	1.52	4	5.52	30	PASS
101	0000	52/40	0.02	1.60	3.89	4	7.89	30	PASS
	[106/54	4.00	3.95	6.98	4	10.98	30	PASS
185	6875(U-NII 7)	full	4.30	5.55	7.98	4	11.98	30	PASS
185	6875(U-NII 8)	full	4.30	5.55	7.98	4	11.98	30	PASS
		full	8.03	7.92	10.98	4	14.98	30	PASS
189	6895	26/0	-1.30	-0.76	1.99	4	5.99	30	PASS
109	0090	52/37	0.31	0.94	3.64	4	7.64	30	PASS
		106/53	3.47	4.24	6.88	4	10.88	30	PASS
209	6995	full	7.56	8.28	10.94	4	14.94	30	PASS
		full	7.32	7.73	10.54	4	14.54	30	PASS
229	7095	26/8	-1.82	-0.58	1.85	4	5.85	30	PASS
229	7095	52/40	0.75	1.17	3.97	4	7.97	30	PASS
		106/54	3.68	4.27	6.99	4	10.99	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 65 of 580

802.11ax_40_2TX

СН	Frequency	RU config.	AVERAGE Factor	POWER + (dBm)	TOTAL	Antenna Gain	EIRP	REQUIRED EIRP LIMIT	RESULT
OII	(MHz)	No comig.	CH 0	CH 1	(dBm)	(dBi)	(dBm)	(dBm)	REGOLI
3	5965	full	10.56	9.27	12.97	4	16.97	30	PASS
3	3903	242/61	7.76	7.96	10.87	4	14.87	30	PASS
43	6165	full	10.70	9.10	12.98	4	16.98	30	PASS
91	6405	full	10.74	9.02	12.97	4	16.97	30	PASS
91	0405	242/62	7.81	7.32	10.58	4	14.58	30	PASS
99	6445	full	9.61	10.32	12.99	4	16.99	30	PASS
99	0445	242/61	7.64	8.05	10.86	4	14.86	30	PASS
107	6485	full	9.54	10.17	12.87	4	16.87	30	PASS
107	0400	242/62	8.10	7.40	10.77	4	14.77	30	PASS
115	6525(U-NII 6)	full	5.81	7.18	9.56	4	13.56	30	PASS
115	6525(U-NII 7)	full	5.81	7.18	9.56	4	13.56	30	PASS
400	GEGE	full	10.01	9.67	12.85	4	16.85	30	PASS
123	6565	242/61	7.48	6.14	9.87	4	13.87	30	PASS
147	6685	full	10.13	9.28	12.73	4	16.73	30	PASS
170	6045	full	9.56	9.84	12.71	4	16.71	30	PASS
179	6845	242/62	7.20	6.72	9.97	4	13.97	30	PASS
187	6885(U-NII 7)	full	2.83	4.17	6.56	4	10.56	30	PASS
187	6885(U-NII 8)	full	7.98	9.32	11.71	4	15.71	30	PASS
405	0005	full	9.68	10.21	12.96	4	16.96	30	PASS
195	6925	242/61	6.21	7.62	9.98	4	13.98	30	PASS
211	7005	full	8.97	10.00	12.52	4	16.52	30	PASS
227	7005	full	9.66	10.27	12.98	4	16.98	30	PASS
227	7085	242/62	6.82	7.03	9.93	4	13.93	30	PASS

802.11ax_80_2TX

СН	Frequency	RU config.	AVERAGE Factor	POWER + r(dBm)	TOTAL POWER	Antenna Gain	EIRP	REQUIRED EIRP LIMIT	RESULT
	(MHz)		CH 0	CH 1	(dBm)	(dBi)	(dBm)	(dBm)	
7	5985	full	10.57	11.20	13.90	4	17.90	30	PASS
1	3963	484/65	9.98	9.17	12.60	4	16.60	30	PASS
39	6145	full	10.68	11.27	13.99	4	17.99	30	PASS
87	6385	full	10.58	11.03	13.82	4	17.82	30	PASS
01	0300	484/66	10.31	9.47	12.92	4	16.92	30	PASS
		full	10.97	10.72	13.85	4	17.85	30	PASS
103	6465	484/65	8.13	9.67	11.98	4	15.98	30	PASS
		484/66	8.08	9.70	11.97	4	15.97	30	PASS
119	6545(U-NII 6)	full	4.78	4.26	7.54	4	11.54	30	PASS
119	6545(U-NII 7)	full	9.79	9.27	12.54	4	16.54	30	PASS
135	6625	full	11.17	10.53	13.87	4	17.87	30	PASS
133	0023	484/65	9.04	8.90	11.98	4	15.98	30	PASS
151	6705	full	10.83	10.87	13.86	4	17.86	30	PASS
167	6785	full	10.76	10.79	13.78	4	17.78	30	PASS
107	0705	484/66	8.85	9.05	11.96	4	15.96	30	PASS
183	6865(U-NII 7)	full	8.66	9.00	11.84	4	15.84	30	PASS
183	6865(U-NII 8)	full	6.35	6.69	9.53	4	13.53	30	PASS
199	6945	full	10.51	11.35	13.96	4	17.96	30	PASS
199	0945	484/65	8.01	9.06	11.57	4	15.57	30	PASS
215	7025	full	10.39	11.05	13.74	4	17.74	30	PASS
210	7025	484/66	8.51	9.30	11.93	4	15.93	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 66 of 580

10 MAXIMUM POWER SPECTRAL DENSITY

10.1 Standard Applicable

§15.407(a)

- (4) For a standard power access point and fixed client device operating in the 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum power spectral density must not exceed 23 dBm e.i.r.p in any 1-megahertz band.
- (5) For an indoor access point operating in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed 5 dBm e.i.r.p. in any 1-megahertz band.
- (6) For a subordinate device operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed 5 dBm e.i.r.p in any 1-megahertz band.
- (7) For client devices, except for fixed client devices as defined in this subpart, operating under the control of a standard power access point in 5.925-6.425 GHz and 6.525-6.875 GHz bands, the maximum power spectral density must not exceed 17 dBm e.i.r.p. in any 1- megahertz band.
- (8) For client devices operating under the control of an indoor access point in the 5.925-7.125 GHz bands, the maximum power spectral density must not exceed -1 dBm e.i.r.p. in any 1megahertz band.

	EUT CATEGORY	Equipment Class	§15.407(a)	§RSS 248 4.6	
	Standard Access Point 6SD		EIRP < 23dBm/MHz		
V	indoor Access Point	6ID	EIRP < 5dBm/MHz	EIRP < 5dBm	
	Subordinate Device	6PP	EIRP < 5dBm/MHz		
	Fixed Client	6FC	EIRP < 23dBm/MHz		
	Indoor Client	6XD	EIRP < -1dBm/MHz		
	Standard Client	6FX	EIRP < 17dBm/MHz	EIRP < -1dBm/MHz	
	Dual Client	6CD	Compliance both indoor clinet and standard client limits		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



Page: 67 of 580

Note

As per section F. 2). e). (ii) and F. 2). f). of FCC KDB 662911 D01 If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.


• Directional Gain =
$$10 \cdot \log \left[\frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^{2}}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream; NSS = the number of independent spatial streams of data; NANT = the total number of antennas $g_{j,k} = /20$ 10Gk if the kth antenna is being fed by spatial stream j, or zero if it is not; G_k is the gain in dBi of the kth antenna.

- (i) If all antennas have the same gain, *GANT*, Directional gain = GANT + Array Gain, where Array Gain is as follows.
- For power spectral density (PSD) measurements on all devices $Array\ Gain = 10\ log(N_{ANT}/N_{SS})\ dB.$

10.2 Test Setup



10.3 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
- 4. Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)
- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验明,此起华廷国旗影响建设建设,因此此接到旗头之缘。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留勿天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 68 of 580

8. MIMO mode: offset is set following "measure and add 10 Log (N)" on spectrum to measure the PSD for MIMO mode. Offset = cable loss + 10 log (N), where N is number of transmitting antenna.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome.

9. The maximum directional gain is selected just like below.

SISO/ MIMO	Antenna Type	Supplier	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)	Directional Gain(dBi)
SISO	Dipole	Molex	146153	5925~7125	5.8	5.8
MIMO	Dipole	Unictron	WT32D1-KX	5925~7125	4	7.01

10.4 Measurement Result

10.4.1 Power spectral density

SISO

		POWER	R DENSITY 802.11a M	ODE			
Frequency (MHz)	PSD (dBm/MHz) Ch0 meas	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
5955	-5.611	4.59	-1.02	5.80	4.78	5.00	-0.22
6175	-5.686	4.59	-1.10	5.80	4.70	5.00	-0.30
6415	-5.535	4.59	-0.95	5.80	4.86	5.00	-0.15
6435	-5.800	4.59	-1.21	5.80	4.59	5.00	-0.41
6475	-6.052	4.59	-1.46	5.80	4.34	5.00	-0.66
6515	-6.147	4.59	-1.56	5.80	4.24	5.00	-0.76
6535	-5.562	4.59	-0.97	5.80	4.83	5.00	-0.17
6695	-6.179	4.59	-1.59	5.80	4.21	5.00	-0.79
6855	-6.204	4.59	-1.61	5.80	4.19	5.00	-0.81
6875(U-NII 7)	-4.692	4.59	-4.69	5.80	1.11	5.00	-3.89
6875(U-NII 8)	-4.692	4.59	-4.69	5.80	1.11	5.00	-3.89
6895	-6.135	4.59	-1.55	5.80	4.26	5.00	-0.75
6995	-5.700	4.59	-1.11	5.80	4.69	5.00	-0.31
7095	-5.754	4.59	-1.16	5.80	4.64	5.00	-0.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之样具合善,同时此样里属是例如于。木型生主概未从司事高纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 69 of 580

			POWER DE	ENSITY 802.11ax HE2	0 MODE			
Frequency (MHz)	RU config.	PSD (dBm/MHz) Ch0 meas	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margir (dB)
	full	-0.921	0.09	-0.83	5.80	4.97	5.00	-0.03
	26/0	-1.042	0.09	-0.95	5.80	4.85	5.00	-0.15
5955	52/37	-1.264	0.09	-1.17	5.80	4.63	5.00	-0.37
	106/53	-1.706	0.09	-1.62	5.80	4.18	5.00	-0.82
6175	full	-1.609	0.09	-1.52	5.80	4.28	5.00	-0.72
0.1.0	full	-1.439	0.09	-1.35	5.80	4.45	5.00	-0.55
	26/8	-1.532	0.09	-1.44	5.80	4.36	5.00	-0.64
6415	52/40	-1.553	0.09	-1.46	5.80	4.34	5.00	-0.66
	106/54	-1.344	0.09	-1.25	5.80	4.55	5.00	-0.45
	full	-0.955	0.09	-0.87	5.80	4.94	5.00	-0.07
0.405	26/0	-1.327	0.09	-1.24	5.80	4.56	5.00	-0.44
6435	52/37	-1.361	0.09	-1.27	5.80	4.53	5.00	-0.47
	106/53	-1.491	0.09	-1.40	5.80	4.40	5.00	-0.60
6475	full	-1.329	0.09	-1.24	5.80	4.56	5.00	-0.44
CEAE	full	-1.400	0.09	-1.31	5.80	4.49	5.00	-0.51
	26/8	-1.469	0.09	-1.38	5.80	4.42	5.00	-0.58
6515	52/40	-1.738	0.09	-1.65	5.80	4.15	5.00	-0.85
00.0	106/54	-1.576	0.09	-1.49	5.80	4.31	5.00	-0.69
	full	-0.954	0.09	-0.86	5.80	4.94	5.00	-0.06
	26/0	-1.694	0.09	-1.60	5.80	4.20	5.00	-0.80
6535	52/37	-1.731	0.09	-1.64	5.80	4.16	5.00	-0.84
	106/53	-1.406	0.09	-1.32	5.80	4.48	5.00	-0.52
6695	full	-1.282	0.09	-1.19	5.80	4.61	5.00	-0.39
	full	-1.549	0.09	-1.46	5.80	4.34	5.00	-0.66
	26/8	-1.499	0.09	-1.41	5.80	4.39	5.00	-0.61
6855	52/40	-1.085	0.09	-1.00	5.80	4.81	5.00	-0.20
	106/54	-1.519	0.09	-1.43	5.80	4.37	5.00	-0.63
6875(U-NII 7)	full	-2.758	0.09	-2.76	5.80	3.04	5.00	-1.96
6875(U-NII 8)	full	-2.758	0.09	-2.76	5.80	3.04	5.00	-1.96
	full	-1.474	0.09	-1.38	5.80	4.42	5.00	-0.58
	26/0	-1.728	0.09	-1.64	5.80	4.16	5.00	-0.84
6895	52/37	-1.404	0.09	-1.31	5.80	4.49	5.00	-0.51
	106/53	-2.035	0.09	-1.95	5.80	3.86	5.00	-1.15
6995	full	-1.003	0.09	-0.91	5.80	4.89	5.00	-0.11
0000	full	-1.246	0.09	-1.16	5.80	4.64	5.00	-0.36
	26/8	-0.908	0.09	-0.82	5.80	4.98	5.00	-0.02
7095	52/40	-1.322	0.09	-1.23	5.80	4.57	5.00	-0.43
	106/54	-1.014	0.09	-0.92	5.80	4.88	5.00	-0.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 70 of 580

			POWER DE	ENSITY 802.11ax HE4	0 MODE			
			POWER DE	ENSTIT 602.TTAX FIE4	OWODE			
Frequency (MHz)	RU config.	PSD (dBm/MHz) Ch0 meas	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
	full	-2.011	0.00	-2.01	5.80	3.79	5.00	-1.21
5965	242/61	-0.933	0.00	-0.93	5.80	4.87	5.00	-0.13
6165	full	-2.225	0.00	-2.23	5.80	3.58	5.00	-1.43
0.40-	full	-1.231	0.00	-1.23	5.80	4.57	5.00	-0.43
6405	242/62	-1.314	0.00	-1.31	5.80	4.49	5.00	-0.51
0445	full	-1.434	0.00	-1.43	5.80	4.37	5.00	-0.63
6445	242/61	-1.164	0.00	-1.16	5.80	4.64	5.00	-0.36
0405	full	-1.536	0.00	-1.54	5.80	4.26	5.00	-0.74
6485	242/62	-1.281	0.00	-1.28	5.80	4.52	5.00	-0.48
6525(U-NII 6)	full	-5.041	0.00	-5.04	5.80	0.76	5.00	-4.24
6525(U-NII 7)	full	-5.041	0.00	-5.04	5.80	0.76	5.00	-4.24
6565	full	-1.288	0.00	-1.29	5.80	4.51	5.00	-0.49
0303	242/61	-0.970	0.00	-0.97	5.8	4.83	5.00	-0.17
6685	full	-1.380	0.00	-1.38	5.8	4.42	5.00	-0.58
6845	full	-2.316	0.00	-2.32	5.8	3.48	5.00	-1.52
00-10	242/62	-1.275	0.00	-1.28	5.8	4.53	5.00	-0.48
6885(U-NII 7)	full	-8.758	0.00	-8.76	5.80	-2.96	5.00	-7.96
6885(U-NII 8)	full	-3.605	0.00	-3.60	5.80	2.20	5.00	-2.80
6925	full	-2.308	0.00	-2.31	5.8	3.49	5.00	-1.51
0925	242/61	-1.099	0.00	-1.10	5.8	4.70	5.00	-0.30
7005	full	-1.487	0.00	-1.49	5.8	4.31	5.00	-0.69
7085	full	-1.546	0.00	-1.55	5.8	4.25	5.00	-0.75
7000	242/62	-1.056	0.00	-1.06	5.8	4.74	5.00	-0.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 71 of 580

			DOWER	-NOITY 000 44										
	POWER DENSITY 802.11ax HE80 MODE PSD PSD PSD													
Frequency (MHz)	RU config.	PSD (dBm/MHz) Ch0 meas	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)						
5985	full	-4.587	0.00	-4.59	5.80	1.21	5.00	-3.79						
3903	484/65	-1.210	0.00	-1.21	5.80	4.59	5.00	-0.41						
6145	full	-4.939	0.00	-4.94	5.80	0.86	5.00	-4.14						
6205	full	-4.440	0.00	-4.44	5.80	1.36	5.00	-3.64						
6385	484/66	-1.336	0.00	-1.34	5.80	4.46	5.00	-0.54						
	full	-4.044	0.00	-4.04	5.80	1.76	5.00	-3.24						
6465	484/65	-1.473	0.00	-1.47	5.80	4.33	5.00	-0.67						
	484/66	-1.330	0.00	-1.33	5.80	4.47	5.00	-0.53						
6545(U-NII 6)	full	-11.103	0.00	-11.10	5.80	-5.30	5.00	-10.30						
6545(U-NII 7)	full	-6.105	0.00	-6.10	5.80	-0.30	5.00	-5.30						
CCOF	full	-4.730	0.00	-4.73	5.80	1.07	5.00	-3.93						
6625	484/65	-1.611	0.00	-1.61	5.80	4.19	5.00	-0.81						
6705	full	-4.253	0.00	-4.25	5.8	1.55	5.00	-3.45						
6705	full	-4.686	0.00	-4.69	5.8	1.11	5.00	-3.89						
6785	484/66	-1.452	0.00	-1.45	5.8	4.35	5.00	-0.65						
6865(U-NII 7)	full	-7.471	0.00	-7.47	5.80	-1.67	5.00	-6.67						
6865(U-NII 8)	full	-9.776	0.00	-9.78	5.80	-3.98	5.00	-8.98						
6045	full	-4.573	0.00	-4.57	5.8	1.23	5.00	-3.77						
6945	484/65	-2.124	0.00	-2.12	5.8	3.68	5.00	-1.32						
7025	full	-4.469	0.00	-4.47	5.8	1.33	5.00	-3.67						
7025	484/66	-1.268	0.00	-1.27	5.8	4.53	5.00	-0.47						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 72 of 580

POWER DENSITY 802.11ax HE20 MODE												
_		PSD (dB	m/MHz)	Duty								
Frequency (MHz)	RU config.	Ch0 meas	Ch1 meas	Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)			
	full	-6.730	-4.246	0.09	-2.21	7.01	4.80	5	-0.20			
FOFF	26/0	-6.778	-4.452	0.09	-2.36	7.01	4.65	5	-0.35			
5955	52/37	-6.908	-4.432	0.09	-2.40	7.01	4.61	5	-0.39			
	106/53	-6.817	-4.194	0.09	-2.21	7.01	4.80	5	-0.20			
6175	full	-5.924	-5.149	0.09	-2.42	7.01	4.59	5	-0.41			
	full	-5.771	-4.921	0.09	-2.22	7.01	4.79	5	-0.21			
0445	26/8	-5.479	-5.201	0.09	-2.24	7.01	4.77	5	-0.23			
6415	52/40	-5.637	-5.173	0.09	-2.30	7.01	4.71	5	-0.29			
	106/54	-5.432	-5.001	0.09	-2.11	7.01	4.90	5	-0.10			
	full	-6.758	-4.727	0.09	-2.52	7.01	4.49	5	-0.51			
0405	26/0	-6.524	-4.867	0.09	-2.52	7.01	4.49	5	-0.51			
6435	52/37	-6.236	-4.555	0.09	-2.21	7.01	4.80	5	-0.20			
	106/53	-6.177	-4.488	0.09	-2.15	7.01	4.86	5	-0.14			
6475	full	-6.875	-4.232	0.09	-2.26	7.01	4.75	5	-0.25			
0545	full	-5.460	-5.143	0.09	-2.20	7.01	4.81	5	-0.19			
	26/8	-4.759	-5.527	0.09	-2.03	7.01	4.98	5	-0.02			
0515	52/40	-4.861	-5.590	0.09	-2.11	7.01	4.90	5	-0.10			
0313	106/54	-5.209	-5.239	0.09	-2.12	7.01	4.89	5	-0.11			
	full	-4.590	-5.840	0.09	-2.07	7.01	4.94	5	-0.06			
0505	26/0	-4.841	-5.454	0.09	-2.04	7.01	4.97	5	-0.03			
6535	52/37	-4.791	-5.773	0.09	-2.15	7.01	4.86	5	-0.14			
6415 6435	106/53	-4.835	-6.050	0.09	-2.30	7.01	4.71	5	-0.29			
6695	full	-5.796	-5.169	0.09	-2.37	7.01	4.64	5	-0.36			
	full	-5.135	-5.963	0.09	-2.43	7.01	4.58	5	-0.42			
	26/8	-5.195	-6.123	0.09	-2.53	7.01	4.48	5	-0.52			
6855	52/40	-5.309	-5.267	0.09	-2.19	7.01	4.82	5	-0.18			
	106/54	-4.786	-6.137	0.09	-2.31	7.01	4.70	5	-0.30			
6875(U-NII 7)	full	-5.089	-5.234	0.09	-2.15	7.01	4.86	5	-0.14			
	full	-5.089	-5.234	0.09	-2.15	7.01	4.86	5	-0.14			
	full	-5.203	-5.754	0.09	-2.37	7.01	4.64	5	-0.36			
	26/0	-5.109	-5.662	0.09	-2.28	7.01	4.73	5	-0.27			
6895	52/37	-5.098	-5.666	0.09	-2.27	7.01	4.74	5	-0.26			
	106/53	-5.073	-5.742	0.09	-2.29	7.01	4.72	5	-0.28			
6995	full	-6.171	-5.060	0.09	-2.48	7.01	4.53	5	-0.47			
3330	full	-5.057	-5.702	0.09	-2.27	7.01	4.74	5	-0.26			
	26/8	-4.814	-5.573	0.09	-2.08	7.01	4.93	5	-0.07			
7095	52/40	-4.742	-5.795	0.09	-2.14	7.01	4.87	5	-0.13			
	106/54	-5.078	-5.630	0.09	-2.24	7.01	4.77	5	-0.13			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 73 of 580

			PO	WER DENSI	TY 802.11ax HE40 M(DDE			
		PSD (dB	m/MHz)	Duty					
Frequency (MHz)	RU config.	Ch0 meas	Ch1 meas	Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
5965	full	-7.185	-5.523	0.00	-3.26	7.01	3.75	5	-1.25
5905	242/61	-6.911	-4.016	0.00	-2.22	7.01	4.79	5	-0.21
6165	full	-6.505	-7.530	0.00	-3.98	7.01	3.03	5	-1.97
0.405	full	-4.985	-5.811	0.00	-2.37	7.01	4.64	5	-0.36
6405	242/62	-5.711	-4.856	0.00	-2.25	7.01	4.76	5	-0.24
0445	full	-5.660	-4.741	0.00	-2.17	7.01	4.84	5	-0.16
6445	242/61	-6.111	-4.619	0.00	-2.29	7.01	4.72	5	-0.28
0.405	full	-5.416	-4.861	0.00	-2.12	7.01	4.89	5	-0.11
6485	242/62	-6.273	-4.787	0.00	-2.46	7.01	4.55	5	-0.45
6525(U-NII 6)	full	-7.728	-7.021	0.00	-4.35	7.01	2.66	5	-2.34
6525(U-NII 7)	full	-7.728	-7.021	0.00	-4.35	7.01	2.66	5	-2.34
6565	full	-4.741	-5.551	0.00	-2.12	7.01	4.89	5	-0.11
0303	242/61	-4.645	-6.596	0.00	-2.50	7.01	4.51	5	-0.49
6685	full	-6.497	-6.514	0.00	-3.50	7.01	3.51	5	-1.49
6845	full	-5.040	-5.299	0.00	-2.16	7.01	4.85	5	-0.15
0043	242/62	-4.751	-5.993	0.00	-2.32	7.01	4.69	5	-0.31
6885(U-NII 7)	full	-11.530	-11.313	0.00	-8.41	7.01	-1.40	5	-6.40
6885(U-NII 8)	full	-6.380	-6.168	0.00	-3.26	7.01	3.75	5	-1.25
6925	full	-6.112	-5.437	0.00	-2.75	7.01	4.26	5	-0.74
0925	242/61	-5.290	-5.499	0.00	-2.38	7.01	4.63	5	-0.37
7005	full	-5.356	-5.294	0.00	-2.31	7.01	4.70	5	-0.30
7085	full	-5.611	-5.004	0.00	-2.29	7.01	4.72	5	-0.28
7000	242/62	-4.820	-5.578	0.00	-2.17	7.01	4.84	5	-0.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 74 of 580

			PO	WER DENSI	TY 802.11ax HE80 M	DDE			
		PSD (dB	m/MHz)	Duty					
Frequency (MHz)	RU config.	Ch0 meas	Ch1 meas	Factor (dB)	Total Corr'd PSD(dBm/MHz)	Directional Gain(dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)	Margin (dB)
5985	full	-8.034	-7.186	0.00	-4.58	7.01	2.43	5	-2.57
5985	484/65	-7.778	-6.186	0.00	-3.90	7.01	3.11	5	-1.89
6145	full	-8.114	-7.757	0.00	-4.92	7.01	2.09	5	-2.91
6205	full	-7.654	-6.834	0.00	-4.21	7.01	2.80	5	-2.20
6385	484/66	-4.104	-8.422	0.00	-2.74	7.01	4.27	5	-0.73
	full	-6.950	-7.490	0.00	-4.20	7.01	2.81	5	-2.19
6465	484/65	-8.859	-5.781	0.00	-4.04	7.01	2.97	5	-2.03
	484/66	-8.067	-5.668	0.00	-3.69	7.01	3.32	5	-1.68
6545(U-NII 6)	full	-13.056	-13.658	0.00	-10.43	7.01	-3.42	5	-8.42
6545(U-NII 7)	full	-8.069	-8.665	0.00	-5.44	7.01	1.57	5	-3.43
0005	full	-7.054	-7.862	0.00	-4.43	7.01	2.58	5	-2.42
6625	484/65	-4.126	-6.850	0.00	-2.27	7.01	4.74	5	-0.26
6705	full	-7.675	-7.575	0.00	-4.61	7.01	2.40	5	-2.60
6785	full	-7.867	-8.219	0.00	-5.03	7.01	1.98	5	-3.02
0/85	484/66	-4.828	-5.501	0.00	-2.14	7.01	4.87	5	-0.13
6865(U-NII 7)	full	-10.255	-10.147	0.00	-7.28	7.01	-0.27	5	-5.27
6865(U-NII 8)	full	-12.558	-12.447	0.00	-9.58	7.01	-2.57	5	-7.57
6045	full	-7.930	-7.538	0.00	-4.72	7.01	2.29	5	-2.71
6945	484/65	-5.792	-5.150	0.00	-2.45	7.01	4.56	5	-0.44
7005	full	-7.992	-7.764	0.00	-4.87	7.01	2.14	5	-2.86
7025	484/66	-7.172	-6.427	0.00	-3.77	7.01	3.24	5	-1.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司




Page: 75 of 580


Full RU_SISO













Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可與以資剩。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 76 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the leimitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 77 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業只屬是例の子。木都學生之權大公司書面對可,不可可以推測。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 78 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業只屬是例の子。木都學生之權大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 79 of 580



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分換具有害,同時他幾乎區程內的子。木都些主權大公司事而強可,不可與以資剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.