

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT



FCC Applicant:	Murata Manufacturing Co., Ltd.
FCC Manufacturer:	1-10-1, Higashikotari, Nagaokakyo-shi, Kyoto 617-8555 Japan Murata Manufacturing Co., Ltd. 1-10-1, Higashikotari, Nagaokakyo-shi, Kyoto 617-8555 Japan
ISED Applicant:	Murata Manufacturing Co., Ltd.
ISED Manufacturer:	1-10-1, Higashikotari, Nagaokakyo-shi, Kyoto 617-8555 Japan Murata Manufacturing Co., Ltd. 1-10-1, Higashikotari, Nagaokakyo-shi, Kyoto 617-8555 Japan
Product Name:	Communication Module
Brand Name:	muRata
Model No.:	LBEE5ZZ1XL, LBEE5ZZ2XS
Model Difference:	Refer to section 1.10
Report Number:	E2/2022/10039
FCC ID	VPYLBEE5ZZ1XL
IC:	772C-LBEE5ZZ1XL
Date of EUT Received:	January 11, 2022
Date of Test:	January 19, 2022~June 14, 2022
Issue Date:	July 04, 2022

Approved By Jav Lin

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.407, ISED RSS-247.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

マージン目前ので、 していたいです。 こので、 にので、 こので、 にので、 こので、 にので、 こので、



Revision History						
Report Number	Revision	Description	Issue Date	Revised By	Remark	
E2/2022/10039	00	Original.	June 22, 2022	Yami Kuo	*	
E2/2022/10039	01	Revised chapter 9.	June 30, 2022	Yami Kuo	*	
E2/2022/10039	02	Revised chapter 1.5.	July 04, 2022	Yami Kuo	*	

Note:

- 1 The remark "*" indicates modification of the report upon requests from certification body.
- Variant information of model numbers is provided by the applicant, please refer to section 1.10 of this report for details.
 Test results of this report are applicable to the sample EUT(s) received and variant models are assessed as electrically identical, no further tests are required for the variant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	.10
3	SUMMARY OF TEST RESULT	.13
4	DESCRIPTION OF TEST MODES	.14
5	MEASUREMENT UNCERTAINTY	.19
6	MEASUREMENT EQUIPMENT USED	.20
7	CONDUCTED EMISSION TEST	.23
8	EMISSION BANDWIDTH MEASUREMENT	.27
9	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	.99
10	MAXIMUM POWER SPECTRAL DENSITY	142
11	UNDESIRABLE RADIATED EMISSION MEASUREMENT	185
12	TRANSMISSION IN THE ABSENCE OF DATA	504
13		505

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Sees Taiwan Life <u>No</u> 134 We King Read. New Taipei Industrial Park. With University New Taipei City Taiwan/Két # ##REA # ##REA # #14 ##



GENERAL INFORMATION 1

1.1 **Product Description**

Product Name:	Communication Module
Brand Name:	muRata
Model No.:	LBEE5ZZ1XL, LBEE5ZZ2XS
Model Difference:	Refer to section 1.10
Hardware Version:	1
Firmware Version:	17.80.200.204
EUT Series No.:	1XL: Sample. No2
Power Supply:	3.3Vdc, 1.8Vdc
Test Software (Name/Version)	Tera Term V4.105 / Dut labtool v2.0.0.85

1.2 **Modulation & Data Rate**

[
	64QAM, 16QAM, QPSK and BPSK for OFDM in			
	802.11a and 802.11n			
Modulation type:	256QAM, 64QAM, 16QAM, QPSK and BPSK for			
	OFDM in 802.11ac			
	1024QAM, 256QAM, 64QAM, 16QAM, QPSK and			
	BPSK for OFDMA in 802.11ax only			
	802.11 a: 6 - 54 Mbps			
	802.11 n_20MHz: 6.5 - 144.4 Mbps			
	802.11 n_40MHz: 13.5 - 300 Mbps			
	802.11 ac_20MHz: 6.5 - 173.3Mbps			
Transition Rate:	802.11 ac_40MHz: 13.5 - 400 Mbps			
	802.11 ac_80MHz: 29.3 - 866.7Mbps			
	802.11 ax_20MHz: 0.4 - 286.8Mbps			
	802.11 ax_40MHz: 0.4 - 573.5Mbps			
	802.11 ax_80MHz: 0.4 - 1201Mbps			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Sees Taiwan Life <u>No</u> 134 We King Read. New Taipei Industrial Park. With University New Taipei City Taiwan/Két # ##REA # ##REA # #14 ##



1.3 Antenna Designation

Antenna Type	Freq. (MHz)	Peak Antenna Gain (dBi)	Directional Gain (dBi)	
Dipole	5150~5250	4.25	7.26	
	5250~5350	4.25	7.26	
	5475~5725	4.25	7.26	
	5725~5850	4.25	7.26	

Note:

- 1. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- 2. Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解決另有說明,此報告結果僅對測試乙樣品負責,同時比樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.4 FCC

Wi-Fi	Frequency Range	Channels	Rated Power(Avg) (dBm) (Worst Case)	Modulation Technology
a/	5180~5240	4	20.93 dBm	OFDM
n_HT/	5260~5320	4	21.42 dBm	OFDM
ac_VHT/ ax_HE	5500~5720	12	19.87 dBm	OFDMA
20M	5745-5825	5	21.84 dBm	OFDM
n UT	5190~5230	2	20.88 dBm	OFDMA
n_HT ac_VHT/	5270~5310	2	20.88 dBm	OFDM
ax_HE 40M	5510~5710	6	20.88 dBm	OFDM
40101	5755-5795	2	20.92 dBm	OFDMA
	5210	1	13.84 dBm	OFDMA
ac_VHT/	5290	1	13.91 dBm	OFDMA
ax_HE 80M	5530~5690	3	19.91 dBm	OFDM
	5775	1	19.87 dBm	OFDMA

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Sees Taiwan Life <u>No</u> 134 We King Read. New Taipei Industrial Park. With University New Taipei City Taiwan/Két # ##REA # ##REA # #14 ##



1.5 ISED

Wi-Fi	Frequency Range	Channels	EIRP/Avg	Rated Power(EIRP/Avg) (dBm) (Worst Case)		Modulation Technology
	5180~5240	4	EIRP	22.04	dBm	OFDM
a/	5260~5320	4	Avg	21.42	dBm	OFDM
n_HT/	5500~5700	8	Avg	19.87	dBm	OFDMA
ac_VHT/ ax_HE	5720 (U-NII 2C)	1	Avg	19.48	dBm	OFDM
20M	5720 (U-NII 3)	1	Avg	15.16	dBm	OFDMA
	5745-5825	5	Avg	21.84	dBm	OFDM
	5190~5230	2	EIRP	22.97	dBm	OFDMA
n_HT	5270~5310	2	Avg	20.94	dBm	OFDMA
ac_VHT/	5510~5670	3	Avg	20.88	dBm	OFDM
ax_HE 40M	5710 (U-NII 2C)	1	Avg	20.17	dBm	OFDMA
40101	5710 (U-NII 3)	1	Avg	13.50	dBm	OFDM
	5755-5795	2	Avg	20.93	dBm	OFDMA
	5210	1	EIRP	21.10	dBm	OFDMA
	5290	1	Avg	13.91	dBm	OFDMA
ac_VHT/	5530	1	Avg	13.91	dBm	OFDM
ax_HE - 80M	5690 (U-NII 2C)	1	Avg	19.47	dBm	OFDMA
	5690 (U-NII 3)	1	Avg	10.68	dBm	OFDM
	5775	1	Avg	19.87	dBm	OFDMA

f (886-2) 2298-0488



1.6 Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407 FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01 FCC KDB 662911 D01 Multiple Transmitter Output v02r01 FCC KDB 291074 D02 EMC Measurement v01 RSS-247 issue 2 Feb. 2017 RSS-Gen, Issue 5 (Amendment 2, February 2021) ANSI C63.10:2013

1.7 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier		
		SAC 1				
	Γ	SAC 3				
		Conduction 1				
	No.134, Wu Kung Road, New Taipei	Conducted 1				
	Industrial Park, Wuku District, New	Conducted 2	TW0027			
	Taipei City, Taiwan.	Conducted 3		TW3702		
		Conducted 4				
		Conducted 5				
SGS Taiwan Ltd.		Conducted 6				
Central RF Lab.	No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333	Conduction C	TW0028			
(TAF code 3702)		SAC C				
(171 code 5702)		SAC D				
		SAC G				
		Conducted A				
		Conducted B				
	labydan City, Talwan 555	Conducted C				
		Conducted D	_			
		Conducted E]			
		Conducted F				
	Conducted G					
Note: Test site name is remarked on the equipment list in each section of this report as an indica-						
tion where measurements occurred in specific test site and address.						

1.8 Special Accessories

There are no special accessories used while test was conducted.

1.9 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

индеративности и индер



1.10 Model difference

LBEE5ZZ1XL has a dedicated antenna port for BT.

LBEE5ZZ2XS BT shares same antenna port with WLAN.

Some passive components are different between models as below

LBEE5ZZ1XL	LBEE5ZZ2XS
C 336 No mounted	C336 mounted
C337 mounted	C337 No mounted
L310 mounted	L310 Nomounted



SYSTEM TEST CONFIGURATION 2

EUT Configuration 2.1

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 **EUT Exercise**

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 **Test Procedure**

2.3.1 **Conducted Emissions**

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Conducted Test (RF)


The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz. the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

マージン目前ので、 していたいです。 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 にので、 こので、 こので、





2.4 Measurement Results Explanation Example

2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz


Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

2.5 Test Configuration



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

マージン目前ので、 していたいです。 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 にので、 こので、

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei	ndustrial Park, Wuku District, New Taipe	ei City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



2.6 Control Unit(s)

Conducted Emission Test Site: Conducted D							
EQUIPMENT TYPE	EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE						
Notebook	Lenovo	T420	S0012599	N/A	N/A		
Notebook	Lenovo	L420	S0011721	N/A	N/A		
	Radiated Emission Test Site: SAC D						
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
LAN Cable	向聯	VPH-02	1500021123	N.C.R	N.C.R		
LAN Cable	INVAX	IVX011	N/A	N.C.R	N.C.R		
Notebook	Lenovo	T470	P0001293	N/A	N/A		
Notebook	Lenovo	T420	S0012599	N/A	N/A		
Adapter	APD	NB-65B19	N/A	N/A	N/A		
Adapter	FSP	FSP065-REBN2	H6081012364	N.C.R	N.C.R		

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei I	ndustrial Park, Wuku District, New Taipe	i City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



SUMMARY OF TEST RESULT 3

FCC Rules	ISED Rules	Description Of Test	Result
§15.207	RSS-Gen §8.8	AC Power Line Conducted Emission	Compliant
§15.407(e)	RSS-Gen §6.7 RSS-247 §6.2.4.1	Emission Bandwidth	Compliant
§15.407(a)	RSS-247 §6.2.1~ 4 (1)	Maximum Conducted Output Power	Compliant
§15.407(a)	RSS-247 §6.2.1~ 4 (1)	Power Spectral Density	Compliant
§15.205 §15.209 §15.407(b)	RSS-247 §6.2.1~ 4 (2)	Undesirable Radiated Emis- sions	Compliant
§15.407(c)	RSS-247 §6.4	Transmission in case of Ab- sence of Information	Compliant
§15.203	N/A	Antenna Requirement	Compliant



DESCRIPTION OF TEST MODES 4

Operating Frequencies 4.1

Operated band in 5150 MHz ~5250 MHz: **Operated band**

			-		
20 M		4	0 M	8	0 M
СН	Freq (MHz)	СН	Freq (MHz)	СН	Freq (MHz)
36	5180	38	5190	42	5210
40	5200	46	5230		
44	5220				
48	5240				

		-				
20 M						
Freq (MHz)		(
5260						
5280						
5300						
5320						
	Freq (MHz) 5260 5280 5300	Freq (MHz) 5260 5280 5300				

in	in 5250 MHz ~5350 MHz						
40 M			8	0 M			
СН	Freq (MHz)		СН	Freq (MHz)			
54	5270		58	5290			
62	5310						

Operated band in 5470 MHz ~5725 MHz:

	20 M			0 M	8	0 M	
СН	Freq		СН	Freq	СН	Freq	
СП	(MHz)		СП	(MHz)	СП	(MHz)	
100	5500		102	5510	106	5530	
104	5520		110	5550	122	5610	
108	5540		118	5590	138	5690	
112	5560		126	5630			
116	5580		134	5670			
120	5600		142	5710			
124	5620						
128	5640						
132	5660						

136 5680 5700

5720

144

Operated hand in 5725 MHz ~5850 MHz

operated band in 5725 winz 5050 winz.							
20 M		4	0 M	8	80 M		
СН	Freq (MHz)		СН	Freq (MHz)	СН	Freq (MHz)	
149	5745		151	5755	155	5775	
153	5765		159	5795			
157	5785						
161	5805						
165	5825						

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case. The given UE is pre-scanned among below modes.

1	Modulation		Transmission Chain								Single ansmission Spatial	Multiple Transmission Spatial	
v	802.11 a	۷	Ch0	۷	Ch1		Ch2		Ch3		1TX	۷	2TX
v	802.11 n	۷	Ch0	۷	Ch1		Ch2		Ch3		SISO	۷	MIMO
v	802.11 ac	۷	Ch0	۷	Ch1		Ch2		Ch3		SISO	۷	MIMO
v	802.11 ax	۷	Ch0	۷	Ch1		Ch2		Ch3		SISO	۷	MIMO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

マージン目前ので、 していたいで、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 こ

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei In	dustrial Park, Wuku District, New Taip	pei City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



4. Observations have been done for 802.11 ax available RU configurations below and found that the lowest, heighest and Full RU results higher emissions. Only one RU can be enabled at any given time

802.11ax			MHz	at any give	802.11ax			40MHz	
RU type	20	δ-tone RU	5	i2-tone RU	RU type	26-	tone RU		52-tone RU
	RU0	[-121: -96]	RU37	[-121: -70]		RU0	[-243: -218]	RU37	[-243: -192]
	RU1	[-95: -70]	RU38	[-68: -17]		RU1	[-217: -192]	RU38	[-189: -138]
	RU2	[-68: -43]	RU39	[17: 68]		RU2	[-189: -164]	RU39	[-109: -58]
	RU3	[-42: -17]	RU40	[70: 121]		RU3	[-163: -138]	RU40	[-55: -4]
	RU4	[-16: -4, 4: 16]	RU41	N/A		RU4	[-136: -111]	RU41	[4: 55]
	RU5	[17: 42]	RU42	N/A		RU5	[-109: -84]	RU42	[58: 109]
	RU6	[43: 68]	RU43	N/A		RU6	[-83: -58]	RU43	[138: 189]
	RU7	[70: 95]	RU44	N/A		RU7	[-55: -30]	RU44	[192: 243]
	RU8	[96: 121]	RU45	N/A		RU8	[-29: -4]	RU45	N/A
	RU9	N/A	RU46	N/A		RU9	[4: 29]	RU46	N/A
	RU10	N/A	RU47	N/A		RU10	[30: 55]	RU47	N/A
	RU11	N/A	RU48	N/A		RU11	[58: 83]	RU48	N/A
	RU12	N/A	RU49	N/A		RU12	[84: 109]	RU49	N/A
	RU13	N/A	RU50	N/A		RU13	[111: 136]	RU50	N/A
	RU14	N/A	RU51	N/A		RU14	[138: 163]	RU51	N/A
	RU15 N/A RU52 N/A		RU15	[164: 189]	RU52	N/A			
	RU16	N/A				RU16	[192: 217]		
RU index and	RU17	N/A	1	06-tone RU	RU index and	RU17	[218: 243]	1	06-tone RU
subcarrier	RU18	N/A	RU53	[-122: -17]	subcarrier	RU18	N/A	RU53	[-243: -138]
range	RU19	N/A	RU54	[17: 122]	range	RU19	N/A	RU54	[-109: -4]
	RU20	N/A	RU55	N/A		RU20	N/A	RU55	[4: 109]
	RU21	N/A	RU56	N/A		RU21	N/A	RU56	[138: 243]
	RU22	N/A	RU57	N/A		RU22	N/A	RU57	N/A
	RU23	N/A	RU58	N/A		RU23	N/A	RU58	N/A
	RU24	N/A	RU59	N/A		RU24	N/A	RU59	N/A
	RU25	N/A	RU60	N/A		RU25	N/A	RU60	N/A
	RU26	N/A				RU26	N/A		
	RU27	N/A		42-tone RU		RU27	N/A		42-tone RU
	RU28	N/A	RU61	[-122: -2, 2:122]		RU28	N/A	RU61	[-244: -3]
	RU29	N/A	RU62	N/A		RU29	N/A	RU62	[3: 244]
	RU30	N/A	RU63	N/A	 _	RU30	N/A	RU63	N/A
	RU31 N/A RU64	N/A		RU31	N/A	RU64	N/A		
	RU32	N/A			 	RU32	N/A		
	RU33	N/A			 	RU33	N/A		84-tone RU
	RU34	N/A			 [RU34	N/A	RU65	[-244: -3, 3: 244]
	RU35	N/A				RU35	N/A	RU66	N/A
	RU36	N/A				RU36	N/A		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解決另有說明,此報告結果僅對測試乙樣品負責,同時比樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8 02.11ax		80	MHz	
RU type	20	δ-tone RU	Ę	52-tone RU
	RU0	[-499: -474]	RU37	[-499: -448]
	RU1	[-473: -448]	RU38	[-445: -394]
	RU2	[-445: -420]	RU39	[-365: -314]
	RU3	[-419: -394]	RU40	[-311: -260]
	RU4	[-392: -367]	RU41	[-257: -206]
	RU5	[-365: -340]	RU42	[-203: -152]
	RU6	[-339: -314]	RU43	[-123: -72]
	RU7	[-311: -286]	RU44	[-69: -18]
	RU8	[-285: -260]	RU45	[18: 69]
	RU9	[-257: -232]	RU46	[72: 123]
	RU10	[-231: -206]	RU47	[152: 203]
	RU11	[-203: -178]	RU48	[206: 257]
	RU12	[-177: -152]	RU49	[260: 311]
	RU13	[-150: -125]	RU50	[314: 365]
	RU14	[-123: -98]	RU51	[394: 445]
	RU15	[-97: -72]	RU52	[448: 499]
	RU16	[-69: -44]	1	06-tone RU
RU index and	RU17	[-43: -18]	RU53	[-499: -394]
subcarrier	RU18	[-16: -4, 4: 16]	RU54	[-365: -260]
range	RU19	[18: 43]	RU55	[-257: -152]
	RU20	[44: 69]	RU56	[-123: -18]
	RU21	[72: 97]	RU57	[18: 123]
	RU22	[98: 123]	RU58	[152: 257]
	RU23	[125: 150]	RU59	[260: 365]
	RU24	[152: 177]	RU60	[394: 499]
	RU25	[178: 203]	2	42-tone RU
	RU26	[206: 231]	RU61	[-500: -259]
	RU27	[232: 257]	RU62	[-258: -17]
	RU28	[260: 285]	RU63	[17: 258]
	RU29	[286: 311]	RU64	[259: 500]
	RU30	[314: 339]	4	84-tone RU
	RU31	[340: 365]	RU65	[-500: -17]
	RU32	[367: 392]	RU66	[17: 500]
	RU33	[394: 419]	9	96-tone RU
	RU34	[420: 445]	RU67	[-500: -3, 3: 500]
	RU35	[448: 473]		
	RU36	[474: 499]		

5. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei I	ndustrial Park, Wuku District, New Taipei C	City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



RADIATED EMISSION TEST (BELOW 1 GHz)							
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA	
WIODE	BAND (MHz)	CHANNEL	CHANNEL	MODULATION	(Mbps)	PORT	
	5180~5240	36 to 48	44				
802.11a	5260~5320	52 to 64	60	OFDM	6	2TX	
002.118	5500~5720	100 to 144	116			217	
	5745~5825	149 to 165	161				
	5210	42	42				
802.11ax HE80	5290	58	58	OFDMA	MCS0	МІМО	
OUZ. HAX_REOU	5530~5610	106 to 138	122	OFDIVIA	IVIC SU	IVIIIVIO	
	5775	155	155				

RADIATED EMISSION TEST (ABOVE 1 GHz)

MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA	
WIODE	BAND (MHz)	CHANNEL	CHANNEL	MODULATION	(Mbps)	PORT	
	5180~5240	36 to 48	36,44,48				
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	2TX	
002.118	5500~5720	100 to 144	100,116,140,144	OFDIVI	0	21A	
	5745~5825	149 to 165	149,161,165				
	5180~5240	36 to 48	36,44,48				
002 11p UT20	5260~5320	52 to 64	52,60,64	OFDM	MCS8	MIMO	
802.11n_HT20	5500~5720	100 to 144	100,116,140,144				
	5745~5825	149 to 165	149,161,165				
	5190~5230	38 to 46	38,46		MCS8		
802.11n HT40	5270~5310	54 to 62	54,62	OFDM		MIMO	
002.1111_0140	5510~5670	102 to 142	102,110,134,142	OFDIVI		WIIWO	
	5755~5795	151 to 159	151,159				
	5210	42	42				
002 11cc \/UT00	5290	58	58	OFDM	1000	MIMO	
802.11ac_VHT80	5530~5610	106 to 138	106,122,138	OFDIVI	MCS0	IVIIIVIO	
	5775	155	155				

RADIATED EMISSION TEST (ABOVE 1 GHz)

MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	RU	DATA RATE	ANTENNA
WIODE	BAND (MHz)	CHANNEL	CHANNEL	WODULATION	CONFIGURATIO	(Mbps)	PORT
	5180~5240 36 to 48 36,44,48	FULL RU					
802.11ax_HE20	5260~5320	52 to 64	52,60,64	OFDMA	26/0,26/8	MCS0	MIMO
OUZ. HAX_HEZU	5500~5720	100 to 144	100,116,140,144	OFDIMA	52/37,52/40		
	5745~5825	149 to 165	149,161,165		106/53,106/54		
	5190~5230	38 to 46	38,46			FULL RU MCS0	MIMO
802.11ax_HE40	5270~5310	54 to 62	54,62	OFDMA	FULL RU		
002.118X_FE40	5510~5670	102 to 142	102,110,134,142	OFDIVIA	242/61,242/62	IVIIIVIO	
	5755~5795	151 to 159	151,159				
	5210	42	42				
002 11ov UE00	5290	58	58	OFDMA	FULL RU	1000	MIMO
802.11ax_HE80	5530~5610	106 to 138	106,122,138	OFDIMA	484/65,484/66	MCS0	UNIIVIO
	5775	155	155				

			pei City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw



			CONDUCTE	ED TEST			
	FREQUENCY	AVAILABLE	TESTED		DATA	RATE	ANTENNA
MODE	BAND (MHz)	CHANNEL	CHANNEL	MODULATION	(Mb	ps)	PORT
	5180~5240	36 to 48	36,44,48				
000.44-	5260~5320	52 to 64	52,60,64	OFPM			oTV
802.11a	5500~5720	100 to 144	100,116,140,144	OFDM	6		2TX
	5745~5825	149 to 165	149,161,165				
	5180~5240	36 to 48	36,44,48				
000 44- 11700	5260~5320	52 to 64	52,60,64	OFDM		00	MINO
802.11n_HT20	5500~5720	100 to 144	100,116,140,144	OFDM	MC	58	MIMO
	5745~5825	149 to 165	149,161,165				
	5190~5230	38 to 46	38,46				
000.44- 11740	5270~5310	54 to 62	54,62	OFDM		00	MIMO
802.11n_HT40	5510~5670	102 to 142	102,110,134,142	OFDM	MCS8		VIIIVIO
	5755~5795	151 to 159	151,159				
	5210	42	42				
802.11ac_VHT80	5290	58	58	OFPM		00	MINO
	5530~5610	106 to 138	106,122,138	OFDM	MC	50	MIMO
	5775	155	155				
			CONDUCT	ED TEST			
MODE	FREQUENCY	AVAILABLE	TESTED		RU	DATA RATE	ANTENNA
MODE	BAND (MHz)	CHANNEL	CHANNEL	MODULATION	CONFIGURATIO	(Mbps)	PORT
	5180~5240	36 to 48	36,44,48		FULL RU		
000 44	5260~5320	52 to 64	52,60,64		26/0,26/8	MOOO	MIMO
802.11ax_HE20	5500~5720	100 to 144	100,116,140,144	OFDMA	52/37,52/40	MCS0	MIMO
	5745~5825	149 to 165	149,161,165		106/53,106/54		
	5190~5230	38 to 46	38,46				
000 44 115 40	5270~5310	54 to 62	54,62		FULL RU	14000	MIMO
802.11ax_HE40	5510~5670	102 to 142	102,110,134,142	OFDMA	242/61,242/62	MCS0	MIMO
	5755~5795	151 to 159	151,159				
	5210	42	42				
000 44 av 11500	5290	58	58		FULL RU	MORO	MIMO
802.11ax_HE80	5530~5610	106 to 138	106,122,138	OFDMA	484/65,484/66	MCS0	MIMO
	5775	155	155				

Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

解決另有說明,此報告結果僅對測試乙樣品負責,同時比樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



MEASUREMENT UNCERTAINTY 5

Test Items	Uncertainty			
AC Power Line Conducted Emission	+/-	2.34	dB	
Output Power measurement	+/-	1	dB	
Emission Bandwidth	+/-	1.53	Hz	
Undesignable radiated emission measure- ment	+/-	1.68	dB	
Peak Power Density	+/-	1.62	dB	
Temperature	+/-	0.4	°C	
Humidity	+/-	3.5	%	
DC / AC Power Source	+/-	1	%	

Radiated Spurious Emission Measurement Uncertainty					
	+/-	2.57	dB	9kHz~30MHz	
Polarization: Vertical	+/-	4.85	dB	30MHz - 1000MHz	
Polarization: Vertical	+/-	4.45	dB	1GHz - 18GHz	
	+/-	4.24	dB	18GHz - 40GHz	
	+/-	2.57	dB	9kHz~30MHz	
Polarization: Horizontal	+/-	4.37	dB	30MHz - 1000MHz	
	+/-	4.45	dB	1GHz - 18GHz	
	+/-	4.24	dB	18GHz - 40GHz	

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解決另有說明,此報告結果僅對測試乙樣品負責,同時比樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



MEASUREMENT EQUIPMENT USED 6

6.1 **Emission from AC power line**

AC Power-Line Conducted Emission Test Site: Conduction C							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
LISN	SCHWARZBECK Mess- Elektronik	NSLK8127	974	04/19/2021	04/18/2022		
LISN	SCHWARZBECK Mess- Elektronik	NSLK8127	974	04/13/2022	04/12/2023		
EMI Test Receiver	R&S	ESCI	101342	04/28/2021	04/27/2022		
EMI Test Receiver	R&S	ESCI	101342	04/25/2022	04/24/2023		
DC Power Supply	Gwinstek	SPS-3610	GEV856769	08/04/2021	08/03/2022		
DC Power Supply	DHA	DPS-3003	9411005787	08/20/2021	08/19/2022		
Coaxial Cable	EC Lab	RF-HY-CAB- 250	RF-HY-CAB- 250-01	03/27/2022	03/26/2023		
Pulse Limiter	EC Lab	VTSD 9561F- N	04/29/1901	03/27/2022	03/26/2023		
Test Software	audix	e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R		



6.2 **Condcuted Measurement**

Conducted Emission Test Site: Conducted D						
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.	
Spectrum Analyzer	KEYSIGHT	N9010B	MY59071574	06/25/2021	06/24/2022	
Power Meter	Anritsu	ML2496A	1512003	07/27/2021	07/26/2022	
Power Sensor	Anritsu	MA2411B	1339378	07/27/2021	07/26/2022	
Power Sensor	Anritsu	MA2411B	1339379	07/27/2021	07/26/2022	
DC Power Supply	Agilent	E3640A	MY53130054	09/30/2021	09/29/2022	
DC Power Supply	Agilent	E3640A	MY53140006	05/28/2021	05/27/2022	
DC Power Supply	Agilent	E3640A	MY53140006	05/16/2022	05/15/2023	
DC Power Supply	HOLA	DP-3003	D7070035	05/28/2021	05/27/2022	
DC Power Supply	HOLA	DP-3003	D7070035	06/09/2022	06/08/2023	
DC Power Supply	Gwinstek	SPS-3610	GEV856767	09/29/2021	09/28/2022	
Attenuator	Marvelous	MVE2213-10	RF13	11/18/2021	11/17/2022	
Attenuator	Marvelous	WATT- 218FS-10	RF15	11/18/2021	11/17/2022	
Attenuator	KEYSIGHT	8494B	TH60075424	05/07/2021	05/06/2022	
Attenuator	KEYSIGHT	8494B	TH60075424	05/06/2022	05/05/2023	
Coupler	narda	MDC2044-20	RF36	11/18/2021	11/17/2022	
DC Block	PASTERNACK	PE8210	RF158	11/18/2021	11/17/2022	
Splitter	Marvelous Microwave	MVE8576	RF256	11/18/2021	11/17/2022	
RF Switch	E-INSTRUMENT TECH LTD	ETF-1801	EC2100175	09/10/2021	09/09/2022	
Coaxial Cables	Woken	00100A1F2A 196C	RF62	11/18/2021	11/17/2022	
Coaxial Cables	Woken	00100A1F2A 196C	RF64	11/18/2021	11/17/2022	
Coaxial Cables	Woken	00100A1F1A 185C	RF71	11/18/2021	11/17/2022	

SGS Taiwan Ltd


f (886-2) 2298-0488



6.3 **Radiated Measurement**

Radiated Emission Test Site: SAC D					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Broadband Antenna	SCHWAZBECK	VULB 9168	9168-617	11/12/2021	11/11/2022
Horn Antenna	Schwarzbeck	BBHA9170	185	08/06/2021	08/05/2022
Horn Antenna	Schwarzbeck	BBHA9120D	1341	06/04/2021	06/03/2022
Loop Antenna	ETS.LINDGREN	6502	143303	05/07/2021	05/06/2022
Loop Antenna	ETS.LINDGREN	6502	148045	09/29/2021	09/28/2022
3m Site NSA	SGS	966 chamber D	N/A	07/12/2021	07/11/2022
Test Software	audix	e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120200	03/24/2021	03/23/2022
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120200	03/24/2022	03/23/2023
Attenuator	KEYSIGHT	8494B	TH60075424	05/07/2021	05/06/2022
Attenuator	KEYSIGHT	8494B	TH60075424	05/07/2022	05/06/2023
DC Power Supply	Gwinstek	SPS-3610	GEV856769	08/04/2021	08/03/2022
DC Power Supply	DHA	DPS-3003	9411005787	08/20/2021	08/19/2022
DC Power Supply	Agilent	E3640A	MY53140006	05/28/2021	05/27/2022
DC Power Supply	Agilent	E3640A	MY53140006	05/28/2022	05/27/2023
DC Power Supply	Agilent	E3640A	MY53170008	09/18/2021	09/17/2022
Pre-Amplifier	EMCInstruments	EMC184045B	980135	10/27/2021	10/26/2022
Pre-Amplifier	EMC Instruments	EMC9135	980234	11/18/2021	11/17/2022
Pre-Amplifier	EMCInstruments	EMC12630SE	980273	11/18/2021	11/17/2022
Coaxial Cable	Huber+Suhner	RG 214/U	W21.01	11/18/2021	11/17/2022
Coaxial Cable	Huber Suhner	EMC106-SM-SM-7200	150703	11/18/2021	11/17/2022
Coaxial Cable	Huber Suhner	SUCOFLEX 104	MY17413/4	11/18/2021	11/17/2022
Attenuator	Marvelous	WATT-218FS-10	RF17	11/18/2021	11/17/2022

NOTE: N.C.R refers to Not Calibrated Required.





CONDUCTED EMISSION TEST 7

Standard Applicable 7.1

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

Frequency range		Limits (dBuV)
MHz	Quasi-peak	Average
0.15 to 0.50	66 to 56	56 to 46
0.50 to 5	56	46
5 to 30	60	50
Note		


1. The lower limit shall apply at the transition frequencies

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz

7.2 **EUT Setup**

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The LISN was connected with 120Vac/60Hz power source.

7.3 **Test SET-UP**



7.4 **Measurement Procedure**

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

t (886-2) 2299-3279

マージン目前ので、 していたいで、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 こ SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: E2/2022/10039 Page: 24 of 505



7.5 **Measurement Result**


Note: Refer to next page for measurement data and plots. Note2: The * reveals the worst-case results that closet to the limit.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw Member of SGS Group



AC POWER LINE CONDUCTED EMISSION TEST DATA

Report Number	:E2/2022/10039	Test Site	:Conduction C
Test Mode	:5G	Test Date	:2022-06-14
Power	:120V/60Hz	Temp./Humi.	:20.6/64
Probe	:L1	Engineer	:Howard Huang
Note:	:Adapter:FSP0065-REBN2		




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dBµV	dB	dBµV	dBµV	dB
2.461	Average	28.70	11.03	39.73	46.00	-6.27
2.461	QP	33.40	11.03	44.43	56.00	-11.57
2.946	Average	20.10	10.90	31.00	46.00	-15.00
2.946	QP	27.60	10.90	38.50	56.00	-17.50
3.681	Average	29.40	10.74	40.14	46.00	-5.86
3.681	QP	36.40	10.74	47.14	56.00	-8.86
18.426	Peak	26.95	10.85	37.79	60.00	-22.21
22.535	Peak	27.84	10.94	38.78	60.00	-21.22
26.699	Peak	24.53	11.04	35.57	60.00	-24.43

台灣檢

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Ta	aipei Industrial Park, Wuku District, New T	「aipei City, Taiwan/新北市五股區新北產業園區五工路 134 號
金融科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw



Report Number	:E2/2022/10039	Test Site	:Conduction C
Test Mode	:5G	Test Date	:2022-06-14
Power	:120V/60Hz	Temp./Humi.	:20.6/64
Probe	:N	Engineer	:Howard Huang
Note:	:Adapter:FSP0065-REBN2		




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV	dBµV	dB
0.817	Peak	26.41	10.33	36.74	56.00	-19.26
1.197	Average	17.40	10.55	27.95	46.00	-18.05
1.197	QP	27.80	10.55	38.35	56.00	-17.65
1.829	Average	17.40	11.04	28.44	46.00	-17.56
1.829	QP	26.10	11.04	37.14	56.00	-18.86
2.409	Average	32.40	11.01	43.41	46.00	-2.59
2.409	QP	36.90	11.01	47.91	56.00	-8.09
2.650	Average	21.30	10.94	32.24	46.00	-13.76
2.650	QP	25.60	10.94	36.54	56.00	-19.46
3.642	Average	24.70	10.71	35.41	46.00	-10.59
3.642	QP	31.00	10.71	41.71	56.00	-14.29

台灣檢驗

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's side responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產素園區新工產 134 號

SGS Talwan Ltd.	NO.134,Wu Kung Road, New Taipe	i Industrial Park, Wuku District, New	laipei City, laiwan/新北市五股區新北產業園區五工路	- 134 翁
验科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	






8 EMISSION BANDWIDTH MEASUREMENT

8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C. The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3.

8.2 **Test Setup**



8.3 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - 3.a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto,
 - Detector = Peak,
 - Trace Mode = Max Hold,

Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.

- 3.b. Mark the peak frequency and -26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- 5. Minimum Emission Bandwidth for the band 5.725-5.850GHz.

a. Set the spectrum analyzer as

RBW = 100 kHz,

VBW = 3*RBW,

Span = large enough to capture all products of the modulation process,

Detector=Peak.

Sweep=auto

b. Mark the peak frequency and -6dB (upper and lower) frequency.

6. For 99% Bandwidth: Set the spectrum analyzer as

RBW = 1%,

VBW = 3*RBW.

Span = large enough to capture all products of the modulation process,

Detector=Sample,

Sweep=auto.

- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

マージン目前ので、 していたいで、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 にので、 こので、 こ



8.4 **Measurement Result**

8.4.1 FCC Occupied Bandwidth

802.11a_Ch0

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	19.30	12.860
5200	19.79	12.960
5240	24.77	13.940
5260	20.93	13.210
5300	20.82	13.180
5320	19.41	12.880
5500	19.46	12.890
5580	19.48	12.900
5700	26.38	14.210
5720(U-NII 2C)	14.89	11.730
5720(U-NII 3)	4.89	6.890

802.11a_Ch0

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.38	12.140
5805	16.37	12.140
5825	16.38	12.140

802.11a_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.29	< 5250
5745	5736.76	> 5725



802.11a_Ch1

26dB BW (MHz)	10 Log (B) (dB)
19.47	12.890
19.40	12.880
19.21	12.840
19.35	12.870
19.53	12.910
19.28	12.850
19.37	12.870
21.14	13.250
24.27	13.850
17.38	12.400
7.38	8.680
	BW (MHz) 19.47 19.40 19.21 19.35 19.53 19.53 19.28 19.37 21.14 24.27 17.38

802.11a_Ch1

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.38	12.140
5805	16.37	12.140
5825	16.50	12.170

802.11a_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.28	< 5250
5745	5736.76	> 5725

ム当本の	dal.	44	н л.	いも	. 198	Λ :	ส
台灣檢驗	đΤ	仅	ΜX.	闪匆	78.	10	IJ.

SGS Taiwan Ltd.



802.11n_HT20_Ch0

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	19.88	12.980
5200	19.95	13.000
5240	26.80	14.280
5260	21.29	13.280
5300	20.39	13.090
5320	19.93	13.000
5500	19.95	13.000
5580	21.08	13.240
5700	25.14	14.000
5720(U-NII 2C)	14.84	11.710
5720(U-NII 3)	4.84	6.850
802 11n HT20 Ch0		

802.11n_HT20_Ch0

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.67	12.220
5805	16.92	12.280
5825	17.03	12.310

802.11n_HT20_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.84	< 5250
5745	5736.21	> 5725



802.11n_HT20_Ch1

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	19.90	12.990
5200	19.86	12.980
5240	19.63	12.930
5260	19.51	12.900
5300	19.55	12.910
5320	19.48	12.900
5500	19.87	12.980
5580	22.47	13.520
5700	24.84	13.950
5720(U-NII 2C)	16.65	12.220
5720(U-NII 3)	6.65	8.230
802 11n HT20 Ch1	•	

802.11n_HT20_Ch1

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	17.54	12.440
5805	17.19	12.350
5825	17.59	12.450

802.11n_HT20_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.80	< 5250
5745	5736.21	> 5725



802.11n_HT40_Ch0

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	40.70	16.100
5230	44.05	16.440
5270	40.44	16.070
5310	40.23	16.050
5510	40.68	16.090
5550	40.24	16.050
5670	49.99	16.990
5710(U-NII 2C)	39.76	15.990
5710(U-NII 3)	9.76	9.890
802 11n HT40 Ch0		

802.11n_HT40_Ch0

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	35.11	15.450
5795	35.21	15.470

802.11n_HT40_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5248.03	< 5250
5755	5737.01	> 5725



802.11n_HT40_Ch1

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	39.65	15.980
5230	40.65	16.090
5270	39.50	15.970
5310	39.69	15.990
5510	40.01	16.020
5550	39.98	16.020
5670	49.23	16.920
5710(U-NII 2C)	37.33	15.720
5710(U-NII 3)	7.33	8.650

802.11n_HT40_Ch1

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	35.13	15.460
5795	35.37	15.490

802.11n_HT40_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5248.06	< 5250
5755	5737.02	> 5725



802.11ac_VHT80_Ch0

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	81.72	19.120
5290	81.74	19.120
5530	81.43	19.110
5610	81.26	19.100
5690(U-NII 2C)	84.56	19.270
5690(U-NII 3)	14.56	11.630

802.11ac_VHT80_Ch0

Freq. (MHz)	49.51	10 Log (B) (dB)
5775	76.31	18.830

802.11ac_VHT80_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5248.04	< 5250
5775	5737.16	> 5725



802.11ac_VHT80_Ch1

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	81.65	19.120
5290	81.68	19.120
5530	81.34	19.100
5610	81.13	19.090
5690(U-NII 2C)	78.03	18.920
5690(U-NII 3)	8.03	9.050

802.11ac_VHT80_Ch1

Freq. (MHz)	49.93	10 Log (B) (dB)
5775	76.39	18.830

802.11ac_VHT80_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5248.01	< 5250
5775	5737.16	> 5725



802.11ax_HE20_Ch0

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5180	full	20.27	13.070
5200	full	20.29	13.070
5240	full	20.21	13.060
5260	full	20.23	13.060
5300	full	20.41	13.100
5320	full	20.32	13.080
5500	full	20.52	13.120
5580	full	20.21	13.060
5700	full	24.60	13.910
5720 (U-NII 2C)	full	15.15	11.800
5720 (U-NII 3)	full	5.15	7.110

802.11ax_HE20_Ch0

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5745	full	17.77	12.500
5805	full	17.55	12.440
5825	full	18.12	12.580

802.11ax_HE20_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5249.38	< 5250
5745	5735.64	> 5725

SGS Taiwan Ltd



802.11ax_HE20_Ch1

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5180	full	19.91	12.990
5200	full	20.36	13.090
5240	full	21.00	13.220
5260	full	20.31	13.080
5300	full	20.13	13.040
5320	full	20.16	13.040
5500	full	20.27	13.070
5580	full	20.26	13.070
5700	full	20.25	13.060
5720 (U-NII 2C)	full	17.02	12.310
5720 (U-NII 3)	full	7.02	8.470

802.11ax_HE20_Ch1

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5745	full	17.51	12.430
5805	full	17.82	12.510
5825	full	17.84	12.510

802.11ax_HE20_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5249.37	< 5250
5745	5735.64	> 5725

SGS Taiwan Ltd



802.11ax HE40 Ch0

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5190	full	40.02	16.020
5230	full	49.51	16.950
5270	full	48.03	16.820
5310	full	40.79	16.110
5510	full	39.93	16.010
5550	full	40.43	16.070
5670	full	49.35	16.930
5710 (U-NII 2C)	full	36.80	15.660
5710 (U-NII 3)	full	6.80	8.320

802.11ax_HE40_Ch0

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5755	full	35.43	15.490
5795	full	35.90	15.550

802.11ax_HE40_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5248.80	< 5250
5755	5736.31	> 5725



802.11ax_HE40_Ch1

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5190	full	40.04	16.020
5230	full	49.93	16.980
5270	full	45.07	16.540
5310	full	40.15	16.040
5510	full	40.24	16.050
5550	full	40.10	16.030
5670	full	48.53	16.860
5710 (U-NII 2C)	full	35.10	15.450
5710 (U-NII 3)	full	5.10	7.070

802.11ax_HE40_Ch1

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5755	full	35.73	15.530
5795	full	36.10	15.580

802.11ax_HE40_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5248.70	< 5250
5755	5736.34	> 5725



802.11ax HE80 Ch0

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5210	full	80.05	19.030
5290	full	80.67	19.070
5530	full	80.14	19.040
5610	full	80.17	19.040
5690 (U-NII 2C)	full	80.08	19.040
5690 (U-NII 3)	full	10.08	10.030
802.11ax_HE80_Ch0			

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5775	full	77.73	18.910

802.11ax_HE80_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5248.69	< 5250
5775	5736.24	> 5725



802.11ax_HE80_Ch1

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5210	full	80.37	19.050
5290	full	80.26	19.040
5530	full	80.39	19.050
5610	full	80.39	19.050
5690 (U-NII 2C)	full	77.86	18.910
5690 (U-NII 3)	full	7.86	8.950
802.11ax_HE80_Ch1			

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5775	full	77.87	18.910


802.11ax_HE80_Ch1


Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5248.86	< 5250
5775	5736.27	> 5725



Report No.: E2/2022/10039 Page: 42 of 505

802.11a_20MHz_Chain0_5180MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei	Industrial Park, Wuku District, New Taipei	City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw



Report No.: E2/2022/10039 Page: 43 of 505

802.11a_20MHz_Chain0_5500MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei	Industrial Park, Wuku District, New Taipe	ei City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw



Report No.: E2/2022/10039 Page: 44 of 505

802.11a_20MHz_Chain0_5825MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

瞬かう方利説明「LingticHark理対測試之保証員員「同時正保証明保証的で、今報告不認乎な可書面計「リ、个「目的行政後。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. - I. No. 134. Wu Kung Road. New Taibei Industrial Park. Wuku District, New Taibei City. Taiwan/新北市五股底新北市美国底五工路 134 號


	, ,		-	
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taip	ei Industrial Park, Wuku District, New 1	「aipei City, Taiwan/新北市五股區新北產業園區五工	.路 1


134 號



Report No.: E2/2022/10039 Page: 45 of 505

802.11a_20MHz_Chain1_5320MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei	Industrial Park, Wuku District, New Taip	ei City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw



Report No.: E2/2022/10039 Page: 46 of 505

802.11a_20MHz_Chain1_5805MHz






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: E2/2022/10039 Page: 47 of 505

802.11n 20MHz Chain0 5300MHz






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: E2/2022/10039 Page: 48 of 505

802.11n_20MHz_Chain0_5745MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei I	ndustrial Park, Wuku District, New Taipe	ei City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



Report No.: E2/2022/10039 Page: 49 of 505

802.11n_20MHz_Chain1_5260MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


	s unlawful and offenders may be prose		
SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei	Industrial Park, Wuku District, New Taipei	City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw



Report No.: E2/2022/10039 Page: 50 of 505

802.11n_20MHz_Chain1_5720MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


	No.134,Wu Kung Road, New Taipei		ei City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw



Report No.: E2/2022/10039 Page: 51 of 505

802.11n_40MHz_Chain0_5270MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei	Industrial Park, Wuku District, New Taipe	ei City, Taiwan/新北市五股區新北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw