

Issue Date: 7 November 2008 Report No.: RY0811P07R3

Model: F-04A

### **Test setup photographs** 3

### **Definition of the EUT axis** 3.1









**RF Technologies Ltd.**472, Nippa-cho, Kohoku-ku, Yokohama, 223-0057, Japan
Telephone: +81+(0)45- 534-0645, FAX: +81+(0)45- 534-0646, Web: http://www.rft.jp





**RF Technologies Ltd.**472, Nippa-cho, Kohoku-ku, Yokohama, 223-0057, Japan
Telephone: +81+(0)45-534-0645, FAX: +81+(0)45-534-0646, Web: http://www.rft.jp



# 3.2 Radiated spurious emissions





**RF Technologies Ltd.**472, Nippa-cho, Kohoku-ku, Yokohama, 223-0057, Japan
Telephone: +81+(0)45- 534-0645, FAX: +81+(0)45- 534-0646, Web: http://www.rft.jp



## Between 30 -1000 MHz





**RF Technologies Ltd.**472, Nippa-cho, Kohoku-ku, Yokohama, 223-0057, Japan
Telephone: +81+(0)45-534-0645, FAX: +81+(0)45-534-0646, Web: http://www.rft.jp



### AC power line conducted emissions 3.3



**RF Technologies Ltd.**472, Nippa-cho, Kohoku-ku, Yokohama, 223-0057, Japan
Telephone: +81+(0)45-534-0645, FAX: +81+(0)45-534-0646, Web: http://www.rft.jp