



# RF EXPOSURE REPORT (FOR BLUETOOTH)

**REPORT NO.:** SA980810L01-1

**MODEL NO.:** F-03B

**ACCORDING:** FCC Guidelines for Human Exposure  
IEEE C95.1

**APPLICANT:** FUJITSU LIMITED

**ADDRESS:** 1-1, Kamikodanaka 4-chome, Nakahara-ku,  
Kawasaki 211-8588, Japan

**ISSUED BY:** Bureau Veritas Consumer Products Services  
(H.K.) Ltd., Taoyuan Branch

**LAB ADDRESS:** No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou  
Hsiang, Taipei Hsien 244, Taiwan, R.O.C.

**TEST LOCATION:** No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei  
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

Pout (dBm)	Pout (mW)
Conducted Power	0.48
EIRP Power	-5.52

**\*Note:** The antenna is Monopole antenna with -6dBi gain

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 1.12mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold