



**FCC PART 15C
TEST REPORT
No. I14N00955-BT**

For

ShenZhen Sang Fei Consumer Communications Co.,Ltd.

WCDMA digital mobile phone

Model Name: Philips I908

Marketing Name: Philips I908

With

Hardware Version: I908_V01

Software Version: Philips_I908_V01

FCC ID: VQRCTI908

Issued Date: Oct 21st, 2014

Test Laboratory:

FCC 2.948 Listed: No.310359

IC O.A.T.S listed: No.6629C-1

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

TMC Beijing, Telecommunication Metrology Center of Ministry of Industry and Information Technology
No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191

Tel:+86(0)10-62304633-2678 , Fax:+86(0)10-62304633-2504 Email:welcome@emcite.com. www.emcite.com

CONTENTS

1. TEST LABORATORY	6
1.1. TESTING LOCATION.....	6
1.2. TESTING ENVIRONMENT.....	6
1.3. PROJECT DATA	6
1.4. SIGNATURE	6
2. CLIENT INFORMATION.....	7
2.1. APPLICANT INFORMATION	7
2.2. MANUFACTURER INFORMATION.....	7
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	8
3.1. ABOUT EUT	8
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	8
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST	8
4. REFERENCE DOCUMENTS.....	9
4.1. DOCUMENTS SUPPLIED BY APPLICANT.....	9
4.2. REFERENCE DOCUMENTS FOR TESTING.....	9
5. LABORATORY ENVIRONMENT	10
6. SUMMARY OF TEST RESULTS	11
6.1. SUMMARY OF TEST RESULTS	11
6.2. STATEMENTS	11
6.3. TERMS USED IN THE RESULT TABLE	11
7. TEST EQUIPMENTS UTILIZED	12
ANNEX A: EUT PHOTOGRAPH	13
ANNEX B: MEASUREMENT RESULTS.....	15
B.0 ANTENNA REQUIREMENT.....	15
B.1 MAXIMUM PEAK OUTPUT POWER	16
B.2 BAND EDGES COMPLIANCE.....	17
B.3 CONDUCTED EMISSION	18
B.4 RADIATED EMISSION.....	19
B.5 OCCUPIED 20DB BANDWIDTH	27
B.6 TIME OF OCCUPANCY (DWELL TIME).....	27
B.7 NUMBER OF HOPPING CHANNELS	28
B.8 CARRIER FREQUENCY SEPARATION.....	28
B.9 AC POWER LINE CONDUCTED EMISSION	29
ANNEX C: TEST FIGURE LIST	30
FIG. 1 MAXIMUM PEAK OUTPUT POWER(GFSK, CH 0)	30

FIG. 2 MAXIMUM PEAK OUTPUT POWER(GFSK, CH 39)	30
FIG. 3 MAXIMUM PEAK OUTPUT POWER(GFSK, CH 78)	31
FIG. 4 MAXIMUM PEAK OUTPUT POWER($\pi/4$ DQPSK, CH 0)	31
FIG. 5 MAXIMUM PEAK OUTPUT POWER($\pi/4$ DQPSK, CH 39)	32
FIG. 6 MAXIMUM PEAK OUTPUT POWER($\pi/4$ DQPSK, CH 78)	32
FIG. 7 MAXIMUM PEAK OUTPUT POWER(8DPSK, CH 0)	33
FIG. 8 MAXIMUM PEAK OUTPUT POWER(8DPSK, CH 39)	33
FIG. 9 MAXIMUM PEAK OUTPUT POWER(8DPSK, CH 78)	34
FIG. 10BAND EDGES (GFSK, CH 0, HOPPING ON)	34
FIG. 11BAND EDGES (GFSK, CH 78, HOPPING ON)	35
FIG. 12BAND EDGES ($\pi/4$ DQPSK, CH 0, HOPPING ON).....	35
FIG. 13BAND EDGES ($\pi/4$ DQPSK, CH 78, HOPPING ON).....	36
FIG. 14BAND EDGES (8DPSK, CH 0, HOPPING ON)	36
FIG. 15BAND EDGES (8DPSK, CH 78, HOPPING ON).....	37
FIG. 16BAND EDGES (GFSK, CH 0, HOPPING OFF).....	37
FIG. 17BAND EDGES (GFSK, CH 78, HOPPING OFF).....	38
FIG. 18BAND EDGES ($\pi/4$ DQPSK, CH 0, HOPPING OFF)	38
FIG. 19BAND EDGES ($\pi/4$ DQPSK, CH 78, HOPPING OFF)	39
FIG. 20BAND EDGES (8DPSK, CH 0, HOPPING OFF).....	39
FIG. 21BAND EDGES (8DPSK, CH 78, HOPPING OFF).....	40
FIG. 22CONDUCTED SPURIOUS EMISSION (GFSK, CH0, 2.402GHz)	40
FIG. 23CONDUCTED SPURIOUS EMISSION (GFSK, CH0, 30 MHz-3 GHz)	41
FIG. 24CONDUCTED SPURIOUS EMISSION (GFSK, CH0, 3GHz-18 GHz)	41
FIG. 25CONDUCTED SPURIOUS EMISSION (GFSK, CH39, 2.441GHz)	42
FIG. 26CONDUCTED SPURIOUS EMISSION (GFSK, CH39, 30 MHz-3 GHz)	42
FIG. 27CONDUCTED SPURIOUS EMISSION (GFSK, CH39, 3GHz-18 GHz)	43
FIG. 28CONDUCTED SPURIOUS EMISSION (GFSK, CH78, 2.480GHz)	43
FIG. 29CONDUCTED SPURIOUS EMISSION (GFSK, CH78, 30 MHz-3 GHz)	44
FIG. 30CONDUCTED SPURIOUS EMISSION (GFSK, CH78, 3GHz-18 GHz)	44
FIG. 31CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH0, 2.402GHz).....	45
FIG. 32CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH0, 30 MHz-3 GHz).....	45
FIG. 33CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH0, 3GHz-18 GHz).....	46
FIG. 34CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH39, 2.441GHz).....	46
FIG. 35CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH39, 30 MHz-3 GHz).....	47
FIG. 36CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH39, 3GHz-18 GHz).....	47
FIG. 37CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH78, 2.480GHz).....	48
FIG. 38CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH78, 30 MHz-3 GHz).....	48
FIG. 39CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH78, 3GHz-18 GHz).....	49
FIG. 40CONDUCTED SPURIOUS EMISSION (8DPSK, CH0, 2.402GHz)	49
FIG. 41CONDUCTED SPURIOUS EMISSION (8DPSK, CH0, 30 MHz-3 GHz)	50
FIG. 42CONDUCTED SPURIOUS EMISSION (8DPSK, CH0, 3GHz-18 GHz)	50
FIG. 43CONDUCTED SPURIOUS EMISSION (8DPSK, CH39, 2.441GHz)	51
FIG. 44CONDUCTED SPURIOUS EMISSION (8DPSK, CH39, 30 MHz-3 GHz)	51

FIG. 45 CONDUCTED SPURIOUS EMISSION (8DPSK, CH39, 3GHz-18 GHz)	52
FIG. 46 CONDUCTED SPURIOUS EMISSION (8DPSK, CH78, 2.480GHz)	52
FIG. 47 CONDUCTED SPURIOUS EMISSION (8DPSK, CH78, 30 MHz-3 GHz)	53
FIG. 48 CONDUCTED SPURIOUS EMISSION (8DPSK, CH78, 3GHz-18 GHz)	53
FIG. 49 CONDUCTED SPURIOUS EMISSION (ALL CHANNEL, 18 GHz-26 GHz)	54
FIG. 50 RADIATED SPURIOUS EMISSION (GFSK, CH0, 30 MHz ~1 GHz)	54
FIG. 51 RADIATED SPURIOUS EMISSION (GFSK, CH0, 1 GHz ~18 GHz)	55
FIG. 52 RADIATED SPURIOUS EMISSION (GFSK, CH39, 30 MHz ~1 GHz)	55
FIG. 53 RADIATED SPURIOUS EMISSION (GFSK, CH39, 1 GHz ~18 GHz)	56
FIG. 54 RADIATED SPURIOUS EMISSION (GFSK, CH78, 30 MHz ~1 GHz)	56
FIG. 55 RADIATED SPURIOUS EMISSION (GFSK, CH78, 1 GHz ~18 GHz)	57
FIG. 56 RADIATED EMISSION POWER (GFSK, CH0, 2380GHz~2450GHz)	57
FIG. 57 RADIATED EMISSION POWER (GFSK, CH78, 2450GHz~2500GHz)	58
FIG. 58 RADIATED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH0, 30 MHz ~1 GHz)	58
FIG. 59 RADIATED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH0, 1 GHz ~18 GHz)	59
FIG. 60 RADIATED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH39, 30 MHz ~1 GHz)	59
FIG. 61 RADIATED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH39, 1 GHz ~18 GHz)	60
FIG. 62 RADIATED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH78, 30 MHz ~1 GHz)	60
FIG. 63 RADIATED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH78, 1 GHz ~18 GHz)	61
FIG. 64 RADIATED EMISSION POWER ($\pi/4$ DQPSK, CH0, 2380GHz~2450GHz)	61
FIG. 65 RADIATED EMISSION POWER ($\pi/4$ DQPSK, CH78, 2450GHz~2500GHz)	62
FIG. 66 RADIATED SPURIOUS EMISSION (8DPSK, CH0, 30 MHz ~1 GHz)	62
FIG. 67 RADIATED SPURIOUS EMISSION (8DPSK, CH0, 1 GHz ~18 GHz)	63
FIG. 68 RADIATED SPURIOUS EMISSION (8DPSK, CH39, 30 MHz ~1 GHz)	63
FIG. 69 RADIATED SPURIOUS EMISSION (8DPSK, CH39, 1 GHz ~18 GHz)	64
FIG. 70 RADIATED SPURIOUS EMISSION (8DPSK, CH78, 30 MHz ~1 GHz)	64
FIG. 71 RADIATED SPURIOUS EMISSION (8DPSK, CH78, 1 GHz ~18 GHz)	65
FIG. 72 RADIATED EMISSION POWER (8DPSK, CH0, 2380GHz~2450GHz)	65
FIG. 73 RADIATED EMISSION POWER (8DPSK, CH78, 2450GHz~2500GHz)	66
FIG. 74 RADIATED SPURIOUS EMISSION (ALL CHANNEL, 18 GHz ~26 GHz)	66
FIG. 75 OCCUPIED 20DB BANDWIDTH (GFSK, CH 0)	67
FIG. 76 OCCUPIED 20DB BANDWIDTH (GFSK, CH 39)	67
FIG. 77 OCCUPIED 20DB BANDWIDTH (GFSK, CH 78)	68
FIG. 78 OCCUPIED 20DB BANDWIDTH ($\pi/4$ DQPSK, CH 0)	68
FIG. 79 OCCUPIED 20DB BANDWIDTH ($\pi/4$ DQPSK, CH 39)	69
FIG. 80 OCCUPIED 20DB BANDWIDTH ($\pi/4$ DQPSK, CH 78)	69
FIG. 81 OCCUPIED 20DB BANDWIDTH (8DPSK, CH 0)	70
FIG. 82 OCCUPIED 20DB BANDWIDTH (8DPSK, CH 39)	70
FIG. 83 OCCUPIED 20DB BANDWIDTH (8DPSK, CH 78)	71
FIG. 84 TIME OF OCCUPANCY(DWELL TIME) (GFSK, CH39)	71
FIG. 85 NUMBER OF TRANSMISSIONS (GFSK, CH39)	72
FIG. 86 TIME OF OCCUPANCY(DWELL TIME) ($\pi/4$ DQPSK, CH39)	72
FIG. 87 NUMBER OF TRANSMISSIONS ($\pi/4$ DQPSK, CH39)	73

FIG. 88 TIME OF OCCUPANCY(DWELL TIME) (8DPSK, CH39)	73
FIG. 89 NUMBER OF TRANSMISSIONS (8DPSK, CH39)	74
FIG. 90 HOPPING CHANNEL CH0~39 (GFSK, CH39).....	74
FIG. 91 HOPPING CHANNEL CH39~78 (GFSK, CH39).....	75
FIG. 92 HOPPING CHANNEL CH0~39 ($\pi/4$ DQPSK, CH39)	75
FIG. 93 HOPPING CHANNEL CH39~78 ($\pi/4$ DQPSK, CH39)	76
FIG. 94 HOPPING CHANNEL CH0~39 (8DPSK, CH39).....	76
FIG. 95 HOPPING CHANNEL CH39~78 (8DPSK, CH39).....	77
FIG. 96 CARRIER FREQUENCY SEPARATION (GFSK, CH39).....	77
FIG. 97 CARRIER FREQUENCY SEPARATION ($\pi/4$ DQPSK, CH39)	78
FIG. 98 CARRIER FREQUENCY SEPARATION (8DPSK, CH39).....	78
FIG. 99 AC POWER LINE CONDUCTED EMISSION (TRAFFIC, AE1).....	79
FIG. 100 AC POWER LINE CONDUCTED EMISSION (IDLE, AE1).....	80

1. Test Laboratory

1.1. Testing Location

Company Name: TMC Shenzhen, Telecommunication Metrology Center of MIIT
Address: No. 12 Building, Shangsha Innovation and Technology Park, Futian District, Shenzhen, P. R. China
Postal Code: 518048
Telephone: +86(0)755-33322000
Fax: +86(0)755-33322001

1.2. Testing Environment

Normal Temperature: 15°C-30°C
Extreme Temperature: -20°C/+55°C
Relative Humidity: 30%-60%

1.3. Project data

Project Leader: Zhang Bojun
Test Engineer: Tang Weisheng
Testing Start Date: Aug 22nd, 2014
Testing End Date: Sep 4th, 2014

1.4. Signature

Tang Weisheng

(Prepared this test report)

Zhang Bojun

(Reviewed this test report)

Lu Minniu

Director of the laboratory

(Approved this test report)

2. Client Information

2.1. Applicant Information

Company Name: ShenZhen Sang Fei Consumer Communications Co,Ltd.
Address /Post: 11 Science and Technology Road, Shenzhen Hi-tech industrial Park
Nanshan District, Shenzhen, PRC
City: Shenzhen
Country: China
E-mail: Helen Lin@Sangfei.com
Telephone: 0755-26633217
Fax: 0755-26635272

2.2. Manufacturer Information

Company Name: ShenZhen Sang Fei Consumer Communications Co,Ltd.
Address /Post: 11 Science and Technology Road, Shenzhen Hi-tech industrial Park
Nanshan District, Shenzhen, PRC
City: Shenzhen
Country: China
E-mail: Helen Lin@Sangfei.com
Telephone: 0755-26633217
Fax: 0755-26635272

3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	WCDMA digital mobile phone
Model Name	Philips I908
Marketing Name	Philips I908
Frequency Band	2402MHz~2480MHz
Type of Modulation	GFSK/ $\pi/4$ DQPSK/8DPSK
Number of Channels	79
FCC ID	VQRCTI908

Note: Photographs of EUT are shown in ANNEX A of this test report.

3.2. Internal Identification of EUT used during the test

EUT ID*	SN or IMEI	HW Version	SW Version
EUT1	/	I908_V01	Philips_I908_V01

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Description	Type	SN
AE1	Charger	A31-501000	/

*AE ID: is used to identify the test accessory in the lab internally.

4. Reference Documents

4.1. Documents supplied by applicant

EUT feature information is supplied by the applicant or manufacturer, which is the basis of testing.

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part15	FCC CFR 47, Part 15, Subpart C: 15.205 Restricted bands of operation; 15.209 Radiated emission limits, general requirements; 15.247 Operation within the bands 902–928MHz, 2400–2483.5 MHz, and 5725–5850 MHz.	Oct, 2013 Edition
ANSI C63.4	Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz	2003
FCC Public Notice DA 00-705	Filing and Measurement Guidelines for Frequency Hopping Spread Spectrum Systems	Mar, 2000

5. Laboratory Environment

Half-anechoic chamber (11.20 meters×6.10 meters×5.60 meters) did not exceed following limits:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 2M Ω
Ground system resistance	< 0.5 Ω
Normalized Site Attenuation (NSA)	< ±3.5dB, with 3m of Measuring distance, 30MHz – 1000MHz
Uniformity of field strength	Between 0 and 6 dB, from 80MHz to 3000 MHz

Fully-anechoic chamber (11.20 meters×6.10 meters×6.60 meters) did not exceed following limits:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 30 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	> 2M Ω
Ground system resistance	< 0.5 Ω
VSWR	Between 0 and 6 dB, from 30MHz to 18 000 MHz

Conduction Lab did not exceed following limits:

Temperature	Min.=15 °C, Max.=30 °C
Relative humidity	Min.=30 %, Max.= 60 %
Shielding effectiveness	> 80 dB
Electrical insulation	> 2M Ω
Ground system resistance	< 0.5 Ω

6. Summary of Test Results

6.1. Summary of Test Results

No	Test cases	Sub-clause of Part15C	Verdict
0	Antenna Requirement	15.203	P
1	Maximum Peak Output Power	15.247 (b)	P
2	Band Edges Compliance	15.247 (d)	P
3	Conducted Spurious Emission	15.247 (d)	P
4	Radiated Spurious Emission	15.247,15.205,15.209	P
5	Occupied 20dB bandwidth	15.247(a)	I
6	Time of Occupancy(Dwell Time)	15.247(a)	P
7	Number of Hopping Channel	15.247(a)	P
8	Carrier Frequency Separation	15.247(a)	P
9	AC Powerline Conducted Emission	15.107,15.207	P

6.2. Statements

TMC has evaluated the test cases requested by the applicant/manufacturer as listed in section 6.1 of this report, for the EUT specified in section 3, according to the standards or reference documents listed in section 4.2

6.3. Terms used in the result table

Terms used in Verdict column

P	Pass
NA	Not Available
F	Fail

Abbreviations

AC	Alternating Current
BW	Band Width
ISM	Industrial, Scientific and Medical
RF	Radio Frequency

7. Test Equipments Utilized

Conducted test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date	Calibration Period
1	Vector Signal Analyzer	FSV40	100903	Rohde & Schwarz	2015-04-22	1 year
2	Bluetooth Tester	CBT32	100584	Rohde & Schwarz	2015-01-11	1 year

Radiated emission test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date	Calibration Period
1	Chamber	FACT5-2.0	4166	ETS-Lindgren	2016-05-29	3 years
2	Test Receiver	ESCI	100701	Rohde & Schwarz	2015-07-30	1 year
3	Spectrum Analyzer	FSP40	100378	Rohde & Schwarz	2014-12-20	1 year
4	BiLog Antenna	VULB9163	9163-329	Schwarzbeck	2017-01-20	3 years
5	Test Receiver	ESCI	100702	Rohde & Schwarz	2015-07-30	1 year
6	LISN	ESH2-Z5	100196	Rohde & Schwarz	2015-01-14	1 year
7	Signal Generator	SMR40	100541	Rohde & Schwarz	2014-12-26	1 year
8	Dual-Ridge Waveguide Horn Antenna	3117	00066577	ETS-Lindgren	2016-04-01	3 years
9	Loop Antenna	HLA6120	35779	TESEQ	2016-02-25	3 years
10	EMI Antenna	3160-09	00118383	ETS-Lindgren	2015-09-05	3 years

Anechoic chamber

Fully anechoic chamber by ETS-Lindgren.

ANNEX A: EUT photograph**Pic A-1 Mobile phone****Pic A-2 Mobile phone**

**Pic A-3 Charger****Pic A-4 Charger**

ANNEX B: MEASUREMENT RESULTS

B.0 Antenna requirement

Measurement Limit:

Standard	Requirement
FCC CRF Part 15.203	An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §15.211, §15.213, § 15.217, §15.219, or §15.221. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with §15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

**Conclusion: The Directional gains of antenna used for transmitting is 2.8 dBi.
The RF transmitter uses an integrate antenna without connector.**

B.1 Maximum Peak Output Power**Measurement Limit:**

Standard	Limit (dBm)
FCC CRF Part 15.247(b)(1)	< 30

Measurement Results:

Mode	Test Result (dBm)					
	2402MHz (Ch0)		2441MHz (Ch39)		2480 MHz (Ch78)	
GFSK	Fig.1	5.24	Fig.2	5.34	Fig.3	5.64
$\pi/4$ DQPSK	Fig.4	4.32	Fig.5	4.70	Fig.6	5.07
8DPSK	Fig.7	4.30	Fig.8	4.58	Fig.9	5.01

Conclusion: Pass

B.2 Band Edges Compliance

Measurement Limit:

Standard	Limit (dBc)
FCC 47 CFR Part 15.247 (d)	> 20

Measurement Result:

Mode	Channel	Hopping	Test Results	Conclusion
GFSK	0	ON	Fig.10	P
	78	ON	Fig.11	P
$\pi/4$ DQPSK	0	ON	Fig.12	P
	78	ON	Fig.13	P
8DPSK	0	ON	Fig.14	P
	78	ON	Fig.15	P

Mode	Channel	Hopping	Test Results	Conclusion
GFSK	0	OFF	Fig.16	P
	78	OFF	Fig.17	P
$\pi/4$ DQPSK	0	OFF	Fig.18	P
	78	OFF	Fig.19	P
8DPSK	0	OFF	Fig.20	P
	78	OFF	Fig.21	P

See ANNEX C for test graphs.

Conclusion: Pass

B.3 Conducted Emission

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247 (d)	20dB below peak output power in 100 kHz bandwidth

Measurement Results:

MODE	Channel	Frequency Range	Test Results	Conclusion
GFSK	0	2.402 GHz	Fig.22	P
		30 MHz-3GHz	Fig.23	P
		3GHz-18GHz	Fig.24	P
	39	2.441 GHz	Fig.25	P
		30 MHz-3 GHz	Fig.26	P
		3GHz-18GHz	Fig.27	P
	78	2.480 GHz	Fig.28	P
		30 MHz-3GHz	Fig.29	P
		3GHz-18GHz	Fig.30	P
$\pi/4$ DQPSK	0	2.402 GHz	Fig.31	P
		30 MHz-3 GHz	Fig.32	P
		3GHz-18GHz	Fig.33	P
	39	2.441 GHz	Fig.34	P
		30 MHz-3GHz	Fig.35	P
		3GHz-18GHz	Fig.36	P
	78	2.480 GHz	Fig.37	P
		30 MHz-3GHz	Fig.38	P
		3GHz-18GHz	Fig.39	P
8DPSK	0	2.402 GHz	Fig.40	P
		30 MHz-3GHz	Fig.41	P
		3GHz-18GHz	Fig.42	P
	39	2.441 GHz	Fig.43	P
		30 MHz-3GHz	Fig.44	P
		3GHz-18GHz	Fig.45	P
	78	2.480 GHz	Fig.46	P
		30 MHz-3GHz	Fig.47	P
		3GHz-18GHz	Fig.48	P
/	All channel	18GHz-26GHz	Fig.49	P

See ANNEX C for test graphs.

Conclusion: Pass

B.4 Radiated Emission**Measurement Limit:**

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

Limit in restricted band:

Frequency of emission (MHz)	Field strength(µV/m)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Test Condition

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	120kHz/300kHz	5
1000-4000	1MHz/3MHz	15
4000-18000	1MHz/3MHz	40
18000-26500	1MHz/3MHz	20

Note: According to the performance evaluation, the radiated emission margin of EUT is over 20dB in the band from 9kHz to 30MHz. Therefore, the measurement starts from 30MHz to tenth harmonic.

The measurement results include the horizontal polarization and vertical polarization measurements.

Measurement Results:

Mode	Channel	Frequency Range	Test Results	Conclusion
GFSK	0	30 MHz ~1 GHz	Fig.50	P
		1 GHz ~ 18 GHz	Fig.51	P
	39	30 MHz ~1 GHz	Fig.52	P
		1 GHz ~ 18 GHz	Fig.53	P
	78	30 MHz ~1 GHz	Fig.54	P
		1 GHz ~ 18 GHz	Fig.55	P
	Power(CH0)	2.38 GHz ~ 2.45 GHz	Fig.56	P
$\pi/4$ DQPSK	0	30 MHz ~1 GHz	Fig.58	P
		1 GHz ~ 18 GHz	Fig.59	P
	39	30 MHz ~1 GHz	Fig.60	P
		1 GHz ~ 18 GHz	Fig.61	P
	78	30 MHz ~1 GHz	Fig.62	P
		1 GHz ~ 18 GHz	Fig.63	P
	Power(CH0)	2.38 GHz ~ 2.45 GHz	Fig.64	P
8DPSK	0	30 MHz ~1 GHz	Fig.66	P
		1 GHz ~ 18 GHz	Fig.67	P
	39	30 MHz ~1 GHz	Fig.68	P
		1 GHz ~ 18 GHz	Fig.69	P
	78	30 MHz ~1 GHz	Fig.70	P
		1 GHz ~ 18 GHz	Fig.71	P
	Power(CH0)	2.38 GHz ~ 2.45 GHz	Fig.72	P
/	All channels	2.45 GHz ~ 2.5 GHz	Fig.73	P
		18 GHz~ 26.5 GHz	Fig.74	P

GFSK CH0 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14462.000	45.0	V	13.0	9.0	54.0
14975.000	45.7	V	13.8	8.3	54.0
15733.000	47.2	H	14.0	6.8	54.0
16203.000	47.4	V	14.4	6.6	54.0
16827.000	48.2	V	15.5	5.8	54.0
17331.000	47.8	V	15.5	6.2	54.0

GFSK CH0 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14475.000	57.1	V	13.0	16.9	74.0
14970.000	58.8	V	13.8	15.2	74.0
15699.000	59.0	V	13.9	15.0	74.0
16358.000	59.6	H	15.2	14.4	74.0
16881.000	60.4	V	15.8	13.6	74.0
17498.000	59.7	V	15.7	14.3	74.0

GFSK CH39 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14528.000	45.2	V	12.7	8.8	54.0
15054.000	45.7	H	13.2	8.3	54.0
15678.000	47.6	H	13.8	6.4	54.0
16202.000	48.0	H	14.4	6.0	54.0
16795.000	48.8	H	15.3	5.2	54.0
17314.000	48.4	H	15.4	5.6	54.0

GFSK CH39 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14170.000	57.4	H	12.5	16.6	74.0
14777.000	57.7	H	13.2	16.3	74.0
15758.000	59.2	V	14.1	14.8	74.0
16213.000	60.1	H	14.4	13.9	74.0
16830.000	61.0	H	15.5	13.0	74.0
17788.000	60.2	V	15.7	13.8	74.0

GFSK CH78 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14524.000	45.0	V	12.7	9.0	54.0
15182.000	45.6	V	13.1	8.4	54.0
15731.000	47.6	V	14.0	6.4	54.0
16242.000	48.0	V	14.5	6.0	54.0
16803.000	48.7	V	15.4	5.3	54.0
17322.000	48.3	V	15.4	5.7	54.0

GFSK CH78 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14361.000	57.1	H	13.3	16.9	74.0
14893.000	58.4	V	13.6	15.6	74.0
15687.000	59.5	V	13.9	14.5	74.0
16369.000	59.5	H	15.3	14.5	74.0
16772.000	60.4	H	15.2	13.6	74.0
17300.000	60.4	H	15.4	13.6	74.0

$\pi/4$ DQPSK CH0 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
14457.000	44.9	V	13.1	9.1	54.0
15049.000	45.6	V	13.3	8.4	54.0
15735.000	47.1	V	14.0	6.9	54.0
16321.000	47.3	V	15.0	6.7	54.0
16856.000	47.9	H	15.7	6.1	54.0
17352.000	47.3	V	15.5	6.7	54.0

 $\pi/4$ DQPSK CH0 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
14444.000	56.7	V	13.1	17.3	74.0
15070.000	58.3	H	13.1	15.7	74.0
15618.000	59.0	H	13.7	15.0	74.0
16329.000	59.3	H	15.0	14.7	74.0
16808.000	59.7	V	15.4	14.3	74.0
17341.000	60.1	V	15.5	13.9	74.0

 $\pi/4$ DQPSK CH39 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
14453.000	45.0	V	13.1	9.0	54.0
15052.000	45.6	V	13.3	8.4	54.0
15776.000	47.1	H	14.2	6.9	54.0
16298.000	47.3	V	14.9	6.7	54.0
16826.000	47.9	H	15.5	6.1	54.0
17429.000	47.6	H	15.6	6.4	54.0

$\pi/4$ DQPSK CH39 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
14218.000	57.3	H	12.8	16.7	74.0
14936.000	57.3	V	13.7	16.7	74.0
15776.000	59.2	H	14.2	14.8	74.0
16362.000	59.6	V	15.2	14.4	74.0
16881.000	59.7	H	15.8	14.3	74.0
17347.000	59.2	H	15.5	14.8	74.0

 $\pi/4$ DQPSK CH78 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
14522.000	45.0	V	12.7	9.0	54.0
15052.000	45.8	V	13.3	8.2	54.0
15782.000	47.3	V	14.2	6.7	54.0
16234.000	47.5	V	14.5	6.5	54.0
16823.000	48.4	H	15.5	5.6	54.0
17354.000	47.8	V	15.5	6.2	54.0

 $\pi/4$ DQPSK CH78 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
14184.000	57.4	H	12.6	16.6	74.0
14977.000	57.4	H	13.8	16.6	74.0
15780.000	59.7	V	14.2	14.3	74.0
16328.000	59.4	V	15.0	14.6	74.0
16887.000	60.1	V	15.8	13.9	74.0
17338.000	59.8	H	15.5	14.2	74.0

8DPSK CH0 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14407.000	44.4	V	13.4	9.6	54.0
15052.000	45.1	V	13.3	8.9	54.0
15786.000	46.6	V	14.2	7.4	54.0
16293.000	46.5	H	14.8	7.5	54.0
16828.000	47.2	H	15.5	6.8	54.0
17377.000	46.6	H	15.5	7.4	54.0

8DPSK CH0 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14408.000	56.4	H	13.3	17.6	74.0
15097.000	56.9	V	13.0	17.1	74.0
15777.000	58.8	H	14.2	15.2	74.0
16519.000	58.1	H	15.3	15.9	74.0
16874.000	59.8	V	15.8	14.2	74.0
17378.000	58.7	H	15.5	15.3	74.0

8DPSK CH39 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14402.000	44.5	V	13.4	9.5	54.0
14983.000	45.0	V	13.7	9.0	54.0
15778.000	46.8	V	14.2	7.2	54.0
16303.000	46.6	V	14.9	7.4	54.0
16818.000	47.3	V	15.5	6.7	54.0
17395.000	46.7	H	15.6	7.3	54.0

8DPSK CH39 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14427.000	56.3	V	13.2	17.7	74.0
14942.000	56.5	V	13.7	17.5	74.0
15758.000	59.0	V	14.1	15.0	74.0
16342.000	58.8	H	15.1	15.2	74.0
16882.000	59.0	H	15.8	15.0	74.0
17293.000	59.0	H	15.4	15.0	74.0

8DPSK CH78 (1-18GHz)

Frequency (MHz)	Average-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14394.000	44.6	V	13.4	9.4	54.0
14967.000	45.1	V	13.7	8.9	54.0
15798.000	46.6	V	14.3	7.4	54.0
16326.000	46.5	V	15.0	7.5	54.0
16833.000	47.3	H	15.5	6.7	54.0
17377.000	46.7	V	15.5	7.3	54.0

8DPSK CH78 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14462.000	56.5	V	13.0	17.5	74.0
14967.000	57.6	V	13.7	16.4	74.0
15733.000	58.2	V	14.0	15.8	74.0
16325.000	58.4	V	15.0	15.6	74.0
16780.000	59.9	V	15.2	14.1	74.0
17336.000	59.3	V	15.5	14.7	74.0

See ANNEX C for test graphs.

Conclusion: Pass

B.5 Occupied 20dB Bandwidth

Measurement Limit:

Standard	Limit (kHz)
FCC 47 CFR Part 15.247 (a)	/

Measurement Result:

Mode	Channel	Occupied 20dB Bandwidth (MHz)		Conclusion
GFSK	0	Fig.75	1.136	/
	39	Fig.76	1.129	
	78	Fig.77	1.136	
$\pi/4$ DQPSK	0	Fig.78	1.303	/
	39	Fig.79	1.303	
	78	Fig.80	1.288	
8DPSK	0	Fig.81	1.324	/
	39	Fig.82	1.339	
	78	Fig.83	1.324	

See ANNEX C for test graphs.

Conclusion: PASS

B.6 Time of Occupancy (Dwell Time)

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a)	< 400 ms

Measurement Results:

Mode	Channel	Packet	Dwell Time(ms)		Conclusion
GFSK	39	DH5	Fig.84	197.0	P
			Fig.85		
$\pi/4$ DQPSK	39	2-DH5	Fig.86	152.9	P
			Fig.87		
8DPSK	39	3-DH5	Fig.88	193.2	P
			Fig.89		

See ANNEX C for test graphs.

Conclusion: Pass

B.7 Number of Hopping Channels

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a)	At least 15 non-overlapping channels

Measurement Results:

Mode	Channel	Packet	Number of hopping channels	Test result	Conclusion
GFSK	39	DH5	Fig.90	Fig.91	79
$\pi/4$ DQPSK	39	2-DH5	Fig.92	Fig.93	79
8DPSK	39	3-DH5	Fig.94	Fig.95	79

See ANNEX C for test graphs.

Conclusion: Pass

B.8 Carrier Frequency Separation

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a)	By a minimum of 25 kHz or two-thirds of the 20 dB bandwidth of the hopping channel, whichever is greater

Measurement Results:

Mode	Channel	Packet	Separation of hopping channels	Test result (MHz)	Conclusion
GFSK	39	DH5	Fig.96	1.006	P
$\pi/4$ DQPSK	39	2-DH5	Fig.97	1.006	P
8DPSK	39	3-DH5	Fig.98	1.006	P

See ANNEX C for test graphs.

Conclusion: Pass

B.9 AC Power line Conducted Emission**Test Condition:**

Voltage (V)	Frequency (Hz)
120	60

Measurement Result and limit:

BT (Quasi-peak Limit)-AE1

Frequency range (MHz)	Quasi-peak Limit (dB μ V)	Result (dB μ V)		Conclusion
		Traffic	Idle	
0.15 to 0.5	66 to 56	Fig.99	Fig.100	P
0.5 to 5	56			
5 to 30	60			

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

BT (Average Limit)-AE1

Frequency range (MHz)	Average-peak Limit (dB μ V)	Result (dB μ V)		Conclusion
		Traffic	Idle	
0.15 to 0.5	56 to 46	Fig.99	Fig.100	P
0.5 to 5	46			
5 to 30	50			

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

Note: The measurement results include the L1 and N measurements.

See ANNEX C for test graphs.**Conclusion: Pass**

ANNEX C: TEST FIGURE LIST




Fig. 1 Maximum Peak Output Power(GFSK, Ch 0)






Fig. 2 Maximum Peak Output Power(GFSK, Ch 39)





Date: 2.SEP.2014 14:58:51

Fig. 3 Maximum Peak Output Power(GFSK, Ch 78)


Date: 2.SEP.2014 14:59:20

Fig. 4 Maximum Peak Output Power($\pi/4$ DQPSK, Ch 0)


Fig. 5 Maximum Peak Output Power($\pi/4$ DQPSK, Ch 39)

Fig. 6 Maximum Peak Output Power($\pi/4$ DQPSK, Ch 78)




Fig. 7 Maximum Peak Output Power(8DPSK, Ch 0)




Fig. 8 Maximum Peak Output Power(8DPSK, Ch 39)




Fig. 9 Maximum Peak Output Power(8DPSK, Ch 78)






Fig. 10 Band Edges (GFSK, Ch 0, Hopping ON)



Date: 1.SEP.2014 09:57:41

Fig. 11 Band Edges (GFSK, Ch 78, Hopping ON)


Date: 1.SEP.2014 09:55:48

Fig. 12 Band Edges (π/4 DQPSK, Ch 0, Hopping ON)




Fig. 13 Band Edges ($\pi/4$ DQPSK, Ch 78, Hopping ON)




Fig. 14 Band Edges (8DPSK, Ch 0, Hopping ON)




Fig. 15 Band Edges (8DPSK, Ch 78, Hopping ON)






Fig. 16 Band Edges (GFSK, Ch 0, Hopping OFF)



Date: 1.SEP.2014 10:05:55

Fig. 17 Band Edges (GFSK, Ch 78, Hopping OFF)


Date: 1.SEP.2014 10:08:54

Fig. 18 Band Edges (π/4 DQPSK, Ch 0, Hopping OFF)




Fig. 19 Band Edges ($\pi/4$ DQPSK, Ch 78, Hopping OFF)






Fig. 20 Band Edges (8DPSK, Ch 0, Hopping OFF)



Date: 1.SEP.2014 10:07:47

Fig. 21 Band Edges (8DPSK, Ch 78, Hopping OFF)



Date: 1.SEP.2014 10:10:32

Fig. 22 Conducted Spurious Emission (GFSK, Ch0, 2.402GHz)




Fig. 23 Conducted Spurious Emission (GFSK, Ch0, 30 MHz-3 GHz)




Fig. 24 Conducted Spurious Emission (GFSK, Ch0, 3GHz-18 GHz)




Fig. 25 Conducted Spurious Emission (GFSK, Ch39, 2.441GHz)






Fig. 26 Conducted Spurious Emission (GFSK, Ch39, 30 MHz-3 GHz)


Fig. 27 Conducted Spurious Emission (GFSK, Ch39, 3GHz-18 GHz)

Fig. 28 Conducted Spurious Emission (GFSK, Ch78, 2.480GHz)




Fig. 29 Conducted Spurious Emission (GFSK, Ch78, 30 MHz-3 GHz)




Fig. 30 Conducted Spurious Emission (GFSK, Ch78, 3GHz-18 GHz)




Fig. 31 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch0, 2.402GHz)






Fig. 32 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch0, 30 MHz-3 GHz)


Fig. 33 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch0, 3GHz-18 GHz)

Fig. 34 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch39, 2.441GHz)




Fig. 35 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch39, 30 MHz-3 GHz)




Fig. 36 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch39, 3GHz-18 GHz)




Fig. 37 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch78, 2.480GHz)






Fig. 38 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch78, 30 MHz-3 GHz)


Fig. 39 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch78, 3GHz-18 GHz)

Fig. 40 Conducted Spurious Emission (8DPSK, Ch0, 2.402GHz)




Fig. 41 Conducted Spurious Emission (8DPSK, Ch0, 30 MHz-3 GHz)




Fig. 42 Conducted Spurious Emission (8DPSK, Ch0, 3GHz-18 GHz)




Fig. 43 Conducted Spurious Emission (8DPSK, Ch39, 2.441GHz)






Fig. 44 Conducted Spurious Emission (8DPSK, Ch39, 30 MHz-3 GHz)


Fig. 45 Conducted Spurious Emission (8DPSK, Ch39, 3GHz-18 GHz)

Fig. 46 Conducted Spurious Emission (8DPSK, Ch78, 2.480GHz)




Fig. 47 Conducted Spurious Emission (8DPSK, Ch78, 30 MHz-3 GHz)






Fig. 48 Conducted Spurious Emission (8DPSK, Ch78, 3GHz-18 GHz)


Fig. 49 Conducted Spurious Emission (All channel, 18 GHz-26 GHz)

Fig. 50 Radiated Spurious Emission (GFSK, Ch0, 30 MHz ~1 GHz)




Fig. 51 Radiated Spurious Emission (GFSK, Ch0, 1 GHz ~18 GHz)




Fig. 52 Radiated Spurious Emission (GFSK, Ch39, 30 MHz ~1 GHz)




Fig. 53 Radiated Spurious Emission (GFSK, Ch39, 1 GHz ~18 GHz)




Fig. 54 Radiated Spurious Emission (GFSK, Ch78, 30 MHz ~1 GHz)




Fig. 55 Radiated Spurious Emission (GFSK, Ch78, 1 GHz ~18 GHz)




Fig. 56 Radiated Emission Power (GFSK, Ch0, 2380GHz~2450GHz)




Fig. 57 Radiated Emission Power (GFSK, Ch78, 2450GHz~2500GHz)




Fig. 58 Radiated Spurious Emission ($\pi/4$ DQPSK, Ch0, 30 MHz ~1 GHz)




Fig. 59 Radiated Spurious Emission ($\pi/4$ DQPSK, Ch0, 1 GHz ~18 GHz)




Fig. 60 Radiated Spurious Emission ($\pi/4$ DQPSK, Ch39, 30 MHz ~1 GHz)




Fig. 61 Radiated Spurious Emission ($\pi/4$ DQPSK, Ch39, 1 GHz ~18 GHz)




Fig. 62 Radiated Spurious Emission ($\pi/4$ DQPSK, Ch78, 30 MHz ~1 GHz)




Fig. 63 Radiated Spurious Emission ($\pi/4$ DQPSK, Ch78, 1 GHz ~18 GHz)




Fig. 64 Radiated Emission Power ($\pi/4$ DQPSK, Ch0, 2380GHz~2450GHz)




Fig. 65 Radiated Emission Power ($\pi/4$ DQPSK, Ch78, 2450GHz~2500GHz)




Fig. 66 Radiated Spurious Emission (8DPSK, Ch0, 30 MHz ~1 GHz)




Fig. 67 Radiated Spurious Emission (8DPSK, Ch0, 1 GHz ~18 GHz)




Fig. 68 Radiated Spurious Emission (8DPSK, Ch39, 30 MHz ~1 GHz)




Fig. 69 Radiated Spurious Emission (8DPSK, Ch39, 1 GHz ~18 GHz)




Fig. 70 Radiated Spurious Emission (8DPSK, Ch78, 30 MHz ~1 GHz)




Fig. 71 Radiated Spurious Emission (8DPSK, Ch78, 1 GHz ~18 GHz)




Fig. 72 Radiated Emission Power (8DPSK, Ch0, 2380GHz~2450GHz)




Fig. 73 Radiated Emission Power (8DPSK, Ch78, 2450GHz~2500GHz)














Fig. 74 Radiated Spurious Emission (All channel, 18 GHz ~26 GHz)




Fig. 75 Occupied 20dB Bandwidth (GFSK, Ch 0)

Fig. 76 Occupied 20dB Bandwidth (GFSK, Ch 39)



Fig. 77 Occupied 20dB Bandwidth (GFSK, Ch 78)

Fig. 78 Occupied 20dB Bandwidth (π/4 DQPSK, Ch 0)


Fig. 79 Occupied 20dB Bandwidth ($\pi/4$ DQPSK, Ch 39)

Fig. 80 Occupied 20dB Bandwidth ($\pi/4$ DQPSK, Ch 78)



Fig. 81 Occupied 20dB Bandwidth (8DPSK, Ch 0)

Fig. 82 Occupied 20dB Bandwidth (8DPSK, Ch 39)


Fig. 83 Occupied 20dB Bandwidth (8DPSK, Ch 78)

Fig. 84 Time of Occupancy(Dwell Time) (GFSK, Ch39)


Fig. 85 Number of Transmissions (GFSK, Ch39)

Fig. 86 Time of Occupancy(Dwell Time) ($\pi/4$ DQPSK, Ch39)







Date: 1.SEP.2014 14:01:23



Fig. 87 Number of Transmissions ($\pi/4$ DQPSK, Ch39)


Date: 1.SEP.2014 11:23:30

Fig. 88 Time of Occupancy(Dwell Time) (8DPSK, Ch39)


Fig. 89 Number of Transmissions (8DPSK, Ch39)

Fig. 90 Hopping channel ch0~39 (GFSK, Ch39)


Fig. 91 Hopping channel ch39~78 (GFSK, Ch39)

Fig. 92 Hopping channel ch0~39 (π/4 DQPSK, Ch39)


Fig. 93 Hopping channel ch39~78 ($\pi/4$ DQPSK, Ch39)

Fig. 94 Hopping channel ch0~39 (8DPSK, Ch39)




Fig. 95 Hopping channel ch39~78 (8DPSK, Ch39)




Fig. 96 Carrier Frequency Separation (GFSK, Ch39)




Fig. 97 Carrier Frequency Separation ($\pi/4$ DQPSK, Ch39)





Fig. 98 Carrier Frequency Separation (8DPSK, Ch39)



Fig. 99 AC Power line Conducted Emission (Traffic, AE1)

MEASUREMENT RESULT: " QuasiPeak "

Frequency (MHz)	QuasiPeak (dB μ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)
0.702000	50.8	FLO	L1	10.0	5.2	56.0
0.710000	51.0	FLO	L1	10.0	5.0	56.0
0.754000	51.9	FLO	L1	10.1	4.1	56.0
0.806000	51.7	FLO	L1	10.1	4.3	56.0
0.814000	48.5	FLO	L1	10.1	7.5	56.0
0.858000	50.6	FLO	L1	10.0	5.4	56.0

MEASUREMENT RESULT: " Average "

Frequency (MHz)	CAverage (dB μ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)
0.406000	38.7	FLO	L1	10.0	9.0	47.7
0.658000	38.3	FLO	L1	10.0	7.7	46.0
0.702000	38.4	FLO	L1	10.0	7.6	46.0
0.754000	40.3	FLO	L1	10.1	5.7	46.0
0.806000	40.2	FLO	L1	10.1	5.8	46.0
0.858000	38.9	FLO	L1	10.0	7.1	46.0


Fig. 100 AC Power line Conducted Emission (Idle, AE1)

MEASUREMENT RESULT: " QuasiPeak "

Frequency (MHz)	QuasiPeak (dB μ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)
0.726000	47.7	FLO	L1	10.0	8.3	56.0
0.754000	44.4	FLO	L1	10.1	11.6	56.0
0.782000	43.7	FLO	L1	10.1	12.3	56.0
0.830000	46.2	FLO	L1	10.0	9.8	56.0
0.858000	44.5	FLO	L1	10.0	11.5	56.0
0.886000	41.6	FLO	L1	10.1	14.4	56.0

MEASUREMENT RESULT: " Average "

Frequency (MHz)	CAverage (dB μ V)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dB μ V)
0.414000	37.6	FLO	L1	10.0	10.0	47.6
0.622000	35.4	FLO	L1	10.0	10.6	46.0
0.674000	36.4	FLO	L1	10.0	9.6	46.0
0.726000	37.7	FLO	L1	10.0	8.3	46.0
0.778000	37.3	FLO	L1	10.1	8.7	46.0
0.830000	36.3	FLO	L1	10.0	9.7	46.0

*** END OF REPORT BODY ***