



# SAR TEST REPORT

No. I14Z00955-SAR

For

**Shenzhen Sang Fei Consumer Communications Co., Ltd.**

**WCDMA digital mobile phone**

**PHILIPS I908**

With

**Hardware Version: I908\_V01**

**Software Version: R38YL890N**

**FCC ID: VQRCTI908**

**Issued Date: 2014-10-21**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of TMC Beijing.

**Test Laboratory:**

TMC Beijing, Telecommunication Metrology Center of MIIT

No. 52, Huayuan Bei Road, Haidian District, Beijing, P. R. China 100191.


Tel:+86(0)10-62304633-2079, Fax:+86(0)10-62304633 Email:welcome@emcite.com. [www.emcite.com](http://www.emcite.com)



Picture 1: front side of the sample




Picture 2: back side of the sample



**Picture 3: Left Hand Touch Cheek Position**



**Picture 4: Left Hand Tilt 15° Position**




**Picture 5: Right Hand Touch Cheek Position**




**Picture 6: Right Hand Tilt 15° Position**

**Test positions for body:**

The Body SAR is tested at the following test positions all with the distance =10mm between the EUT and the phantom bottom:



**Picture 7: Front Side**



**Picture 8: Rear Side**





Picture 9: Left Side



Picture 10: Right Side




Picture 11: Bottom Side



Picture 12: Bottom Side with Headset



Picture 13: Bottom Side



Picture 14: Bottom Side with Headset