






Channel Bandwidth: 10 MHz\_LCH\_16QAM\_1RB#0






Channel Bandwidth: 10 MHz\_LCH\_16QAM\_1RB#24






Channel Bandwidth: 10 MHz\_MCH\_16QAM\_1RB#0




Channel Bandwidth: 10 MHz\_MCH\_16QAM\_1RB#24








Channel Bandwidth: 10 MHz\_MCH\_16QAM\_1RB#49





Channel Bandwidth: 10 MHz\_HCH\_16QAM\_1RB#0



Channel Bandwidth: 10 MHz\_HCH\_16QAM\_1RB#24







## Appendix F: Frequency Stability

### Test Result

#### Channel Bandwidth: 1.4 MHz

Channel Bandwidth: 1.4 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	2.4	0.002910	± 2.5	PASS
		VN	TN	3.99	0.004838	± 2.5	PASS
		VH	TN	1.87	0.002267	± 2.5	PASS
	MCH	VL	TN	0.78	0.000932	± 2.5	PASS
		VN	TN	0.26	0.000311	± 2.5	PASS
		VH	TN	1.59	0.001901	± 2.5	PASS
	HCH	VL	TN	-1.08	-0.001273	± 2.5	PASS
		VN	TN	-0.1	-0.000118	± 2.5	PASS
		VH	TN	-1	-0.001179	± 2.5	PASS
16QAM	LCH	VL	TN	3.7	0.004486	± 2.5	PASS
		VN	TN	0.15	0.000182	± 2.5	PASS
		VH	TN	3.06	0.003710	± 2.5	PASS
	MCH	VL	TN	0.89	0.001064	± 2.5	PASS
		VN	TN	0.17	0.000203	± 2.5	PASS
		VH	TN	-0.77	-0.000921	± 2.5	PASS
	HCH	VL	TN	2.8	0.003301	± 2.5	PASS
		VN	TN	2.03	0.002393	± 2.5	PASS
		VH	TN	3.56	0.004197	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	1.87	0.002267	± 2.5	PASS
		VN	-20	0.31	0.000376	± 2.5	PASS
		VN	-10	3.37	0.004086	± 2.5	PASS
		VN	0	0.16	0.000194	± 2.5	PASS
		VN	10	1.71	0.002073	± 2.5	PASS
		VN	20	-0.49	-0.000594	± 2.5	PASS
		VN	30	-0.56	-0.000679	± 2.5	PASS
		VN	40	2.76	0.003347	± 2.5	PASS
		VN	50	-0.55	-0.000667	± 2.5	PASS
	MCH	VN	-30	3.01	0.003598	± 2.5	PASS

		VN	-20	2.08	0.002487	± 2.5	PASS
		VN	-10	0.03	0.000036	± 2.5	PASS
		VN	0	3.01	0.003598	± 2.5	PASS
		VN	10	0.94	0.001124	± 2.5	PASS
		VN	20	-1.24	-0.001482	± 2.5	PASS
		VN	30	3.93	0.004698	± 2.5	PASS
		VN	40	2.45	0.002929	± 2.5	PASS
		VN	50	0.02	0.000024	± 2.5	PASS
	HCH	VN	-30	3.07	0.003619	± 2.5	PASS
		VN	-20	-1.07	-0.001261	± 2.5	PASS
		VN	-10	4.72	0.005564	± 2.5	PASS
		VN	0	1.51	0.001780	± 2.5	PASS
		VN	10	0.59	0.000696	± 2.5	PASS
		VN	20	1.04	0.001226	± 2.5	PASS
		VN	30	2.9	0.003419	± 2.5	PASS
		VN	40	4.25	0.005010	± 2.5	PASS
		VN	50	4.91	0.005788	± 2.5	PASS
		16QAM	LCH	VN	-30	1.94	0.002352
VN	-20			3.9	0.004729	± 2.5	PASS
VN	-10			3.76	0.004559	± 2.5	PASS
VN	0			2.77	0.003359	± 2.5	PASS
VN	10			1.28	0.001552	± 2.5	PASS
VN	20			3.4	0.004123	± 2.5	PASS
VN	30			1.78	0.002158	± 2.5	PASS
VN	40			4.33	0.005250	± 2.5	PASS
VN	50			1.42	0.001722	± 2.5	PASS
MCH	VN		-30	-1.89	-0.002228	± 2.5	PASS
	VN		-20	4.51	0.005317	± 2.5	PASS
	VN		-10	2.2	0.002593	± 2.5	PASS
	VN		0	4.14	0.004880	± 2.5	PASS
	VN		10	-0.48	-0.000566	± 2.5	PASS
	VN		20	3.02	0.003560	± 2.5	PASS
	VN		30	3.53	0.004161	± 2.5	PASS
	VN		40	0.38	0.000448	± 2.5	PASS
	VN		50	3.21	0.003784	± 2.5	PASS
HCH	VN		-30	-1.97	-0.002322	± 2.5	PASS
	VN		-20	1.75	0.002063	± 2.5	PASS
	VN		-10	4.72	0.005564	± 2.5	PASS
	VN		0	2.16	0.002546	± 2.5	PASS
	VN		10	4.85	0.005717	± 2.5	PASS
	VN		20	1	0.001179	± 2.5	PASS

		VN	30	-1.04	-0.001226	± 2.5	PASS
		VN	40	2.68	0.003159	± 2.5	PASS
		VN	50	0.81	0.000955	± 2.5	PASS

### Channel Bandwidth: 3 MHz

Channel Bandwidth: 3 MHz+							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	3.09	0.003747	± 2.5	PASS
		VN	TN	2.64	0.003201	± 2.5	PASS
		VH	TN	4.88	0.005917	± 2.5	PASS
	MCH	VL	TN	1.8	0.002152	± 2.5	PASS
		VN	TN	4.05	0.004842	± 2.5	PASS
		VH	TN	3.8	0.004543	± 2.5	PASS
	HCH	VL	TN	4.11	0.004845	± 2.5	PASS
		VN	TN	2.21	0.002605	± 2.5	PASS
		VH	TN	-0.81	-0.000955	± 2.5	PASS
16QAM	LCH	VL	TN	-1.92	-0.002328	± 2.5	PASS
		VN	TN	4.46	0.005408	± 2.5	PASS
		VH	TN	0.84	0.001019	± 2.5	PASS
	MCH	VL	TN	-1.06	-0.001267	± 2.5	PASS
		VN	TN	0.54	0.000646	± 2.5	PASS
		VH	TN	3.83	0.004579	± 2.5	PASS
	HCH	VL	TN	1.16	0.001367	± 2.5	PASS
		VN	TN	4.68	0.005517	± 2.5	PASS
		VH	TN	-1.9	-0.002240	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	3.19	0.003868	± 2.5	PASS
		VN	-20	4.45	0.005396	± 2.5	PASS
		VN	-10	4.7	0.005699	± 2.5	PASS
		VN	0	4.22	0.005117	± 2.5	PASS
		VN	10	3.27	0.003965	± 2.5	PASS
		VN	20	1.79	0.002170	± 2.5	PASS
		VN	30	2.82	0.003419	± 2.5	PASS
		VN	40	-1.63	-0.001976	± 2.5	PASS
		VN	50	2.71	0.003286	± 2.5	PASS
	MCH	VN	-30	3.61	0.004316	± 2.5	PASS
		VN	-20	1.53	0.001829	± 2.5	PASS



		VN	-10	0.49	0.000586	± 2.5	PASS	
		VN	0	4.6	0.005499	± 2.5	PASS	
		VN	10	0.24	0.000287	± 2.5	PASS	
		VN	20	0.65	0.000777	± 2.5	PASS	
		VN	30	2.43	0.002905	± 2.5	PASS	
		VN	40	0.53	0.000634	± 2.5	PASS	
		VN	50	3.64	0.004351	± 2.5	PASS	
	HCH	VN	-30	-0.86	-0.001014	± 2.5	PASS	
		VN	-20	1.99	0.002346	± 2.5	PASS	
		VN	-10	3.81	0.004491	± 2.5	PASS	
		VN	0	-0.01	-0.000012	± 2.5	PASS	
		VN	10	0.32	0.000377	± 2.5	PASS	
		VN	20	0.82	0.000967	± 2.5	PASS	
		VN	30	4.92	0.005800	± 2.5	PASS	
	QPSK	LCH	VN	40	4.75	0.005599	± 2.5	PASS
			VN	50	4.63	0.005458	± 2.5	PASS
			VN	-30	2.77	0.003359	± 2.5	PASS
			VN	-20	0.78	0.000946	± 2.5	PASS
VN			-10	0.83	0.001006	± 2.5	PASS	
VN			0	4.62	0.005602	± 2.5	PASS	
VN			10	-1.59	-0.001928	± 2.5	PASS	
VN			20	-0.6	-0.000728	± 2.5	PASS	
VN			30	4.51	0.005469	± 2.5	PASS	
MCH		VN	40	0.77	0.000934	± 2.5	PASS	
		VN	50	4.8	0.005820	± 2.5	PASS	
		VN	-30	-1.88	-0.002216	± 2.5	PASS	
		VN	-20	0.23	0.000271	± 2.5	PASS	
		VN	-10	-1.41	-0.001662	± 2.5	PASS	
		VN	0	1.88	0.002216	± 2.5	PASS	
		VN	10	-1.45	-0.001709	± 2.5	PASS	
		VN	20	-1.32	-0.001556	± 2.5	PASS	
		VN	30	4.12	0.004857	± 2.5	PASS	
HCH	VN	40	0.66	0.000778	± 2.5	PASS		
	VN	50	3.51	0.004138	± 2.5	PASS		
	VN	-30	-0.36	-0.000424	± 2.5	PASS		
	VN	-20	4	0.004715	± 2.5	PASS		
	VN	-10	3.19	0.003760	± 2.5	PASS		
	VN	0	0.95	0.001120	± 2.5	PASS		
	VN	10	1.73	0.002039	± 2.5	PASS		
VN	20	3.61	0.004256	± 2.5	PASS			
VN	30	2.87	0.003383	± 2.5	PASS			

		VN	40	1.98	0.002334	± 2.5	PASS
		VN	50	-0.52	-0.000613	± 2.5	PASS

### Channel Bandwidth: 5 MHz

Channel Bandwidth: 5 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	3.27	0.003965	± 2.5	PASS
		VN	TN	0.89	0.001079	± 2.5	PASS
		VH	TN	-1.26	-0.001528	± 2.5	PASS
	MCH	VL	TN	-0.55	-0.000658	± 2.5	PASS
		VN	TN	3.55	0.004244	± 2.5	PASS
		VH	TN	2.98	0.003562	± 2.5	PASS
	HCH	VL	TN	4.7	0.005540	± 2.5	PASS
		VN	TN	3.31	0.003902	± 2.5	PASS
		VH	TN	0.38	0.000448	± 2.5	PASS
16QAM	LCH	VL	TN	2.61	0.003165	± 2.5	PASS
		VN	TN	-1.28	-0.001552	± 2.5	PASS
		VH	TN	3.82	0.004632	± 2.5	PASS
	MCH	VL	TN	0.54	0.000646	± 2.5	PASS
		VN	TN	0.75	0.000897	± 2.5	PASS
		VH	TN	2.71	0.003240	± 2.5	PASS
	HCH	VL	TN	2.91	0.003430	± 2.5	PASS
		VN	TN	0.07	0.000083	± 2.5	PASS
		VH	TN	3.85	0.004538	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	-0.95	-0.001152	± 2.5	PASS
		VN	-20	2.25	0.002728	± 2.5	PASS
		VN	-10	0.31	0.000376	± 2.5	PASS
		VN	0	0.57	0.000691	± 2.5	PASS
		VN	10	-1.25	-0.001516	± 2.5	PASS
		VN	20	-1.74	-0.002110	± 2.5	PASS
		VN	30	-0.28	-0.000340	± 2.5	PASS
		VN	40	2.63	0.003189	± 2.5	PASS
		VN	50	1.88	0.002280	± 2.5	PASS
	MCH	VN	-30	0.96	0.001148	± 2.5	PASS
		VN	-20	2.23	0.002666	± 2.5	PASS
		VN	-10	2.3	0.002750	± 2.5	PASS

		VN	0	3.64	0.004351	± 2.5	PASS		
		VN	10	-0.67	-0.000801	± 2.5	PASS		
		VN	20	-1.31	-0.001566	± 2.5	PASS		
		VN	30	4.88	0.005834	± 2.5	PASS		
		VN	40	4.89	0.005846	± 2.5	PASS		
		VN	50	0.85	0.001016	± 2.5	PASS		
	HCH	VN	-30	2	0.002358	± 2.5	PASS		
		VN	-20	-0.38	-0.000448	± 2.5	PASS		
		VN	-10	4.66	0.005493	± 2.5	PASS		
		VN	0	0.34	0.000401	± 2.5	PASS		
		VN	10	4.94	0.005823	± 2.5	PASS		
		VN	20	-0.18	-0.000212	± 2.5	PASS		
		VN	30	1.25	0.001474	± 2.5	PASS		
		VN	40	3.94	0.004645	± 2.5	PASS		
		VN	50	2.94	0.003466	± 2.5	PASS		
		16QAM	LCH	VN	-30	-1.57	-0.001904	± 2.5	PASS
				VN	-20	2.06	0.002498	± 2.5	PASS
				VN	-10	4.26	0.005166	± 2.5	PASS
VN	0			1.78	0.002158	± 2.5	PASS		
VN	10			0.29	0.000352	± 2.5	PASS		
VN	20			1.57	0.001904	± 2.5	PASS		
VN	30			4.13	0.005008	± 2.5	PASS		
VN	40			-0.23	-0.000279	± 2.5	PASS		
VN	50			2.29	0.002777	± 2.5	PASS		
MCH	VN		-30	-1.67	-0.001969	± 2.5	PASS		
	VN		-20	-2	-0.002358	± 2.5	PASS		
	VN		-10	-0.36	-0.000424	± 2.5	PASS		
	VN		0	1.89	0.002228	± 2.5	PASS		
	VN		10	-0.29	-0.000342	± 2.5	PASS		
	VN		20	4.72	0.005564	± 2.5	PASS		
	VN		30	4.39	0.005175	± 2.5	PASS		
	VN		40	4.11	0.004845	± 2.5	PASS		
	VN		50	4.56	0.005375	± 2.5	PASS		
HCH	VN		-30	0.02	0.000024	± 2.5	PASS		
	VN		-20	4.42	0.005210	± 2.5	PASS		
	VN		-10	0	0.000000	± 2.5	PASS		
	VN		0	0.7	0.000825	± 2.5	PASS		
	VN		10	0.98	0.001155	± 2.5	PASS		
	VN		20	2.32	0.002735	± 2.5	PASS		
	VN		30	1.59	0.001874	± 2.5	PASS		
	VN		40	3.71	0.004373	± 2.5	PASS		

		VN	50	4.36	0.005140	± 2.5	PASS
--	--	----	----	------	----------	-------	------

**Channel Bandwidth: 10 MHz**

Channel Bandwidth: 10 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	-1.67	-0.002025	± 2.5	PASS
		VN	TN	-1.87	-0.002267	± 2.5	PASS
		VH	TN	3.43	0.004159	± 2.5	PASS
	MCH	VL	TN	0.14	0.000167	± 2.5	PASS
		VN	TN	-1.97	-0.002355	± 2.5	PASS
		VH	TN	1.61	0.001925	± 2.5	PASS
	HCH	VL	TN	-0.62	-0.000731	± 2.5	PASS
		VN	TN	4.5	0.005305	± 2.5	PASS
		VH	TN	-0.17	-0.000200	± 2.5	PASS
16QAM	LCH	VL	TN	-1.64	-0.001989	± 2.5	PASS
		VN	TN	4.5	0.005457	± 2.5	PASS
		VH	TN	3.55	0.004305	± 2.5	PASS
	MCH	VL	TN	-1.77	-0.002116	± 2.5	PASS
		VN	TN	2.7	0.003228	± 2.5	PASS
		VH	TN	-1.68	-0.002008	± 2.5	PASS
	HCH	VL	TN	1.22	0.001438	± 2.5	PASS
		VN	TN	1.62	0.001910	± 2.5	PASS
		VH	TN	1.94	0.002287	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
16QAM	LCH	VN	-30	1.06	0.001285	± 2.5	PASS
		VN	-20	3.17	0.003844	± 2.5	PASS
		VN	-10	3.44	0.004171	± 2.5	PASS
		VN	0	2.76	0.003347	± 2.5	PASS
		VN	10	1.36	0.001649	± 2.5	PASS
		VN	20	2.8	0.003395	± 2.5	PASS
		VN	30	-0.2	-0.000243	± 2.5	PASS
		VN	40	1.7	0.002061	± 2.5	PASS
		VN	50	1.85	0.002243	± 2.5	PASS
	MCH	VN	-30	4.63	0.005535	± 2.5	PASS
		VN	-20	3.86	0.004614	± 2.5	PASS
		VN	-10	-0.33	-0.000395	± 2.5	PASS
		VN	0	-1.1	-0.001315	± 2.5	PASS

		VN	10	-1.69	-0.002020	± 2.5	PASS
		VN	20	-0.4	-0.000478	± 2.5	PASS
		VN	30	1.75	0.002092	± 2.5	PASS
		VN	40	-1.39	-0.001662	± 2.5	PASS
		VN	50	4.36	0.005212	± 2.5	PASS
	HCH	VN	-30	2.49	0.002935	± 2.5	PASS
		VN	-20	0.09	0.000106	± 2.5	PASS
		VN	-10	-1.71	-0.002016	± 2.5	PASS
		VN	0	1.5	0.001768	± 2.5	PASS
		VN	10	4.14	0.004880	± 2.5	PASS
		VN	20	1.35	0.001591	± 2.5	PASS
		VN	30	2.27	0.002676	± 2.5	PASS
		VN	40	0.89	0.001049	± 2.5	PASS
		VN	50	2.71	0.003195	± 2.5	PASS
		QPSK	LCH	VN	-30	-1.69	-0.002049
VN	-20			4.99	0.006051	± 2.5	PASS
VN	-10			1.68	0.002037	± 2.5	PASS
VN	0			3.6	0.004365	± 2.5	PASS
VN	10			-1.03	-0.001249	± 2.5	PASS
VN	20			3.47	0.004208	± 2.5	PASS
VN	30			-1.75	-0.002122	± 2.5	PASS
VN	40			0.19	0.000230	± 2.5	PASS
VN	50			1.37	0.001661	± 2.5	PASS
MCH	VN		-30	-0.91	-0.001073	± 2.5	PASS
	VN		-20	-0.51	-0.000601	± 2.5	PASS
	VN		-10	0.16	0.000189	± 2.5	PASS
	VN		0	2	0.002358	± 2.5	PASS
	VN		10	0.72	0.000849	± 2.5	PASS
	VN		20	-0.02	-0.000024	± 2.5	PASS
	VN		30	-0.79	-0.000931	± 2.5	PASS
	VN		40	4.55	0.005364	± 2.5	PASS
	VN		50	3.67	0.004326	± 2.5	PASS
HCH	VN		-30	-1.68	-0.001980	± 2.5	PASS
	VN		-20	1.99	0.002346	± 2.5	PASS
	VN		-10	4.14	0.004880	± 2.5	PASS
	VN		0	-0.62	-0.000731	± 2.5	PASS
	VN		10	3.27	0.003855	± 2.5	PASS
	VN		20	1.14	0.001344	± 2.5	PASS
	VN		30	0.78	0.000919	± 2.5	PASS
	VN		40	4.39	0.005175	± 2.5	PASS
	VN		50	1.7	0.002004	± 2.5	PASS