



# SAR TEST REPORT

No. I14Z01249-SAR

For

**Shenzhen Sang Fei Consumer Communications Co., Ltd.**

**WCDMA digital mobile phone**

**PHILIPS V387**


With

**Hardware Version: V387\_V01**

**Software Version: PHILIPS\_V387\_V01**

**FCC ID: VQRCTV387**

**Issued Date: 2015-1-21**



**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

**Test Laboratory:**

CTTL, Telecommunication Technology Labs, Academy of Telecommunication Research, MIIT

No.52, HuayuanNorth Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512,Fax:+86(0)10-62304633-2504


Email:[ctl\\_terminals@catr.cn](mailto:ctl_terminals@catr.cn), website:[www.chinattl.com](http://www.chinattl.com)




**Picture 1: front side of the sample**



**Picture 2: back side of the sample**



**Picture 3: Left Hand Touch Cheek Position**



**Picture 4: Left Hand Tilt 15° Position**



**Picture 5: Right Hand Touch Cheek Position**




**Picture 6: Right Hand Tilt 15° Position**



**Test positions for body:**

The Body SAR is tested at the following test positions all with the distance =10mm between the EUT and the phantom bottom:



**Picture 7: Front Side**




**Picture 8: Rear Side**




**Picture 9: Left Side**



**Picture 10: Right Side**




**Picture 11: Top Side**




**Picture 12: Bottom Side**





**Picture 11: Rear Side with Headset**



**Picture 12: Bottom Side with Headset**