

Page: 1 of 101

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO **FCC PART 15 SUBPART E REQUIREMENT**

OF

Product Name: Diagnostic Ultrasound System

Brand Name:

9896054**** (* may be 0-9 or a-z or blank)/ Model No.:

Innosight

Marketed with different accessories. **Model Difference:**

E2/2016/C0010

FCC ID: VRSAPOLLO

Issue Date: Dec. 23, 2016

FCC Rule Part: §15.407

QISDA CORPORATION

NO.157, SHAN-YING ROAD, SHAN-TING LI. **Prepared for: GUEISHAN DIST., TAOYUAN CITY, Taiwan,**

R.O.C

SGS Taiwan Ltd.

Electronics & Communication Laboratory Prepared by:

No.2, Keji 1st Rd., Guishan District,

Taoyuan City, Taiwan 333



Report No.:



0513

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) leste Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 2 of 101

VERIFICATION OF COMPLIANCE

Applicant: QISDA CORPORATION

NO.157, SHAN-YING ROAD, SHAN-TING LI, GUEISHAN DIST.,

TAOYUAN CITY, Taiwan, R.O.C

Diagnostic Ultrasound System **Product Name:**

Brand Name: Qisda

9896054***** (* may be 0-9 or a-z or blank)/ Innosight Model No.:

Model Difference: Marketed with different accessories.

FCC ID: **VRSAPOLLO**

File Number: E2/2016/C0010

Date of Test: Dec. 07, 2016 ~ Dec. 12, 2016

Date of EUT Received: Apr. 08, 2016

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10: 2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By: Date: Dec. 23, 2016 Jerry Lu / Sr. Engineer Prepared By: Dec. 23, 2016 Date: Allen Tsai / Engineer Approved By: Dec. 23, 2016 Date: Jim Chang / Asst. Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 3 of 101

Revision History

Report Number	Revision	Description	Issue Date	
E2/2016/C0010	Rev.00	Initial creation of document	Dec. 23, 2016	

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.104, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 4 of 101

Contents

1	GENERAL INFORMATION	5
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULT	9
4	DESCRIPTION OF TEST MODES	10
5	MEASUREMENT UNCERTAINTY	12
6	CONDUCTED EMISSION TEST	13
7	DUTY CYCLE TEST SIGNAL	17
8	26dB & 6dB EMISSION BANDWIDTH MEASUREMENT	20
9	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	25
10	PEAK POWER SPECTRAL DENSITY	28
11	UNDESIRABLE RADIATED EMISSION MEASUREMENT1	33
12	TRANSMISSION IN THE ABSENCE OF DATA	97
13	FREQUENCY STABILITY	98
14	ANTENNA REQUIREMENT	101

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.104, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 5 of 101

GENERAL INFORMATION

1.1 Product Description

General:

General.						
Product Name:	Diagnostic	Diagnostic Ultrasound System				
Brand Name:	Qisda	Qisda				
Model No.:	9896054**	*** (* may be 0-9 or a-z or blank)/ Innosight				
Model Difference:	Marketed v	with different accessories.				
Software version:	N/A	N/A				
Hardware version:	N/A					
Transducer:	1. Model No.: TL117-160114004, Supplier: N/A 2. Model No.: TP108-160114004, Supplier: N/A 3. Model No.: TE080-160114004, Supplier: N/A 4. Model No.: TC155-160114004, Supplier: N/A					
	10.8Vdc from rechargeable battery or 19Vdc from AC/DC adapter					
Power Supply:	Battery:	Model No.: N/A; Supplier: T-GEE Electronic Co., Ltd.				
	Adapter:	Model No.: EXM 80 5120-01 Supplier: power box				

WLAN 5GHz:

Wi-Fi	Frequency Range	Channels	Rated Power (Avg.)	Modulation Technology
5150~5250		4	12.23 dBm	OEDM
11a	5725-5850	5	11.73 dBm	OFDM
11n	HT20 5150~5250	4	HT: 12.22 dBm	OFDM
1111	HT20 5725-5850	5	HT: 11.77 dBm	OFDIVI
HT40 5150~5250		2	HT: 10.02 dBm	OFDM
11n	HT40 5725-5850	2	HT: 8.61 dBm	OFDIVI
Antenna Designation:		PIFA Antenna, Peak Gain:1.37 dBi (5150~5250MHz) 2.79 dBi (5725~5850MHz)		
Modulation type		64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only		
Transition Rate:		802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 - 144.4Mbps 802.11 n_40MHz: 13.5 - 300Mbps		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.104, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 6 of 101

1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 789033 D02 General UNII Test Procedures New Rules

FCC KDB 644545 D03 Guidance for IEEE 802.11ac

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333 (TAF code 0513)

FCC Registration Numbers are: 735305

1.4 Special Accessories

There are no special accessories used while test was conducted.

1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) leste Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

www.tw.sgs.com



Page: 7 of 101

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 **Conducted Emissions**

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 **Radiated Emissions**

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Offset = RF cable loss (0.8dB)+ attenuation factor(10dB) = 10.8(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions for Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 8 of 101

2.5 Configuration of T ested System

Fig. 2-1 Conducted Emission Configuration




Fig 2-2 Conducted Emission Configuration




Table 2-1 Equipment Used in Tested System

Ite m	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1	Notebook	Qisda	DHR700	9HK7101T02616 00025DHR700	Shielded	Unshielded
2	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
3.	DC Power Sup- ply	Agilent	E3640A	MY53140006	N/A	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and findense provided to the full extended to the limits. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 9 of 101

SUMMARY OF TEST RESULT

FCC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted Emission	Compliant
§15.403(i) §15.407(e)	26 dB & 6dB & 99% Emission Bandwidth	Compliant
§15.407(a)	Maximum Conducted Output Power	Compliant
§15.407(a)	Power Spectral Density	Compliant
§15.407(b)	Undesirable Radiated Emissions	Compliant
§15.407(c)	Transmission in case of Absence of Information	Compliant
§15.407(g)	Frequency Stability	Compliant
§15.203 §15.407(a)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.104, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 10 of 101

DESCRIPTION OF TEST MODES

4.1 Operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz:

802.11a / n HT20 Mode,					
802.11ac VHT20 Mode					
Channel	Frequency				
36	5180				
40	5200				
44	5220				
48	5240				

802.11 n HT40 Mode, 802.11ac VHT40 Mode					
channel	Frequency				
38	5190				
46	5230				

Operated band in 5725 MHz ~5850 MHz:

operate same in or 20 im					
802.11a / n HT20 Mode, 802.11ac VHT20 Mode					
Channel	Frequency				
149	5745				
153	5765				
157	5785				
161	5805				
165	5825				

802.11 n H 802.11ac V	T40 Mode, HT40 Mode
channel	Frequency
151	5755
159	5795

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



Page: 11 of 101

RADIATED EMISSION TEST

RADIATED LIVINGSION TEST.							
RADIATED EMISSION TEST (BELOW 1 GHz)							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	5180~5240	36 to 48	36,44,48	OFDM	6	Main	
802.11a	5745~5825	149 to 165	149,157,165	OFDM	6	Main	
RADIATED EMISSION TEST (ABOVE 1 GHz)							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	5180~5240	36 to 48	36,44,48	OFDM	6	Main	
802.11n_HT20	5160~5240	30 10 40	36,44,46	OFDM	MCS0	Main	
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS0	Main	
802.11a	5745~5825	140 to 165	140 157 165	OFDM	6	Main	
802.11n_HT20	3/45~5625	149 to 165	149,157,165	OFDM	MCS0	Main	
802.11n_HT40	5755~5795	151 to 159	151,159	OFDM	MCS0	Main	

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n channel Low, Mid and High, the worst case H position was reported.

ANTENNA PORT CONDUCTED MEASUREMENT:

CONDUCTED TEST							
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	5180~5240	36 to 48	26 44 49	OFDM	6	Main	
802.11n_HT20	5160~5240	36 10 46	36,44,48	OFDM	MCS0	Main	
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS0	Main	
802.11a	5745~5825	140 to 165	149,157,165	OFDM	6	Main	
802.11n_HT20	3745~5625	149 to 165	149 (0 100 149,157,16	149,107,100	OFDM	MCS0	Main
802.11n_HT40	5755~5795	151 to 159	151,159	OFDM	MCS0	Main	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 12 of 101

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
26dB & 6dB Emission Bandwidth	+/- 123.36 Hz
The Maximum Output Power Measurement	+/- 0.96 dB
Peak Power Spectral Density Measurement	+/- 1.67 dB
Frequency Stability	+/- 123.36 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WulkunDRaod.NewTaipeiIndustrialPark.WukunDistrict.NewTaipeiCity.Taiwan24803/新 北市 五 股區新 北產業園區 五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.tw.sgs.com



Page: 13 of 101

CONDUCTED EMISSION TEST

6.1 Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

Frequency range	Lin dB(nits (uV)
MHz	Quasi-peak	Average
0.15 to 0.50	66 to 56	56 to 46
0.50 to 5	56	46
5 to 30	60	50

Note

6.2 Measurement Equipment Used

Conducted Emission Test Site							
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.		
EMI Test Receiver	R&S	ESCI 7	100950	12/12/2016	12/11/2017		
Coaxial Cables	N/A	N30N30-1042-1 50cm	N/A	02/07/2016	02/06/2017		
LISN	Schwarzbeck	NSLK 8127	8127-648	03/11/2016	03/10/2017		
Test Software	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.		

6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) leste Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


^{1.} The lower limit shall apply at the transition frequencies

^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50



Page: 14 of 101

6.4 Test SET-UP



6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 15 of 101

Operation Mode: operation mode Test By: Jerry


23 °C Site: Conduction Room Temperature: Phase: L1

Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 65 %

Mode: 佳世達

Note:

Conducted Emission



No. N	Λk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		0.1540	23.83	19.72	43.55	65.78	-22.23	peak	
2 *		0.1980	28.19	19.71	47.90	63.69	-15.79	peak	
3		0.2700	20.07	19.76	39.83	61.12	-21.29	peak	
4		0.6660	13.29	19.90	33.19	56.00	-22.81	peak	-
5		3.1780	15.30	19.95	35.25	56.00	-20.75	peak	
6		13.8740	13.78	20.24	34.02	60.00	-25.98	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and findense provided to the full extended to the limits. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 16 of 101

Site: Conduction Room

Limit: FCC Class B Conduction(QP)

Temperature:

Power:

Phase:


AC 120V/60Hz

Humidity: 65 %

23 °C

Mode: 佳世達

Note:



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment	
1		0.1580	19.50	19.73	39.23	65.57	-26.34	peak		
2	*	0.1940	27.54	19.72	47.26	63.86	-16.60	peak		
3		0.2620	20.84	19.76	40.60	61.37	-20.77	peak		
4		0.3140	14.81	19.79	34.60	59.86	-25.26	peak		
5		0.6020	14.02	19.91	33.93	56.00	-22.07	peak		
6		1.0900	13.35	19.92	33.27	56.00	-22.73	peak		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and findense provided to the full extended to the limits. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 17 of 101

DUTY CYCLE TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.


Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

Duty Cycle:



Operation Mode: Fundamental Frequency: Operation Band:

802.11n20 5240 MHz Tx CH Hgh Test Engineer:

Test Date: Temp. / Humi.:

2016/12/9 25.1 deg C/62 RH

EUT Pol.:

Measurement Antenna Pol.:

Ashton Horizontal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com

SGS Taiwan Ltd.




Page: 18 of 101

DUTY CYCLE TEST SIGNAL Measurement Result 802.11a



802.11n HT20



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such carriagnes are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price of this document is pulsually and effective previously the responsibility is to full less extend of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page: 19 of 101

802.11n HT 40



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對测試之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No.134. WukfunDload.NewTaineiIndustrialPark WukinDistrict NewTaineiIndustrialPark WukinDistrict NewTaineiDistrict NewTaineiDistrict NewTaineiDistrict New

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 20 of 101

26DB & 6DB EMISSION BANDWIDTH MEASUREMENT

8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C.

The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3

8.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto, Detector = Peak, Trace Mode = Max Hold, Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.
 - b. Mark the peak frequency and -26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- 5. Minimum Emission Bandwidth for the band 5.725-5.850GHz.
 - a. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=Peak,
 - Sweep=auto
 - b. Mark the peak frequency and -6dB (upper and lower) frequency.
- 6. Repeat above procedures until all test default channel measured were complete.

8.3 Measurement Equipment Used

SGS Conducted Room							
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due		
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017		
DC Block	PASTERNACK	PE8210	RF29	12/13/2015	12/12/2016		
Attenuator	WOKEN	218FS-10	RF23	12/13/2015	12/12/2016		
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page: 21 of 101

8.4 Test Set-up



8.5 Measurement Result

26dB and 6dB Bandwidth

802.11a Main

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	21.79	13.383
5220	22.56	13.533
5240	23.51	13.713

802.11a Main

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.39	12.146
5785	16.38	12.143
5825	16.37	12.140

802 11a Main

002. I Ta_IVIATTI					
Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)			
5240	5248.52	< 5250			
5745	5736.60	> 5725			

802.11n HT20 Main

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	22.58	13.537
5220	22.28	13.479
5240	25.47	14.060

802.11n_HT20_Main

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)		
5745	17.62	12.460		
5785	16.95	12.292		
5825	17.29	12.378		

802.11n HT20 Main

1	••=····_··•_····•							
	Freq. Measured Freq. (MHz)		Limit (MHz)					
	5240	5249.03	< 5250					
	5745	5736.12	> 5725					

802.11n HT40 Main

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)	
5190	43.22	16.357	
5230	44.23	16.457	

802.11n HT40 Main

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)	
5755	35.19	15.464	
5795	35.29	15.477	

802.11n HT40 Main

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5248.10	< 5250
5755	5736.90	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the sample(s) tested and such carriagnes are retained for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without price of this document is pulsually and effective previously the responsibility is to full less extend of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 22 of 101


FCC 802.11a 20MHz Main 5180MHz




FCC 802.11a 20MHz Main 5745MHz



FCC 802.11a 20MHz Main 5220MHz




FCC 802.11a 20MHz Main 5785MHz



FCC 802.11a 20MHz Main 5240MHz



FCC 802.11a 20MHz Main 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pany's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 23 of 101


FCC 802.11n 20MHz Main 5180MHz




FCC 802.11n 20MHz Main 5745MHz




FCC 802.11n 20MHz Main 5220MHz




FCC 802.11n 20MHz Main 5785MHz



FCC 802.11n 20MHz Main 5240MHz



FCC 802.11n 20MHz Main 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 24 of 101

FCC 802.11n 40MHz Main 5190MHz




FCC 802.11n 40MHz Main 5755MHz



FCC 802.11n 40MHz Main 5230MHz



FCC 802.11n 40MHz Main 5795MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

pany's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 25 of 101

MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

9.1 Standard Applicable

OPERZTION Band	EUT CATEGORY	LIMIT
-------------------	--------------	-------

U-NII-1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WulkunDRaod.NewTaipeiIndustrialPark.WukunDistrict.NewTaipeiCity.Taiwan24803/新 北市 五 股區新 北產業園區 五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sgs.com




Page: 26 of 101

9.3 Measurement Equipment Used

SGS Conducted Room									
Name of Equip- ment	Manufacturer	Model	Serial Number						
Power Meter	Anritsu	ML2496A	1326001	06/23/2016	06/22/2017				
Power Sensor	Anritsu	MA2411B	1315048	06/23/2016	06/22/2017				
Power Sensor	Anritsu	MA2411B	1315049	06/23/2016	06/22/2017				
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	RF01	12/13/2015	12/12/2016				
DC Block	PASTERNACK	PE8210	RF29	12/13/2015	12/12/2016				
Splitter	RF-LAMBAD	RFLT2W1G18G	RF35	12/13/2015	12/12/2016				
Attenuator	WOKEN	218FS-10	RF23	12/13/2015	12/12/2016				
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017				

9.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No. 134 WukfungRoad.NewTaipeiIndustrialPark WukupIstrict.NewTaipeiCity.Taiwan24803/新北市无股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 27 of 101

9.5 Measurement Result

Conducted output power (FCC)

802.11a Main

50E1114_INCIII								
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT		
36	5180	MCS0	12.04	15.996	23.98	PASS		
44	5220	MCS0	11.95	15.668	23.98	PASS		
48	5240	MCS0	12.23	16.711	23.98	PASS		
149	5745	MCS0	11.73	14.894	30	PASS		
157	5785	MCS0	11.13	12.972	30	PASS		
165	5825	MCS0	11.34	13.614	30	PASS		

I			eco		an	Ata	lic h	
						B	@ n	
				₫₽ /	ďВ	ф/ ∕	ф/ m	ďВ
1	KO	Н		312	208	53	633	-120

82211/20 Test Date (perion/date:

Fundamental Freezeway. 5831VHz Tepp/Hylin.

TXCHOW Test Engineer: Contract Band

Nature ent Atenzia: Hdizota ETIA:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized alteration, forgery or falsification of the content or approval of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page: 28 of 101

10 PEAK POWER SPECTRAL DENSITY

10.1 **Standard Applicable**

OPERZTION Band	EUT CATEGORY	LIMIT
-------------------	--------------	-------

U-NII-1

t (886-2) 2299-3279




Page: 29 of 101

10.3 **Measurement Equipment Used**

SGS Conducted Room									
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due				
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017				
DC Block	PASTERNACK	PE8210	RF29	12/13/2015	12/12/2016				
Attenuator	WOKEN	218FS-10	RF23	12/13/2015	12/12/2016				
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017				

10.4 Test Set-up



10.5 **Measurement Result**

POWER	POWER DENSITY 802.11a MODE				NSITY 802.11n	HT20 M	ODE
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)	Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)
5180	-2.89	17	-19.89	5180	-4.18	17	-21.18
5220	-2.22	17	-19.22	5220	-4.37	17	-21.37
5240	-3.79	17	-20.79	5240	-2.28	17	-19.28
5745	5.28	30	-24.72	5745	5.53	30	-24.47
5785	4.65	30	-25.35	5785	8.26	30	-21.74
5825	4.98	30	-25.02	5825	8.13	30	-21.87

POWER DENSITY 802.11n HT40 MODE						
Frequency (MHz)	PPSD (dBm)	Limit (dBm)	Margin (dB)			
5190	-12.07	17	-29.07			
5230	-13.02	17	-30.02			
5755	-0.04	30	-30.04			
5795	5.24	30	-24.76			

Note:

SISO offset= 10.8 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WulkunDRaod.NewTaipeiIndustrialPark.WukunDistrict.NewTaipeiCity.Taiwan24803/新 北市 五 股區新 北產業園區 五工路 134 號


SGS Taiwan Ltd.



Page: 30 of 101


802.11a_20MHz_5180MHz

802.11a_20MHz_5745MHz



802.11a 20MHz 5220MHz

802.11a 20MHz 5785MHz



802.11a 20MHz 5240MHz

802.11a 20MHz 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 31 of 101

802.11n_20MHz_5180MHz

802.11n_20MHz_5745MHz



802.11n 20MHz 5220MHz

802.11n 20MHz 5785MHz



802.11n 20MHz 5240MHz

802.11n 20MHz 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 32 of 101


802.11n_40MHz_5190MHz

802.11n_40MHz_5755MHz



802.11n 40MHz 5230MHz

802.11n 40MHz 5795MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Aftention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 33 of 101

11 UNDESIRABLE RADIATED EMISSION MEASUREMENT1

Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LIMIT		
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRENGTH AT 3m		
	PK: 74 (dBμV/m)	AV 54 (dBμV/m)	
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m	
15.407(b)(1)			
15.407(b)(2)	PK: -27 (dBm/MHz)	PK: 68.3 (dBμV/m)	
15.407(b)(3)			
15.407(b)(4)(i)	PK:-27 (dBm/MHz) *1 PK:10 (dBm/MHz) *2 PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 68.2(dBµV/m) *1 PK:105.2 (dBµV/m) *2 PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4	

^{*1} beyond 75 MHz or more above of the bandedge.

EIRP = $((E^*d)^2) / 30$, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts...

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 34 of 101

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

•		
Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 35 of 101

11.2 **Measurement Equipment Used**

	SGS SAC-III							
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due			
EMI Test Receiver	R&S	ESU 40	100363	04/12/2016	04/11/2017			
Loop Antenna	ETS-Lindgren	6502	00143303	12/23/2015	12/22/2016			
Broadband Antenna	TESEQ	CBL 6112D	35240	11/03/2016	11/02/2017			
Horn Antenna	ETS-Lindgren	3117	00143272	12/16/2015	12/15/2016			
Horn Antenna	Schwarzbeck	BBHA9170	185	07/24/2016	07/23/2017			
Pre Amplifier	EMC Instruments	EMC330	980096	12/13/2015	12/12/2016			
Pre Amplifier	EMC Instruments	EMC0011830	980199	12/13/2015	12/12/2016			
Pre Amplifier	R&S	SCU-18	10204	12/13/2015	12/12/2016			
Pre Amplifier	R&S	SCU-26	100780	12/13/2015	12/12/2016			
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/13/2015	12/12/2016			
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/13/2015	12/12/2016			
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/13/2015	12/12/2016			
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/13/2015	12/12/2016			
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/13/2015	12/12/2016			
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/13/2015	12/12/2016			
Attenuator	WOKEN	218FS-10	RF27	12/13/2015	12/12/2016			
Site NSA	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017			
Site VSWR	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017			
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2016	05/03/2017			
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.			
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.			
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.			
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.			

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號


No.134.WuKungRoad, NewTaipeilndustrialPark, WukungBoad, NewTaipeilndustrial




Page: 36 of 101

11.3 **Test SET-UP**


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 37 of 101

11.4 **Measurement Procedure**

- The EUT was placed on a turn table which is 0.8m above ground plane.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules. 2.
- 3. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission 4. level.
- EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) 6. and Quasi-peak (QP) at frequency below 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequen-7. cy above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) leste Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 38 of 101

Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

11.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 **Measurement Result**

Refer to attach tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) leste Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.




Page: 39 of 101

Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data:

802.	11a	51	50^	·5250	MHz
------	-----	----	-----	-------	-----

Freq.	Note	D e te c to r M o d e	S pectum R eading Level	Factor	A c tu a l F S	Lim it @ 3 m	M arg in
MHz	F/H/E/S	PK/QP/AV	dΒμV	d B	dΒμV/m	dΒμV/m	d B
5 1 4 7 . 0 8	S	Peak	58.24	8.17	66.41	7 4	-7 . 5 9
5 1 4 7 . 0 8	S	A verag e	36.73	8.17	44.90	5 4	-9.10
5 1 5 0 . 0 0	E	Peak	57.62	8.19	65.81	7 4	-8.19
5 1 5 0 . 0 0	E	Average	37.29	8.19	45.48	5 4	-8 . 5 2



Question Value: 83211/40 Test Date: 2016/11/5

Fundamental Frequency: 590 NHz Temp/Humin: 251 deg 062 PRH

Operation Barot BECHLOW Test Engineer: Astron

EURO: H Masurement Attenna Pol: Vertical

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 40 of 101

Freq.	N o te	Detector Mode	Spectum Reading Level	Factor	A c tu a l F S	Limit @3 m	M arg in
M H z	F / H / E / S	PK/QP/AV	dΒμV	d B	d B μ V / m	d B μ V / m	d B
5 8 5 0 . 0 0	E	Peak	5 9 . 4 9	9.49	68.97	1 2 2 . 2 3	-53.26
5 8 5 1 . 1 3	S	Peak	61.25	9.51	70.76	119.665	-48.91
5 8 5 5 . 0 0	S	Peak	5 3 . 5 7	9.58	6 3 . 1 5	1 1 0 .8 3	-47.68
5 8 5 6 . 3 8	S	Peak	5 4 . 2 2	9.61	6 3 . 8 3	1 1 0 . 4 4 5	-46.62
5 8 7 5 . 0 0	S	Peak	47.30	9.63	56.93	1 0 5 . 2 3	-48.30
5 9 2 5 . 0 0	S	Peak	47.66	10.01	5 7 . 6 7	68.23	-10.56



Constitution Vote: 82211/20 Test Date: 2016/127

Fundamental Freequency. #WESE Temp/Humi: 251deg 062PH

Coerction Band BECHIGH Test Engineer: Atton

EJRa: Masuement Asterna Pol.: Haizota

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and to sole responsibility is to its Client and to sole responsibility is to its Client and the sole responsibility is to its Client and the sole responsibility is to its Client's instructions, if any. The Company's of the company and the transaction for exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 41 of 101

802.11a, 5725~5850 MHz

Freq.	N o te	Detector Mode	S pectum R eading Level	Factor	A c tu a l F S	Limit @3 m	M a rg in
MHz	F/H/E/S	PK/QP/AV	dΒμV	d B	dΒμV/m	d B μ V / m	d B
5 8 5 0 . 0 0	E	Peak	59.22	9.49	68.71	1 2 2 . 2 3	-53.52
5 8 5 5 . 0 0	S	Peak	53.97	9.58	63.55	1 1 0 .8 3	-47.28
5 8 5 7 . 1 3	S	Peak	5 4 . 9 8	9.62	64.60	110.235	-45.63
5 8 7 5 .0 0	S	Peak	46.69	9.63	56.32	105.23	-48.91
5 9 2 5 . 0 0	S	Peak	47.39	10.01	57.41	68.23	-10.82



Operation / Oper: Test Date: 206127 **82211/20**

Fundamental Freequency. Temp/Hunn: **5223\VE** 251deg 0327RH

Coercion Barot BECHigh Test Engineer: Atm

Næsueneti Atema Pol.: ETRA: **Valida**

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 阿時此樣必僅体留別之 - 來報告來學本之可書面評明 - 木可能价模装。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and to does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 42 of 101

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	M a rg in
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5350.00	E	Peak	47.74	8.96	56.70	74	-17.30
5350.00	E	Average	36.09	8.96	45.05	54	-8.95



Question Value: 80211120 Test Date: 201611/5

Fundamental Frequency: 5220 Mat. Temp/Humin: 251 deg 0622 FRH

Operation Barot BECC High Test Engineer: Astron

EUTPal: Harveneri Atlema Pal: Harizontal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 43 of 101

Above 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	M a rg in
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5350.00	E	Peak	47.77	8.96	56.74	74	-17.26
5350.00	Е	Average	35.15	8.96	44.11	54	-9.89



MHz	F / H / E / S	PK/QP/AV	dΒμV	d B	dΒµV/m	d B μ V / m	d B
5 6 5 0 .0 0	S	Peak	46.95	9.33	5 6 . 2 8	68.23	-11.95
5 7 0 0 .0 0	S	Peak	46.39	9.44	5 5 . 8 3	1 0 5 . 2 3	-49.40
5 7 1 7 .6 0	S	Peak	60.64	9.27	6 9 . 9 1	1 1 0 . 1 5 8	-40.25
5 7 2 0 .0 0	S	Peak	6 1 . 3 8	9.28	70.67	1 1 0 .8 3	-40.16
5 7 2 2 . 1 1	S	Peak	70.24	9.29	7 9 . 5 3	1 1 5 . 6 4 0 5	- 3 6 . 1 1
5 7 2 5 .0 0	E	Peak	67.59	9.30	76.89	1 2 2 . 2 3	-45.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page: 44 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/7

Fundamental Frequency: 5745 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	N o te	Detector Mode	S pectum R eading Level	Factor	A c tu a l F S	Limit @3 m	M argin
M H z	F / H / E / S	PK/QP/AV	dΒμV	d B	d B μ V / m	d B μ V /m	d B
5 6 5 0 . 0 0	S	Peak	46.84	9.33	5 6 . 1 7	68.23	-1 2 .0 6
5 7 0 0 . 0 0	S	Peak	46.80	9 . 4 4	56.23	1 0 5 . 2 3	-4 9 .0 0
5 7 1 6 . 5 0	S	Peak	6 3 . 2 7	9.27	7 2 . 5 4	109.85	-3 7 .3 1
5 7 2 0 . 0 0	S	Peak	6 1 . 5 4	9.28	70.82	1 1 0 .8 3	-4 0 .0 1
5 7 2 4 . 5 3	S	Peak	70.78	9.30	8 0 . 0 8	121.1579	-4 1 .0 8
5 7 2 5 . 0 0	E	Peak	7 0 . 2 5	9.30	7 9 . 5 5	1 2 2 . 2 3	-4 2 .6 8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

f (886-2) 2298-0488




Page: 45 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/7

Fundamental Frequency: 5745 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Marg in
		Mode	Reading Level		FS	@ 3 m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dΒμV/m	dB
5150.00	Е	Peak	48.66	8.19	56.85	74	-17.15
5150.00	E	Average	35.79	8.19	43.98	54	-10.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 46 of 101

Operation Mode: 802.11n20 Test Date: 2016/11/5

Fundamental Frequency: 5180 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	M a rg in
MHz	F/H/E/S	P K/Q P/A V	d BµV	dB	dΒμV/m	dBμV/m	dB
5150.00	Е	Peak	49.58	8.19	57.77	74	-16.23
5150.00	E	Average	35.69	8.19	43.88	54	-10.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 47 of 101

Operation Mode: 802.11n20 Test Date: 2016/11/5

Fundamental Frequency: 5180 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Test Engineer: BE CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Operation Mode: 2016/12/7 802.11a Test Date:

Fundamental Frequency: Temp. / Humi. : 25.1 deg_C/62 RH 5825 MHz

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Н Horizontal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 48 of 101

Freq.	N o te	D e te c to r	Spectum	Factor	Actual	Lim it	M arg in
		M o d e	Reading Level		F S	@ 3 m	
M H z	F / H / E / S	PK/QP/AV	dΒμV	d B	d B μ V / m	d B μ V / m	d B
5 8 5 0 . 0 0	E	Peak	5 4 . 1 8	9.49	6 3 . 6 7	1 2 2 . 2 3	-58.56
5 8 5 0 . 5 0	S	Peak	5 7 . 2 7	9.50	6 6 . 7 6	1 2 1 . 0 9	-54.33
5 8 5 5 . 0 0	S	Peak	5 1 . 6 0	9.58	6 1 . 1 8	1 1 0 .8 3	- 4 9 . 6 5
5 8 5 5 . 8 8	S	Peak	5 4 . 0 3	9.60	6 3 . 6 3	1 1 0 . 5 8 5	-46.96
5 8 7 5 . 0 0	S	Peak	47.01	9.63	5 6 . 6 4	1 0 5 . 2 3	-48.59
5 9 1 3 . 2 5	S	Peak	49.11	9.88	58.99	76.925	-17.94
5 9 2 5 . 0 0	S	Peak	47.58	10.01	57.59	68.23	- 1 0 . 6 4



Operation Mode: 2016/12/7 802.11a Test Date:

Fundamental Frequency: 5825 MHz Temp. / Humi. : 25.1 deg_C/62 RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical Η

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 49 of 101

Radiated Spurious Emission Measurement Result 802.11a, 5725~5850 MHz

Freq.	N o te	D e te c to r	Spectum	Factor	Actual	L im it	M argin
		M o d e	Reading Level		F S	@ 3 m	
M H z	F / H / E / S	PK/QP/AV	dΒμV	d B	d B μ V /m	d B μ V /m	d B
5 6 5 0 .0 0	S	Peak	46.82	9.33	5 6 . 1 5	68.23	-1 2 .0 8
5 6 9 2 . 9 6	S	Peak	48.42	9.60	5 8 . 0 1	100.0204	-42.01
5 7 0 0 . 0 0	S	Peak	4 6 . 6 3	9 . 4 4	5 6 . 0 7	1 0 5 . 2 3	-49.16
5 7 1 9 . 9 1	S	Peak	5 9 . 7 3	9.28	6 9 . 0 1	1 1 0 . 8 0 4 8	-4 1 .8 0
5 7 2 0 . 0 0	S	Peak	5 8 . 4 6	9.28	67.74	1 1 0 .8 3	-43.09
5 7 2 4 . 7 5	S	Peak	6 9 . 4 7	9.30	78.77	1 2 1 . 6 6	-42.89
5 7 2 5 . 0 0	E	Peak	66.90	9.30	76.20	1 2 2 . 2 3	-46.03



Operation Mode: 802.11a Test Date: 2016/12/7

Fundamental Frequency: Temp. / Humi. : 25.1 deg C/62 RH 5745 MHz

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Н Horizontal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 50 of 101

Freq.	N o te	Detector Mode	Spectum Reading Level	Factor	A c tu a l F S	Limit @3 m	M arg in
M H z	F / H / E / S	PK/QP/AV	dΒμV	d B	d B μ V / m	d B μ V / m	d B
5 6 5 0 . 0 0	S	Peak	47.18	9.33	5 6 . 5 2	68.23	-11.71
5 7 0 0 . 0 0	S	Peak	46.93	9.44	56.37	105.23	-48.86
5 7 1 8 . 4 8	S	Peak	61.82	9.27	7 1 . 1 0	1 1 0 . 4 0 4 4	- 3 9 . 3 1
5 7 2 0 . 0 0	S	Peak	58.55	9.28	67.83	1 1 0 .8 3	-43.00
5 7 2 3 . 6 5	S	Peak	69.86	9.30	79.16	1 1 9 . 1 5 1 8	-39.99
5 7 2 5 0 0	Ē	Paak	68 81	9 3 0	7811	12223	- 4 4 1 2



Operation Mode: 802.11a Test Date: 2016/12/7

Fundamental Frequency: 5745 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: BE CH Low Test Engineer: **Ashton** EUT Pol.: Н Measurement Antenna Pol.: Vertical

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.


Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 51 of 101

Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	M a rg in
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5150.00	E	Peak	50.12	8.19	58.31	74	-15.69
5150.00	E	Average	35.48	8.19	43.67	54	-10.33



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	M a rg in
		Mode	Reading Level		FS	@ 3 m	
ΜΗz	F/H/E/S	PK/QP/AV	dΒμV	d B	dΒμV/m	dΒμV/m	d B
5149.60	S	Peak	52.33	8.19	60.52	74	-13.48
5149.60	S	Average	35.56	8.19	43.75	54	-10.25
5150.00	E	Peak	49.11	8.19	57.30	74	-16.70
5150.00	E	Average	35.58	8.19	43.77	54	-10.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WulkfungRoad.NewTaipeiIndustrialPark WulkupDistrict.NewTaipeiCity.Taiwan24803/新·北·市 无 股區新·北·產業園區 五工路 134 號




Page: 52 of 101

Operation Mode: 802.11a Test Date: 2016/11/5

Fundamental Frequency: 5180 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	35.27	21.44	56.72	74	-17.28
11570.00	Н	Average	23.40	21.44	44.84	54	-9.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 53 of 101

Operation Mode: 802.11a Test Date: 2016/12/9

Fundamental Frequency: 5825 MHz Temp. / Humi. : 25.1 deg C/62 RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	38.03	22.02	60.05	74	-13.95
11650.00	Н	Average	25.38	22.02	47.40	54	-6.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 54 of 101

Operation Mode: 802.11a Test Date: 2016/12/9

Fundamental Frequency: 5825 MHz Temp. / Humi. : 25.1 deg C/62 RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	32.35	22.02	54.37	74	-19.63
11650.00	Н	Average	23.56	22.02	45.58	54	-8.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 55 of 101

Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz

Operation Mode: 802.11n20 Test Date: 2016/12/9

Fundamental Frequency: 5180 MHz Temp. / Humi.: 25.1 deg_C/62 RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Н Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Н	Peak	33.93	20.18	54.10	68.3	-14.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

Member of SGS Group




Page: 56 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/9

Fundamental Frequency: 5180 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
10360.00	H	Peak	31.12	20.18	51.30	68.3	-17.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.


Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 57 of 101

_8 0 2 .1 1 a _	M ain					
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
3 6	5 1 8 0	M C S 0	1 2 . 0 4	1 5 . 9 9 6	2 3 . 9 8	P A S S
4 4	5 2 2 0	M C S 0	1 1 . 9 5	1 5 . 6 6 8	2 3 . 9 8	P A S S
4 8	5 2 4 0	M C S 0	1 2 . 2 3	1 6 . 7 1 1	2 3 . 9 8	PASS
1 4 9	5 7 4 5	M C S 0	1 1 . 7 3	1 4 . 8 9 4	3 0	P A S S
1 5 7	5 7 8 5	M C S 0	1 1 . 1 3	1 2 . 9 7 2	3 0	P A S S
1 6 5	5 9 2 5	M C S O	1 1 2 /	1 2 6 1 /	2 0	D A G G



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440.00	Н	Peak	33.20	20.29	53.49	68.3	-14.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134 WulkfungRoad.NewTaipeiIndustrialPark WulkupDistrict.NewTaipeiCity.Taiwan24803/新·北·市 无 股區新·北·產業園區 五工路 134 號




Page: 58 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/9

Fundamental Frequency: 5220 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	10440.00	Н	Peak	30.60	20.29	50.89	68.3	-1741

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 59 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/9

Fundamental Frequency: 5240 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10480.00	Н	Peak	31.70	20.68	52.38	68.3	-15 92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 60 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/9

Fundamental Frequency: 5240 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH High Test Engineer: **Ashton** EUT Pol.: Η Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
-	10480.00	Н	Peak	30.69	20.68	51.37	68.3	-16.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 61 of 101

Radiated Spurious Emission Measurement Result 802.11n HT20, 5725~5850 MHz

Operation Mode: 802.11n20 Test Date: 2016/12/9

Fundamental Frequency: 5745 MHz Temp. / Humi.: 25.1 deg_C/62 RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Н Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Peak	40.65	20.70	61.35	74	-12.65
11490.00	Н	Average	26.26	20.70	46.96	54	-7.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 62 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/9

Fundamental Frequency: 5745 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Peak	37.11	20.70	57.81	74	-16.19
11490.00	Н	Average	23.54	20.70	44.24	54	-9.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 63 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/9

Fundamental Frequency: 5785 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	39.87	21.44	61.32	74	-12.68
11570.00	Н	Average	25.91	21.44	47.35	54	-6.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 64 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/9

Fundamental Frequency: 5785 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	34.60	21.44	56.04	74	-17.96
11570.00	Н	Average	23.64	21.44	45.08	54	-8.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 65 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/9

Fundamental Frequency: 5825 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	39.04	22.02	61.07	74	-12.93
11650.00	Н	Average	25.31	22.02	47.33	54	-6.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 66 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/9

Fundamental Frequency: 5825 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH High Test Engineer: **Ashton** EUT Pol.: Η Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	33.73	22.02	55.75	74	-18.25
11650.00	Н	Average	23.12	22.02	45.14	54	-8.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page: 67 of 101

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

Operation Mode: 802.11n40 Test Date: 2016/12/9

Fundamental Frequency: 5190 MHz Temp. / Humi.: 25.1 deg_C/62 RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Н Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10380.00	Н	Peak	32.38	20.95	53.34	68.3	-14.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488




Page: 68 of 101

Operation Mode: 802.11n40 Test Date: 2016/12/9

Fundamental Frequency: 5190 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10380.00	Н	Peak	29.94	20.95	50.89	68.3	-17.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 69 of 101

Operation Mode: 802.11n40 Test Date: 2016/12/9

Fundamental Frequency: 5230 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	10460.00	Н	Peak	31.39	20.95	52.35	68.3	-15.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 70 of 101

Operation Mode: 802.11n40 Test Date: 2016/12/9

Fundamental Frequency: 5230 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH High Test Engineer: **Ashton** EUT Pol.: Η Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10460.00	Н	Peak	30.08	20.95	51.04	68.3	-17.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page: 71 of 101

Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850 MHz

Operation Mode: 802.11n40 Test Date: 2016/12/9

Fundamental Frequency: 5755 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11510.00	Н	Peak	35.45	22.17	57.62	74	-16.38
11510.00	Н	Average	23.48	22.17	45.65	54	-8.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 72 of 101

Operation Mode: 802.11n40 Test Date: 2016/12/9

Fundamental Frequency: 5755 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: Н Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11510.00	Н	Peak	34.00	22.17	56.17	74	-17.83
11510.00	Н	Average	22.22	22.17	44.39	54	-9.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without parties with the desired the full set extent of this document is unquality and officed the previous tested to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 73 of 101

Operation Mode: 802.11n40 Test Date: 2016/12/9

Fundamental Frequency: 5795 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Н	Peak	37.03	21.84	58.88	74	-15.12
11590.00	Н	Average	23.92	21.84	45.76	54	-8.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 74 of 101

Operation Mode: 802.11n40 Test Date: 2016/12/9

Fundamental Frequency: 5795 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Н	Peak	32.01	21.84	53.85	74	-20.15
11590.00	Н	Average	22.29	21.84	44.13	54	-9.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 75 of 101

Band edge falling to restricted band 802.11a mode

Operation Mode: Test Date: 2016/11/5 802.11a

Fundamental Frequency: 5180 MHz Temp. / Humi.: 25.1 deg_C/62 RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5149.60	S	Peak	52.33	8.19	60.52	74	-13.48
5149.60	S	Average	35.56	8.19	43.75	54	-10.25
5150.00	Е	Peak	49.11	8.19	57.30	74	-16.70
5150.00	E	Average	35.58	8.19	43.77	54	-10.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

SGS Taiwan Ltd.




Page: 76 of 101

Operation Mode: 802.11a Test Date: 2016/12/7

Fundamental Frequency: 5180 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Test Engineer: BE CH Low Ashton EUT Pol.: Η Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	E	Peak	50.12	8.19	58.31	74	-15.69
5150.00	E	Average	35.48	8.19	43.67	54	-10.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 77 of 101

Operation Mode: 802.11a Test Date: 2016/12/7

Fundamental Frequency: 5745 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Test Engineer: BE CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Vertical Н



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	47.18	9.33	56.52	68.23	-11.71
5700.00	S	Peak	46.93	9.44	56.37	105.23	-48.86
5718.48	S	Peak	61.82	9.27	71.10	110.4044	-39.31
5720.00	S	Peak	58.55	9.28	67.83	110.83	-43.00
5723.65	S	Peak	69.86	9.30	79.16	119.1518	-39.99
5725.00	Е	Peak	68.81	9.30	78.11	122.23	-44.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 78 of 101

Operation Mode: 802.11a Test Date: 2016/12/7

Fundamental Frequency: 5745 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Test Engineer: BE CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	46.82	9.33	56.15	68.23	-12.08
5692.96	S	Peak	48.42	9.60	58.01	100.0204	-42.01
5700.00	S	Peak	46.63	9.44	56.07	105.23	-49.16
5719.91	S	Peak	59.73	9.28	69.01	110.8048	-41.80
5720.00	S	Peak	58.46	9.28	67.74	110.83	-43.09
5724.75	S	Peak	69.47	9.30	78.77	121.66	-42.89
5725.00	E	Peak	66.90	9.30	76.20	122.23	-46.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 79 of 101

Operation Mode: 802.11a Test Date: 2016/12/7

Fundamental Frequency: 5825 MHz Temp. / Humi. : 25.1 deg C/62 RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Е	Peak	54.18	9.49	63.67	122.23	-58.56
5850.50	S	Peak	57.27	9.50	66.76	121.09	-54.33
5855.00	S	Peak	51.60	9.58	61.18	110.83	-49.65
5855.88	S	Peak	54.03	9.60	63.63	110.585	-46.96
5875.00	S	Peak	47.01	9.63	56.64	105.23	-48.59
5913.25	S	Peak	49.11	9.88	58.99	76.925	-17.94
5925.00	S	Peak	47.58	10.01	57.59	68.23	-10.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 80 of 101

Operation Mode: 802.11a Test Date: 2016/12/7

Fundamental Frequency: 5825 MHz Temp. / Humi. : 25.1 deg C/62 RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5850.00	Е	Peak	54.54	9.49	64.03	122.23	-58.20
5855.00	S	Peak	50.55	9.58	60.13	110.83	-50.70
5855.75	S	Peak	51.93	9.59	61.52	110.62	-49.10
5875.00	S	Peak	46.73	9.63	56.36	105.23	-48.87
5907.13	S	Peak	48.90	9.81	58.71	81.4575	-22.75
5925.00	S	Peak	47.22	10.01	57.23	68.23	-11.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and findense provided to the full expense. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 81 of 101

802.11n20 HT mode

Operation Mode: Test Date: 802.11n20 2016/11/5

Fundamental Frequency: Temp. / Humi.: 5180 MHz 25.1 deg_C/62 RH

Operation Band: Test Engineer: BE CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5150.00	E	Peak	49.58	8.19	57.77	74	-16.23
5150.00	E	Average	35.69	8.19	43.88	54	-10.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 82 of 101

Operation Mode: 802.11n20 Test Date: 2016/11/5

Fundamental Frequency: 5180 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Е	Peak	48.66	8.19	56.85	74	-17.15
5150.00	E	Average	35.79	8.19	43.98	54	-10.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 83 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/7

Fundamental Frequency: 5745 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Test Engineer: BE CH Low Ashton EUT Pol.: Η Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	46.84	9.33	56.17	68.23	-12.06
5700.00	S	Peak	46.80	9.44	56.23	105.23	-49.00
5716.50	S	Peak	63.27	9.27	72.54	109.85	-37.31
5720.00	S	Peak	61.54	9.28	70.82	110.83	-40.01
5724.53	S	Peak	70.78	9.30	80.08	121.1579	-41.08
5725.00	Ε	Peak	70.25	9.30	79.55	122.23	-42.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 84 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/7

Fundamental Frequency: 5745 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Test Engineer: BE CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Horizontal Н



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	46.95	9.33	56.28	68.23	-11.95
5700.00	S	Peak	46.39	9.44	55.83	105.23	-49.40
5717.60	S	Peak	60.64	9.27	69.91	110.158	-40.25
5720.00	S	Peak	61.38	9.28	70.67	110.83	-40.16
5722.11	S	Peak	70.24	9.29	79.53	115.6405	-36.11
5725.00	E	Peak	67.59	9.30	76.89	122.23	-45.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 85 of 101

Operation Mode: 802.11n20 Test Date: 2016/11/5

Fundamental Frequency: 5240 MHz Temp. / Humi. : 25.1 deg C/62 RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	$dB\mu V/m$	dB
5350.00	E	Peak	47.77	8.96	56.74	74	-17.26
5350.00	E	Average	35.15	8.96	44.11	54	-9.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 86 of 101

Operation Mode: 802.11n20 Test Date: 2016/11/5

Fundamental Frequency: 5240 MHz Temp. / Humi. : 25.1 deg C/62 RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	Е	Peak	47.74	8.96	56.70	74	-17.30
5350.00	E	Average	36.09	8.96	45.05	54	-8.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 87 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/7

Fundamental Frequency: 5825 MHz Temp. / Humi. : 25.1 deg C/62 RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	59.22	9.49	68.71	122.23	-53.52
5855.00	S	Peak	53.97	9.58	63.55	110.83	-47.28
5857.13	S	Peak	54.98	9.62	64.60	110.235	-45.63
5875.00	S	Peak	46.69	9.63	56.32	105.23	-48.91
5925.00	S	Peak	47.39	10.01	57.41	68.23	-10.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 88 of 101

Operation Mode: 802.11n20 Test Date: 2016/12/7

Fundamental Frequency: 5825 MHz Temp. / Humi. : 25.1 deg C/62 RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	59.49	9.49	68.97	122.23	-53.26
5851.13	S	Peak	61.25	9.51	70.76	119.665	-48.91
5855.00	S	Peak	53.57	9.58	63.15	110.83	-47.68
5856.38	S	Peak	54.22	9.61	63.83	110.445	-46.62
5875.00	S	Peak	47.30	9.63	56.93	105.23	-48.30
5925.00	S	Peak	47.66	10.01	57.67	68.23	-10.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 89 of 101

802.11n40 HT mode

Operation Mode: Test Date: 802.11n40 2016/11/5

Fundamental Frequency: Temp. / Humi.: 5190 MHz 25.1 deg_C/62 RH

Operation Band: Test Engineer: BE CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5147.08	S	Peak	58.24	8.17	66.41	74	-7.59
5147.08	S	Average	36.73	8.17	44.90	54	-9.10
5150.00	E	Peak	57.62	8.19	65.81	74	-8.19
5150.00	Е	Average	37.29	8.19	45.48	54	-8.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page: 90 of 101

Operation Mode: 802.11n40 Test Date: 2016/11/5

Fundamental Frequency: 5190 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	_ ,, , , _ , ,		•			_	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5149.12	S	Peak	57.67	8.19	65.86	74	-8.14
5149.12	S	Average	37.14	8.19	45.33	54	-8.67
5150.00	E	Peak	56.26	8.19	64.45	74	-9.55
5150.00	Е	Average	37.36	8.19	45.55	54	-8.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 91 of 101

Operation Mode: 802.11n40 Test Date: 2016/12/7

Fundamental Frequency: 5755 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: Test Engineer: BE CH Low Ashton EUT Pol.: Measurement Antenna Pol. : Vertical Н



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	46.87	9.33	56.20	68.23	-12.03
5700.00	S	Peak	48.22	9.44	57.66	105.23	-47.57
5712.44	S	Peak	62.09	9.25	71.34	108.7132	-37.37
5720.00	S	Peak	59.20	9.28	68.48	110.83	-42.35
5724.20	S	Peak	62.60	9.30	71.90	120.4064	-48.51
5725.00	Е	Peak	60.83	9.30	70.13	122.23	-52.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 92 of 101

Operation Mode: 802.11n40 Test Date: 2016/12/7

Fundamental Frequency: 5755 MHz Temp. / Humi.: 25.1 deg C/62 RH

Operation Band: BE CH Low Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	47.03	9.33	56.36	68.23	-11.87
5700.00	S	Peak	46.33	9.44	55.77	105.23	-49.46
5718.92	S	Peak	59.46	9.28	68.73	110.5276	-41.79
5720.00	S	Peak	56.31	9.28	65.59	110.83	-45.24
5721.92	S	Peak	61.05	9.29	70.34	115.2074	-44.87
5725.00	Е	Peak	57.50	9.30	66.80	122.23	-55.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 93 of 101

Operation Mode: 802.11n40 Test Date: 2016/12/7

Fundamental Frequency: 5230 MHz Temp. / Humi. : 25.1 deg C/62 RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	5350.00	E	Peak	48.14	8.96	57.10	74	-16.90
	5350.00	Е	Average	35.08	8.96	44.04	54	-9.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

www.tw.sqs.com




Page: 94 of 101

Operation Mode: 802.11n40 Test Date: 2016/11/5

Fundamental Frequency: 5230 MHz Temp. / Humi. : 25.1 deg C/62 RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	Е	Peak	48.00	8.96	56.96	74	-17.04
5350.00	Е	Average	35.10	8.96	44.06	54	-9.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 95 of 101

Operation Mode: 802.11n40 Test Date: 2016/11/5

Fundamental Frequency: 5795 MHz Temp. / Humi. : 25.1 deg C/62 RH

Operation Band: BE CH High Test Engineer: Ashton EUT Pol.: Η Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	47.18	9.49	56.67	122.23	-65.56
5855.00	S	Peak	46.78	9.58	56.36	110.83	-54.47
5875.00	S	Peak	47.49	9.63	57.13	105.23	-48.10
5925.00	S	Peak	47.18	10.01	57.19	68.23	-11.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 96 of 101

Operation Mode: 802.11n40 Test Date: 2016/11/5

Fundamental Frequency: 5795 MHz Temp. / Humi. : 25.1 deg C/62 RH

Operation Band: BE CH High Test Engineer: **Ashton** EUT Pol.: Η Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	47.40	9.49	56.89	122.23	-65.34
5855.00	S	Peak	47.14	9.58	56.72	110.83	-54.11
5875.00	S	Peak	47.05	9.63	56.68	105.23	-48.55
5925.00	S	Peak	47.34	10.01	57.35	68.23	-10.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report relear only to the samplets) tested and such radius and relearned for 90 days only.

Rep. 8月 有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquitable and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 97 of 101

12 TRANSMISSION IN THE ABSENCE OF DATA

12.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 98 of 101

13 FREQUENCY STABILITY


13.1 Standard Applicable

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

13.2 Measurement Procedure

- The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

13.3 Test SET-UP



13.4 Measurement Equipment Used:

SGS Conducted Room									
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due				
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017				
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017				
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/16/2016	06/15/2017				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 99 of 101

13.5 **Measurement Result**

Operation Mode 802.11 a Test Date 2015.12.21 Temperature :17 Test By Cooper

			ΔFrequency (MHz)
36	5180	5,179.99970	0.00000006
44	5220	5,219.99980	0.00000004
48	5240	5,240.00090	-0.0000017
149	5745	5,745.00080	-0.0000014
157	5785	5,784.99920	0.00000014
165	5825	5,824.99970	0.00000005
36	5180	5,180.00050	-0.00000010
44	5220	5,220.00020	-0.00000004
48	5240	5,220.00040	0.00381672
149	5745	5,744.99980	0.0000003
157	5785	5,785.00050	-0.00000009
165	5825	5.824.99980	0.00000003



Page: 100 of 101

Operation Mode 802.11 n_HT40 Test Date 2015.12.21 Temperature :17 Test By Cooper

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,190.00050	-0.00000010
		46	5230	5,230.00080	-0.00000015
		151	5755	5,755.00080	-0.00000014
		159	5795	5,794.99920	0.00000014
		38	5190	5,189.99920	0.00000015
		46	5230	5,230.00000	0.00000000
		151	5755	5,754.99960	0.00000007
		159	5795	5,794.99900	0.00000017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134.WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134.WuKungRoad, NewTaipeilndustrialPark, WukungBoad, NewTaipeilndustrial

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 101 of 101

14 ANTENNA REQUIREMENT

14.1 **Standard Applicable**

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

14.2 **Antenna Connected Construction**

An embedded-in antenna design is used.

The antenna is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.