

## ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

## INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

o⊱ Diagnostic Ultrasound System
N/A
T3300
N/A
VRST3300
E2/2016/C0035
Jan. 11, 2017
§15.247, Cat: DTS
QISDA CORPORATION No.157, Shanying Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)
SGS Taiwan Ltd.
Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan
City, Taiwan 333
<b>Note:</b> This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This
document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## VERIFICATION OF COMPLIANCE

Applicant:	QISDA CORPORATION No.157, Shanying Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)
Product Name:	Diagnostic Ultrasound System
Brand Name:	N/A
Model No.:	T3300
Model Difference:	N/A.
FCC ID:	VRST3300
Report Number:	E2/2016/C0035
Date of test:	Dec. 22, 2016 ~ Jan. 04, 2017
Date of EUT Received:	Dec. 22, 2016

## We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Jerry Lu	Date:	Jan. 11, 2017
Prepared By:	Jerry Lu/Sr. Engineer Tiffany Kao	Date:	Jan. 11, 2017
Approved By:	Tiffany Kao / Clerk Jim Chang Jim Chang / Asst. Manager	Date:	Jan. 11, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



# **Revision History**

Report Number	Revision	Description	Issue Date
E2/2016/C0035	Rev.00	Initial creation of document	Jan. 11, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SCGS Taiwan Ltd.</u> <u>IN0.134.WuKungRoad.NewTaipeifulstrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 the 5. Big M the 5. Big M</u>

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



# **Table of Contents**

1	GENERAL INFORMATION	5
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULTS	9
4	DESCRIPTION OF TEST MODES	10
5	MEASUREMENT UNCERTAINTY	12
6	CONDUCTED EMISSION TEST	13
7	DUTY CYCLE OF TEST SIGNAL	17
8	PEAK OUTPUT POWER MEASUREMENT	20
9	6dB BANDWIDTH MEASUREMENT	23
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	31
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	47
12	PEAK POWER SPECTRAL DENSITY	88
13	ANTENNA REQUIREMENT	96
14	MAXIMUM PERMISSIBLE EXPOSURE (MPE)	97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SCGS Taiwan Ltd.</u> <u>IN0.134.WuKungRoad.NewTaipeifulstrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 the 5. Big M the 5. Big M</u>



#### **GENERAL INFORMATION** 1

### **1.1 Product description**

General:

Product Name:	Diagnostic Ultrasound System			
Brand Name:	N/A			
Model No.:	T3300			
Model Difference:	N/A.			
Software version:	N/A			
Hardware version:	N/A			
Transducer:	<ol> <li>Model No.: C62B, Supplier: Qisda Corporation</li> <li>Model No.: LI54BH, Supplier: Qisda Corporation</li> <li>Model No.: P42B6, Supplier: Qisda Corporation</li> </ol>			
USB Cable:	Model No.: N/A; Supplier: I-Sheng Electric Wire & Cable, Co., Ltd.			
	10.8Vdc from Rechargeable Battery or 19V from AC/DC Adapter			
Power Supply:	Battery: Model No.: APP00201; Supplier: APACK			
	Adapter: Model No.: ATM065-P190, Supplier: Medical Power Supply			

#### WLAN 2.4GHz:

Wi-Fi	Frequency Range	Channels	Rated Power	Modulation Technology		
11b/g	2412-2462	11	b: 21.33dBm g: 22.83dBm	DSSS, OFDM		
11n	HT20 2412-2462	11	HT20:22.71dBm	OFDM		
Antenna	Designation:	PIFA Antenna, Peak Gain: 0.67 dBi				
Modulati	odulation type: CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM			FDM		
Transitio	n Rate:	802.11 g: 0	1/2/5.5/11 Mbps 6/9/12/18/24/36/48/54 Mbp 20MHz: 6.5 – 72.2Mbps	s		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



#### 1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

#### **1.3 Test Facility**

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333 (TAF code 0513)

FCC Registration Numbers are: 735305

#### **1.4 Special Accessories**

There are no special accessories used while test was conducted.

#### **1.5 Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### SYSTEM TEST CONFIGURATION 2

### 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

### 2.3 Test Procedure

### 2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

#### 2.4 Measurement Results Explanation Example

#### For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss 1dB and 10dB attenuator.

offset = RF cable loss (0.5dB)+ attenuation factor(10dB)=10.5dB)


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Chiers Souther Was Stated un locate a micro in the test report for the first report for the first and fi tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




## 2.5 Configuration of Tested System

## Fig. 2-1 Conducted Emission Configuration







#### Table 2-1 Equipment Used in Tested System

ltem	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1	Notebook	Qisda	DHR700	9HK7101T02 61600025DH R700	Shielded	Unshielded
2	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
3.	DC Power Supply	Agilent	E3640A	MY53140006	N/A	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is enproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-presence of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### SUMMARY OF TEST RESULTS 3

FCC Rules	Description Of Test	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Peak Output Power	Compliant
§15.247(a)(2)	6dB & 99% Emission Bandwidth	Compliant
§15.247(d)	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	Power Spectral Density	Compliant
§15.203 §15.247(b)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SCGS Taiwan Ltd.</u> <u>IN0.134.WuKungRoad.NewTaipeifulstrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 the 5. Big M the 5. Big M</u>

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



#### DESCRIPTION OF TEST MODES Δ

### 4.1 Operated in 2400 ~ 2483.5MHz Band

11 channels are provided for 802.11b, 802.11g and 802.11n HT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
1	2412 MHz	7	2442 MHz
2	2417 MHz	8	2447 MHz
3	2422 MHz	9	2452 MHz
4	2427 MHz	10	2457 MHz
5	2432 MHz	11	2462 MHz
6	2437 MHz		

### 4.2 The Worst Test Modes and Channel Details

DADIATED EMISSION TEST

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

RADIATED EMISSION TEST (BELOW 1 GHz)						
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)		
802.11g	1 to 11	1,6,11	OFDM	6		

	602.TTY		1,0,11	OFDIVI	0
RADIATED EMISSION TEST (ABOVE 1 GHz)					
	MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)
	802.11b	1 to 11	1, 6, 11	DSSS	1
	802.11g	1 to 11	1, 6, 11	OFDM	6
	802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 0

#### Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case H position was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有就明,此根告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




#### ANTENNA PORT CONDUCTED MEASUREMENT:

CONDUCTED TEST								
MODE	AVAILABLE	TESTED	MODULATION	DATA RATE				
	CHANNEL	CHANNEL	MODULATION	(Mbps)				
802.11b	1 to 11	1, 6, 11	DSSS	1				
802.11g	1 to 11	1, 6, 11	OFDM	6				
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS 0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SCGS Taiwan Ltd.</u> <u>IN0.134.WuKungRoad.NewTaipeifulstrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 the 5. Big M the 5. Big M</u>

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.





#### **MEASUREMENT UNCERTAINTY** 5

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 0.84 dB
6dB Bandwidth	+/- 51.33 Hz
100 KHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB
Peak Power Density	+/- 1.3 dB
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB				
	30MHz - 180MHz: +/- 3.37dB				
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB				
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB				
	1GHz - 18GHz: +/- 4.04dB				
	18GHz - 40GHz: +/- 4.04dB				

Measurement uncertainty (Polarization : <b>Horizontal</b> )	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 167MHz: +/- 4.22dB
	167MHz -500MHz: +/- 3.44dB
	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 6 CONDUCTED EMISSION TEST

#### 6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)					
MHz	Quasi-peak	Average				
0.15 to 0.50	66 to 56	56 to 46				
0.50 to 5	56	46				
5 to 30	60	50				
Note						
1. The lower limit shall apply at th	e transition frequencies					
2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50						
MHz.						

#### 6.2 Measurement Equipment Used

Conducted Emission Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
EMI Test Receiver	R&S	ESCI 7	100950	12/12/2016	12/11/2017				
Coaxial Cables	N/A	N30N30-1042-150cm	N/A	02/07/2016	02/06/2017				
LISN	Schwarzbeck	NSLK 8127	8127-648	03/11/2016	03/10/2017				
Test Software	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.				


#### 6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市 五股區 新北產業園區 五工路 134 號



## 6.4 Test SET-UP (Block Diagram of Configuration)



#### **6.5 Measurement Procedure**

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

#### 6.6 Measurement Result


Note: Refer to next page for measurement data and plots. Note2: The \* reveals the worst-case results that closet to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

でいたいでは、 除非另有就明,此根告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



## AC POWER LINE CONDUCTED EMISSION TEST DATA





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relative for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is enproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-presence of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### DUTY CYCLE OF TEST SIGNAL 7

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

#### Formula:

Duty Cycle = Ton / (Ton+Toff)

#### **Measurement Procedure:**

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz.
- 4. Detector = Peak

## **Duty Cycle:**

	Duty Cycle (%)	Duty Factor (dB)
802.11b	97.61	0.11
802.11g	87.24	0.59
802.11n_20	86.64	0.62

b = 97.61%, g = 87.24%,  $n_ht_20 = 86.64\%$ , Duty Cycle Factor: 10 \* log(1/0.9761) = 0.11 Duty Cycle Factor:  $10 * \log(1/0.8724) = 0.59$ Duty Cycle Factor: 10 \* log(1/0.8664) = 0.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有就明,此根告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



## 7.1 DUTY CYCLE TEST SIGNAL Measurement Result

#### 802.11 b




#### 802.11 g

鱦 Agilent Spe 💢 R.L	ctrum Analyzer - So RF 50			SE	ISE:INT		ALIGN AUTO		M Dec 29, 2016	
Center F	req 2.4370		HZ PNO: Fast	Trig: Free	Run	Avg Type	e: Log-Pwr	TM	E 123456	Frequency
_			FGain:Low	#Atten: 3	0 dB				PINNNN	Auto Tune
10 dB/div	Ref Offset Ref 30.00						4		.563 ms 0.39 dB	
20.0 44944	all market and a second second second	X X	anna		and a state of the	A. son	01∆2	3∆4 1994-199-199		Center Fred
10.0										2.437000000 GHz
0.00										
-10.0										Start Free 2.437000000 GH;
-30.0								ļ		2.437000000 GH
-40.0		www.					Dilant's	¥		Stop Fred
-50.0										2.437000000 GH
Center 2. Res BW	437000000 8 MHz	GHz	#VE	W 8.0 MHz		:	Sweep 2		pan 0 Hz 1001 pts)	CF Step 8.000000 MH
MKR MODE T		х		Y	FUNC		NCTION WIDTH		DN VALUE +	Auto Mar
2 F	1 t (Δ) 1 t	8	364 ms (/ 306.7 µs	21.04 di	Bm					Freg Offse
	1 t (Δ) 1 t		.563 ms (μ 306.7 μs	4) 0.39 21.04 dl	dB 3m					0 Hi
6										
8			_							
10										
·				m					- •	
MSG							STATU	5		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pagarance of this document is unavial and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





#### 802.11 n\_20 MHz

Agient Spectrum Analyzer - Swept SA					
Center Freg 2.437000000	GHz			10 PM Dec 29, 2016 TRACE 1 2 3 4 5 6	Frequency
Ref Offset 10.5 dB		ree Run : 30 dB	ΔMkr3	1.473 ms -0.36 dB	Auto Tune
20 0 <b>Xana Antican</b> 10.0 0.00	ndyten angeben a	Δ1Δ: 	2 304	ny Metrolensiplisitive	Center Freq 2.437000000 GHz
-10.0					Start Freq 2.437000000 GHz
-20.0 -20.0 -40.0 -50.0 -60.0					Stop Freq 2.437000000 GHz
Center 2.437000000 GHz Res BW 8 MHz	#VBW 8.0 MH		Sweep 2.733 m		CF Step 8.000000 MHz Auto Man
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	500.2 µs 18.82	26 dB dBm 36 dB		_	Freq Offset 0 Hz
6 7 8 9 10 11					
MSG			STATUS	,	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SCGS Taiwan Ltd.</u> <u>IN0.134.WuKungRoad.NewTaipeifulstrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 the 5. Big M the 5. Big M</u>

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



#### PEAK OUTPUT POWER MEASUREMENT 8

### 8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.


If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

#### 8.2 Measurement Equipment Used

Conducted Emission Test Site										
EQUIPMENT	EQUIPMENT MFR		SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
Power Meter	Anritsu	ML2496A	1326001	06/23/2016	06/22/2017					
Power Sensor	Anritsu	MA2411B	1315048	06/23/2016	06/22/2017					
Power Sensor	Anritsu	MA2411B	1315049	06/23/2016	06/22/2017					
Coaxial Cable 30cm	WOKEN	00100A1F1A195 C	RF01	12/12/2016	12/11/2017					
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017					
Splitter	RF-LAMBAD	RFLT2W1G18G	RF35	12/12/2016	12/11/2017					
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017					
DC Power Supply	Agilent	E3640A	MY5314000 6	05/04/2016	05/03/2017					

#### 8.3 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有就明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



#### 8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

#### **Power Meter:**

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

#### 8.5 Measurement Result

802.11	b Main							
СН	Frequency (MHz)	Data Rate	Peak Output Power (dBm)	Peak Output Power (mW)	Limit		RESULT	
1	2412	1	21.33	135.83	1 Watt =	30.00	dBm	PASS
6	2437	1	21.13	129.72	1 Watt =	30.00	dBm	PASS
11	2462	1	21.24	133.05	1 Watt =	30.00	dBm	PASS
802.11	b Main							
СН	Frequency (MHz)	Data Rate	Avg. Output Power (dBm)	Max. Output include tune up tolerance Power (mW)	Limit			RESULT
1	2412	1	18.88	77.27	1 Watt =	30.00	dBm	PASS
6	2437	1	18.95	78.52	1 Watt =	30.00	dBm	PASS
11	2462	1	18.82	76.21	1 Watt =	30.00	dBm	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained to so days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11	g Main				1			
СН	Frequency (MHz)	Data Rate	Peak Output Power (dBm)	Peak Output Power (mW)	Limit			RESULT
1	2412	6	22.83	191.87	1 Watt =	30.00	dBm	PASS
6	2437	6	22.59	181.55	1 Watt =	30.00	dBm	PASS
11	2462	6	22.32	170.61	1 Watt =	30.00	dBm	PASS
802.11	g Main							
СН	Frequency (MHz)	Data Rate	Avg. Output Power (dBm)	Avg. Output Power (dBm)	Limit		RESULT	
1	2412	6	16.94	49.43	1 Watt =	30.00	dBm	PASS
6	2437	6	18.19	65.92	1 Watt =	30.00	dBm	PASS
11	2462	6	15.05	31.99	1 Watt =	30.00	dBm	PASS

802.11	n_HT20M Main							
СН	Frequency (MHz)	Data Rate	Peak Output Power (dBm)	Peak Output Power (mW)		Limit		RESULT
1	2412	MCS0	22.71	186.64	1 Watt =	30.00	dBm	PASS
6	2437	MCS0	22.52	178.65	1 Watt =	30.00	dBm	PASS
11	2462	MCS0	21.37	137.09	1 Watt =	30.00	dBm	PASS
802.11	n_HT20M Main							
СН	Frequency (MHz)	Data Rate	Avg. Output Power (dBm)	Avg. Output Power (dBm)		Limit		RESULT
1	2412	MCS0	16.42	43.85	1 Watt =	30.00	dBm	PASS
6	2437	MCS0	18.27	67.14	1 Watt =	30.00	dBm	PASS
11	2462	MCS0	13.12	20.51	1 Watt =	30.00	dBm	PASS

#### Note:

offset 10.50 dB for SISO mode

The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



#### 6DB BANDWIDTH MEASUREMENT 9


### 9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

### 9.2 Measurement Equipment Used

Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017			
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017			
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017			
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017			

#### 9.3 Test Set-up



#### 9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. For 6dB Bandwidth:

Set the spectrum analyzer as RBW = 100 kHz, VBW = 3\*RBW, Span = 30M/50MHz, Detector=peak, Sweep=auto.

- 5. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:

Set the spectrum analyzer as RBW=1%, VBW = 3\*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.

- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

になど方力が、切りに取る時本で見対制人に体的見負う「同時に体的見ないないないないない」です。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### 9.5 Measurement Result

#### 6dB Bandwidth

#### 802.11b Main

Frequency (MHz)	6dB Bandwidth (kHz)	Limit (kHz)	Result	Fi		
2412	9532	> 500	PASS			
2437	9576	> 500	PASS			
2462	9046	> 500	PASS			

#### 802.11g Main

Frequency (MHz)	6dB Bandwidth (kHz)	Limit (kHz)	Result
2412	16350	> 500	PASS
2437	16370	> 500	PASS
2462	16320	> 500	PASS

802.11 n HT20 Main


Frequency (MHz)	6dB Bandwidth (kHz)	Limit (kHz)	Result
2412	17310	> 500	PASS
2437	17580	> 500	PASS
2462	16700	> 500	PASS

\*Refer to next page for plots


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SCGS Taiwan Ltd.</u> <u>IN0.134.WuKungRoad.NewTaipeifulstrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 the 5. Big M the 5. Big M</u>



## 802.11b 6dB Band Width Test Data CH-Low



## 6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relative for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 6dB Band Width Test Data CH-High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pagarance of this document is unavial and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



## 802.11g 6dB Band Width Test Data CH-Low



## 6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relative for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 6dB Band Width Test Data CH-High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pagarance of this document is unavial and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



## 802.11n HT20M 6dB Band Width Test Data CH-Low



## 6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relative for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pagarance of this document is unavial and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



## 10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

#### **10.1 Standard Applicable**


In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required.

#### 10.2 Measurement Equipment Used

Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017			
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017			
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017			
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017			

#### 10.3 Test SET-UP



Re非另有說明,此報告結果僅對測試之樣品負責、同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is frawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



#### **10.4 Measurement Procedure**

### **Band Edge Limit Calculation:**

- Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- 5. Detector = peak.
- Sweep time = auto couple.
- 7. Trace mode = max hold.
- Allow trace to fully stabilize.
- Use the peak marker function to determine the maximum amplitude level.

## **Conducted Band Edge:**

- To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- Mark the highest reading of the emission as the reference level measurement.
- Set DL as the limit = reading on marker 1 20dBm
- 8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- Repeat above procedures until all default test channel (low, middle, and high) was complete.

## **Conducted Spurious Emission:**

- To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- Set RBW = 100 kHz & VBW= 300 kHz, Detector =Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有就明,此報告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



#### **10.5 Measurement Result**

Bandedge Limit 802.11b MODE						
Frequency (MHz)	RF Power Density (dBm)	Bandedge Limit (dBm)				
2412	10.68	-9.32				
2462	10.53	-9.47				

Bandedg	e Limit 802	2.11g MODE	Bandedge	Limit 802.	11n20 MODE
Frequency (MHz)	RF Power Density (dBm)	Bandedge Limit (dBm)	Frequency (MHz)	RF Power Density (dBm)	Bandedge Limit (dBm)
2412	6.79	-13.21	2412	6.19	-13.81
2462	4.88	-15.12	2462	2.62	-17.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SCGS Taiwan Ltd.</u> <u>IN0.134.WuKungRoad.NewTaipeifulstrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 the 5. Big M the 5. Big M</u>

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



#### 802.11b PSD for Band edge Limit (CH-Low)



#### 802.11b PSD for Bandedge Limit(CH-High)



#### 802.11g PSD for Bandedge Limit(CH-Low)

Senter Freq 2.412000000 GHz PMD Fast 10 Effect one	Trig: Free Run #Atten: 30 dB	Avg Type: Log Pwr	THE PERMIT	Frequency
Ref Official 10.5 dB g gB/drv Ref 20.00 dBm		Mkr	1 2.407 05 GHz 6.79 dBm	Auto Tun
130	uludos school	antan lan ta dar		Center Fre 2.412000000 GH
0.0	V. V. V.	l		Start Free 2.397000000 GH
20.0 Muniter and a second seco			"WALKING	Stop Fre 2.427000000 CH
40 0 50 0				CF Ste 3.000000 Mi- Auto Ma
10.0				Freq Offse 0 H
Start 2.39700 GHz			Stop 2.42700 GHz	

#### 802.11g PSD for Bandedge Limit(CH-High)



#### 802.11n\_HT20 PSD for Bandedge Limit(CH-Low)



#### 802.11n\_HT20 PSD for Bandedge Limit(CH-High)

Aphont Spectrum Analyzor - Swept SA				
enter Freq 2.462000000	Dirich Free Run	Aug Type: Log Pwr	18.26.327H Dec 28,2015 VALUE TVPE	Frequency
Ref Offset 10.5 dB Ref 20.00 dBm	#GainLow #Atten: 30 dB	Mkr	1 2.455 79 GHz 2.62 dBm	Auto Tuni
13.0	▲ <sup>1</sup>			Center Free 2.462000000 GH
0.00 Mayor M	undearteactive tracker particul	indan tradenting		Start Fre 2.447000000 GH
no marked marked			Mary Mary Marine	Stop Fre 2.477000000 GH
0.0				CF Ste 3.000000 MH Auto Me
0.0				Freq Offse 0 H
tart 2.44700 GHz			Stop 2.47700 GHz	
Res BW 100 kHz	#VBW 300 KHz	Sweep 1	.000 ms (1001 pts)	
6		5747V	5	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiers so therwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relative for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司 f (886-2) 2298-0488 www.tw.sqs.com



## 802.11b **Band Edges Test Data CH-Low**



## **Band Edges Test Data CH-High**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Contentiones stated the results shown in this test report refer only to the sample(s) tested and statistic sample(s) are relative for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 802.11g **Band Edges Test Data CH-Low**




## **Band Edges Test Data CH-High**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pagarance of this document is unavial and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號






## 802.11n\_HT20 **Band Edges Test Data CH-Low**



# **Band Edges Test Data CH-High**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





# 802.11b **Spurious Emission Test Data CH-Low**

Magilent Spectrum Anal						
Center Freq 1.	515000000 GHz	SENSE:1	Avg Type	ALIGN AUTO E: Log-Pwr	07:18:50 PM Dec 29, 2016 TRACE 2 3 4 5 0	Frequency
Ref 0 10 dB/div Ref 2	PNO: IFGain 0ffset 10.5 dB 20.00 dBm	ast Trig: Free Ru Low #Atten: 30 dB		Mkr	1 2.411 9 GHz 10.15 dBm	
10.0 0.00 -10.0					1 -9.05 dBn	Center Freq 1.515000000 GHz
-20.0 -30.0 -40.0						Start Freq 30.000000 MHz
-50.0 -60.0 -70.0	an a	garan	,	المستهرسيم	in a substant in the substant of	Stop Freq 3,00000000 GHz
Start 30 MHz #Res BW 100 k	х	#VBW 300 kHz		Sweep 9.6	Stop 3.000 GHz 67 ms (1001 pts)	CF Step 297.000000 MHz Auto Man
1 N 1 ſ 2 3 4 5 6 7 8	2,411 9 G	Hz 10,15 dBm				Freq Offset 0 Hz
9 10 11 		ш.		STATUS	- P	




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# **Spurious Emission Test Data CH-Mid**

Magilent Spectrum Analyzer - Swept SA						- 4
Center Freq 1.515000000	GHz	SENSE:INT		ALIGN AUTO Type: Log-Pwr	07:25:14 PM Dec 29, 2016 TRACE 2 3 4 5 0 TYPE	Frequency
Ref Offset 10.5 dB 10 dB/div Ref 20.00 dBm	PNO: Fast	#Atten: 30 dB		Mk	r1 2.438 7 GHz 10.10 dBm	Auto Tune
10.0 0.00 					4.90 cth	Center Freq 1.515000000 GHz
-20.0						Start Freq 30.000000 MHz
-50.0 -60.0 -70.0	an a	and a state of the	ant an to the spin on the set	land a start and a start a star	And the second s	Stop Freq 3,000000000 GHz
Start 30 MHz #Res BW 100 kHz	#VBW	300 KHz	FUNCTION	Sweep 9.	Stop 3.000 GHz 667 ms (1001 pts) FUNCTION VALUE	CF Step 297.000000 MHz Auto Man
1 N 1 f 2.4	138 7 GHz	10.10 dBm				Freq Offset 0 Hz
7 8 9 10 11					-	
MSG				STATUS		



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




# **Spurious Emission Test Data CH-High**

M Agilent Spectrum Analyzer - Swept SA				
Center Freq 1.515000000	GHz	Avg Type:	LGN AUTO 07:35:49 PM Dec 29 Log-Pwr TRACE 23 TYPE WWW	456 Frequency
Ref Offset 10.5 dB 10 dB/div Ref 20.00 dBm	PNO: Fast Trig: Free IFGain:Low #Atten: 3		Mkr1 2.462 4 G 10.03 d	Auto Tune
10.0 0.00 			↓1 	Center Freq 1.515000000 GHz
-20.0 -30.0 -40.0				Start Freq 30.000000 MHz
-50.0 -60.0 -70.0			and and an and a second and a	Stop Freq 3.000000000 GHz
Start 30 MHz #Res BW 100 kHz	#VBW 300 kHz		Stop 3.000 ( weep 9.667 ms (1001	pts) 297.000000 MHz Auto Man
1 N 1 1 2.4 2 3 4 4 5	462 4 GHz 10.03 df			Freq Offset
6 7 8 9 10 11				
MSG	m		STATUS	

Agilent Spectrum Analyzer - Swept SA		SENSE:INT		ALIGN AUTO	07:36:18 PM Dec	29.2016	
Center Freq 14.750000000	PNO: Fast	Trig: Free Run	Avg Ty	pe: Log-Pwr	TRACE TYPE	3456	Frequency
	IFGain:Low 4	Atten: 30 dB		Ballow			Auto Tune
10 dB/div Ref 20.00 dBm				MIKI	1 26.406 0 -41.15	dBm	
10.0							Center Freq 14.75000000 GHz
-10.0						9.97 dBm	
-20.0						-1	Start Freq 3.000000000 GHz
-40.0	along and a state of the state	ر و میں میں میں میں اور اور میں میں اور میں میں اور میں	يەر مەر مەر مەر مەر مەر مەر مەر مەر مەر م	واستدور الهزور إرش	معاليها ومعجد والإيرية القراقين و	a man	
60.0							Stop Freq 26.50000000 GHz
Start 3.00 GHz					Ctop 28.5/		05.01
#Res BW 100 kHz	#VBW 3	00 kHz		Sweep 7	Stop 26.50 6.40 ms (100	1 pts)	CF Step 2.350000000 GHz Auto Man
MKR MODE TRC SCL X	06 0 GHz -	Y F 41,15 dBm	UNCTION F	UNCTION WIDTH	FUNCTION VAL	UE +	Auto Man
2 3 4 4 5							Freq Offset 0 Hz
6 7 8							
9 10 11							
MSG		m		STATUS		•	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SCGS Taiwan Ltd.</u> <u>IN0.134.WuKungRoad.NewTaipeifulstrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 the 5. Big M the 5. Big M</u>


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





# 802.11g **Spurious Emission Test Data CH-Low**






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# **Spurious Emission Test Data CH-Mid**

M Agilent Spectrum Analyzer - Swept SA				
Center Freq 1.515000000		Avg Type: Log-Pwr	07:54:23 PM Dec 29, 2016 TRACE 2 3 4 5 6 TYPE	Frequency
Ref Offset 10.5 dB	PNO: Fast Trig: Free R IFGain:Low #Atten: 30 di	В	r1 2.441 6 GHz 8.35 dBm	Auto Tune
10.0 0.00 -10.0			1 	Center Freq 1.515000000 GHz
-20.0				Start Freq 30.000000 MHz
-50.0 60.0 -70.0	alaran dan yang kanang dipana kanan dan k			Stop Freq 3.000000000 GHz
Start 30 MHz #Res BW 100 kHz	#VBW 300 kHz	Sweep 9	Stop 3.000 GHz .667 ms (1001 pts)	CF Step 297.000000 MHz Auto Man
	441 6 GHz 8.35 dBm			Freq Offset 0 Hz
7 8 9 10 11				
MSG		STATUS		



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pagarance of this document is unavial and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



# **Spurious Emission Test Data CH-High**

M Agilent Spectrum Analyzer - Swept SA					
Center Freq 1.515000000		Avg T	ALIGN AUTO ype: Log-Pwr	08:03:39 PM Dec 29, 201 TRACE 2 3 4 5 TYPE 0 WWWWW	6 Frequency
Ref Offset 10.5 dB 10 dB/div Ref 20.00 dBm	IFGain:Low #Atten: 3		Mki	1 2.456 5 GH 4.77 dBn	Auto Tune
10.0 0.00 -10.0				-1522 #29	Center Freq 1.515000000 GHz
-20.0 -30.0 -40.0					Start Freq 30.000000 MHz
-50.0 60.0 -70.0		and a star a second		/ hander and the second	Stop Freq 3.000000000 GHz
Start 30 MHz #Res BW 100 kHz	#VBW 300 kHz		Sweep 9.	Stop 3.000 GH 667 ms (1001 pts FUNCTION VALUE	CF Step 297.000000 MHz Auto Man
1 N 1 F 2.6 2 3 4 5	456 5 GHz 4.77 df	Bm			Freq Offset 0 Hz
7 8 9 10					
MSG			STATUS	F.	



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pagarance of this document is unavial and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



# 802.11n\_HT20 **Spurious Emission Test Data CH-Low**

M Agilent Spectrum An						- 4 <b>-</b>
Center Freq 1	.515000000 GHz			ALIGN AUTO Type: Log-Pwr	08:11:43 PM Dec 29, 201 TRACE 2 3 4 5 TYPE MUMAN	6 Frequency
10 dB/div Ref		0: Fast Trig: Fro in:Low #Atten:		M	cr1 2.406 0 GH 5.65 dBn	Auto Tune
10.0 0.00						Center Freq 1.515000000 GHz
-20.0					-14.35 dD	Start Free 30.000000 MHz
-50.0 -60.0 -70.0	د وا <sup>رد ه</sup> ا وار مدرور و روی و <sub>ورو</sub> و مرور و	an manager and the second s			<u></u>	Stop Free 3.000000000 GH:
Start 30 MHz #Res BW 100	х	#VBW 300 kH:	FUNCTION	Sweep 9	Stop 3.000 GHz .667 ms (1001 pts FUNCTION VALUE	
1         N         1         f           2         -	2,406 0	GHz 5.65 c	18m			Freq Offse 0 Ha
MSG		m		STATU	4	



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# **Spurious Emission Test Data CH-Mid**

M Agilent Spectrum Analyzer - Swept SA							
Center Freq 1.515000000		SENSE:INT		ALIGN AUTO Type: Log-Pwr	TRACE	Dec 29, 2016	Frequency
Ref Offset 10.5 dB	PNO: Fast IFGain:Low	Trig: Free Run #Atten: 30 dB		Mk	r1 2.432	7 GHz 1 dBm	Auto Tune
10.0 0.00						-11.29 dBm	Center Fred 1.515000000 GH
-20.0							Start Free 30.000000 MH;
-50.0 		مالومینان <sub>و</sub> نورو ماروسیانی			Line And Progr	hampang an	Stop Free 3.000000000 GH2
Start 30 MHz #Res BW 100 kHz	#VBW	300 kHz	FUNCTION	Sweep 9.	Stop 3.0 667 ms (1	001 pts)	CF Step 297.000000 MH Auto Mar
	32 7 GHz	8.71 dBm	PORCHON		FORCHUR	VALUE A	Freq Offset 0 Hz
MSG				STATUS			

Agilent Spec	trum Analyzer - Swept SA RF 50 Q DC		SENSE:1	arl .	ALIGN AUTO	08:20:05 PM Dec 29, 201	
11.5	req 14.7500000	PNO: Fast 🕞	Trig: Free Ru	Avg	Type: Log-Pwr	TRACE 1 2 3 4 5 TYPE NWWWWW	Frequency
10 dB/div	Ref Offset 10.5 dB Ref 20.00 dBm	IFGain:Low	#Atten: 30 dB		Mkr	1 26.006 5 GHz -41.00 dBm	Auto Tune
10.0 0.00 -10.0						-11.29 dBr	Center Freq 14.750000000 GHz
-20.0 -30.0 -40.0						الم	Start Freq 3.000000000 GHz
-50.0 -60.0	and a subsection of the subsec						Stop Freq 26.50000000 GHz
Start 3.00 #Res BW	100 kHz		V 300 kHz Y	FUNCTION	Sweep 7	Stop 26.50 GHz 6.40 ms (1001 pts FUNCTION VALUE	CF Step 2.350000000 GH: Auto Mar
1 N 1 2 3 4 5 6 7 8	f 26	.006 5 GHz	-41,00 dBm				Freq Offset 0 Ha
9 10 11 MSG			m.		STATUS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



# **Spurious Emission Test Data CH-High**

🛤 Agilent Spectrum Analyzer - Sv					
Center Freq 1.5150	000000 GHz	SENSE: INT	ALIGN AUTO Avg Type: Log-Pwr	08:33:43 PM Dec 29, 2016 TRACE 2 3 4 5 0	Frequency
Ref Offset 10 dB/div Ref 20.00		Trig: Free Run #Atten: 30 dB	M	cr1 2.462 4 GHz 2.66 dBm	Auto Tune
10.0				<b>*</b> 1	Center Fred 1.515000000 GH:
-20.0				-17.34 dBn	Start Free 30.000000 MHz
-50.0 -60.0 -70.0	a food Loogy (of the open of the food of the open of the food of the open of the food of t		an a	g/	Stop Free 3.000000000 GH
Start 30 MHz #Res BW 100 kHz	#VB	N 300 kHz	Sweep &	Stop 3.000 GHz 0.667 ms (1001 pts)	CF Step 297.000000 MH Auto Mar
1 N 1 7 2 3 4 5	2.462 4 GHz	2,66 dBm			Freq Offse 0 H
6 7 8 9 10 11					
MSG		m	STATU	5	

Agilent Spectrum Analyzer - Swept SA     RL     RF     S0 Q     DC	SENSE JNT	ALIGN AUTO	08:34:27 PM Dec 29, 2016	- 4 2
Center Freq 14.7500000	PNO: Fast Trig: Free Run	Avg Type: Log-Pwr	TRACE 1 2 3 4 5 6 TYPE M WWWWWW	Frequency
Ref Offset 10.5 dB 10 dB/div Ref 20.00 dBm	IFGain:Low #Atten: 30 dB	Mkr	1 26.006 5 GHz -40.84 dBm	Auto Tune
10.0 0.00 -10.0				Center Free 14.750000000 GHz
-20.0			-17.34 dbr	Start Free 3.000000000 GH
-50.0	hri, jahon jagi bi bara da jaka jaga na tana kanga na sa jaga na s Tana sa jaga na sa jaga			Stop Free 26.500000000 GH
Start 3.00 GHz #Res BW 100 kHz	#VBW 300 kHz	Sweep 7	Stop 26.50 GHz 6.40 ms (1001 pts)	CF Stej 2.35000000 GH <u>Auto</u> Ma
	.006 5 GHz -40.84 dBm			Freq Offse 0 H
7 8 9 10 11				
MSG		STATUS	•	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SCGS Taiwan Ltd.</u> <u>IN0.134.WuKungRoad.NewTaipeifulstrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 the 5. Big M the 5. Big M</u>

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



# 11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

## 11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

#### Note:

- 1. The lower limit shall apply at the transition frequencies.
- Emission level (dBµV/m) = 20 log Emission level (dBµV/m)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



## **11.2 Measurement Equipment Used:**

		966 Chambe	r		
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
EMI Test Receiver	R&S	ESU 40	100363	04/12/2016	04/11/2017
Loop Antenna	ETS-Lindgren	6502	00143303	12/23/2016	12/22/2017
Broadband Antenna	TESEQ	CBL 6112D	35240	11/03/2016	11/02/2017
Horn Antenna	ETS-Lindgren	3117	00143272	12/15/2016	12/16/2017
Horn Antenna	Schwarzbeck	BBHA9170	185	07/24/2016	07/23/2017
Pre Amplifier	EMC Instruments	EMC330	980096	12/12/2016	12/11/2017
Pre Amplifier	EMC Instruments	EMC0011830	980199	12/12/2016	12/11/2017
Pre Amplifier	R&S	SCU-18	10204	12/12/2016	12/11/2017
Pre Amplifier	R&S	SCU-26	100780	12/12/2016	12/11/2017
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/12/2016	12/11/2017
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/12/2016	12/11/2017
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/12/2016	12/11/2017
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/12/2016	12/11/2017
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/12/2016	12/11/2017
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/12/2016	12/11/2017
Attenuator	WOKEN	218FS-10	RF27	12/12/2016	12/11/2017
Site NSA	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017
Site VSWR	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2016	05/03/2017
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.


NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SCGS Taiwan Ltd.</u> <u>IN0.134.WuKungRoad.NewTaipeifulstrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 the 5. Big M the 5. Big M</u>




## 11.3 Test SET-UP

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



## (B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



## **11.4 Measurement Procedure**

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only



## 11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

## FS = RA + AF + CL - AG

Where	•	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

#### Note :

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

## 11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

## **11.7 Measurement Result**

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





### Radiated Band Edge Measurement Result (802.11b)

	Operation N Fundament Operation E EUT Pol. :	al Frequenc	802.11 cy : 2412 M BE CH H	1Hz	Test Dat Temp. / Test Eng Measure	Humi. :	nna Pol. :	2016/12/2 22.7deg_0 Ashton Vertical		
120	]									1
108										
96								$-/^{m}$	λ	
84	-							/	RSE PK	ĸ
12 (m//ml) [evel [(dBu//ml]							$\sim$	/		
evel ((							./		RSE AV	4
48	and a second second					meren f	Ý			
36						*	*			
24	:									
74										
12										
0	310	s s	2340	8	2370 Frequency [MH		2400			130
	Freq.	Note	Detector	•	ectum	Factor	Actual	Limit	Margin	
	N 41 I		Mode		ng Level	JD	FS	@3m		
-	MHz 2386.80	F/H/E/S S	PK/QP/AV Peak		<u>3μV</u> 3.97	dB 0.88	dBµV/m 49.84	<u>dBµV/m</u> 74	dB -24.16	
	2386.80	S			3.97 3.06	0.88	49.84 38.94	74 54	-24.16 -15.06	
	2380.80	E	Average Peak		7.21	0.88	38.9 <del>4</del> 48.13	54 74	-15.00	
	2390.00	E	Average		5.94	0.92	37.86	54	-16.14	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






















Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
 2483.50	E	Peak	52.51	1.16	53.67	74	-20.33
2483.50	Е	Average	43.12	1.16	44.28	54	-9.72




### Radiated Band Edge Measurement Result (802.11g)


	Operation E EUT Pol. :	al Frequen	802.11 cy : 2412 M BE CH H	IHz Temp Low Test	Date : p. / Humi. : Engineer : surement Ante	enna Pol. :	2016/12/2 22.7deg_( Ashton Vertical	
120								
96 84							$\int_{-\infty}^{\infty}$	
72						Jen Martin		RSEPK
운 3 [lw/\/ngp] leven	- - - - 	nn Methodaya da contra ana	and the second second second	trayah wang bagan ng til patripat diabahang		*		RSE AV
36	:							
12								
0	310	r r	2340		870 87 [MHz]	24	00	2430
	Freq.	Note	Detector Mode	Spectum Reading Le	vel	Actual FS	Limit @3m	Margin
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
	2390.00 2390.00	E E	Peak Average	72.38 47.78	0.92 0.92	73.31 48.70	74 54	-0.69 -5.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SCGS Taiwan Ltd.</u> <u>IN0.134.WuKungRoad.NewTaipeifulstrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 the 5. Big M the 5. Big M</u>















48





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





### Radiated Band Edge Measurement Result (802.11\_HT20)

		•	casarement	•					
	Operation I	tal Frequen	BECH	IHz Tem Low Test	Date : p. / Humi. : Engineer :	nan Del 1	2016/12/2 22.7deg_( Ashton		
	EUT Pol. :		Н	iviea	surement Ante	nna Pol. :	Vertical		
120	1								
108									_
96								ma	_
84	-					مر میر میر	1	June	
72						Burranno		R	SE PK
						1			
Level [(dBuV/m]) 35					ļ,	(			_
Level	:				f f			R	SE AV
48	-		alour an	والمراقعة والمراجع والمتلو والمراجع والمراجع	hand a second	Ť I			
36									
	-								
24									-
	1								
12									
0	<u>.</u>								_
3	310		2340		370 ncy [MHz]	240	0		2430
	Freq.	Note	Detector	Spectur	n Factor	Actual	Limit	Margin	
	•		Mode	Reading Le		FS	@3m	-	
-	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	_
•	2390.00	Е	Peak	72.19	0.92	73.11	74	-0.89	-
	2390.00	E	Average	47.50	0.92	48.42	54	-5.58	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. <u>SCGS Taiwan Ltd.</u> <u>IN0.134.WuKungRoad.NewTaipeifulstrialPark WukuDistrict NewTaipeifCity.Taiwan24803/新 the 5. Big M the 5. Big M</u>










Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
2389.32	S	Peak	71.40	0.91	72.31	74	-1.69
2389.32	S	Average	45.93	0.91	46.84	54	-7.16
2390.00	E	Peak	70.97	0.92	71.89	74	-2.11
2390.00	Е	Average	47.22	0.92	48.14	54	-5.86

















#### **Below 1GHz Worst-Case Data:**

#### Radiated Spurious Emission Measurement Result (802.11 g)

Operation Mode :	802.11g	Test Date :	2016/12/28
Fundamental Frequency :	2412 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Ashton
EUT Pol. :	Н	Measurement Antenna Pol. :	Vertical




	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
_	77.53	S	Peak	53.53	-21.17	32.36	40	-7.64
	164.83	S	Peak	46.76	-17.78	28.98	43.5	-14.52
	291.90	S	Peak	41.59	-13.26	28.33	46	-17.67
	497.54	S	Peak	43.43	-7.72	35.71	46	-10.29
	560.59	S	Peak	40.60	-6.64	33.95	46	-12.05
	640.13	S	Peak	40.77	-5.37	35.40	46	-10.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Operation Mode :	802.11g	Test Date:	2016/12/28
Fundamental Frequency :	2412 MHz	Temp. / Humi. :	22.7deg C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Horizontal



⊢req.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
101.78	S	Peak	41.09	-17.52	23.56	43.5	-19.94	
164.83	S	Peak	44.76	-17.78	26.98	43.5	-16.52	
202.66	S	Peak	46.35	-17.36	29.00	43.5	-14.50	
239.52	S	Peak	48.82	-15.28	33.54	46	-12.46	
293.84	S	Peak	51.47	-13.23	38.24	46	-7.76	
400.54	S	Peak	41.70	-9.76	31.93	46	-14.07	




Operation Mode :	802.11g	Test Date:	2016/12/28
Fundamental Frequency :	2437 MHz	Temp. / Humi. :	22.7deg C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Vertical



Freq.	Note	Delector	Spectum	Factor	Actual		margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	_
77.53	S	Peak	53.38	-21.17	32.21	40	-7.79	
165.80	S	Peak	46.66	-17.92	28.73	43.5	-14.77	
295.78	S	Peak	43.66	-13.16	30.50	46	-15.50	
434.49	S	Peak	40.18	-9.41	30.78	46	-15.22	
517.91	S	Peak	39.55	-7.65	31.90	46	-14.10	
560.59	S	Peak	38.36	-6.64	31.71	46	-14.29	




Operation Mode :	802.11g	Test Date:	2016/12/28
Fundamental Frequency :	2437 MHz	Temp. / Humi. :	22.7deg C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Horizontal



rieq.	note	Delector	Spectum	Factor	Actual		Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
101.78	S	Peak	41.28	-17.52	23.76	43.5	-19.74	
167.74	S	Peak	44.64	-18.06	26.59	43.5	-16.91	
239.52	S	Peak	47.89	-15.28	32.60	46	-13.40	
292.87	S	Peak	51.49	-13.23	38.26	46	-7.74	
400.54	S	Peak	41.10	-9.76	31.33	46	-14.67	
453.89	S	Peak	36.27	-8.47	27.80	46	-18.20	




Operation Mode :	802.11g	Test Date:	2016/12/28
Fundamental Frequency :	2462 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band : EUT Pol. :	Tx CH High H	Test Engineer : Measurement Antenna Pol. :	Ashton Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
96.93	S	Peak	49.48	-18.27	31.21	43.5	-12.29
165.80	S	Peak	45.75	-17.92	27.83	43.5	-15.67
295.78	S	Peak	39.94	-13.16	26.78	46	-19.22
518.88	S	Peak	43.16	-7.40	35.76	46	-10.24
640.13	S	Peak	39.21	-5.37	33.84	46	-12.16
738.10	S	Peak	41.44	-4.25	37.19	46	-8.81



Operation Mode :	802.11g	Test Date:	2016/12/28
Fundamental Frequency :	2462 MHz	Temp. / Humi. :	22.7deg C/57RH
Operation Band :	Tx CH High	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Horizontal



		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
165.80	S	Peak	45.91	-17.92	27.99	43.5	-15.51	
290.93	S	Peak	45.31	-13.28	32.02	46	-13.98	
400.54	S	Peak	44.19	-9.76	34.43	46	-11.57	
446.13	S	Peak	38.04	-9.06	28.97	46	-17.03	
489.78	S	Peak	34.21	-7.65	26.56	46	-19.44	
640.13	S	Peak	39.57	-5.37	34.20	46	-11.80	




#### Above 1GHz Data:


#### Radiated Spurious Emission Measurement Result (802.11 b)

	Operation EUT Pol. :	ital Frequer	802.1 <sup>/</sup> ncy : 2412   Tx CH H	1b Test I MHz Temp I Low Test I	Date : 5. / Humi. : Engineer : urement Ant	tenna Pol. :	2016/12/27 22.7deg_C Ashton Vertical	
10								
	·.							
80	) <u>-</u>							RSI PK
Л								
60	,							
[[m/]/								RSE AV
Level [(dBuV/m]) 2	·							
3 4		L.						
		Ť						
30	)-	*						
20	,							
10	) <del>]</del>							
	1000		7375		3750 ncy [MHz]	20	125	26500
	Freq.	Note	Detector	Spectur			Limit	Margin
			Mode	Reading Le		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m		dB
	4824.00	Н	Peak	30.75	7.58		74	-35.68
	4824.00	Н	Average	21.85	7.58	3 29.43	54	-24.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.








































4824.00

4824.00

Ε

Е

#### Radiated Spurious Emission Measurement Result (802.11 g)

	Operation Fundame Operation EUT Pol.	ntal Frequer Band :	802.1 ncy : 2412   Tx CH H	MHz Temp	Date : b. / Humi. : Engineer : surement Anter	nna Pol. :	2016/12/27 22.7deg_C/ Ashton Vertical	/57RH	
100	-								
90									
80									
								ISS PR	
70									
60 ਵਿ								RST AV	
Level [(dBuV/m]) 5									
10 10	<u> </u>	ţ							
		Ĵ							
.30		Ť							
20									
10									
0	<u> </u>								
1	000		7375		3750 ney [MHz]	2015	5	265	DC
	Freq.	Note	Detector	Spectur		Actual	Limit	Margin	
	MHz	F/H/E/S	Mode PK/QP/AV	Reading Le dBµV	evel dB	FS dBµV/m	@3m dBµV/m	dB	

31.35

21.70

7.58

7.58

38.93

29.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
--

Peak

Average

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

74


54

-35.07

-24.72




Operation Mode :	802.11g	Test Date :	2016/12/27
Fundamental Frequency : Operation Band :	2412 MHz Tx CH Low	Temp. / Humi. : Test Engineer :	22.7deg_C/57RH Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Horizontal






Operation Mode :	802.11g	Test Date :	2016/12/27
Fundamental Frequency :	2437 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Ashton
EUT Pol. :	Н	Measurement Antenna Pol. :	Vertical






Operation Mode :	802.11g	Test Date :	2016/12/27
Fundamental Frequency :	2437 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Ashton
EUT Pol. :	Н	Measurement Antenna Pol. :	Horizontal






Operation Mode :	802.11g	Test Date:	2016/12/27
Fundamental Frequency :	2462 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Vertical





Operation Mode :	802.11g	Test Date:	2016/12/27
Fundamental Frequency :	2462 MHz	Temp. / Humi. :	22.7deg C/57RH
Operation Band : EUT Pol. :	Tx CH High H	Test Engineer : Measurement Antenna Pol. :	Ashton Horizontal






#### Radiated Spurious Emission Measurement Result (802.11\_HT20)

	Operation Fundamen Operation EUT Pol. :	tal Frequer	802.11 ncy : 2412 M Tx CH H	MHz Temp Low Test B	Date : b. / Humi. : Engineer : urement Anter	nna Pol. :	2016/12/27 22.7 deg_C Ashton Vertical	
100								
20	-							
80	<u> </u>							
								ICS PK
70	-							
Level [(dBuV/m)] 5								RSF /W
Level [(								
40		Ť						
30		*						
20								
10								
			an		иљо ку [МН/]	201	5	26500
	Freq.	Note	Detector Mode	Spectum Reading Le		Actual FS	Limit @3m	Margin
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
	4824.00	Н	Peak	30.91	7.58	38.49	74	-35.51
	4824.00	Н	Average	21.36	7.58	28.94	54	-25.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Operation Mode :	802.11n20	Test Date :	2016/12/27
Fundamental Frequency :	2412 MHz	Temp. / Humi. :	22.7 deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Ashton
EUT Pol. :	Н	Measurement Antenna Pol. :	Horizontal






Operation Mode :	802.11n20	Test Date :	2016/12/27
Fundamental Frequency :	2437 MHz	Temp. / Humi. :	22.7 deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Ashton
EUT Pol. :	Н	Measurement Antenna Pol. :	Vertical






Operation Mode :	802.11n20	Test Date :	2016/12/27
Fundamental Frequency :	2437 MHz	Temp. / Humi. :	22.7deg C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Horizontal






Operation Mode :	802.11n20	Test Date :	2016/12/27
Fundamental Frequency :	2462 MHz	Temp. / Humi. :	22.7 deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Ashton
EUT Pol. :	Н	Measurement Antenna Pol. :	Vertical





Operation Mode :	802.11n20	Test Date :	2016/12/27
Fundamental Frequency :	2462 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Horizontal





# 12 PEAK POWER SPECTRAL DENSITY


## **12.1 Standard Applicable**

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

#### **12.2 Measurement Equipment Used**

Conducted Emission Test Site						
EQUIPMENT	EQUIPMENT MFR MODEL SERIAL LAST		CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.		
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017	
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017	
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017	
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017	

#### 12.3 Test Set-up



#### **12.4 Measurement Procedure**

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 3 kHz & VBW = 10 kHz.
- 5. For defining Restricted Band Edge Limit: Set the RBW = 100kHz & VBW = 300 kHz.
- 6. Detector = peak.
- 7. Sweep time = auto couple.
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

でいたいでは、 除非另有就明,此根告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



#### **12.5 Measurement Result**

POWER DENSITY 802.11b MODE					
Frequency (MHz)	RF Power Density (dBm)	Maximum Limit (dBm)	Result		
2412	-1.99	8.00	PASS		
2437	-2.68	8.00	PASS		
2462	-2.84	8.00	PASS		

POWER DENSITY 802.11g MODE					
Frequency (MHz)	RF Power Density (dBm)	Maximum Limit (dBm)	Result		
2412	-7.30	8.00	PASS		
2437	-5.53	8.00	PASS		
2462	-9.12	8.00	PASS		

## POWER DENSITY 802.11n HT20 MODE

Frequency (MHz) RF Power Density (dBm)		Maximum Limit (dBm)	Result	
2412	-5.45	8.00	PASS	
2437	-0.65	8.00	PASS	
2462	-10.82	8.00	PASS	

#### Note:

dB for SISO mode offset 10.50

\*Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# 802.11b **Power Spectral Density Test Plot (CH-Low)**



# **Power Spectral Density Test Plot (CH-Mid)**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# Power Spectral Density Test Plot (CH-High)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pagarance of this document is unavial and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



# 802.11<u>q</u> **Power Spectral Density Test Plot (CH-Low)**




# **Power Spectral Density Test Plot (CH-Mid)**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




# Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pagarance of this document is unavial and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號






# 802.11n HT20

# **Power Spectral Density Test Plot (CH-Low)**




## **Power Spectral Density Test Plot (CH-Mid)**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



# Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms\_e-document.htm</u></u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or ap-pagarance of this document is unavial and offenders may be prosecuted to the fullest extent of the law. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



# **13 ANTENNA REQUIREMENT**

#### **13.1 Standard Applicable**

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device. If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

#### **13.2 Antenna Connected Construction**

An embedded-in antenna design is used.

The antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

でいたいでは、 除非另有就明,此根告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



# 14 MAXIMUM PERMISSIBLE EXPOSURE (MPE)

#### 14.1 **Standard Applicable**

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1093 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm <sup>2</sup> )	(minute)
	Limits for Genera	al Population/Uncon	trolled Exposure	
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	F/1500	30
1500-15000	/	/	1.0	30

F = frequency in MHz

\* = Plane-wave equipment power density

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

でいたいでは、 除非另有就明,此根告結果僅對測試之樣品負責,同時此樣品僅保留知天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



# 14.2 Maximum Permissible Exposure (MPE) Evaluation

802.11 CH	b Main Frequency (MHz)	Data Rate	Max. Output include tune up tolerance Power (dBm)	Max. Output include tune up tolerance Power (mW)	I	_imit		RESULT
1	2412	1	18.88	77.27	1 Watt =	30.00	dBm	PASS
6	2437	1	18.95	78.52	1 Watt =	30.00	dBm	PASS
11	2462	1	18.82	76.21	1 Watt =	30.00	dBm	PASS

#### MPE Prediction (802.11b 2412~2462)

Prediction of MPE limit at a given distance

Equation from page 18 of OET Bulletin 65, Edition 97-01

 $S=PG/4\pi R^2$ 

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Max. output power including tune-up tolerancel:	18.95	(dBm)			
Max. output power including tune-up tolerancel:	78.523563	(mW)			
Duty cycle:	97.6	(%)			
Maximum Pav :	76.638998	(mW)			
Peak Antenna gain (Maximum):	0.67	(dBi)			
Peak Antenna gain (linear):	1.1668096	(numeric)			
Prediction distance:	20	(cm)			
Prediction frequency:	2437	(MHz)			
MPE limit for uncontrolled exposure at prediction	1	(mW/cm^2)			
Power density at predication frequency at 20 (cm)	0.017799	(mW/cm^2)			
Measurement Result					
The predicted power density level at 20 cm is 0.017799 mW/cm2.					
This is below the uncontrolled exposure limit of 1 mW/cm2 at 2437MHz.					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for su days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms\_and\_conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms\_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號