



## C.6 16.6.2 .Autonomous scheduled transmission


2011-06-09 Ba - Jotron TR-8000 - Test 16.6.2 Selection interval at 10 s reporting interval




2011-06-09 Ba - Jotron TR-8000 - Test 16.6.2 Selection interval at 10 s reporting interval




2011-06-10 Ba - Jotron TR-8000 - Test 16.6.2 Selection interval at 6 s reporting interval




2011-06-10 Ba - Jotron TR-8000 - Test 16.6.2 Selection interval at 6 s reporting interval



2011-06-09 Ba - Jotron TR-8000 - Test 16.6.2 Selection interval at 2 s reporting interval




2011-06-09 Ba - Jotron TR-8000 - Test 16.6.2 Selection interval at 2 s reporting interval







---


**C.7 16.6.2 add Autonomous scheduled Tx (ITDMA)**








2011-07-14 Ba - Jotron TR-8000 - Test 16.6.2add Reporting interval 3 min



2011-07-14 Ba - Jotron TR-8000 - Test 16.6.2add Reporting interval 3 min









---


## **C.8 16.6.3 Single message transmissions**





## C.9 16.6.3 add Transmission of message 5 (ITDMA)

2011-07-14 Ba - Jotron Tr-8000 - Test 16.6.3add1 Message 5 ITDMA transmission








---

## **C.10 16.6.4.2 Assigned mode, Receiving test**

### **C.10.1 Rate assignment**












---

## **C.10.2 Slot assignment**











## C.11 16.6.5 Fixed allocated transmissions (FATDMA)


2011-06-17 Ba - Jotron TR-8000 - 16.6.5 Base station reservation




2011-06-17 Ba - Jotron TR-8000 - 16.6.5 Base station reservation



2011-11-03 Ba - Jotron TR-8000 - 16.6.5 Base station reservation, no Msg 4




2011-11-03 Ba - Jotron TR-8000 - 16.6.5 Base station reservation, Msg 4 > 120 NM







---

**C.12 16.6.6.3 Entering/ leaving group assignment**











---

## **C.13 17.2 Area entry through transitional zone**











---

**C.14 17.3 Tx/Rx mode 1**






## C.15 19.7 High speed output performance

### 2011-06-09 Jotron TR-8000 - Test 19.7 Output performance, PI-Port

Result: Average (%): A = 100,0 B = 100,0

Ch A: 2084 Ch B: 2086




### 2011-06-09 Jotron TR-8000 - Test 19.7 Output performance, PI-Port

Result: Average (%) = 100,0

Reversed Transmitters


Ch A: 2084 Ch B: 2086




## Annex D Photos of equipment under test


### D.1 TR-8000 Transponder Unit







## D.2 TR-8000 Display unit







### **D.3 GPS antenna**



