









FCRN: 0017145996
 FCC-ID: VT8-PSENC55
 IC-ID: 7482A-PSENC55

April 2, 2015











Page 1 of 3





Attestation letter

We, Pilz GmbH & Co. KG hereby declare, that the test report of CETECOM laboratory are also to be cover the following products:

Kind of product:	Operating Mode Selector
Product Series:	PSEN cs
Product Name: (Family Approval)	PSENcs5.x+6.x
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-010
Model Name	Product Label
PSEN cs5.1p (542050)	  <p>This was the DUT (Device under Test) of Test report No.: Cetecom 1-8548/14-01-10</p>
PSEN cs5.11 M12/8 (542051)	  <p><u>Difference to DUT:</u> - Additional permanent magnet inside for mechanical fixing of the unit</p>
PSEN cs5.1n (542053)	  <p><u>Difference to DUT:</u> - M12, 5 pin connector plug instead M8, 8 pin.</p>
PSEN cs5.13 M21/8 EX (542055)	 

the spirit of safety

Kind of product:	Operating Mode Selector	
Product Series:	PSEN cs	
Product Name: (Family Approval)	PSENcs5.x+6.x	
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-010	
Model Name	Product Label	
	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> - M12, 8 pin connector plug instead M8, 8 pin. - ATEX product labeling 	
PSEN cs5.1 M12/8 (542059)	 	
	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> - M12, 8 pin connector plug instead M8, 8 pin. 	
PSEN cs6.1p (542150)	 	
	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> - Different Tag encoding 	
PSEN cs6.11 M12/8 (542151)	 	
	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> - M12, 8 pin connector plug instead M8, 8 pin. - Different Tag encoding 	
PSEN cs6.1n (542153)	 	
	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> - M12, 5 pin connector plug instead M8, 8 pin. - Different Tag encoding 	
PSEN cs6.1 M12/8 (542159)	 	
	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> - M12, 8 pin connector plug instead M8, 8 pin. - Different Tag encoding 	

<p>PSEN cs6.2p (542250)</p>	
<p><u>Difference to DUT:</u> - Different Tag encoding</p>	
<p>PSEN cs6.21 M12/8 (542251)</p>	
<p><u>Difference to DUT:</u> - M12, 8 pin connector plug instead M8, 8 pin. - Different Tag encoding</p>	
<p>PSEN cs6.2n (542253)</p>	
<p><u>Difference to DUT:</u> - M12, 5 pin connector plug instead M8, 8 pin. - Different Tag encoding</p>	
<p>PSEN cs6.2 M12/8 (542259)</p>	
<p><u>Difference to DUT:</u> - M12, 8 pin connector plug instead M8, 8 pin. - Different Tag encoding</p>	

Authorized Signature:



Print Name & Title: Norbert Froehlich, Manager Product Development

Date: April 02, 2015