


FCRN: 0017145996
 FCC-ID: VT8-PSENSLP
 IC-ID: 7482A-PSENSLP

May 12, 2016


Page 1 of 4

Attestation letter

We, Pilz GmbH & Co. KG hereby declare that the test report of CETECOM laboratory given below also covers the following products:

<i>Kind of product:</i>	Operating Mode Selector
<i>Product Series:</i>	PSEN sgate
<i>Product Name: (Family Approval)</i>	PSEN sg2c-3LPE
<i>CETECOM Testreport No.:</i>	Test report No.: 1-8548/14-01-09
<i>Model Name</i>	<i>Product Label</i>
PSEN sg2c-3LPE (570801)	 <p>This was the DUT (Device under Test) of Test report No.: Cetecom 1-8548/14-01-09</p> <ul style="list-style-type: none"> - version: short (3 elements) - element configuration: illuminated button, button, emergency stop - coding: coded
PSEN sg2c-3LBE (570803)	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> - element configuration: illuminated button, key button, emergency stop
PSEN sg2c-3LPS (570805)	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> - element configuration: illuminated button, button, section stop
PSEN sg2c-3LBS (570807)	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> - element configuration: illuminated button, key button, section stop
PSEN sg2c-3LPC (570809)	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> - element configuration: illuminated button, button, blind cover
PSEN sg2c-3LBC (570811)	<p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> - element configuration: illuminated button, key button, blind cover

the spirit of safety

<i>Kind of product:</i>	Operating Mode Selector
<i>Product Series:</i>	PSEN sgate
<i>Product Name: (Family Approval)</i>	PSEN sg2c-3LPE
<i>CETECOM Testreport No.:</i>	Test report No.: 1-8548/14-01-09
<i>Model Name</i>	<i>Product Label</i>
PSEN sg2c-5LPLLE (570813)	
	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, button, illuminated button, illuminated button, emergency stop
PSEN sg2c-5LBLLE (570815)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, key button, illuminated button, illuminated button, emergency stop
PSEN sg2c-5LPLLS (570817)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, button, illuminated button, illuminated button, section stop
PSEN sg2c-5LBLLS (570819)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, key button, illuminated button, illuminated button, section stop
PSEN sg2c-5LPLLC (570821)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, button, illuminated button, illuminated button, blind cover
PSEN sg2c-5LBLLC (570823)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, key button, illuminated button, illuminated button, blind cover
PSEN sg2c-5LPKLE-M12/5 (570825)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, button, key switch, illuminated button, emergency stop - confirmation button connector plug 5 pin

<i>Kind of product:</i>	Operating Mode Selector
<i>Product Series:</i>	PSEN sgate
<i>Product Name: (Family Approval)</i>	PSEN sg2c-3LPE
<i>CETECOM Testreport No.:</i>	Test report No.: 1-8548/14-01-09
<i>Model Name</i>	<i>Product Label</i>
PSEN sg2c-5LBKLE-M12/5 (570827)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, key button, key switch, illuminated button, emergency stop - confirmation button connector plug 5 pin
PSEN sg2c-5LPKLS-M12/5 (570829)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, button, key switch, illuminated button, section stop - confirmation button connector plug 5 pin
PSEN sg2c-5LBKLS-M12/5 (570831)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, key button, key switch, illuminated button, section stop - confirmation button connector plug 5 pin
PSEN sg2c-5LPKLC-M12/5 (570833)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, button, key switch, illuminated button, blind cover - confirmation button connector plug 5 pin
PSEN sg2c-5LBKLC-M12/5 (570835)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, key button, key switch, illuminated button, blind cover - confirmation button connector plug 5 pin
PSEN sg2c-3LPE 2.2 (570881)	<u>Difference to DUT:</u> - element configuration: illuminated button, button, emergency stop - coding: uniquely coded
PSEN sg2c-5LPLLE 2.2 (570883)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, button, illuminated button, illuminated button, emergency stop - coding: uniquely coded

<i>Kind of product:</i>	Operating Mode Selector
<i>Product Series:</i>	PSEN sgate
<i>Product Name: (Family Approval)</i>	PSEN sg2c-3LPE
<i>CETECOM Testreport No.:</i>	Test report No.: 1-8548/14-01-09
<i>Model Name</i>	<i>Product Label</i>
PSEN sg2c- 5LPKLE- M12/5 2.2 (570885)	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, button, key switch, illuminated button, emergency stop - coding: uniquely coded - confirmation button connector plug 5 pin

Authorized Signature:
Print Name & Title:
Date:



Jürgen Kitzing, Approval Manager
23. December 2015