

ATM660


Mobile Computer

High Performance Mobile Terminal

- Android 10
- Octa-Core 2.0GHz
- 5.5" (720 x 1440) HD
- 4G LTE, WIFI, Bluetooth 5.0, GPS
- Dual Camera (5MP / 13MP)
- IP65 / Drop 1.5m
- 3G RAM + 32G ROM
- 3.85V 4,800mAh removable Battery

Variety of Options

- Barcode Scanning (1D / 2D)
- NFC



Multi
Functional



Powerful



Light &
Compact



Rugged



www.atid1.com
inquiry@atid1.com
+82-2-544-1436

ATM660

Specification

PERFORMANCE CHARACTERISTICS		
CPU	Octa-Core 2.0GHz	
Memory	RAM 3GB / ROM 32GB	
OS	Android 10	
PHYSICAL CHARACTERISTICS		
Dimensions (L x W x D)	153 x 73.6 x 13.8mm	
Weight	229g	
Power	3.85V / 4800mAh	
Display	5.5"(720 x 1440) HD	
USB Interface	1 USB Type-C	
Standard I/O Port	BT / BLE, USB Client, WLAN	
Notification	Speaker, Vibrator	
DATA CAPTURE		
	Protocol ISO14443A/B, ISO15693, etc.	
RFID (HF) (Optional)	Reading Range	1-3 cm
	Frequency Range	13.56 MHz
Barcode		1D & 2D Imager
Camera	Front	5MP
	Rear	13MP
WIRELESS COMMUNICATION		
Bluetooth		Bluetooth 5.0
GPS		GPS, BeiDou, Glonass, Galileo
WLAN		802.11 a/b/g/n/ac
WWAN	Europe, Asia	2G: 2G:B2/B3/B5/B8 3G: WCDMA:B1/B2/B5/B8 TD-SCDMA:B34/B39 CDMA:BC0 4G: TDD-LTE: B34/B38/B39/B40/B41 FDD-LTE: B1/B2/B3/B5/B7/B8/ B20/B28A/B28B
	America	2G: B2/B3/B5/B8 3G: WCDMA:B1/B2/B4/B5/B8 CDMA:BC0/BC1 4G: TDD-LTE: B41 FDD-LTE: B1/B2/B3/B4/B7/B12/ B13/B17

Accessories



Battery



Charger




USB Cable

4-slot
Battery Charger
(Optional)

USER ENVIRONMENT	
Operating Temp	-20°C to 60°C
Storage Temp	-20°C to 70°C
Humidity	5 ~ 95% RH
Drop Spec	1.5m
Sealing	IP65
Electrostatic Discharge (ESD)	±15kV air discharge
	± 8kV direct discharge

* All Features and specifications described are subject to change without notice.



FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.