


Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5827.4000	86.44	23.60	110.04	122.20	-12.16	Peak	
2	5850.0000	45.29	23.69	68.98	122.20	-53.22	Peak	
3	5860.0000	41.08	23.73	64.81	109.40	-44.59	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11649.3200	20.76	21.27	42.03	54.00	-11.97	AVG	
2	11651.0750	31.94	21.27	53.21	74.00	-20.79	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5825.6000	79.69	23.60	103.29	122.20	-18.91	Peak	
2	5850.0000	43.09	23.69	66.78	122.20	-55.42	Peak	
3	5860.0000	36.77	23.73	60.50	109.40	-48.90	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11648.3650	32.16	21.27	53.43	74.00	-20.57	Peak	
2 *	11648.6150	20.99	21.27	42.26	54.00	-11.74	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	48.62	23.16	71.78	109.40	-37.62	Peak	
2	5725.0000	57.17	23.20	80.37	122.20	-41.83	Peak	
3 *	5744.2000	91.85	23.27	115.12	122.20	-7.08	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11489.5100	33.63	21.18	54.81	74.00	-19.19	Peak	
2 *	11490.5100	21.12	21.18	42.30	54.00	-11.70	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	43.37	23.16	66.53	109.40	-42.87	Peak	
2	5725.0000	55.59	23.20	78.79	122.20	-43.41	Peak	
3 *	5740.7000	88.30	23.26	111.56	122.20	-10.64	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11491.7000	21.16	21.18	42.34	54.00	-11.66	AVG	
2	11494.6300	34.82	21.18	56.00	74.00	-18.00	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5779.1000	92.10	23.41	115.51	122.20	-6.69	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11566.7300	20.87	21.22	42.09	54.00	-11.91	AVG	
2	11574.6400	33.90	21.23	55.13	74.00	-18.87	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5782.9000	87.32	23.43	110.75	122.20	-11.45	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11565.5500	33.77	21.22	54.99	74.00	-19.01	Peak	
2 *	11574.1600	20.90	21.23	42.13	54.00	-11.87	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5819.2000	91.86	23.57	115.43	122.20	-6.77	Peak	
2	5850.0000	49.54	23.69	73.23	122.20	-48.97	Peak	
3	5860.0000	42.60	23.73	66.33	109.40	-43.07	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11652.1700	20.97	21.27	42.24	54.00	-11.76	AVG	
2	11654.9500	33.15	21.27	54.42	74.00	-19.58	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5822.8000	86.90	23.58	110.48	122.20	-11.72	Peak	
2	5850.0000	45.61	23.69	69.30	122.20	-52.90	Peak	
3	5860.0000	37.76	23.73	61.49	109.40	-47.91	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11646.2300	34.30	21.27	55.57	74.00	-18.43	Peak	
2 *	11648.4000	20.75	21.27	42.02	54.00	-11.98	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	60.76	23.16	83.92	109.40	-25.48	Peak	
2	5725.0000	68.92	23.20	92.12	122.20	-30.08	Peak	
3 *	5747.6000	92.33	23.29	115.62	122.20	-6.58	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11506.3000	21.11	21.19	42.30	54.00	-11.70	AVG	
2	11513.5800	33.49	21.19	54.68	74.00	-19.32	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	55.23	23.16	78.39	109.40	-31.01	Peak	
2	5725.0000	66.91	23.20	90.11	122.20	-32.09	Peak	
3 *	5743.8000	89.67	23.27	112.94	122.20	-9.26	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11509.1000	20.88	21.19	42.07	54.00	-11.93	AVG	
2	11510.3200	32.92	21.19	54.11	74.00	-19.89	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5787.4000	90.81	23.44	114.25	122.20	-7.95	Peak	
2	5850.0000	44.62	23.69	68.31	122.20	-53.89	Peak	
3	5860.0000	39.17	23.73	62.90	109.40	-46.50	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11594.1200	20.86	21.24	42.10	54.00	-11.90	AVG	
2	11594.9900	33.26	21.24	54.50	74.00	-19.50	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5784.0000	89.70	23.43	113.13	122.20	-9.07	Peak	
2	5850.0000	43.05	23.69	66.74	122.20	-55.46	Peak	
3	5860.0000	40.48	23.73	64.21	109.40	-45.19	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11588.3300	20.83	21.23	42.06	54.00	-11.94	AVG	
2	11593.2900	33.65	21.24	54.89	74.00	-19.11	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	32.56	21.03	53.59	74.00	-20.41	Peak	
2	5150.0000	24.62	21.03	45.65	54.00	-8.35	AVG	
3 *	5177.5000	88.19	21.13	109.32	68.30	41.02	Peak	No Limit
4	5181.3000	78.36	21.15	99.51	999.00	-899.49	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10359.9900	32.84	20.28	53.12	68.30	-15.18	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	31.90	21.03	52.93	74.00	-21.07	Peak	
2	5150.0000	25.95	21.03	46.98	54.00	-7.02	AVG	
3	5173.2000	77.41	21.12	98.53	999.00	-900.47	AVG	No Limit
4 *	5174.0000	86.27	21.12	107.39	68.30	39.09	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10362.0500	32.39	20.28	52.67	68.30	-15.63	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5197.6000	87.11	21.21	108.32	68.30	40.02	Peak	No Limit
2	5206.4000	78.71	21.24	99.95	999.00	-899.05	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10397.8300	32.28	20.33	52.61	68.30	-15.69	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5204.3000	85.58	21.23	106.81	68.30	38.51	Peak	No Limit
2	5204.7000	76.68	21.23	97.91	999.00	-901.09	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10402.1500	32.86	20.33	53.19	68.30	-15.11	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5232.4000	86.84	21.33	108.17	68.30	39.87	Peak	No Limit
2	5234.3000	78.07	21.34	99.41	999.00	-899.59	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10480.4300	33.43	20.44	53.87	68.30	-14.43	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5233.8000	76.96	21.34	98.30	999.00	-900.70	AVG	No Limit
2 *	5235.7000	85.89	21.34	107.23	68.30	38.93	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10480.9400	33.42	20.44	53.86	68.30	-14.44	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	39.13	21.03	60.16	74.00	-13.84	Peak	
2	5150.0000	30.76	21.03	51.79	54.00	-2.21	AVG	
3 *	5174.2000	89.60	21.12	110.72	68.30	42.42	Peak	No Limit
4	5197.8000	79.75	21.21	100.96	999.00	-898.04	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10379.1000	33.77	20.30	54.07	68.30	-14.23	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	33.89	21.03	54.92	74.00	-19.08	Peak	
2	5150.0000	25.46	21.03	46.49	54.00	-7.51	AVG	
3 *	5202.8000	79.80	21.22	101.02	68.30	32.72	Peak	No Limit
4	5206.6000	70.62	21.24	91.86	999.00	-907.14	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10384.6400	33.45	20.31	53.76	68.30	-14.54	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5223.6000	90.50	21.30	111.80	68.30	43.50	Peak	No Limit
2	5237.8000	81.22	21.35	102.57	999.00	-896.43	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10458.1200	32.94	20.41	53.35	68.30	-14.95	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5225.8000	80.71	21.31	102.02	68.30	33.72	Peak	No Limit
2	5246.4000	72.40	21.38	93.78	999.00	-905.22	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10462.2900	33.82	20.41	54.23	68.30	-14.07	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	37.97	21.03	59.00	74.00	-15.00	Peak	
2	5150.0000	30.50	21.03	51.53	54.00	-2.47	AVG	
3 *	5218.4000	86.94	21.28	108.22	68.30	39.92	Peak	No Limit
4	5218.8000	77.73	21.28	99.01	999.00	-899.99	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10421.7200	33.30	20.36	53.66	68.30	-14.64	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	34.97	21.03	56.00	74.00	-18.00	Peak	
2	5150.0000	26.55	21.03	47.58	54.00	-6.42	AVG	
3	5224.8000	70.16	21.30	91.46	999.00	-907.54	AVG	No Limit
4 *	5226.8000	79.95	21.31	101.26	68.30	32.96	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10421.5900	33.46	20.36	53.82	68.30	-14.48	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5254.1000	77.51	21.41	98.92	999.00	-900.08	AVG	No Limit
2 *	5254.4000	87.09	21.41	108.50	68.30	40.20	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10518.7000	33.90	20.48	54.38	68.30	-13.92	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5253.2000	77.41	21.41	98.82	999.00	-900.18	AVG	No Limit
2 *	5255.5000	87.06	21.41	108.47	68.30	40.17	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5260MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10522.1300	32.90	20.48	53.38	68.30	-14.92	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5294.4000	87.19	21.56	108.75	68.30	40.45	Peak	No Limit
2	5306.6000	78.40	21.60	100.00	999.00	-899.00	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10598.7699	33.57	20.55	54.12	68.30	-14.18	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5295.6000	86.95	21.56	108.51	68.30	40.21	Peak	No Limit
2	5304.7000	77.71	21.59	99.30	999.00	-899.70	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5300MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10599.6449	32.44	20.55	52.99	68.30	-15.31	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5317.9000	78.43	21.64	100.07	999.00	-898.93	AVG	No Limit
2 *	5323.7000	87.78	21.66	109.44	68.30	41.14	Peak	No Limit
3	5350.0000	33.53	21.76	55.29	74.00	-18.71	Peak	
4	5350.0000	24.44	21.76	46.20	999.00	-952.80	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10638.6449	21.69	20.58	42.27	54.00	-11.73	AVG	
2	10640.1100	32.99	20.58	53.57	74.00	-20.43	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5315.5000	87.00	21.63	108.63	68.30	40.33	Peak	No Limit
2	5316.3000	77.50	21.63	99.13	999.00	-899.87	AVG	No Limit
3	5350.0000	34.58	21.76	56.34	74.00	-17.66	Peak	
4	5350.0000	25.91	21.76	47.67	999.00	-951.33	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC20 Mode 5320MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10638.2150	21.67	20.58	42.25	54.00	-11.75	AVG	
2	10638.5300	32.69	20.58	53.27	74.00	-20.73	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5275.6000	89.61	21.49	111.10	68.30	42.80	Peak	No Limit
2	5277.8000	80.57	21.50	102.07	999.00	-896.93	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10542.9300	33.27	20.50	53.77	68.30	-14.53	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5284.0000	81.00	21.52	102.52	68.30	34.22	Peak	No Limit
2	5286.4000	72.29	21.53	93.82	999.00	-905.18	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5270MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10539.5500	32.83	20.50	53.33	68.30	-14.97	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5303.6000	88.65	21.59	110.24	68.30	41.94	Peak	No Limit
2	5313.4000	80.21	21.62	101.83	999.00	-897.17	AVG	No Limit
3	5350.0000	37.44	21.76	59.20	74.00	-14.80	Peak	
4	5350.0000	29.34	21.76	51.10	999.00	-947.90	AVG	
5	5353.8000	38.16	21.77	59.93	74.00	-14.07	Peak	
6	5353.8000	30.05	21.77	51.82	54.00	-2.18	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10620.1800	21.08	20.56	41.64	54.00	-12.36	AVG	
2	10620.3800	34.27	20.56	54.83	74.00	-19.17	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5306.4000	72.79	21.60	94.39	999.00	-904.61	AVG	No Limit
2 *	5324.2000	81.51	21.66	103.17	68.30	34.87	Peak	No Limit
3	5350.0000	34.07	21.76	55.83	74.00	-18.17	Peak	
4	5350.0000	25.56	21.76	47.32	999.00	-951.68	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC40 Mode 5310MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10620.9700	33.96	20.57	54.53	74.00	-19.47	Peak	
2 *	10621.0300	20.84	20.57	41.41	54.00	-12.59	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5298.8000	74.76	21.57	96.33	999.00	-902.67	AVG	No Limit
2 *	5299.2000	84.12	21.57	105.69	68.30	37.39	Peak	No Limit
3	5350.0000	34.46	21.76	56.22	74.00	-17.78	Peak	
4	5350.0000	27.31	21.76	49.07	999.00	-949.93	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10580.6800	33.21	20.53	53.74	68.30	-14.56	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5286.4000	67.41	21.53	88.94	999.00	-910.06	AVG	No Limit
2 *	5306.4000	76.20	21.60	97.80	68.30	29.50	Peak	No Limit
3	5350.0000	33.09	21.76	54.85	74.00	-19.15	Peak	
4	5350.0000	25.58	21.76	47.34	999.00	-951.66	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10583.1800	33.14	20.53	53.67	68.30	-14.63	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	34.63	22.16	56.79	74.00	-17.21	Peak	
2	5460.0000	24.36	22.16	46.52	54.00	-7.48	AVG	
3	5470.0000	32.80	22.19	54.99	68.30	-13.31	Peak	
4 *	5492.6000	87.31	22.27	109.58	68.30	41.28	Peak	No Limit
5	5506.6000	78.37	22.33	100.70	999.00	-898.30	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11009.6600	19.95	20.89	40.84	54.00	-13.16	AVG	
2	11009.7200	33.04	20.89	53.93	74.00	-20.07	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	34.25	22.16	56.41	74.00	-17.59	Peak	
2	5460.0000	26.08	22.16	48.24	54.00	-5.76	AVG	
3	5470.0000	32.63	22.19	54.82	68.30	-13.48	Peak	
4 *	5503.8000	85.69	22.32	108.01	68.30	39.71	Peak	No Limit
5	5506.6000	77.04	22.33	99.37	999.00	-899.63	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5500MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11001.2600	32.68	20.88	53.56	74.00	-20.44	Peak	
2 *	11006.4000	19.97	20.88	40.85	54.00	-13.15	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5576.1000	84.31	22.60	106.91	68.30	38.61	Peak	No Limit
2	5576.3000	73.97	22.60	96.57	999.00	-902.43	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11151.4800	33.24	20.97	54.21	74.00	-19.79	Peak	
2 *	11160.9400	20.33	20.98	41.31	54.00	-12.69	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5579.0000	85.31	22.61	107.92	68.30	39.62	Peak	No Limit
2	5586.5000	77.04	22.64	99.68	999.00	-899.32	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5580MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11151.4800	19.75	20.97	40.72	54.00	-13.28	AVG	
2	11166.9400	32.63	20.98	53.61	74.00	-20.39	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5696.0000	84.16	23.08	107.24	68.30	38.94	Peak	No Limit
2	5702.3000	73.98	23.11	97.09	999.00	-901.91	AVG	No Limit
3	5725.0000	32.26	23.20	55.46	68.30	-12.84	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11407.4000	20.31	21.13	41.44	54.00	-12.56	AVG	
2	11407.9600	32.88	21.13	54.01	74.00	-19.99	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5692.6000	84.62	23.07	107.69	68.30	39.39	Peak	No Limit
2	5706.6000	75.08	23.12	98.20	999.00	-900.80	AVG	No Limit
3	5725.0000	33.13	23.20	56.33	68.30	-11.97	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC20 Mode 5700MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11407.2400	33.52	21.13	54.65	74.00	-19.35	Peak	
2 *	11408.7200	20.35	21.13	41.48	54.00	-12.52	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5457.6000	34.96	22.15	57.11	74.00	-16.89	Peak	
2	5457.6000	29.36	22.15	51.51	54.00	-2.49	AVG	
3	5460.0000	38.06	22.16	60.22	74.00	-13.78	Peak	
4	5460.0000	28.79	22.16	50.95	54.00	-3.05	AVG	
5	5470.0000	39.63	22.19	61.82	68.30	-6.48	Peak	
6 *	5500.6000	89.78	22.30	112.08	68.30	43.78	Peak	No Limit
7	5521.2000	79.63	22.38	102.01	999.00	-896.99	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11016.1500	32.94	20.89	53.83	74.00	-20.17	Peak	
2 *	11023.1000	20.18	20.89	41.07	54.00	-12.93	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	34.27	22.16	56.43	74.00	-17.57	Peak	
2	5460.0000	25.43	22.16	47.59	54.00	-6.41	AVG	
3	5470.0000	33.76	22.19	55.95	68.30	-12.35	Peak	
4	5513.4000	71.00	22.35	93.35	999.00	-905.65	AVG	No Limit
5 *	5521.4000	80.42	22.39	102.81	68.30	34.51	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5510MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11020.7200	32.66	20.89	53.55	74.00	-20.45	Peak	
2 *	11023.5000	20.20	20.89	41.09	54.00	-12.91	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5553.8000	79.39	22.51	101.90	999.00	-897.10	AVG	No Limit
2 *	5560.8000	89.26	22.54	111.80	68.30	43.50	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11096.4300	32.81	20.94	53.75	74.00	-20.25	Peak	
2 *	11103.8600	20.35	20.94	41.29	54.00	-12.71	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5553.6000	73.40	22.51	95.91	999.00	-903.09	AVG	No Limit
2 *	5556.2000	82.21	22.52	104.73	68.30	36.43	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5550MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11096.4300	19.84	20.94	40.78	54.00	-13.22	AVG	
2	11098.0700	32.91	20.94	53.85	74.00	-20.15	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5671.2000	86.83	22.98	109.81	68.30	41.51	Peak	No Limit
2	5673.6000	77.16	22.99	100.15	999.00	-898.85	AVG	No Limit
3	5725.0000	35.40	23.20	58.60	68.30	-9.70	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11335.1100	20.56	21.08	41.64	54.00	-12.36	AVG	
2	11344.8000	33.74	21.09	54.83	74.00	-19.17	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5673.6000	72.65	22.99	95.64	999.00	-903.36	AVG	No Limit
2 *	5678.8000	83.20	23.01	106.21	68.30	37.91	Peak	No Limit
3	5725.0000	33.61	23.20	56.81	68.30	-11.49	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC40 Mode 5670MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11342.1800	20.49	21.09	41.58	54.00	-12.42	AVG	
2	11343.5400	32.99	21.09	54.08	74.00	-19.92	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.01	22.16	58.17	74.00	-15.83	Peak	
2	5460.0000	26.61	22.16	48.77	54.00	-5.23	AVG	
3	5470.0000	34.65	22.19	56.84	68.30	-11.46	Peak	
4	5518.8000	71.99	22.37	94.36	999.00	-904.64	AVG	No Limit
5 *	5519.6000	81.86	22.38	104.24	68.30	35.94	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11058.1100	20.04	20.92	40.96	54.00	-13.04	AVG	
2	11060.2900	33.49	20.92	54.41	74.00	-19.59	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	35.02	22.16	57.18	74.00	-16.82	Peak	
2	5460.0000	25.59	22.16	47.75	54.00	-6.25	AVG	
3	5470.0000	33.57	22.19	55.76	68.30	-12.54	Peak	
4 *	5538.4000	76.87	22.45	99.32	68.30	31.02	Peak	No Limit
5	5553.6000	67.55	22.51	90.06	999.00	-908.94	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11058.9800	20.09	20.92	41.01	54.00	-12.99	AVG	
2	11060.2300	32.44	20.92	53.36	74.00	-20.64	Peak	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5598.800	71.39	22.70	94.09	68.30	25.79	AVG	No Limit
2	*	5599.600	81.90	22.70	104.60	68.30	36.30	peak	No Limit
3		5725.000	35.14	23.19	58.33	68.30	-9.97	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11215.150	33.40	21.01	54.41	74.00	-19.59	peak	
2	*	11219.660	20.75	21.01	41.76	54.00	-12.24	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5598.000	78.62	22.69	101.31	68.30	33.01	peak	No Limit
2	X	5598.400	68.20	22.70	90.90	68.30	22.60	AVG	No Limit
3		5725.000	33.83	23.19	57.02	68.30	-11.28	peak	


Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5610MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11217.540	32.96	21.01	53.97	74.00	-20.03	peak	
2	*	11222.960	20.77	21.01	41.78	54.00	-12.22	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	44.89	23.16	68.05	109.40	-41.35	Peak	
2	5725.0000	60.05	23.20	83.25	122.20	-38.95	Peak	
3 *	5737.5000	92.16	23.25	115.41	122.20	-6.79	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11487.7699	34.27	21.18	55.45	74.00	-18.55	Peak	
2 *	11491.9900	21.25	21.18	42.43	54.00	-11.57	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	46.36	23.16	69.52	109.40	-39.88	Peak	
2	5725.0000	58.97	23.20	82.17	122.20	-40.03	Peak	
3 *	5737.6000	91.97	23.25	115.22	122.20	-6.98	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11491.2100	20.88	21.18	42.06	54.00	-11.94	AVG	
2	11491.9900	33.37	21.18	54.55	74.00	-19.45	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5777.6000	91.62	23.40	115.02	122.20	-7.18	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11566.3200	20.82	21.22	42.04	54.00	-11.96	AVG	
2	11566.3600	33.31	21.22	54.53	74.00	-19.47	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5787.4000	92.04	23.44	115.48	122.20	-6.72	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11565.8099	33.08	21.22	54.30	74.00	-19.70	Peak	
2 *	11572.3900	20.79	21.22	42.01	54.00	-11.99	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5817.4000	89.21	23.56	112.77	122.20	-9.43	Peak	
2	5850.0000	50.69	23.69	74.38	122.20	-47.82	Peak	
3	5860.0000	39.35	23.73	63.08	109.40	-46.32	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11647.0100	33.36	21.27	54.63	74.00	-19.37	Peak	
2 *	11653.8600	20.83	21.27	42.10	54.00	-11.90	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5816.5000	90.23	23.56	113.79	122.20	-8.41	Peak	
2	5850.0000	49.39	23.69	73.08	122.20	-49.12	Peak	
3	5860.0000	44.34	23.73	68.07	109.40	-41.33	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11646.9800	20.85	21.27	42.12	54.00	-11.88	AVG	
2	11648.9200	33.90	21.27	55.17	74.00	-18.83	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	56.52	23.16	79.68	109.40	-29.72	Peak	
2	5725.0000	62.89	23.20	86.09	122.20	-36.11	Peak	
3 *	5766.2000	91.11	23.36	114.47	122.20	-7.73	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11508.1400	33.42	21.19	54.61	74.00	-19.39	Peak	
2 *	11510.7900	20.98	21.19	42.17	54.00	-11.83	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	49.64	23.16	72.80	109.40	-36.60	Peak	
2	5725.0000	60.04	23.20	83.24	122.20	-38.96	Peak	
3 *	5763.6000	87.98	23.35	111.33	122.20	-10.87	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11506.6000	34.55	21.19	55.74	74.00	-18.26	Peak	
2 *	11509.9900	20.89	21.19	42.08	54.00	-11.92	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5807.2000	91.53	23.52	115.05	122.20	-7.15	Peak	
2	5850.0000	43.58	23.69	67.27	122.20	-54.93	Peak	
3	5860.0000	41.89	23.73	65.62	109.40	-43.78	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11588.1000	20.99	21.23	42.22	54.00	-11.78	AVG	
2	11588.6200	33.47	21.23	54.70	74.00	-19.30	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5784.0000	87.80	23.43	111.23	122.20	-10.97	Peak	
2	5850.0000	38.88	23.69	62.57	122.20	-59.63	Peak	
3	5860.0000	36.83	23.73	60.56	109.40	-48.84	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11586.2600	20.77	21.23	42.00	54.00	-12.00	AVG	
2	11586.5900	33.98	21.23	55.21	74.00	-18.79	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	53.55	23.16	76.71	109.40	-32.69	Peak	
2	5725.0000	55.23	23.20	78.43	122.20	-43.77	Peak	
3 *	5767.4000	88.45	23.36	111.81	122.20	-10.39	Peak	
4	5850.0000	47.78	23.69	71.47	122.20	-50.73	Peak	
5	5860.0000	45.54	23.73	69.27	109.40	-40.13	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Vertical



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11548.4000	33.35	21.21	54.56	74.00	-19.44	Peak	
2 *	11554.1500	21.25	21.21	42.46	54.00	-11.54	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	48.54	23.16	71.70	109.40	-37.70	Peak	
2	5725.0000	55.05	23.20	78.25	122.20	-43.95	Peak	
3 *	5763.4000	88.53	23.35	111.88	122.20	-10.32	Peak	
4	5850.0000	48.63	23.69	72.32	122.20	-49.88	Peak	
5	5860.0000	45.77	23.73	69.50	109.40	-39.90	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11548.5500	33.20	21.21	54.41	74.00	-19.59	Peak	
2 *	11551.6500	21.16	21.21	42.37	54.00	-11.63	AVG	

TX A Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 2.070 msec

T_{Total} : 2.095 msec

Duty cycle: 98.807%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.05



Date: 13.JUL.2018 16:02:12

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is more than 98 %, so, the output power and power density should be calculated as

Output Power = Measured power + Duty factor

Power Spectral Density = Measured density + Duty factor

TX N20 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 5.150 msec

T_{Total} : 5.450 msec

Duty cycle: 94.495%

Duty Factor = $10 \log(1/Duty \text{ cycle})$

Duty Factor = 0.25



Date: 13.JUL.2018 16:03:33

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor
Power Spectral Density = Measured density + Duty factor

TX N40 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 2.550 msec

T_{Total} : 2.950 msec

Duty cycle: 86.441%

Duty Factor = $10 \log(1/Duty \text{ cycle})$

Duty Factor = 0.63



Date: 13.JUL.2018 16:06:27

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor

TX AC20 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 5.200 msec

T_{Total} : 5.500 msec

Duty cycle: 94.545%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.24



Date: 13.JUL.2018 16:05:01

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor
Power Spectral Density = Measured density + Duty factor

TX AC40 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 2.500 msec

T_{Total} : 3.000 msec

Duty cycle: 83.333%

Duty Factor = $10 \log(1/Duty \text{ cycle})$

Duty Factor = 0.79



Date: 13.JUL.2018 16:07:22

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor
Power Spectral Density = Measured density + Duty factor

TX AC80 Mode_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}


T_{ON} : 1.250 msec

T_{Total} : 1.800 msec

Duty cycle: 69.444%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 1.58



Date: 13.JUL.2018 16:08:15


Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor

APPENDIX E - BANDWIDTH

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.85	17.40
CH40	5200	21.79	17.40
CH48	5240	22.00	17.40

TX CH36




Date: 17.JUL.2018 10:45:02

TX CH40



Date: 17.JUL.2018 10:46:02

TX CH48




Date: 17.JUL.2018 10:47:05

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.10	18.20
CH40	5200	22.00	18.20
CH48	5240	22.05	18.20

TX CH36




Date: 17.JUL.2018 11:02:08

TX CH40



Date: 17.JUL.2018 11:03:07

TX CH48




Date: 17.JUL.2018 11:04:04

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	41.70	37.00
CH46	5230	41.81	37.00

TX CH38



Date: 17.JUL.2018 14:45:38


TX CH46



Date: 17.JUL.2018 14:46:35


Test Mode: UNII-2A/TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	21.95	17.40
CH60	5300	21.85	17.40
CH64	5320	21.90	17.40

TX CH52



Date: 17.JUL.2018 10:48:00

TX CH60



Date: 17.JUL.2018 10:48:53


TX CH64



Date: 17.JUL.2018 10:49:57


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	21.99	18.20
CH60	5300	22.15	18.30
CH64	5320	21.95	18.30

TX CH52



Date: 17.JUL.2018 11:05:00

TX CH60



Date: 17.JUL.2018 11:05:53

TX CH64




Date: 17.JUL.2018 11:06:59

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	41.70	37.00
CH62	5310	41.70	37.00

TX CH54



Date: 17.JUL.2018 14:47:55

TX CH62




Date: 17.JUL.2018 14:49:14

Test Mode: UNII-2C/TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	22.69	17.40
CH116	5580	21.85	17.40
CH140	5700	21.89	17.40

TX CH100




Date: 17.JUL.2018 10:51:00

TX CH116



Date: 17.JUL.2018 10:52:01

TX CH140




Date: 17.JUL.2018 10:55:20

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	22.09	18.20
CH116	5580	21.85	18.20
CH140	5700	21.95	18.20

TX CH100




Date: 17.JUL.2018 11:08:01

TX CH116



Date: 17.JUL.2018 11:08:55

TX CH140




Date: 17.JUL.2018 11:09:50

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	41.70	37.00
CH110	5550	41.70	37.00
CH134	5670	41.70	37.00

TX CH102



Date: 17.JUL.2018 14:51:21