



TX CH110



Date: 17.JUL.2018 14:52:49

TX CH134




Date: 17.JUL.2018 14:54:01

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.45	18.40	>=500
CH157	5785	16.45	18.40	>=500
CH165	5825	16.45	18.40	>=500

TX CH 149




Date: 17.JUL.2018 10:56:28

TX CH 157



Date: 17.JUL.2018 10:57:27


TX CH 165



Date: 17.JUL.2018 10:58:32


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.90	>=500
CH157	5785	17.65	17.90	>=500
CH165	5825	17.70	17.80	>=500

TX CH 149



Date: 17.JUL.2018 11:10:52

TX CH 157



Date: 17.JUL.2018 11:11:53

TX CH 165




Date: 17.JUL.2018 11:12:54

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.40	36.40	>=500

TX CH 151



Date: 17.JUL.2018 14:55:20

TX CH 159




Date: 17.JUL.2018 14:56:41

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.15	18.40
CH40	5200	22.06	18.30
CH48	5240	21.95	18.30

TX CH36




Date: 17.JUL.2018 14:28:21

TX CH40



Date: 17.JUL.2018 14:29:26

TX CH48




Date: 17.JUL.2018 14:31:01

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	41.70	37.00
CH46	5230	41.70	37.00

TX CH38



Date: 18.JUL.2018 15:28:19

TX CH46




Date: 18.JUL.2018 15:29:16

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	82.20	76.00

TX CH42




Date: 18.JUL.2018 16:29:27

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH52	5260	22.15	18.30
CH60	5300	22.10	18.30
CH64	5320	22.09	18.30

TX CH52




Date: 17.JUL.2018 14:31:59

TX CH60



Date: 17.JUL.2018 14:32:57

TX CH64




Date: 17.JUL.2018 14:34:19

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	41.80	37.00
CH62	5310	41.70	37.00

TX CH54



Date: 18.JUL.2018 15:30:24

TX CH62




Date: 18.JUL.2018 15:33:18

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	82.41	76.00


TX CH58



Date: 24.JUL.2018 14:36:43


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	21.95	18.30
CH116	5580	21.99	18.30
CH140	5700	22.09	18.30

TX CH100



Date: 17.JUL.2018 14:35:37

TX CH116



Date: 17.JUL.2018 14:36:32


TX CH140



Date: 17.JUL.2018 14:37:29


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	41.80	37.00
CH110	5550	41.60	37.00
CH134	5670	41.90	37.00

TX CH102



Date: 18.JUL.2018 15:36:06

TX CH110



Date: 18.JUL.2018 15:37:18

TX CH134




Date: 18.JUL.2018 15:38:27

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	83.00	76.40
CH122	5610	82.20	76.40

TX CH106



Date: 24.JUL.2018 14:35:43


TX CH122



Date: 24.JUL.2018 14:34:29


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.70	17.90	>=500
CH157	5785	17.65	17.90	>=500
CH165	5825	17.65	17.80	>=500

TX CH 149



Date: 17.JUL.2018 14:38:29

TX CH 157



Date: 17.JUL.2018 14:39:33

TX CH 165




Date: 17.JUL.2018 14:40:36

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 18.JUL.2018 15:39:39


TX CH 159



Date: 18.JUL.2018 15:40:54

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	74.80	76.00	>=500



Date: 18.JUL.2018 16:35:17

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.53	0.05	19.58	23.46	0.22
CH40	5200	19.46	0.05	19.51	23.46	0.22
CH48	5240	19.55	0.05	19.60	23.46	0.22

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.17	0.25	13.42	22.36	0.17
CH40	5200	13.19	0.25	13.44	22.36	0.17
CH48	5240	13.26	0.25	13.51	22.36	0.17

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	12.64	0.25	12.89	22.36	0.17
CH40	5200	12.63	0.25	12.88	22.36	0.17
CH48	5240	12.59	0.25	12.84	22.36	0.17

Test Mode: UNII-1/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.22	0.25	13.47	22.36	0.17
CH40	5200	13.12	0.25	13.37	22.36	0.17
CH48	5240	13.23	0.25	13.48	22.36	0.17

Test Mode: UNII-1/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	12.67	0.25	12.92	22.36	0.17
CH40	5200	12.74	0.25	12.99	22.36	0.17
CH48	5240	12.69	0.25	12.94	22.36	0.17

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.20	22.36	0.17
CH40	5200	19.19	22.36	0.17
CH48	5240	19.22	22.36	0.17

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.61	0.63	16.24	22.36	0.17
CH46	5230	15.86	0.63	16.49	22.36	0.17

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.12	0.63	15.75	22.36	0.17
CH46	5230	15.24	0.63	15.87	22.36	0.17

Test Mode: UNII-1/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.86	0.63	16.49	22.36	0.17
CH46	5230	15.79	0.63	16.42	22.36	0.17

Test Mode: UNII-1/TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.23	0.63	15.86	22.36	0.17
CH46	5230	15.48	0.63	16.11	22.36	0.17

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	22.12	22.36	0.17
CH46	5230	22.25	22.36	0.17

Test Mode: UNII-2A/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.63	0.05	19.68	23.46	0.22
CH60	5300	19.47	0.05	19.52	23.46	0.22
CH64	5320	19.58	0.05	19.63	23.46	0.22

Test Mode: UNII-2A/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	12.55	0.25	12.80	22.36	0.17
CH60	5300	12.23	0.25	12.48	22.36	0.17
CH64	5320	12.15	0.25	12.40	22.36	0.17

Test Mode: UNII-2A/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.53	0.25	11.78	22.36	0.17
CH60	5300	11.45	0.25	11.70	22.36	0.17
CH64	5320	11.36	0.25	11.61	22.36	0.17

Test Mode: UNII-2A/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	12.25	0.25	12.50	22.36	0.17
CH60	5300	12.02	0.25	12.27	22.36	0.17
CH64	5320	12.08	0.25	12.33	22.36	0.17

Test Mode: UNII-2A/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.64	0.25	11.89	22.36	0.17
CH60	5300	11.75	0.25	12.00	22.36	0.17
CH64	5320	11.86	0.25	11.86	22.36	0.17

Test Mode: UNII-2A/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.28	22.36	0.17
CH60	5300	18.14	22.36	0.17
CH64	5320	18.08	22.36	0.17

Test Mode: UNII-2A/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.88	0.63	16.51	22.36	0.17
CH62	5310	14.87	0.63	15.50	22.36	0.17

Test Mode: UNII-2A/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.02	0.63	15.65	22.36	0.17
CH62	5310	14.11	0.63	14.74	22.36	0.17

Test Mode: UNII-2A/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.87	0.63	16.50	22.36	0.17
CH62	5310	14.86	0.63	15.49	22.36	0.17

Test Mode: UNII-2A/TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.44	0.63	16.07	22.36	0.17
CH62	5310	14.21	0.63	14.84	22.36	0.17

Test Mode: UNII-2A/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	22.22	22.36	0.17
CH62	5310	21.18	22.36	0.17

Test Mode: UNII-2C/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	19.34	0.05	19.39	23.46	0.22
CH116	5580	19.45	0.05	19.50	23.46	0.22
CH140	5700	19.63	0.05	19.68	23.46	0.22

Test Mode: UNII-2C/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.11	0.25	12.36	22.36	0.17
CH116	5580	12.09	0.25	12.34	22.36	0.17
CH140	5700	12.21	0.25	12.46	22.36	0.17

Test Mode: UNII-2C/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.38	0.25	11.63	22.36	0.17
CH116	5580	11.42	0.25	11.67	22.36	0.17
CH140	5700	11.54	0.25	11.79	22.36	0.17

Test Mode: UNII-2C/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.13	0.25	12.38	22.36	0.17
CH116	5580	12.06	0.25	12.31	22.36	0.17
CH140	5700	12.11	0.25	12.36	22.36	0.17

Test Mode: UNII-2C/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.63	0.25	11.88	22.36	0.17
CH116	5580	11.68	0.25	11.93	22.36	0.17
CH140	5700	11.75	0.25	12.00	22.36	0.17

Test Mode: UNII-2C/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.09	22.36	0.17
CH116	5580	18.09	22.36	0.17
CH140	5700	18.18	22.36	0.17

Test Mode: UNII-2C/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	15.44	0.63	16.07	22.36	0.17
CH110	5550	15.41	0.63	16.04	22.36	0.17
CH134	5670	15.39	0.63	16.02	22.36	0.17

Test Mode: UNII-2C/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	15.23	0.63	15.86	22.36	0.17
CH110	5550	15.25	0.63	15.88	22.36	0.17
CH134	5670	15.17	0.63	15.80	22.36	0.17

Test Mode: UNII-2C/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	15.79	0.63	16.42	22.36	0.17
CH110	5550	15.73	0.63	16.36	22.36	0.17
CH134	5670	15.81	0.63	16.44	22.36	0.17

Test Mode: UNII-2C/TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	15.42	0.63	16.05	22.36	0.17
CH110	5550	15.35	0.63	15.98	22.36	0.17
CH134	5670	15.38	0.63	16.01	22.36	0.17

Test Mode: UNII-2C/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	22.13	22.36	0.17
CH110	5550	22.09	22.36	0.17
CH134	5670	22.10	22.36	0.17

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	23.72	0.05	23.77	29.46	0.88
CH157	5785	23.68	0.05	23.73	29.46	0.88
CH165	5825	23.52	0.05	23.57	29.46	0.88

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.92	0.25	22.17	28.36	0.69
CH157	5785	21.76	0.25	22.01	28.36	0.69
CH165	5825	21.73	0.25	21.98	28.36	0.69

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.93	0.25	22.18	28.36	0.69
CH157	5785	21.77	0.25	22.02	28.36	0.69
CH165	5825	21.69	0.25	21.94	28.36	0.69

Test Mode: UNII-3/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.37	0.25	22.62	28.36	0.69
CH157	5785	22.12	0.25	22.37	28.36	0.69
CH165	5825	22.23	0.25	22.48	28.36	0.69

Test Mode: UNII-3/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.75	0.25	22.00	28.36	0.69
CH157	5785	21.73	0.25	21.98	28.36	0.69
CH165	5825	21.89	0.25	22.14	28.36	0.69

Test Mode: UNII-3/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	28.27	28.36	0.69
CH157	5785	28.11	28.36	0.69
CH165	5825	28.16	28.36	0.69

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.23	0.63	21.86	28.36	0.69
CH159	5795	20.95	0.63	21.58	28.36	0.69

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.52	0.63	22.15	28.36	0.69
CH159	5795	21.45	0.63	22.08	28.36	0.69

Test Mode: UNII-3/ TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.63	0.63	22.26	28.36	0.69
CH159	5795	21.36	0.63	21.99	28.36	0.69

Test Mode: UNII-3/ TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.92	0.63	21.55	28.36	0.69
CH159	5795	20.88	0.63	21.51	28.36	0.69

Test Mode: UNII-3/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	27.99	28.36	0.69
CH159	5795	27.82	28.36	0.69

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.16	0.24	13.40	22.36	0.17
CH40	5200	13.23	0.24	13.47	22.36	0.17
CH48	5240	13.28	0.24	13.52	22.36	0.17

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	12.51	0.24	12.75	22.36	0.17
CH40	5200	12.65	0.24	12.89	22.36	0.17
CH48	5240	12.42	0.24	12.66	22.36	0.17

Test Mode: UNII-1/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.15	0.24	13.39	22.36	0.17
CH40	5200	13.12	0.24	13.36	22.36	0.17
CH48	5240	13.14	0.24	13.38	22.36	0.17

Test Mode: UNII-1/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	12.66	0.24	12.90	22.36	0.17
CH40	5200	12.68	0.24	12.92	22.36	0.17
CH48	5240	12.56	0.24	12.80	22.36	0.17

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.14	22.36	0.17
CH40	5200	19.19	22.36	0.17
CH48	5240	19.13	22.36	0.17

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.59	0.79	15.38	22.36	0.17
CH46	5230	15.43	0.79	16.22	22.36	0.17

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.86	0.79	14.65	22.36	0.17
CH46	5230	14.35	0.79	15.14	22.36	0.17

Test Mode: UNII-1/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.61	0.79	15.40	22.36	0.17
CH46	5230	15.66	0.79	16.45	22.36	0.17

Test Mode: UNII-1/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.88	0.79	14.67	22.36	0.17
CH46	5230	14.63	0.79	15.42	22.36	0.17

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	21.06	22.36	0.17
CH46	5230	21.86	22.36	0.17

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.78	1.58	16.36	22.36	0.17

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.14	1.58	15.72	22.36	0.17

Test Mode: UNII-1/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.89	1.58	16.47	22.36	0.17

Test Mode: UNII-1/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.38	1.58	15.96	22.36	0.17

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	22.16	22.36	0.17

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	12.27	0.24	12.51	22.36	0.17
CH60	5300	12.32	0.24	12.56	22.36	0.17
CH64	5320	12.43	0.24	12.67	22.36	0.17

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.57	0.24	11.81	22.36	0.17
CH60	5300	11.65	0.24	11.89	22.36	0.17
CH64	5320	11.74	0.24	11.98	22.36	0.17

Test Mode: UNII-2A/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	12.15	0.24	12.39	22.36	0.17
CH60	5300	12.21	0.24	12.45	22.36	0.17
CH64	5320	12.36	0.24	12.60	22.36	0.17

Test Mode: UNII-2A/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	11.95	0.24	12.19	22.36	0.17
CH60	5300	11.87	0.24	12.11	22.36	0.17
CH64	5320	11.91	0.24	12.15	22.36	0.17

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.26	22.36	0.17
CH60	5300	18.28	22.36	0.17
CH64	5320	18.38	22.36	0.17

Test Mode: UNII-2A/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.78	0.79	16.57	22.36	0.17
CH62	5310	15.12	0.79	15.91	22.36	0.17

Test Mode: UNII-2A/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	14.86	0.79	15.65	22.36	0.17
CH62	5310	14.12	0.79	14.91	22.36	0.17

Test Mode: UNII-2A/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.49	0.79	16.28	22.36	0.17
CH62	5310	14.95	0.79	15.74	22.36	0.17

Test Mode: UNII-2A/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	15.13	0.79	15.92	22.36	0.17
CH62	5310	14.32	0.79	15.11	22.36	0.17

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	22.14	22.36	0.17
CH62	5310	21.46	22.36	0.17

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	14.91	1.58	16.49	22.36	0.17

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	14.28	1.58	15.86	22.36	0.17

Test Mode: UNII-2A/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	15.05	1.58	16.63	22.36	0.17

Test Mode: UNII-2A/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	14.49	1.58	16.07	22.36	0.17

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	22.30	22.36	0.17

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.15	0.24	12.39	22.36	0.17
CH116	5580	12.23	0.24	12.47	22.36	0.17
CH140	5700	12.32	0.24	12.56	22.36	0.17

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.67	0.24	11.91	22.36	0.17
CH116	5580	11.56	0.24	11.80	22.36	0.17
CH140	5700	11.68	0.24	11.92	22.36	0.17

Test Mode: UNII-2C/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.09	0.24	12.33	22.36	0.17
CH116	5580	12.18	0.24	12.42	22.36	0.17
CH140	5700	12.14	0.24	12.38	22.36	0.17

Test Mode: UNII-2C/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.84	0.24	12.08	22.36	0.17
CH116	5580	11.69	0.24	11.93	22.36	0.17
CH140	5700	11.88	0.24	12.12	22.36	0.17

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	18.21	22.36	0.17
CH116	5580	18.19	22.36	0.17
CH140	5700	18.28	22.36	0.17

Test Mode: UNII-2C/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.36	0.79	15.15	22.36	0.17
CH110	5550	15.17	0.79	15.96	22.36	0.17
CH134	5670	15.14	0.79	15.93	22.36	0.17

Test Mode: UNII-2C/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.24	0.79	15.03	22.36	0.17
CH110	5550	15.12	0.79	15.91	22.36	0.17
CH134	5670	15.22	0.79	16.01	22.36	0.17

Test Mode: UNII-2C/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.62	0.79	15.41	22.36	0.17
CH110	5550	15.39	0.79	16.18	22.36	0.17
CH134	5670	15.69	0.79	16.48	22.36	0.17

Test Mode: UNII-2C/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	14.12	0.79	14.91	22.36	0.17
CH110	5550	15.12	0.79	15.91	22.36	0.17
CH134	5670	15.11	0.79	15.90	22.36	0.17

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	21.15	22.36	0.17
CH110	5550	22.01	22.36	0.17
CH134	5670	22.11	22.36	0.17

Test Mode: UNII-2C/TX AC80 Mode_ANT 1						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	14.26	1.58	15.84	22.36	0.17
CH122	5610	14.59	1.58	16.17	22.36	0.17

Test Mode: UNII-2C/TX AC80 Mode_ANT 2						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	13.73	1.58	15.31	22.36	0.17
CH122	5610	13.87	1.58	15.45	22.36	0.17

Test Mode: UNII-2C/TX AC80 Mode_ANT 3						
Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	14.45	1.58	16.03	22.36	0.17
CH122	5610	14.58	1.58	16.16	22.36	0.17

Test Mode: UNII-2C/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	14.17	1.58	15.75	22.36	0.17
CH122	5610	13.96	1.58	15.54	22.36	0.17

Test Mode: UNII-2C/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	21.76	22.36	0.17
CH122	5610	21.87	22.36	0.17

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.05	0.24	22.29	28.36	0.69
CH157	5785	21.88	0.24	22.12	28.36	0.69
CH165	5825	21.84	0.24	22.08	28.36	0.69

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.06	0.24	22.30	28.36	0.69
CH157	5785	21.74	0.24	21.98	28.36	0.69
CH165	5825	21.59	0.24	21.83	28.36	0.69

Test Mode: UNII-3/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.23	0.24	22.47	28.36	0.69
CH157	5785	22.23	0.24	22.47	28.36	0.69
CH165	5825	22.16	0.24	22.40	28.36	0.69

Test Mode: UNII-3/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.74	0.24	21.98	28.36	0.69
CH157	5785	21.67	0.24	21.91	28.36	0.69
CH165	5825	21.55	0.24	21.79	28.36	0.69

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	28.29	28.36	0.69
CH157	5785	28.15	28.36	0.69
CH165	5825	28.06	28.36	0.69

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.11	0.79	21.90	28.36	0.69
CH159	5795	21.13	0.79	21.92	28.36	0.69

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.38	0.79	22.17	28.36	0.69
CH159	5795	21.48	0.79	22.27	28.36	0.69

Test Mode: UNII-3/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.42	0.79	22.21	28.36	0.69
CH159	5795	21.55	0.79	22.34	28.36	0.69

Test Mode: UNII-3/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.11	0.79	21.90	28.36	0.69
CH159	5795	21.05	0.79	21.84	28.36	0.69

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	28.07	28.36	0.69
CH159	5795	28.12	28.36	0.69

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	20.63	1.58	22.21	28.36	0.69

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	20.77	1.58	22.35	28.36	0.69

Test Mode: UNII-3/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	20.92	1.58	22.50	28.36	0.69

Test Mode: UNII-3/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	20.33	1.58	21.91	28.36	0.69


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	28.27	28.36	0.69

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.02	0.05	10.07	10.46
CH40	5200	10.11	0.05	10.16	10.46
CH48	5240	9.98	0.05	10.03	10.46




Date: 25.JUL.2018 10:45:38

CH40



Date: 25.JUL.2018 10:49:20


CH48



Date: 25.JUL.2018 10:51:44


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.93	0.25	3.18	9.36
CH40	5200	2.91	0.25	3.16	9.36
CH48	5240	3.03	0.25	3.28	9.36




Date: 25.JUL.2018 11:02:51

CH40



Date: 25.JUL.2018 11:09:24


CH48



Date: 25.JUL.2018 11:13:44


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.31	0.25	2.56	9.36
CH40	5200	1.98	0.25	2.23	9.36
CH48	5240	1.99	0.25	2.24	9.36




Date: 25.JUL.2018 11:03:44

CH40



Date: 25.JUL.2018 11:08:08


CH48



Date: 25.JUL.2018 11:14:17


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.06	0.25	3.31	9.36
CH40	5200	3.09	0.25	3.34	9.36
CH48	5240	2.90	0.25	3.15	9.36




Date: 25.JUL.2018 11:04:17

CH40



Date: 25.JUL.2018 11:07:33


CH48



Date: 25.JUL.2018 11:17:10


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.08	0.25	2.33	9.36
CH40	5200	2.15	0.25	2.40	9.36
CH48	5240	2.03	0.25	2.28	9.36




Date: 25.JUL.2018 11:04:50

CH40



Date: 25.JUL.2018 11:06:16

CH48



Date: 25.JUL.2018 11:17:54


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.88	9.36
CH40	5200	8.82	9.36
CH48	5240	8.78	9.36

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.53	0.63	3.16	9.36
CH46	5230	2.69	0.63	3.32	9.36

CH38



Date: 25.JUL.2018 11:35:11

CH46




Date: 25.JUL.2018 11:51:19

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.00	0.63	2.63	9.36
CH46	5230	1.72	0.63	2.35	9.36

CH38



Date: 25.JUL.2018 11:35:52

CH46




Date: 25.JUL.2018 11:45:16

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.50	0.63	3.13	9.36
CH46	5230	2.52	0.63	3.15	9.36

CH38



Date: 25.JUL.2018 11:37:41

CH46




Date: 25.JUL.2018 11:41:08

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.11	0.63	2.74	9.36
CH46	5230	2.03	0.63	2.66	9.36

CH38



Date: 25.JUL.2018 11:38:20

CH46




Date: 25.JUL.2018 11:39:58

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	8.94	9.36
CH46	5230	8.91	9.36


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.75	0.05	9.80	10.46
CH60	5300	9.93	0.05	9.98	10.46
CH64	5320	9.94	0.05	9.99	10.46




Date: 25.JUL.2018 10:52:36

CH60



Date: 25.JUL.2018 10:53:16


CH64



Date: 25.JUL.2018 10:54:25


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.37	0.25	2.62	9.36
CH60	5300	2.61	0.25	2.86	9.36
CH64	5320	2.67	0.25	2.92	9.36




Date: 18.JUL.2018 10:28:06

CH60



Date: 18.JUL.2018 10:28:57


CH64



Date: 18.JUL.2018 10:29:40


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.03	0.25	1.28	9.36
CH60	5300	1.12	0.25	1.37	9.36
CH64	5320	1.18	0.25	1.43	9.36




Date: 18.JUL.2018 10:50:48

CH60



Date: 18.JUL.2018 10:52:04


CH64



Date: 18.JUL.2018 10:52:42


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.17	0.25	2.42	9.36
CH60	5300	2.47	0.25	2.72	9.36
CH64	5320	2.75	0.25	3.00	9.36




Date: 18.JUL.2018 10:58:34

CH60



Date: 18.JUL.2018 10:59:17


CH64



Date: 18.JUL.2018 11:00:01


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.28	0.25	1.53	9.36
CH60	5300	1.64	0.25	1.89	9.36
CH64	5320	1.77	0.25	2.02	9.36




Date: 18.JUL.2018 11:12:30

CH60



Date: 18.JUL.2018 11:13:16

CH64



Date: 18.JUL.2018 11:14:03


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.02	9.36
CH60	5300	8.27	9.36
CH64	5320	8.41	9.36

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.32	0.63	2.95	9.36
CH62	5310	2.67	0.63	3.30	9.36

CH54



Date: 18.JUL.2018 14:27:30

CH62




Date: 18.JUL.2018 14:28:26

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.35	0.63	1.98	9.36
CH62	5310	1.53	0.63	2.16	9.36

CH54



Date: 18.JUL.2018 14:41:13

CH62




Date: 18.JUL.2018 14:42:25

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.16	0.63	2.79	9.36
CH62	5310	2.39	0.63	3.02	9.36

CH54



Date: 18.JUL.2018 14:50:07

CH62




Date: 18.JUL.2018 14:51:19

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.39	0.63	2.02	9.36
CH62	5310	1.78	0.63	2.41	9.36

CH54



Date: 18.JUL.2018 15:03:21

CH62




Date: 18.JUL.2018 15:18:31

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	8.48	9.36
CH62	5310	8.77	9.36


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.03	0.05	10.08	10.46
CH116	5580	10.11	0.05	10.16	10.46
CH140	5700	9.77	0.05	9.82	10.46




Date: 17.JUL.2018 10:50:11

CH116



Date: 17.JUL.2018 10:51:18


CH140



Date: 17.JUL.2018 10:54:36


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.23	0.25	2.48	9.36
CH116	5580	2.30	0.25	2.55	9.36
CH140	5700	2.11	0.25	2.36	9.36

CH100



Date: 18.JUL.2018 10:38:07

CH116



Date: 18.JUL.2018 10:42:05


CH140



Date: 18.JUL.2018 10:42:58


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.84	0.25	2.09	9.36
CH116	5580	2.04	0.25	2.29	9.36
CH140	5700	2.35	0.25	2.60	9.36

CH100



Date: 18.JUL.2018 10:53:26

CH116



Date: 18.JUL.2018 10:54:06


CH140



Date: 18.JUL.2018 10:54:54


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.24	0.25	2.49	9.36
CH116	5580	2.56	0.25	2.81	9.36
CH140	5700	2.65	0.25	2.90	9.36




Date: 18.JUL.2018 11:00:46

CH116



Date: 18.JUL.2018 11:01:33

CH140



Date: 18.JUL.2018 11:02:34