

Measurement Results

No.1-3977/22-03-17_Annex_MR_A1

Test logging

This document is electronically signed and valid without handwritten signature.
For verification of the electronic signatures, the public keys can be requested at the testing laboratory.

Document authorized:

Andreas Luckenbill
Head of Department
Radio Communications

Table of Content

EUT Information	5
FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15	6
FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15	127
FCC, ISED # TX Emissions conducted ~ NR Band_25 Ant-1 SCS-15	248
Test at BW [MHz]: 5	248
Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK	248
Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK	250
Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM	251
Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM	253
Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM	254
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK	256
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK	257
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM	259
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM	260
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM	262
Test freq: high, UL[MHz]/CH 1912.5/382500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK	263
Test freq: high, UL[MHz]/CH 1912.5/382500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK	265
Test freq: high, UL[MHz]/CH 1912.5/382500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM	266
Test freq: high, UL[MHz]/CH 1912.5/382500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM	268
Test freq: high, UL[MHz]/CH 1912.5/382500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM	269
Test at BW [MHz]: 10	271
Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK	271
Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK	272
Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM	274
Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM	275
Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM	277
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: BPSK	278
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: QPSK	280
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM	281
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM	283
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM	284
Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK	286
Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK	287
Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM	289
Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM	290
Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM	292
Test at BW [MHz]: 15	293
Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK	293
Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK	295
Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM	296
Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM	298

Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM	299
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK	301
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK	302
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM	304
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM	305
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM	307
Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK	308
Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK	310
Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM	311
Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM	313
Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM	314
Test at BW [MHz]: 20	316
Test freq: low, UL[MHz]/CH 1860/372000, CBW [MHz]: 20, RB_100PCT, Mod: BPSK	316
Test freq: low, UL[MHz]/CH 1860/372000, CBW [MHz]: 20, RB_100PCT, Mod: QPSK	317
Test freq: low, UL[MHz]/CH 1860/372000, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM	319
Test freq: low, UL[MHz]/CH 1860/372000, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM	320
Test freq: low, UL[MHz]/CH 1860/372000, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM	322
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 20, RB_100PCT, Mod: BPSK	323
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 20, RB_100PCT, Mod: QPSK	325
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM	326
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM	328
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM	329
Test freq: high, UL[MHz]/CH 1905/381000, CBW [MHz]: 20, RB_100PCT, Mod: BPSK	331
Test freq: high, UL[MHz]/CH 1905/381000, CBW [MHz]: 20, RB_100PCT, Mod: QPSK	332
Test freq: high, UL[MHz]/CH 1905/381000, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM	334
Test freq: high, UL[MHz]/CH 1905/381000, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM	335
Test freq: high, UL[MHz]/CH 1905/381000, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM	337
Test at BW [MHz]: 30	338
Test freq: low, UL[MHz]/CH 1865/373000, CBW [MHz]: 30, RB_100PCT, Mod: BPSK	338
Test freq: low, UL[MHz]/CH 1865/373000, CBW [MHz]: 30, RB_100PCT, Mod: QPSK	340
Test freq: low, UL[MHz]/CH 1865/373000, CBW [MHz]: 30, RB_100PCT, Mod: 16QAM	341
Test freq: low, UL[MHz]/CH 1865/373000, CBW [MHz]: 30, RB_100PCT, Mod: 64QAM	343
Test freq: low, UL[MHz]/CH 1865/373000, CBW [MHz]: 30, RB_100PCT, Mod: 256QAM	344
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 30, RB_100PCT, Mod: BPSK	346
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 30, RB_100PCT, Mod: QPSK	347
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 30, RB_100PCT, Mod: 16QAM	349
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 30, RB_100PCT, Mod: 64QAM	350
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 30, RB_100PCT, Mod: 256QAM	352
Test freq: high, UL[MHz]/CH 1900/380000, CBW [MHz]: 30, RB_100PCT, Mod: BPSK	353
Test freq: high, UL[MHz]/CH 1900/380000, CBW [MHz]: 30, RB_100PCT, Mod: QPSK	355
Test freq: high, UL[MHz]/CH 1900/380000, CBW [MHz]: 30, RB_100PCT, Mod: 16QAM	356
Test freq: high, UL[MHz]/CH 1900/380000, CBW [MHz]: 30, RB_100PCT, Mod: 64QAM	358
Test freq: high, UL[MHz]/CH 1900/380000, CBW [MHz]: 30, RB_100PCT, Mod: 256QAM	359
Test at BW [MHz]: 40	361

Test freq: low, UL[MHz]/CH 1870/374000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK	361
Test freq: low, UL[MHz]/CH 1870/374000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK	362
Test freq: low, UL[MHz]/CH 1870/374000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM	364
Test freq: low, UL[MHz]/CH 1870/374000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM	365
Test freq: low, UL[MHz]/CH 1870/374000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM	367
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 40, RB_100PCT, Mod: BPSK	368
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 40, RB_100PCT, Mod: QPSK	370
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM	371
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM	373
Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM	374
Test freq: high, UL[MHz]/CH 1895/379000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK	376
Test freq: high, UL[MHz]/CH 1895/379000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK	377
Test freq: high, UL[MHz]/CH 1895/379000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM	379
Test freq: high, UL[MHz]/CH 1895/379000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM	380
Test freq: high, UL[MHz]/CH 1895/379000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM	382

EUT Information

EUT DEFINITION

Manufacturer	Sagemcom Broadband SAS
Type	F5688W
Serial Number	IMEI: 359509840061128
Setup Number	1.0
Version SW	SG520TMDAR02A02M4G_01.001.01.001_V01
Version FW	SG520TMDAR02A02M4G_01.001.01.001_V01
Version HW	1.2
Comment 1	
Comment 2	
Temperature [°C] Min	-30
Temperature [°C] Nom	20
Temperature [°C] Max	55
Voltage [V] Min	102
Voltage [V] Nom	120
Voltage [V] Max	138

FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

Test References

TC Start	04.10.2022 19:32:01
Ambit Temp [°C] Humidity [rel%]	27.4 36
System Version	3.3.1.3
Test Specification	FCC, ISED -
Test Method	
TC Version	0.0.1
My Description	FCC/ISED MobileRadio Block edge conducted - NR Band_25
Add. Information	

Test Parameter

Technology to test	NR
Band	Band_25
SCS [kHz]	15
Waveform	DFTOFDM
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True
Frequency mid to test	True
Frequency high to test	True
Auto Control enabled Power Supply Climatic Box	No No
Additional Path Loss [dB]	0
Switched Path	None

Test Equipment

Signal analyzer,Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.70

Test at BW [MHz]: 5


Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.28 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-23.86	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-32.64	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-33.69	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-36.53	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-37.19	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.69 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.050000 0.200000

READ SA SETTINGS:

Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	---	-13	-22	dBm	PASS
Frequency [MHz] 1851.5	---	-13	-31.12	dBm	PASS
Frequency [MHz] 1852.5	---	-13	-32.26	dBm	PASS
Frequency [MHz] 1853.5	---	-13	-33.33	dBm	PASS
Frequency [MHz] 1854.5	---	-13	-34.48	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.09 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1850.5	--	-13	-22.87	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-31.79	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-33.38	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-34.98	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-36.26	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.20 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-24.9	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-32.99	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-34.53	dBm	PASS

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1853.5	--	-13	-35.85	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-37.66	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.00 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-24.14	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-37.73	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-39.56	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-41.62	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-43.44	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.18 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-42.94	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-42.95	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-42.96	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-42.95	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-42.95	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.18 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-42.84	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-42.85	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-42.84	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-42.83	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-42.83	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.89 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-42.94	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-42.95	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-42.94	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-42.96	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-42.95	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.89 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-42.84	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-42.84	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-42.84	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-42.82	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-42.83	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.14 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-42.93	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-42.94	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-42.94	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-42.95	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-42.95	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.14 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-42.86	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-42.85	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-42.85	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-42.83	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-42.83	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.28 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-42.96	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-42.96	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-42.96	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-42.96	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-42.95	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.28 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-42.85	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-42.84	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-42.84	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-42.84	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-42.84	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.91 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-47.18	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-47.19	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-47.19	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-47.17	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-47.18	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.91 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-47.06	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-47.04	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-47.04	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-47.04	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-47.04	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1912.5/382500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.10 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-21.86	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-33.1	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-32.16	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-34.99	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-40.59	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1912.5/382500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.98 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-21.92	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-30.76	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-31.92	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-34.61	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-39.65	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1912.5/382500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.04 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-24.04	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-32.02	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-33.16	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-36.23	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-40.71	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1912.5/382500, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.06 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-23.97	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-33.39	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-34.49	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-37.27	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-41.25	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1912.5/382500, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.83 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.050000 0.200000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-26.87	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-38.68	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-40.48	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-42.69	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-45.46	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

Test at BW [MHz]: 10


Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.76 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-26.96	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-34.32	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-35.86	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-35.27	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-35.6	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.30 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.100000 0.500000

READ SA SETTINGS:

Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	---	-13	-24.04	dBm	PASS
Frequency [MHz] 1851.5	---	-13	-30.63	dBm	PASS
Frequency [MHz] 1852.5	---	-13	-33.68	dBm	PASS
Frequency [MHz] 1853.5	---	-13	-34.66	dBm	PASS
Frequency [MHz] 1854.5	---	-13	-35.02	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.97 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1850.5	--	-13	-27.12	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-32.1	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-34.52	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-35.83	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-36.87	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.38 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-28.87	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-33.71	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-35.28	dBm	PASS

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1853.5	--	-13	-36.45	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-37.65	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.67 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-32.95	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-39.07	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-40.07	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-41.02	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-42.02	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.75 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-42.93	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-42.92	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-42.94	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-42.95	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-42.94	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.75 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-42.82	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-42.82	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-42.83	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-42.83	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-42.83	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.24 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-42.92	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-42.92	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-42.92	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-42.93	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-42.93	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.24 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-42.82	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-42.82	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-42.83	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-42.83	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-42.84	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.78 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-47.12	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-47.13	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-47.14	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-47.15	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-47.16	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.78 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-47	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-47.01	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-47.02	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-47.03	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-47.03	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.41 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-47.13	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-47.14	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-47.15	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-47.16	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-47.18	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.41 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-47.01	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-47.01	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-47.03	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-47.03	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-47.04	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.61 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-47.17	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-47.17	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-47.18	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-47.18	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-47.18	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.61 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-47.04	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-47.04	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-47.04	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-47.05	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-47.04	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.43 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-33.16	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-35.85	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-37.06	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-35.99	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-37.35	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.52 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-29.14	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-33.11	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-35.69	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-35.92	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-37.4	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.63 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-31.04	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-34.22	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-36.85	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-37.37	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-39.13	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.72 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-34.06	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-35.83	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-37.6	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-38.1	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-40.05	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.42 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-39.57	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-40.33	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-41.04	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-41.69	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-43.24	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

Test at BW [MHz]: 15


Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.49 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-29.28	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-35.38	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-37	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-37.85	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-37.44	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.52 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.200000 1.000000

READ SA SETTINGS:

Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-27.72	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-31.27	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-33.41	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-34.29	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-35.72	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.46 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1850.5	--	-13	-29.58	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-34.24	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-35.51	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-36.49	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-37.56	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.70 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-31.41	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-35.46	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-36.99	dBm	PASS

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 1853.5	--	-13	-37.27	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-38.05	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.78 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-33.14	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-40.59	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-41.09	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-41.86	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-42.42	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.66 0 40
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-42.77	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-42.87	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-42.88	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-42.88	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-42.89	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.66 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-42.75	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-42.78	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-42.79	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-42.81	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-42.82	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.59 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-46.07	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-46.57	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-46.68	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-46.69	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-46.73	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.59 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-46.55	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-46.67	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-46.76	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-46.85	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-46.94	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.52 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-46.36	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-46.58	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-46.72	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-46.79	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-46.83	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.52 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-46.54	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-46.66	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-46.81	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-46.89	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-46.96	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.63 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-46.45	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-46.63	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-46.75	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-46.81	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-46.9	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.63 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-46.58	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-46.69	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-46.82	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-46.9	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-46.98	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.72 0 35
Start [MHz] Stop [MHz]	1845.000 1850.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1850.5	--	-13	-46.91	dBm	PASS
Frequency [MHz] 1851.5	--	-13	-46.98	dBm	PASS
Frequency [MHz] 1852.5	--	-13	-47.02	dBm	PASS
Frequency [MHz] 1853.5	--	-13	-47.06	dBm	PASS
Frequency [MHz] 1854.5	--	-13	-47.09	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.72 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-46.89	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-46.92	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-46.97	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-47	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-47.02	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.80 0 40
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-36.6	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-38.05	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-38.76	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-38.86	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-39.28	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.85 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-33.51	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-35.01	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-36.6	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-37.71	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-39.88	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.37 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-36.29	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-37.24	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-38.05	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-38.84	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-40.32	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.23 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-37.91	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-38.47	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-38.83	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-39.07	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-40.88	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.30 0 35
Start [MHz] Stop [MHz]	1915.000 1920.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1915.5	--	-13	-41.77	dBm	PASS
Frequency [MHz] 1916.5	--	-13	-41.9	dBm	PASS
Frequency [MHz] 1917.5	--	-13	-42.13	dBm	PASS
Frequency [MHz] 1918.5	--	-13	-42.79	dBm	PASS
Frequency [MHz] 1919.5	--	-13	-43.69	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_25 Ant-1 SCS-15