

Test at BW [MHz]: 10


Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.76 0 45
Start [MHz] Stop [MHz]	1842.500 1867.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.875	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.76 0 45
Start [MHz] Stop [MHz]	1842.500 1867.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.966	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.29 0 40
Start [MHz] Stop [MHz]	1842.500 1867.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	9.875	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.29 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1842.500 1867.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.041	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.65 0 40
Start [MHz] Stop [MHz]	1842.500 1867.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.9	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.65 0 40
Start [MHz] Stop [MHz]	1842.500 1867.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.37 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1842.500 1867.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.8	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.37 0 40
Start [MHz] Stop [MHz]	1842.500 1867.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 1855/371000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.65 0 40
Start [MHz] Stop [MHz]	1842.500 1867.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	9.775	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.65 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1842.500 1867.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.68 0 45
Start [MHz] Stop [MHz]	1870.000 1895.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.85	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.68 0 45
Start [MHz] Stop [MHz]	1870.000 1895.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.966	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.25 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1870.000 1895.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.975	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.25 0 40
Start [MHz] Stop [MHz]	1870.000 1895.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.041	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.75 0 40
Start [MHz] Stop [MHz]	1870.000 1895.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	9.9	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.75 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1870.000 1895.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.41 0 40
Start [MHz] Stop [MHz]	1870.000 1895.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.8	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.41 0 40
Start [MHz] Stop [MHz]	1870.000 1895.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.58 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1870.000 1895.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.9	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.58 0 40
Start [MHz] Stop [MHz]	1870.000 1895.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.67 0 45
Start [MHz] Stop [MHz]	1897.500 1922.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	9.875	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.67 0 45
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1897.500 1922.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.47 0 40
Start [MHz] Stop [MHz]	1897.500 1922.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.825	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.47 0 40
Start [MHz] Stop [MHz]	1897.500 1922.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.60 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1897.500 1922.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.8	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.60 0 40
Start [MHz] Stop [MHz]	1897.500 1922.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.69 0 40
Start [MHz] Stop [MHz]	1897.500 1922.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	9.925	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.69 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1897.500 1922.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.041	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 1910/382000, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.42 0 40
Start [MHz] Stop [MHz]	1897.500 1922.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.975	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.42 0 40
Start [MHz] Stop [MHz]	1897.500 1922.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test at BW [MHz]: 15


Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.46 0 45
Start [MHz] Stop [MHz]	1838.750 1876.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	14.588	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.46 0 45
Start [MHz] Stop [MHz]	1838.750 1876.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	--	--	13.487	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.33 0 40
Start [MHz] Stop [MHz]	1838.750 1876.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	14.663	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.33 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1838.750 1876.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.50 0 40
Start [MHz] Stop [MHz]	1838.750 1876.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.55	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.50 0 40
Start [MHz] Stop [MHz]	1838.750 1876.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.524	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.67 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1838.750 1876.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.513	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.67 0 40
Start [MHz] Stop [MHz]	1838.750 1876.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 1857.5/371500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.73 0 40
Start [MHz] Stop [MHz]	1838.750 1876.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	14.625	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.73 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1838.750 1876.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.65 0 45
Start [MHz] Stop [MHz]	1863.750 1901.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.55	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.65 0 45
Start [MHz] Stop [MHz]	1863.750 1901.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.55 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1863.750 1901.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.55	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.55 0 40
Start [MHz] Stop [MHz]	1863.750 1901.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.53 0 40
Start [MHz] Stop [MHz]	1863.750 1901.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	14.587	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.53 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1863.750 1901.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.524	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.60 0 40
Start [MHz] Stop [MHz]	1863.750 1901.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.513	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.60 0 40
Start [MHz] Stop [MHz]	1863.750 1901.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.69 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1863.750 1901.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.588	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.69 0 40
Start [MHz] Stop [MHz]	1863.750 1901.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.84 0 45
Start [MHz] Stop [MHz]	1888.750 1926.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	14.513	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.84 0 45
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1888.750 1926.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.84 0 40
Start [MHz] Stop [MHz]	1888.750 1926.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.513	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.84 0 40
Start [MHz] Stop [MHz]	1888.750 1926.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.35 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1888.750 1926.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.588	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.35 0 40
Start [MHz] Stop [MHz]	1888.750 1926.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.22 0 40
Start [MHz] Stop [MHz]	1888.750 1926.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	14.475	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.22 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1888.750 1926.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 1907.5/381500, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.27 0 40
Start [MHz] Stop [MHz]	1888.750 1926.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.513	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.27 0 40
Start [MHz] Stop [MHz]	1888.750 1926.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB