

Test at BW [MHz]: 40


Test freq: low, UL[MHz]/CH 1870/374000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.47 0 40
Start [MHz] Stop [MHz]	1820.000 1920.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	41.1	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.47 0 40
Start [MHz] Stop [MHz]	1820.000 1920.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	--	--	38.761	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 1870/374000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.89 0 35
Start [MHz] Stop [MHz]	1820.000 1920.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	41.2	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.89 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1820.000 1920.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.861	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 1870/374000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.90 0 35
Start [MHz] Stop [MHz]	1820.000 1920.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.90 0 35
Start [MHz] Stop [MHz]	1820.000 1920.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.861	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test freq: low, UL[MHz]/CH 1870/374000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.90 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1820.000 1920.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.90 0 35
Start [MHz] Stop [MHz]	1820.000 1920.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.661	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 1870/374000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.76 0 35
Start [MHz] Stop [MHz]	1820.000 1920.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	41.2	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.76 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1820.000 1920.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.861	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 40, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.60 0 40
Start [MHz] Stop [MHz]	1832.500 1932.500
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.1	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.60 0 40
Start [MHz] Stop [MHz]	1832.500 1932.500
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.761	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 40, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.91 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1832.500 1932.500
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.91 0 35
Start [MHz] Stop [MHz]	1832.500 1932.500
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.761	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.89 0 35
Start [MHz] Stop [MHz]	1832.500 1932.500
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	41.2	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.89 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1832.500 1932.500
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.861	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.82 0 35
Start [MHz] Stop [MHz]	1832.500 1932.500
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.82 0 35
Start [MHz] Stop [MHz]	1832.500 1932.500
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.661	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 1882.5/376500, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.81 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1832.500 1932.500
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.81 0 35
Start [MHz] Stop [MHz]	1832.500 1932.500
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.861	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 1895/379000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.20 0 40
Start [MHz] Stop [MHz]	1845.000 1945.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	41	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.20 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1845.000 1945.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.661	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 1895/379000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.33 0 40
Start [MHz] Stop [MHz]	1845.000 1945.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.33 0 40
Start [MHz] Stop [MHz]	1845.000 1945.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.861	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

Test freq: high, UL[MHz]/CH 1895/379000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.26 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1845.000 1945.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.3	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.26 0 35
Start [MHz] Stop [MHz]	1845.000 1945.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.861	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 1895/379000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.56 0 35
Start [MHz] Stop [MHz]	1845.000 1945.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	41.2	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.56 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	1845.000 1945.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.661	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 1895/379000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.26 0 35
Start [MHz] Stop [MHz]	1845.000 1945.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	41.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.26 0 35
Start [MHz] Stop [MHz]	1845.000 1945.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	38.861	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_25 Ant-1 SCS-15 26dB

FCC, ISED # TX Emissions conducted ~ NR Band_25 Ant-1 SCS-15

Test References

TC Start	29.11.2022 17:17:37
Ambit Temp [°C] Humidity [rel%]	24.3 37
System Version	3.3.2.1
Test Specification	FCC, ISED -
Test Method	
TC Version	0.0.1
My Description	FCC/ISED MobileRadio TX Emissions conducted - NR Band_25
Add. Information	

Test Parameter

Technology to test	NR
Band	Band_25
SCS [kHz]	15
Waveform	DFTOFDM
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True
Frequency mid to test	True
Frequency high to test	True
Auto Control enabled Power Supply Climatic Box	No No
Additional Path Loss [dB]	0
Switched Path	None

Test Equipment


Signal analyzer,Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.70

Test at BW [MHz]: 5


Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-43.10 0 0
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE



TX emissions



TX emissions band zoomed


RESULT Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: BPSK


Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS

Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-42.06 0 0
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE





TX emissions band zoomed


RESULT Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS


Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-42.06 0 0
Start [MHz] Stop [MHz]	1.000 401.000
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	1600 1 1001 SWE



TX emissions



TX emissions band zoomed

RESULT Test freq: low, UL[MHz]/CH 1852.5/370500, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Peaks higher limit	--	0	0	no	PASS