


FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.88 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-37.91	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-37.6	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-37.02	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-36.8	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-38.15	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.73 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-35.76	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-36.4	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-35.88	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-35.23	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-34.77	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.73 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-38.83	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-39.34	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-39.53	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-38.48	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-38.11	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.07 0 35
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-36.93	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-37.27	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-37.24	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-36.68	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-36.92	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.07 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-38.61	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-39.09	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-38.93	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-38.83	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-38.58	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.87 0 30
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-38.05	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-38.68	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-38.36	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-38.18	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-38.45	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.87 0 30
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-39.52	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-39.87	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-39.87	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-39.85	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-39.77	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 1745/349000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.22 0 30
Start [MHz] Stop [MHz]	1705.000 1710.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1710.5	--	-13	-41.78	dBm	PASS
Frequency [MHz] 1711.5	--	-13	-42.17	dBm	PASS
Frequency [MHz] 1712.5	--	-13	-42.14	dBm	PASS
Frequency [MHz] 1713.5	--	-13	-42.76	dBm	PASS
Frequency [MHz] 1714.5	--	-13	-43.03	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	13.22 0 30
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-41.87	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-41.98	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-42.34	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-43.01	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-43.11	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.87 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-28.39	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-35.83	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-37.13	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-37.36	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-38.91	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.02 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-28.73	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-35.62	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-36.41	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-35.62	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-36.66	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.03 0 35
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-30.09	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-35.79	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-36.45	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-35.9	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-36.37	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.70 0 30
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-30.01	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-36.28	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-36.57	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-36.53	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-36.88	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 1760/352000, CBW [MHz]: 40, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	12.54 0 30
Start [MHz] Stop [MHz]	1780.000 1785.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 1780.5	--	-13	-33.23	dBm	PASS
Frequency [MHz] 1781.5	--	-13	-38.77	dBm	PASS
Frequency [MHz] 1782.5	--	-13	-39.03	dBm	PASS
Frequency [MHz] 1783.5	--	-13	-39.65	dBm	PASS
Frequency [MHz] 1784.5	--	-13	-40.18	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_66 Ant-1 SCS-15

- END OF DOCUMENT -