

FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 693/138600, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.82 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-28.96	dBm	PASS
Frequency [MHz] 699.5	--	-13	-31.36	dBm	PASS
Frequency [MHz] 700.5	--	-13	-32.52	dBm	PASS
Frequency [MHz] 701.5	--	-13	-33.84	dBm	PASS
Frequency [MHz] 702.5	--	-13	-34.59	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 693/138600, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.77 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-30.52	dBm	PASS
Frequency [MHz] 699.5	--	-13	-31.89	dBm	PASS
Frequency [MHz] 700.5	--	-13	-33.08	dBm	PASS
Frequency [MHz] 701.5	--	-13	-33.64	dBm	PASS
Frequency [MHz] 702.5	--	-13	-34.84	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 693/138600, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.70 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-31.75	dBm	PASS
Frequency [MHz] 699.5	--	-13	-32.72	dBm	PASS
Frequency [MHz] 700.5	--	-13	-33.04	dBm	PASS
Frequency [MHz] 701.5	--	-13	-33.71	dBm	PASS
Frequency [MHz] 702.5	--	-13	-35.41	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

Test at BW [MHz]: 15


Test freq: low, UL[MHz]/CH 670.5/134100, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	-31.80 0 0
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-19.7	dBm	PASS
Frequency [MHz] 664.5	--	-13	-84.3	dBm	PASS
Frequency [MHz] 665.5	--	-13	-84.31	dBm	PASS
Frequency [MHz] 666.5	--	-13	-84.31	dBm	PASS
Frequency [MHz] 667.5	--	-13	-84.3	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 670.5/134100, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.16 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000

READ SA SETTINGS:

Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-31.37	dBm	PASS
Frequency [MHz] 664.5	--	-13	-34.38	dBm	PASS
Frequency [MHz] 665.5	--	-13	-34.7	dBm	PASS
Frequency [MHz] 666.5	--	-13	-36.09	dBm	PASS
Frequency [MHz] 667.5	--	-13	-39.79	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 670.5/134100, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.64 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 663.5	--	-13	-30.59	dBm	PASS
Frequency [MHz] 664.5	--	-13	-33.8	dBm	PASS
Frequency [MHz] 665.5	--	-13	-34.21	dBm	PASS
Frequency [MHz] 666.5	--	-13	-36.1	dBm	PASS
Frequency [MHz] 667.5	--	-13	-39.41	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 670.5/134100, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.88 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-33.05	dBm	PASS
Frequency [MHz] 664.5	--	-13	-34.68	dBm	PASS
Frequency [MHz] 665.5	--	-13	-34.53	dBm	PASS

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 666.5	--	-13	-36.33	dBm	PASS
Frequency [MHz] 667.5	--	-13	-39.33	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: low, UL[MHz]/CH 670.5/134100, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.38 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-33.02	dBm	PASS
Frequency [MHz] 664.5	--	-13	-35.16	dBm	PASS
Frequency [MHz] 665.5	--	-13	-35.21	dBm	PASS
Frequency [MHz] 666.5	--	-13	-37.23	dBm	PASS
Frequency [MHz] 667.5	--	-13	-39.94	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.82 0 40
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-38.81	dBm	PASS
Frequency [MHz] 664.5	--	-13	-39.86	dBm	PASS
Frequency [MHz] 665.5	--	-13	-41.1	dBm	PASS
Frequency [MHz] 666.5	--	-13	-42.22	dBm	PASS
Frequency [MHz] 667.5	--	-13	-43.51	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.82 0 40
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-39.49	dBm	PASS
Frequency [MHz] 699.5	--	-13	-40.25	dBm	PASS
Frequency [MHz] 700.5	--	-13	-40.89	dBm	PASS
Frequency [MHz] 701.5	--	-13	-41.78	dBm	PASS
Frequency [MHz] 702.5	--	-13	-42.5	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.93 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-36.96	dBm	PASS
Frequency [MHz] 664.5	--	-13	-37.15	dBm	PASS
Frequency [MHz] 665.5	--	-13	-37.43	dBm	PASS
Frequency [MHz] 666.5	--	-13	-42.34	dBm	PASS
Frequency [MHz] 667.5	--	-13	-45.67	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.93 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-37.3	dBm	PASS
Frequency [MHz] 699.5	--	-13	-37.25	dBm	PASS
Frequency [MHz] 700.5	--	-13	-39.47	dBm	PASS
Frequency [MHz] 701.5	--	-13	-42.06	dBm	PASS
Frequency [MHz] 702.5	--	-13	-42.83	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.20 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-38.19	dBm	PASS
Frequency [MHz] 664.5	--	-13	-38.48	dBm	PASS
Frequency [MHz] 665.5	--	-13	-39.33	dBm	PASS
Frequency [MHz] 666.5	--	-13	-42.05	dBm	PASS
Frequency [MHz] 667.5	--	-13	-44.91	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.20 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-38.21	dBm	PASS
Frequency [MHz] 699.5	--	-13	-38.82	dBm	PASS
Frequency [MHz] 700.5	--	-13	-39.6	dBm	PASS
Frequency [MHz] 701.5	--	-13	-41.15	dBm	PASS
Frequency [MHz] 702.5	--	-13	-42.11	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.16 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-38.01	dBm	PASS
Frequency [MHz] 664.5	--	-13	-38.47	dBm	PASS
Frequency [MHz] 665.5	--	-13	-39.32	dBm	PASS
Frequency [MHz] 666.5	--	-13	-42.18	dBm	PASS
Frequency [MHz] 667.5	--	-13	-44.94	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.16 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-38.23	dBm	PASS
Frequency [MHz] 699.5	--	-13	-38.52	dBm	PASS
Frequency [MHz] 700.5	--	-13	-39.85	dBm	PASS
Frequency [MHz] 701.5	--	-13	-41.07	dBm	PASS
Frequency [MHz] 702.5	--	-13	-41.82	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.60 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-39.17	dBm	PASS
Frequency [MHz] 664.5	--	-13	-39.98	dBm	PASS
Frequency [MHz] 665.5	--	-13	-41.03	dBm	PASS
Frequency [MHz] 666.5	--	-13	-44.06	dBm	PASS
Frequency [MHz] 667.5	--	-13	-46.49	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.60 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-39.53	dBm	PASS
Frequency [MHz] 699.5	--	-13	-40.5	dBm	PASS
Frequency [MHz] 700.5	--	-13	-41.99	dBm	PASS
Frequency [MHz] 701.5	--	-13	-43.39	dBm	PASS
Frequency [MHz] 702.5	--	-13	-44.16	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 690.5/138100, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.83 0 40
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-34.78	dBm	PASS
Frequency [MHz] 699.5	--	-13	-36.7	dBm	PASS
Frequency [MHz] 700.5	--	-13	-38.04	dBm	PASS
Frequency [MHz] 701.5	--	-13	-39.26	dBm	PASS
Frequency [MHz] 702.5	--	-13	-40.11	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 690.5/138100, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.15 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-30.57	dBm	PASS
Frequency [MHz] 699.5	--	-13	-32.32	dBm	PASS
Frequency [MHz] 700.5	--	-13	-34.36	dBm	PASS
Frequency [MHz] 701.5	--	-13	-36.26	dBm	PASS
Frequency [MHz] 702.5	--	-13	-37.85	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 690.5/138100, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.94 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-32.48	dBm	PASS
Frequency [MHz] 699.5	--	-13	-33.44	dBm	PASS
Frequency [MHz] 700.5	--	-13	-34.33	dBm	PASS
Frequency [MHz] 701.5	--	-13	-35.75	dBm	PASS
Frequency [MHz] 702.5	--	-13	-36.85	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 690.5/138100, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.78 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-33.57	dBm	PASS
Frequency [MHz] 699.5	--	-13	-34.03	dBm	PASS
Frequency [MHz] 700.5	--	-13	-34.71	dBm	PASS
Frequency [MHz] 701.5	--	-13	-36.14	dBm	PASS
Frequency [MHz] 702.5	--	-13	-36.82	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 690.5/138100, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.57 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-34.08	dBm	PASS
Frequency [MHz] 699.5	--	-13	-34.55	dBm	PASS
Frequency [MHz] 700.5	--	-13	-35.06	dBm	PASS
Frequency [MHz] 701.5	--	-13	-36.04	dBm	PASS
Frequency [MHz] 702.5	--	-13	-36.92	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

Test at BW [MHz]: 20


Test freq: low, UL[MHz]/CH 673/134600, CBW [MHz]: 20, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.37 0 40
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-34.19	dBm	PASS
Frequency [MHz] 664.5	--	-13	-37.27	dBm	PASS
Frequency [MHz] 665.5	--	-13	-38.41	dBm	PASS
Frequency [MHz] 666.5	--	-13	-40.12	dBm	PASS
Frequency [MHz] 667.5	--	-13	-41.24	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 673/134600, CBW [MHz]: 20, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.10 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000

READ SA SETTINGS:

Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-32.7	dBm	PASS
Frequency [MHz] 664.5	--	-13	-34.67	dBm	PASS
Frequency [MHz] 665.5	--	-13	-35.36	dBm	PASS
Frequency [MHz] 666.5	--	-13	-37.32	dBm	PASS
Frequency [MHz] 667.5	--	-13	-40.07	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 673/134600, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.61 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 663.5	--	-13	-33.01	dBm	PASS
Frequency [MHz] 664.5	--	-13	-34.87	dBm	PASS
Frequency [MHz] 665.5	--	-13	-35.11	dBm	PASS
Frequency [MHz] 666.5	--	-13	-37.16	dBm	PASS
Frequency [MHz] 667.5	--	-13	-39.6	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

Test freq: low, UL[MHz]/CH 673/134600, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.17 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-34.06	dBm	PASS
Frequency [MHz] 664.5	--	-13	-35.66	dBm	PASS
Frequency [MHz] 665.5	--	-13	-35.84	dBm	PASS

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Frequency [MHz] 666.5	--	-13	-37.44	dBm	PASS
Frequency [MHz] 667.5	--	-13	-40.35	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: low, UL[MHz]/CH 673/134600, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.14 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-35.37	dBm	PASS
Frequency [MHz] 664.5	--	-13	-35.79	dBm	PASS
Frequency [MHz] 665.5	--	-13	-36.33	dBm	PASS
Frequency [MHz] 666.5	--	-13	-38.39	dBm	PASS
Frequency [MHz] 667.5	--	-13	-41.03	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 20, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.73 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-38.41	dBm	PASS
Frequency [MHz] 664.5	--	-13	-38.88	dBm	PASS
Frequency [MHz] 665.5	--	-13	-39.4	dBm	PASS
Frequency [MHz] 666.5	--	-13	-41.49	dBm	PASS
Frequency [MHz] 667.5	--	-13	-44.53	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.73 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-41.32	dBm	PASS
Frequency [MHz] 699.5	--	-13	-41.1	dBm	PASS
Frequency [MHz] 700.5	--	-13	-41.6	dBm	PASS
Frequency [MHz] 701.5	--	-13	-41.54	dBm	PASS
Frequency [MHz] 702.5	--	-13	-41.16	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 20, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.23 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-39.76	dBm	PASS
Frequency [MHz] 664.5	--	-13	-40.11	dBm	PASS
Frequency [MHz] 665.5	--	-13	-39.76	dBm	PASS
Frequency [MHz] 666.5	--	-13	-40.78	dBm	PASS
Frequency [MHz] 667.5	--	-13	-42.96	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.23 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-38.92	dBm	PASS
Frequency [MHz] 699.5	--	-13	-38.42	dBm	PASS
Frequency [MHz] 700.5	--	-13	-38.34	dBm	PASS
Frequency [MHz] 701.5	--	-13	-38.73	dBm	PASS
Frequency [MHz] 702.5	--	-13	-38.64	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.20 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-38.17	dBm	PASS
Frequency [MHz] 664.5	--	-13	-38.49	dBm	PASS
Frequency [MHz] 665.5	--	-13	-38.41	dBm	PASS
Frequency [MHz] 666.5	--	-13	-40.27	dBm	PASS
Frequency [MHz] 667.5	--	-13	-42.98	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.20 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-37.67	dBm	PASS
Frequency [MHz] 699.5	--	-13	-37.65	dBm	PASS
Frequency [MHz] 700.5	--	-13	-38.1	dBm	PASS
Frequency [MHz] 701.5	--	-13	-38.96	dBm	PASS
Frequency [MHz] 702.5	--	-13	-39.21	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.11 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-38.62	dBm	PASS
Frequency [MHz] 664.5	--	-13	-38.51	dBm	PASS
Frequency [MHz] 665.5	--	-13	-38.63	dBm	PASS
Frequency [MHz] 666.5	--	-13	-40.4	dBm	PASS
Frequency [MHz] 667.5	--	-13	-43.1	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.11 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-37.9	dBm	PASS
Frequency [MHz] 699.5	--	-13	-38.19	dBm	PASS
Frequency [MHz] 700.5	--	-13	-37.93	dBm	PASS
Frequency [MHz] 701.5	--	-13	-39.07	dBm	PASS
Frequency [MHz] 702.5	--	-13	-39.23	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.32 0 35
Start [MHz] Stop [MHz]	658.000 663.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT lower band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 663.5	--	-13	-38.95	dBm	PASS
Frequency [MHz] 664.5	--	-13	-38.83	dBm	PASS
Frequency [MHz] 665.5	--	-13	-39.04	dBm	PASS
Frequency [MHz] 666.5	--	-13	-40.77	dBm	PASS
Frequency [MHz] 667.5	--	-13	-43.74	dBm	PASS




FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.32 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-38.65	dBm	PASS
Frequency [MHz] 699.5	--	-13	-38.57	dBm	PASS
Frequency [MHz] 700.5	--	-13	-38.42	dBm	PASS
Frequency [MHz] 701.5	--	-13	-39.7	dBm	PASS
Frequency [MHz] 702.5	--	-13	-39.87	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 688/137600, CBW [MHz]: 20, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.29 0 40
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-35.71	dBm	PASS
Frequency [MHz] 699.5	--	-13	-36.47	dBm	PASS
Frequency [MHz] 700.5	--	-13	-37.54	dBm	PASS
Frequency [MHz] 701.5	--	-13	-38.45	dBm	PASS
Frequency [MHz] 702.5	--	-13	-40.33	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 688/137600, CBW [MHz]: 20, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.13 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-31.35	dBm	PASS
Frequency [MHz] 699.5	--	-13	-32.5	dBm	PASS
Frequency [MHz] 700.5	--	-13	-33.95	dBm	PASS
Frequency [MHz] 701.5	--	-13	-35.37	dBm	PASS
Frequency [MHz] 702.5	--	-13	-37.66	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 688/137600, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.42 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-32.47	dBm	PASS
Frequency [MHz] 699.5	--	-13	-33.57	dBm	PASS
Frequency [MHz] 700.5	--	-13	-34.82	dBm	PASS
Frequency [MHz] 701.5	--	-13	-35.33	dBm	PASS
Frequency [MHz] 702.5	--	-13	-37.39	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 688/137600, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.70 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-34.89	dBm	PASS
Frequency [MHz] 699.5	--	-13	-35.49	dBm	PASS
Frequency [MHz] 700.5	--	-13	-36.02	dBm	PASS
Frequency [MHz] 701.5	--	-13	-36.54	dBm	PASS
Frequency [MHz] 702.5	--	-13	-38.02	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15


Test freq: high, UL[MHz]/CH 688/137600, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.11 0 35
Start [MHz] Stop [MHz]	698.000 703.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	RMS MAXH
Sweep: Time [ms] Count Points per Section Type	30000 1 1001 SWE

RESULT upper band

Test description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Band power 1MHz					
Frequency [MHz] 698.5	--	-13	-35.93	dBm	PASS
Frequency [MHz] 699.5	--	-13	-35.71	dBm	PASS
Frequency [MHz] 700.5	--	-13	-36.63	dBm	PASS
Frequency [MHz] 701.5	--	-13	-37.42	dBm	PASS
Frequency [MHz] 702.5	--	-13	-37.87	dBm	PASS



FCC, ISED # Block edge conducted ~ NR Band_71 Ant-1 SCS-15

FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15

Test References

TC Start	05.10.2022 15:54:52
Ambit Temp [°C] Humidity [rel%]	27.9 37
System Version	3.3.1.3
Test Specification	FCC, ISED -
Test Method	
TC Version	0.0.1
My Description	FCC/ISED Bandwidths 99PCT and 26dB - NR Band_71
Add. Information	

Test Parameter

Technology to test	NR
Band	Band_71
SCS [kHz]	15
Waveform	DFTOFDM
Antenna Port used	1
Temperature	nom
Voltage	nom
Frequency low to test	True
Frequency mid to test	True
Frequency high to test	True
Auto Control enabled Power Supply Climatic Box	No No
Additional Path Loss [dB]	0
Switched Path	None

Test Equipment

Signal analyzer,Rohde&Schwarz,FSV-40,1307.9002K40/101042,3.70

Test at BW [MHz]: 5


Test freq: low, UL[MHz]/CH 665.5/133100, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	27.11 0 45
Start [MHz] Stop [MHz]	659.250 671.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.163	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	27.11 0 45
Start [MHz] Stop [MHz]	659.250 671.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.52	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 665.5/133100, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	27.07 0 45
Start [MHz] Stop [MHz]	659.250 671.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	5.137	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	27.07 0 45
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	659.250 671.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.508	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 665.5/133100, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.42 0 45
Start [MHz] Stop [MHz]	659.250 671.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.212	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.42 0 45
Start [MHz] Stop [MHz]	659.250 671.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.496	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: low, UL[MHz]/CH 665.5/133100, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	27.24 0 45
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	659.250 671.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.188	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	27.24 0 45
Start [MHz] Stop [MHz]	659.250 671.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.52	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 665.5/133100, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.65 0 40
Start [MHz] Stop [MHz]	659.250 671.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	5.062	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.65 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	659.250 671.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.483	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.62 0 45
Start [MHz] Stop [MHz]	674.250 686.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.113	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.62 0 45
Start [MHz] Stop [MHz]	674.250 686.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.496	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.56 0 45
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	674.250 686.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.225	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.56 0 45
Start [MHz] Stop [MHz]	674.250 686.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.508	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.31 0 45
Start [MHz] Stop [MHz]	674.250 686.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	5.175	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.31 0 45
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	674.250 686.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.496	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.75 0 45
Start [MHz] Stop [MHz]	674.250 686.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.15	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.75 0 45
Start [MHz] Stop [MHz]	674.250 686.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.508	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.14 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	674.250 686.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.225	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.14 0 40
Start [MHz] Stop [MHz]	674.250 686.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.508	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 695.5/139100, CBW [MHz]: 5, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.32 0 45
Start [MHz] Stop [MHz]	689.250 701.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	5.15	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.32 0 45
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	689.250 701.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.483	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 695.5/139100, CBW [MHz]: 5, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.08 0 45
Start [MHz] Stop [MHz]	689.250 701.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.188	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.08 0 45
Start [MHz] Stop [MHz]	689.250 701.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.508	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: high, UL[MHz]/CH 695.5/139100, CBW [MHz]: 5, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.34 0 45
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	689.250 701.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.075	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.34 0 45
Start [MHz] Stop [MHz]	689.250 701.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.496	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 695.5/139100, CBW [MHz]: 5, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.46 0 45
Start [MHz] Stop [MHz]	689.250 701.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	5.075	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.46 0 45
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	689.250 701.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.496	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 695.5/139100, CBW [MHz]: 5, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.06 0 40
Start [MHz] Stop [MHz]	689.250 701.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	5.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.06 0 40
Start [MHz] Stop [MHz]	689.250 701.750
RBW [MHz] VBW [MHz]	0.100000 0.500000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	4.52	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test at BW [MHz]: 10


Test freq: low, UL[MHz]/CH 668/133600, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.18 0 45
Start [MHz] Stop [MHz]	655.500 680.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	9.725	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.18 0 45
Start [MHz] Stop [MHz]	655.500 680.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	--	--	8.941	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 668/133600, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.85 0 40
Start [MHz] Stop [MHz]	655.500 680.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	9.725	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.85 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	655.500 680.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.966	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 668/133600, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.45 0 40
Start [MHz] Stop [MHz]	655.500 680.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.75	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.45 0 40
Start [MHz] Stop [MHz]	655.500 680.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.941	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: low, UL[MHz]/CH 668/133600, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.02 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	655.500 680.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.95	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.02 0 40
Start [MHz] Stop [MHz]	655.500 680.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.966	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 668/133600, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.73 0 40
Start [MHz] Stop [MHz]	655.500 680.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	9.825	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.73 0 40
--	----------------