


READ SA SETTINGS:

Start [MHz] Stop [MHz]	655.500 680.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.916	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.54 0 45
Start [MHz] Stop [MHz]	668.000 693.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.75	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.54 0 45
Start [MHz] Stop [MHz]	668.000 693.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.941	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.96 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	668.000 693.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.775	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.96 0 40
Start [MHz] Stop [MHz]	668.000 693.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.966	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.71 0 40
Start [MHz] Stop [MHz]	668.000 693.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	9.775	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.71 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	668.000 693.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.06 0 40
Start [MHz] Stop [MHz]	668.000 693.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.925	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.06 0 40
Start [MHz] Stop [MHz]	668.000 693.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.43 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	668.000 693.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.9	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.43 0 40
Start [MHz] Stop [MHz]	668.000 693.000
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.966	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 693/138600, CBW [MHz]: 10, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.97 0 40
Start [MHz] Stop [MHz]	680.500 705.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	9.85	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.97 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	680.500 705.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.966	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 693/138600, CBW [MHz]: 10, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.42 0 40
Start [MHz] Stop [MHz]	680.500 705.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.85	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.42 0 40
Start [MHz] Stop [MHz]	680.500 705.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: high, UL[MHz]/CH 693/138600, CBW [MHz]: 10, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.02 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	680.500 705.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.825	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.02 0 40
Start [MHz] Stop [MHz]	680.500 705.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	8.991	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 693/138600, CBW [MHz]: 10, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.64 0 40
Start [MHz] Stop [MHz]	680.500 705.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	9.975	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.64 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	680.500 705.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.041	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 693/138600, CBW [MHz]: 10, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.69 0 40
Start [MHz] Stop [MHz]	680.500 705.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	9.95	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.69 0 40
Start [MHz] Stop [MHz]	680.500 705.500
RBW [MHz] VBW [MHz]	0.200000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	9.016	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test at BW [MHz]: 15


Test freq: low, UL[MHz]/CH 670.5/134100, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.52 0 45
Start [MHz] Stop [MHz]	651.750 689.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	14.363	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	26.52 0 45
Start [MHz] Stop [MHz]	651.750 689.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	--	--	13.374	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 670.5/134100, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.16 0 40
Start [MHz] Stop [MHz]	651.750 689.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	14.475	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.16 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	651.750 689.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.412	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 670.5/134100, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.68 0 40
Start [MHz] Stop [MHz]	651.750 689.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.625	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.68 0 40
Start [MHz] Stop [MHz]	651.750 689.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: low, UL[MHz]/CH 670.5/134100, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.73 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	651.750 689.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.362	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.73 0 40
Start [MHz] Stop [MHz]	651.750 689.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.412	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 670.5/134100, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.31 0 40
Start [MHz] Stop [MHz]	651.750 689.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	14.362	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.31 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	651.750 689.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.412	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.74 0 40
Start [MHz] Stop [MHz]	661.750 699.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.513	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.74 0 40
Start [MHz] Stop [MHz]	661.750 699.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.412	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.98 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	661.750 699.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.663	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.98 0 40
Start [MHz] Stop [MHz]	661.750 699.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.412	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.24 0 40
Start [MHz] Stop [MHz]	661.750 699.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	14.475	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.24 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	661.750 699.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.15 0 40
Start [MHz] Stop [MHz]	661.750 699.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.475	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.15 0 40
Start [MHz] Stop [MHz]	661.750 699.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.56 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	661.750 699.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.55	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.56 0 40
Start [MHz] Stop [MHz]	661.750 699.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 690.5/138100, CBW [MHz]: 15, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.84 0 40
Start [MHz] Stop [MHz]	671.750 709.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	14.587	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.84 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	671.750 709.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 690.5/138100, CBW [MHz]: 15, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.04 0 40
Start [MHz] Stop [MHz]	671.750 709.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.475	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.04 0 40
Start [MHz] Stop [MHz]	671.750 709.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: high, UL[MHz]/CH 690.5/138100, CBW [MHz]: 15, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.93 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	671.750 709.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.55	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.93 0 40
Start [MHz] Stop [MHz]	671.750 709.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 690.5/138100, CBW [MHz]: 15, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.77 0 40
Start [MHz] Stop [MHz]	671.750 709.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	14.438	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.77 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	671.750 709.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.449	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: high, UL[MHz]/CH 690.5/138100, CBW [MHz]: 15, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.39 0 35
Start [MHz] Stop [MHz]	671.750 709.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	14.512	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.39 0 35
Start [MHz] Stop [MHz]	671.750 709.250
RBW [MHz] VBW [MHz]	0.300000 1.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	13.487	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test at BW [MHz]: 20


Test freq: low, UL[MHz]/CH 673/134600, CBW [MHz]: 20, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.16 0 40
Start [MHz] Stop [MHz]	648.000 698.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	25.16 0 40
Start [MHz] Stop [MHz]	648.000 698.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	17.932	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 673/134600, CBW [MHz]: 20, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.21 0 40
Start [MHz] Stop [MHz]	648.000 698.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	19.3	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.21 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	648.000 698.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	17.932	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 673/134600, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.51 0 40
Start [MHz] Stop [MHz]	648.000 698.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.45	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.51 0 40
Start [MHz] Stop [MHz]	648.000 698.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.032	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: low, UL[MHz]/CH 673/134600, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.09 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	648.000 698.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.3	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.09 0 40
Start [MHz] Stop [MHz]	648.000 698.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	17.932	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: low, UL[MHz]/CH 673/134600, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.09 0 35
Start [MHz] Stop [MHz]	648.000 698.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	19.3	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.09 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	648.000 698.000
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	17.932	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 20, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.69 0 40
Start [MHz] Stop [MHz]	655.500 705.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.3	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	24.69 0 40
Start [MHz] Stop [MHz]	655.500 705.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	17.932	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 20, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.15 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	655.500 705.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.25	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	23.15 0 40
Start [MHz] Stop [MHz]	655.500 705.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	17.932	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 20, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.27 0 40
Start [MHz] Stop [MHz]	655.500 705.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	19.45	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.27 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	655.500 705.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	18.032	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB


Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 20, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.12 0 40
Start [MHz] Stop [MHz]	655.500 705.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.3	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	22.12 0 40
Start [MHz] Stop [MHz]	655.500 705.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	17.982	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

Test freq: mid, UL[MHz]/CH 680.5/136100, CBW [MHz]: 20, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.30 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	655.500 705.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	19.25	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_71 Ant-1 SCS-15 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.30 0 35
Start [MHz] Stop [MHz]	655.500 705.500
RBW [MHz] VBW [MHz]	0.500000 2.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	17.932	MHz	INFO