

FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.17 0 40
Start [MHz] Stop [MHz]	3444.990 3594.990
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	60.9	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	21.17 0 40
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3444.990 3594.990
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	57.842	MHz	INFO




Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.65 0 35
Start [MHz] Stop [MHz]	3444.990 3594.990
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	60.75	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.65 0 35
Start [MHz] Stop [MHz]	3444.990 3594.990
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	57.992	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.09 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3444.990 3594.990
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	60.75	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.09 0 35
Start [MHz] Stop [MHz]	3444.990 3594.990
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	57.992	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.32 0 35
Start [MHz] Stop [MHz]	3444.990 3594.990
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	60.9	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.32 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3444.990 3594.990
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	57.992	MHz	INFO




Test freq: high, UL[MHz]/CH 3519.99/634666, CBW [MHz]: 60, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.52 0 35
Start [MHz] Stop [MHz]	3444.990 3594.990
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	61.05	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.52 0 35
Start [MHz] Stop [MHz]	3444.990 3594.990
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	57.842	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test at BW [MHz]: 70


Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.81 0 35
Start [MHz] Stop [MHz]	3397.510 3572.510
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	67.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.81 0 35
Start [MHz] Stop [MHz]	3397.510 3572.510
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	--	--	64.336	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.54 0 35
Start [MHz] Stop [MHz]	3397.510 3572.510
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	67.375	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.54 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3397.510 3572.510
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.336	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.32 0 35
Start [MHz] Stop [MHz]	3397.510 3572.510
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	67.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.32 0 35
Start [MHz] Stop [MHz]	3397.510 3572.510
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.336	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.93 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3397.510 3572.510
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	67.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.93 0 35
Start [MHz] Stop [MHz]	3397.510 3572.510
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.336	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: low, UL[MHz]/CH 3485.01/632334, CBW [MHz]: 70, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.58 0 30
Start [MHz] Stop [MHz]	3397.510 3572.510
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	67.2	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.58 0 30
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3397.510 3572.510
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.161	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.93 0 35
Start [MHz] Stop [MHz]	3412.480 3587.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	67.375	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.93 0 35
Start [MHz] Stop [MHz]	3412.480 3587.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.336	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.87 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3412.480 3587.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	67.375	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.87 0 35
Start [MHz] Stop [MHz]	3412.480 3587.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.336	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.44 0 35
Start [MHz] Stop [MHz]	3412.480 3587.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	67.2	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.44 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3412.480 3587.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.336	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.70 0 35
Start [MHz] Stop [MHz]	3412.480 3587.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	67.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.70 0 35
Start [MHz] Stop [MHz]	3412.480 3587.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.51	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 70, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.62 0 30
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3412.480 3587.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	67.025	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.62 0 30
Start [MHz] Stop [MHz]	3412.480 3587.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.161	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.08 0 35
Start [MHz] Stop [MHz]	3427.480 3602.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	67.2	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	20.08 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3427.480 3602.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.51	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.65 0 35
Start [MHz] Stop [MHz]	3427.480 3602.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	67.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.65 0 35
Start [MHz] Stop [MHz]	3427.480 3602.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.51	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.30 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3427.480 3602.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	67.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.30 0 35
Start [MHz] Stop [MHz]	3427.480 3602.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.336	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.39 0 35
Start [MHz] Stop [MHz]	3427.480 3602.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	67.2	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.39 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3427.480 3602.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.51	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3514.98/634332, CBW [MHz]: 70, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.58 0 30
Start [MHz] Stop [MHz]	3427.480 3602.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	67.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.58 0 30
Start [MHz] Stop [MHz]	3427.480 3602.480
RBW [MHz] VBW [MHz]	1.000000 3.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	64.161	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test at BW [MHz]: 80


Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.21 0 35
Start [MHz] Stop [MHz]	3390.020 3590.020
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	82	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.21 0 35
Start [MHz] Stop [MHz]	3390.020 3590.020
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	--	--	77.323	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.40 0 35
Start [MHz] Stop [MHz]	3390.020 3590.020
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	82.2	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.40 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3390.020 3590.020
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.522	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.69 0 35
Start [MHz] Stop [MHz]	3390.020 3590.020
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	82.4	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.69 0 35
Start [MHz] Stop [MHz]	3390.020 3590.020
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.323	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.10 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3390.020 3590.020
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	82.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.10 0 35
Start [MHz] Stop [MHz]	3390.020 3590.020
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.522	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: low, UL[MHz]/CH 3490.02/632668, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.71 0 30
Start [MHz] Stop [MHz]	3390.020 3590.020
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	82	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.71 0 30
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3390.020 3590.020
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.522	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.15 0 35
Start [MHz] Stop [MHz]	3399.980 3599.980
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	82	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.15 0 35
Start [MHz] Stop [MHz]	3399.980 3599.980
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.323	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.86 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3399.980 3599.980
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	82.4	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.86 0 35
Start [MHz] Stop [MHz]	3399.980 3599.980
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.522	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.92 0 35
Start [MHz] Stop [MHz]	3399.980 3599.980
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	82.2	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.92 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3399.980 3599.980
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.323	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.69 0 35
Start [MHz] Stop [MHz]	3399.980 3599.980
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	82.4	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.69 0 35
Start [MHz] Stop [MHz]	3399.980 3599.980
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.522	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.92 0 30
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3399.980 3599.980
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	82.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.92 0 30
Start [MHz] Stop [MHz]	3399.980 3599.980
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.522	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.34 0 35
Start [MHz] Stop [MHz]	3410.000 3610.000
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	82	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.34 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3410.000 3610.000
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.323	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.93 0 35
Start [MHz] Stop [MHz]	3410.000 3610.000
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	82.4	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.93 0 35
Start [MHz] Stop [MHz]	3410.000 3610.000
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.522	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.16 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3410.000 3610.000
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	82.2	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.16 0 35
Start [MHz] Stop [MHz]	3410.000 3610.000
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.522	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.71 0 35
Start [MHz] Stop [MHz]	3410.000 3610.000
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	82.4	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.71 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3410.000 3610.000
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.522	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3510/634000, CBW [MHz]: 80, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.79 0 30
Start [MHz] Stop [MHz]	3410.000 3610.000
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	82	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.79 0 30
Start [MHz] Stop [MHz]	3410.000 3610.000
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	77.522	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test at BW [MHz]: 90


Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.97 0 35
Start [MHz] Stop [MHz]	3382.500 3607.500
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	91.8	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	18.97 0 35
Start [MHz] Stop [MHz]	3382.500 3607.500
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	--	--	86.988	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.77 0 35
Start [MHz] Stop [MHz]	3382.500 3607.500
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	92.025	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.77 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3382.500 3607.500
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.988	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.21 0 35
Start [MHz] Stop [MHz]	3382.500 3607.500
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	92.025	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.21 0 35
Start [MHz] Stop [MHz]	3382.500 3607.500
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.763	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.98 0 30
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3382.500 3607.500
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	92.025	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	15.98 0 30
Start [MHz] Stop [MHz]	3382.500 3607.500
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.763	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: low, UL[MHz]/CH 3495/633000, CBW [MHz]: 90, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.36 0 30
Start [MHz] Stop [MHz]	3382.500 3607.500
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	91.575	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.36 0 30
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3382.500 3607.500
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.763	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.01 0 35
Start [MHz] Stop [MHz]	3387.480 3612.480
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	91.575	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.01 0 35
Start [MHz] Stop [MHz]	3387.480 3612.480
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.763	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: QPSK

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.89 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3387.480 3612.480
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	91.8	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.89 0 35
Start [MHz] Stop [MHz]	3387.480 3612.480
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	87.213	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.13 0 35
Start [MHz] Stop [MHz]	3387.480 3612.480
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	91.8	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.13 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3387.480 3612.480
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.988	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.12 0 35
Start [MHz] Stop [MHz]	3387.480 3612.480
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	92.025	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.12 0 35
Start [MHz] Stop [MHz]	3387.480 3612.480
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.988	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: mid, UL[MHz]/CH 3499.98/633332, CBW [MHz]: 90, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.47 0 30
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3387.480 3612.480
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	91.8	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.47 0 30
Start [MHz] Stop [MHz]	3387.480 3612.480
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.988	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: BPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.06 0 35
Start [MHz] Stop [MHz]	3392.490 3617.490
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	91.575	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	19.06 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3392.490 3617.490
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.988	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: QPSK

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.97 0 35
Start [MHz] Stop [MHz]	3392.490 3617.490
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	92.025	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.97 0 35
Start [MHz] Stop [MHz]	3392.490 3617.490
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.988	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: 16QAM

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.41 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3392.490 3617.490
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	92.025	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	17.41 0 35
Start [MHz] Stop [MHz]	3392.490 3617.490
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.988	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: 64QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.08 0 35
Start [MHz] Stop [MHz]	3392.490 3617.490
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	--	--	92.025	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:


RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	16.08 0 35
--	----------------

READ SA SETTINGS:

Start [MHz] Stop [MHz]	3392.490 3617.490
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.988	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB


Test freq: high, UL[MHz]/CH 3504.99/633666, CBW [MHz]: 90, RB_100PCT, Mod: 256QAM

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.69 0 30
Start [MHz] Stop [MHz]	3392.490 3617.490
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 26 dB

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 26dB	---	---	91.575	MHz	INFO




FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

READ SA SETTINGS:

RefLevel [dBm] RefLevelOffset [dB] InpAtt [dB]	14.69 0 30
Start [MHz] Stop [MHz]	3392.490 3617.490
RBW [MHz] VBW [MHz]	2.000000 10.000000
Detector TraceMode	POS MAXH
Sweep: Time [ms] Count Points per Section Type	2 1500 1001 SWE

RESULT 99%

Test Description	Lower Limit	Upper Limit	Measured	Unit	Verdict
Bandwidth 99%	---	---	86.538	MHz	INFO



FCC, ISED # Bandwidth 99PCT and 26dB ~ NR Band_77_A Ant-1 SCS-30 26dB

- END OF DOCUMENT -