



Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.68	0.00	4.68	11.00	Complies
60	5300	4.45	0.00	4.45	11.00	Complies
64	5320	4.56	0.00	4.56	11.00	Complies



Date: 15.JUL.2020 16:40:25




Date: 16.JUL.2020 10:33:37




Date: 15.JUL.2020 16:42:45

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.89	0.00	4.89	11.00	Complies
60	5300	4.91	0.00	4.91	11.00	Complies
64	5320	4.76	0.00	4.76	11.00	Complies



Date: 15.JUL.2020 15:20:33




Date: 16.JUL.2020 10:33:11




Date: 15.JUL.2020 15:22:27

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.66	0.00	4.66	11.00	Complies
60	5300	4.86	0.00	4.86	11.00	Complies
64	5320	4.86	0.00	4.86	11.00	Complies



Date: 16.JUL.2020 10:30:22




Date: 16.JUL.2020 10:32:46




Date: 16.JUL.2020 10:34:21

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.44	0.00	4.44	11.00	Complies
60	5300	4.34	0.00	4.34	11.00	Complies
64	5320	4.51	0.00	4.51	11.00	Complies



Date: 16.JUL.2020 11:26:18



Date: 16.JUL.2020 11:26:51





Date: 16.JUL.2020 11:27:18

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.69	11.00	Complies
60	5300	10.67	11.00	Complies
64	5320	10.70	11.00	Complies



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.47	0.13	4.60	11.00	Complies
62	5310	4.02	0.13	4.15	11.00	Complies





Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.58	0.13	4.71	11.00	Complies
62	5310	4.26	0.13	4.39	11.00	Complies





Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.75	0.13	4.88	11.00	Complies
62	5310	4.45	0.13	4.58	11.00	Complies



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.55	0.13	4.68	11.00	Complies
62	5310	4.03	0.13	4.16	11.00	Complies




Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	10.74	11.00	Complies
62	5310	10.35	11.00	Complies


Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.36	0.27	0.63	11.00	Complies




Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.60	0.27	0.87	11.00	Complies




Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.99	0.27	1.26	11.00	Complies



Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.65	0.27	0.92	11.00	Complies




Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.95	11.00	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.38	0.00	4.38	11.00	Complies
116	5580	4.39	0.00	4.39	11.00	Complies
140	5700	4.41	0.00	4.41	11.00	Complies



Date: 15.JUL.2020 16:43:22




Date: 15.JUL.2020 16:43:55




Date: 15.JUL.2020 16:44:24

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.92	0.00	4.92	11.00	Complies
116	5580	4.84	0.00	4.84	11.00	Complies
140	5700	4.81	0.00	4.81	11.00	Complies



Date: 15.JUL.2020 15:23:14




Date: 15.JUL.2020 15:25:18




Date: 15.JUL.2020 15:27:42

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.55	0.00	4.55	11.00	Complies
116	5580	4.92	0.00	4.92	11.00	Complies
140	5700	4.96	0.00	4.96	11.00	Complies



Date: 16.JUL.2020 10:36:25




Date: 16.JUL.2020 10:36:53




Date: 16.JUL.2020 10:41:02

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.17	0.00	4.17	11.00	Complies
116	5580	4.58	0.00	4.58	11.00	Complies
140	5700	4.84	0.00	4.84	11.00	Complies



Date: 16.JUL.2020 11:27:56



Date: 16.JUL.2020 11:28:24




Date: 16.JUL.2020 11:30:56

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.53	11.00	Complies
116	5580	10.71	11.00	Complies
140	5700	10.78	11.00	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.56	0.13	4.69	11.00	Complies
110	5550	4.40	0.13	4.53	11.00	Complies
134	5670	3.93	0.13	4.06	11.00	Complies



Date: 16.JUL.2020 10:58:09




Date: 16.JUL.2020 11:06:12




Date: 16.JUL.2020 20:09:42

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.56	0.13	4.69	11.00	Complies
110	5550	4.70	0.13	4.83	11.00	Complies
134	5670	4.27	0.13	4.40	11.00	Complies



Date: 16.JUL.2020 10:57:41




Date: 16.JUL.2020 11:05:40




Date: 16.JUL.2020 11:13:00

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.62	0.13	4.75	11.00	Complies
110	5550	4.82	0.13	4.95	11.00	Complies
134	5670	4.72	0.13	4.85	11.00	Complies



Date: 16.JUL.2020 10:56:57




Date: 16.JUL.2020 11:05:06




Date: 16.JUL.2020 11:11:53

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.55	0.13	4.68	11.00	Complies
110	5550	4.76	0.13	4.89	11.00	Complies
134	5670	4.83	0.13	4.96	11.00	Complies



Date: 16.JUL.2020 11:42:17



Date: 16.JUL.2020 11:42:59




Date: 16.JUL.2020 20:12:13

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	10.73	11.00	Complies
110	5550	10.83	11.00	Complies
134	5670	10.61	11.00	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.22	0.27	1.49	11.00	Complies
122	5610	0.96	0.27	1.23	11.00	Complies




Date: 28_JUL_2020 15:32:22




Date: 28_JUL_2020 15:33:13

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.77	0.27	2.04	11.00	Complies
122	5610	1.21	0.27	1.48	11.00	Complies





Date: 28_JUL_2020 15:39:47



Date: 28_JUL_2020 15:41:29



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.63	0.27	1.90	11.00	Complies
122	5610	1.66	0.27	1.93	11.00	Complies



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.34	0.27	1.61	11.00	Complies
122	5610	1.94	0.27	2.21	11.00	Complies






Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.79	11.00	Complies
122	5610	7.75	11.00	Complies

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.84	0.00	10.84	30.00	Complies
157	5785	10.54	0.00	10.54	30.00	Complies
165	5825	10.62	0.00	10.62	30.00	Complies






Date: 28_JUL.2020 14:30:10

Date: 28_JUL.2020 14:31:01

Date: 28_JUL.2020 14:31:30

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.00	0.00	11.00	30.00	Complies
157	5785	10.72	0.00	10.72	30.00	Complies
165	5825	10.40	0.00	10.40	30.00	Complies




Date: 28_JUL.2020 14:32:46

Date: 28_JUL.2020 14:33:34


Date: 28_JUL.2020 14:34:08

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.40	0.00	11.40	30.00	Complies
157	5785	10.88	0.00	10.88	30.00	Complies
165	5825	10.83	0.00	10.83	30.00	Complies



Date: 28.JUL.2020 14:56:32




Date: 28.JUL.2020 14:57:00




Date: 28.JUL.2020 15:01:50

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.07	0.00	11.07	30.00	Complies
157	5785	10.49	0.00	10.49	30.00	Complies
165	5825	10.62	0.00	10.62	30.00	Complies



Date: 28.JUL.2020 15:04:32



Date: 28.JUL.2020 15:05:08





Date: 28.JUL.2020 15:06:08

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	17.10	30.00	Complies
157	5785	16.68	30.00	Complies
165	5825	16.64	30.00	Complies



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.43	0.13	7.56	30.00	Complies
159	5795	7.39	0.13	7.52	30.00	Complies





Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.19	0.13	7.32	30.00	Complies
159	5795	7.24	0.13	7.37	30.00	Complies





Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.72	0.13	7.85	30.00	Complies
159	5795	8.16	0.13	8.29	30.00	Complies



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.52	0.13	7.65	30.00	Complies
159	5795	7.91	0.13	8.04	30.00	Complies




Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.62	30.00	Complies
159	5795	13.85	30.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.17	0.27	1.44	30.00	Complies

CH155




Date: 28_JUL.2020 15:35:34

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.24	0.27	1.51	30.00	Complies


CH155



Date: 28_JUL.2020 15:44:32


Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.41	0.27	1.68	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.31	0.27	1.58	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.58	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
13.8	5179.9320
12.0	5179.9320
10.2	5179.9324
Maximum Deviation (MHz)	0.0680
Maximum Deviation (ppm)	13.1274

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9324
5	5179.9324
15	5179.9324
25	5179.9324
35	5179.9328
45	5179.9328
Maximum Deviation (MHz)	0.0676
Maximum Deviation (ppm)	13.0502

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
13.8	5259.9348
12.0	5259.9344
10.2	5259.9344
Maximum Deviation (MHz)	0.0656
Maximum Deviation (ppm)	12.4715

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5259.9340
5	5259.9340
15	5259.9340
25	5259.9340
35	5259.9336
45	5259.9336
Maximum Deviation (MHz)	0.0664
Maximum Deviation (ppm)	12.6236

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
13.8	5499.9616
12.0	5499.9612
10.2	5499.9608
Maximum Deviation (MHz)	0.0392
Maximum Deviation (ppm)	7.1273

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5499.9608
5	5499.9608
15	5499.9612
25	5499.9612
35	5499.9612
45	5499.9612
Maximum Deviation (MHz)	0.0392
Maximum Deviation (ppm)	7.1273

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
13.8	5744.9292
12.0	5744.9288
10.2	5744.9288
Maximum Deviation (MHz)	0.0712
Maximum Deviation (ppm)	12.3934

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9284
5	5744.9284
15	5744.9288
25	5744.9288
35	5744.9288
45	5744.9288
Maximum Deviation (MHz)	0.0716
Maximum Deviation (ppm)	12.4630

End of Test Report