


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 108
 01-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.655G	62.62	83.54	-20.92	42.34	1	Horizontal	75	1.80	-	37.86	14.49	32.07
AV	20.6551G	53.93	63.54	-9.61	33.65	1	Horizontal	75	1.80	-	37.86	14.49	32.07
PK	27.5402G	66.88	97.74	-30.86	49.96	1	Horizontal	203	1.50	-	39.58	17.58	40.24
RMS	27.5401G	61.66	77.74	-16.08	44.74	1	Horizontal	224	1.52	-	39.58	17.58	40.24

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9214G	114.87	Inf	-Inf	106.95	3	Vertical	150	1.55	-	35.84	7.56	35.48
RMS	6.9166G	105.85	Inf	-Inf	97.93	3	Vertical	150	1.55	-	35.83	7.56	35.47
PK	7.129G	62.47	88.20	-25.73	54.16	3	Vertical	150	1.55	-	36.17	7.66	35.52
RMS	7.2238G	51.44	68.20	-16.76	42.61	3	Vertical	150	1.55	-	36.64	7.74	35.55

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9178G	114.12	Inf	-Inf	106.20	3	Horizontal	152	1.52	-	35.84	7.56	35.48
RMS	6.9166G	105.29	Inf	-Inf	97.37	3	Horizontal	152	1.52	-	35.83	7.56	35.47
PK	7.1422G	61.96	88.20	-26.24	53.57	3	Horizontal	152	1.52	-	36.25	7.67	35.53
RMS	7.213G	51.85	68.20	-16.35	43.10	3	Horizontal	152	1.52	-	36.58	7.72	35.55

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84848G	61.33	88.20	-26.87	42.94	3	Vertical	80	1.82	-	41.00	10.92	33.53
RMS	13.85084G	50.87	68.20	-17.33	32.47	3	Vertical	80	1.82	-	41.00	10.93	33.53

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8472G	62.10	88.20	-26.10	43.72	3	Horizontal	251	2.04	-	40.99	10.92	33.53
RMS	13.84652G	50.44	68.20	-17.76	32.06	3	Horizontal	251	2.04	-	40.99	10.92	33.53

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78454G	62.89	83.54	-20.65	42.61	1	Vertical	84	1.50	-	37.98	14.59	32.29
AV	20.76516G	52.51	63.54	-11.03	32.23	1	Vertical	84	1.50	-	37.97	14.57	32.26
PK	27.7129G	58.48	97.74	-39.26	41.74	1	Vertical	138	1.50	-	39.47	17.59	40.32
RMS	27.69874G	47.01	77.74	-30.73	30.26	1	Vertical	138	1.50	-	39.48	17.58	40.31

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77488G	62.65	83.54	-20.89	42.38	1	Horizontal	206	1.50	-	37.97	14.58	32.28
AV	20.77488G	55.46	63.54	-8.08	35.19	1	Horizontal	206	1.50	-	37.97	14.58	32.28
PK	27.7G	58.60	97.74	-39.14	41.84	1	Horizontal	229	1.53	-	39.48	17.59	40.31
RMS	27.70012G	49.95	77.74	-27.79	33.19	1	Horizontal	229	1.53	-	39.48	17.59	40.31

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9922G	114.73	Inf	-Inf	106.89	3	Vertical	128	1.98	-	35.73	7.60	35.49
RMS	7.0074G	103.83	Inf	-Inf	95.99	3	Vertical	128	1.98	-	35.73	7.60	35.49
PK	7.1954G	62.40	88.20	-25.80	53.76	3	Vertical	128	1.98	-	36.48	7.70	35.54
RMS	7.125G	52.09	68.20	-16.11	43.80	3	Vertical	128	1.98	-	36.15	7.66	35.52

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9922G	115.37	Inf	-Inf	107.53	3	Horizontal	119	1.58	-	35.73	7.60	35.49
RMS	6.997G	104.88	Inf	-Inf	97.06	3	Horizontal	119	1.58	-	35.71	7.60	35.49
PK	7.1274G	62.96	88.20	-25.24	54.66	3	Horizontal	119	1.58	-	36.16	7.66	35.52
RMS	7.1282G	53.55	68.20	-14.65	45.24	3	Horizontal	119	1.58	-	36.17	7.66	35.52

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01504G	61.96	88.20	-26.24	43.22	3	Vertical	71	2.85	-	41.33	11.01	33.60
RMS	14.01312G	51.18	68.20	-17.02	32.44	3	Vertical	71	2.85	-	41.33	11.01	33.60

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01164G	62.35	88.20	-25.85	43.62	3	Horizontal	346	1.02	-	41.32	11.01	33.60
RMS	14.0116G	52.40	68.20	-15.80	33.67	3	Horizontal	346	1.02	-	41.32	11.01	33.60

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.006G	60.43	83.54	-23.11	40.15	1	Vertical	69	1.50	-	38.20	14.75	32.67
AV	21.02646G	49.69	63.54	-13.85	29.44	1	Vertical	69	1.50	-	38.19	14.77	32.71
PK	28.00818G	59.64	97.74	-38.10	43.17	1	Vertical	166	1.50	-	39.31	17.61	40.45
RMS	28.02396G	48.83	77.74	-28.91	32.34	1	Vertical	166	1.50	-	39.32	17.62	40.45

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01476G	60.42	83.54	-23.12	40.16	1	Horizontal	280	1.50	-	38.19	14.76	32.69
AV	21.02604G	49.32	63.54	-14.22	29.07	1	Horizontal	280	1.50	-	38.19	14.77	32.71
PK	28.03278G	59.50	97.74	-38.24	43.00	1	Horizontal	209	1.50	-	39.33	17.62	40.45
RMS	28.02786G	49.04	77.74	-28.70	32.55	1	Horizontal	209	1.50	-	39.32	17.62	40.45

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 79
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0722G	112.45	Inf	-Inf	104.38	3	Vertical	128	1.72	-	35.94	7.64	35.51
RMS	7.077G	101.80	Inf	-Inf	93.72	3	Vertical	128	1.72	-	35.95	7.64	35.51
PK	7.1266G	79.50	88.20	-8.70	71.20	3	Vertical	128	1.72	-	36.16	7.66	35.52
RMS	7.127G	66.31	68.20	-1.89	58.01	3	Vertical	128	1.72	-	36.16	7.66	35.52

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 79
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0718G	112.92	Inf	-Inf	104.85	3	Horizontal	117	1.42	-	35.94	7.64	35.51
RMS	7.077G	101.89	Inf	-Inf	93.81	3	Horizontal	117	1.42	-	35.95	7.64	35.51
PK	7.1294G	80.90	88.20	-7.30	72.58	3	Horizontal	117	1.42	-	36.18	7.66	35.52
RMS	7.1266G	67.97	68.20	-0.23	59.45	3	Horizontal	117	1.42	-	36.16	7.66	35.52

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 79
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16308G	62.29	88.20	-25.91	43.42	3	Vertical	297	2.64	-	41.63	11.08	33.84
RMS	14.1616G	51.31	68.20	-16.89	32.45	3	Vertical	297	2.64	-	41.62	11.08	33.84

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 79
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17544G	62.65	88.20	-25.55	43.77	3	Horizontal	277	1.55	-	41.65	11.09	33.86
RMS	14.17952G	51.10	68.20	-17.10	32.21	3	Horizontal	277	1.55	-	41.66	11.09	33.86

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 79
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25812G	61.82	83.54	-21.72	41.90	1	Vertical	319	1.57	-	38.10	14.94	33.12
AV	21.25274G	50.83	63.54	-12.71	30.90	1	Vertical	319	1.57	-	38.10	14.94	33.11
PK	28.3388G	59.16	97.74	-38.58	42.21	1	Vertical	209	1.50	-	39.57	17.85	40.47
RMS	28.35248G	47.98	77.74	-29.76	31.01	1	Vertical	209	1.50	-	39.58	17.86	40.47

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 79
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25438G	62.64	83.54	-20.90	42.72	1	Horizontal	176	1.53	-	38.10	14.94	33.12
AV	21.25194G	50.41	63.54	-13.13	30.48	1	Horizontal	176	1.53	-	38.10	14.94	33.11
PK	28.3379G	58.30	97.74	-39.44	41.35	1	Horizontal	298	2.07	-	39.57	17.85	40.47
RMS	28.34498G	48.07	77.74	-29.67	31.10	1	Horizontal	298	2.07	-	39.58	17.86	40.47

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 83
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	79.61	88.20	-8.59	72.18	3	Vertical	163	2.56	-	34.87	5.50	32.94
RMS	5.921G	68.08	68.20	-0.12	60.64	3	Vertical	163	2.56	-	34.88	5.50	32.94
PK	5.991G	115.44	Inf	-Inf	107.73	3	Vertical	163	2.56	-	35.16	5.50	32.95
RMS	5.996G	104.93	Inf	-Inf	97.20	3	Vertical	163	2.56	-	35.18	5.50	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 83
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	77.08	88.20	-11.12	69.64	3	Horizontal	134	1.80	-	34.88	5.50	32.94
RMS	5.921G	66.21	68.20	-1.99	58.77	3	Horizontal	134	1.80	-	34.88	5.50	32.94
PK	5.991G	115.49	Inf	-Inf	107.78	3	Horizontal	134	1.80	-	35.16	5.50	32.95
RMS	5.996G	104.60	Inf	-Inf	96.87	3	Horizontal	134	1.80	-	35.18	5.50	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 83
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97498G	54.84	74.00	-19.16	41.30	3	Vertical	125	1.54	-	38.43	7.99	32.88
AV	11.96672G	44.22	54.00	-9.78	30.68	3	Vertical	125	1.54	-	38.43	7.99	32.88

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 83
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97186G	54.63	74.00	-19.37	41.09	3	Horizontal	66	2.92	-	38.43	7.99	32.88
AV	11.974G	43.94	54.00	-10.06	30.40	3	Horizontal	66	2.92	-	38.43	7.99	32.88

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 83
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.9351G	63.12	83.54	-20.42	45.37	1	Vertical	108	1.21	-	38.96	16.47	37.68
AV	23.93852G	52.30	63.54	-11.24	34.55	1	Vertical	108	1.21	-	38.96	16.47	37.68

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 83
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	23.93812G	63.80	83.54	-19.74	46.05	1	Horizontal	154	2.21	-	38.96	16.47	37.68
AV	23.94336G	52.71	63.54	-10.83	34.96	1	Horizontal	154	2.21	-	38.97	16.47	37.69

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	58.27	88.20	-29.93	52.21	3	Vertical	163	1.60	-	34.66	6.96	35.56
RMS	5.923G	48.49	68.20	-19.71	42.44	3	Vertical	163	1.60	-	34.65	6.96	35.56
PK	6.151G	112.66	Inf	-Inf	106.02	3	Vertical	163	1.60	-	35.10	7.08	35.54
RMS	6.137G	101.31	Inf	-Inf	94.69	3	Vertical	163	1.60	-	35.10	7.07	35.55

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	60.31	88.20	-27.89	54.26	3	Horizontal	318	1.57	-	34.65	6.96	35.56
RMS	5.925G	50.54	68.20	-17.66	44.49	3	Horizontal	318	1.57	-	34.65	6.96	35.56
PK	6.153G	114.26	Inf	-Inf	107.61	3	Horizontal	318	1.57	-	35.11	7.08	35.54
RMS	6.139G	103.54	Inf	-Inf	96.91	3	Horizontal	318	1.57	-	35.10	7.07	35.54

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29164G	55.28	74.00	-18.72	41.47	3	Vertical	312	2.70	-	39.09	10.15	35.43
AV	12.2826G	45.01	54.00	-8.99	31.22	3	Vertical	312	2.70	-	39.08	10.14	35.43

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29148G	55.88	74.00	-18.12	42.07	3	Horizontal	203	2.10	-	39.09	10.15	35.43
AV	12.2802G	44.72	54.00	-9.28	30.93	3	Horizontal	203	2.10	-	39.08	10.14	35.43

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.44502G	62.69	83.54	-20.85	40.76	1	Vertical	245	1.50	-	37.66	13.92	29.65
AV	18.42216G	51.49	63.54	-12.05	29.56	1	Vertical	245	1.50	-	37.64	13.92	29.63
PK	24.57844G	59.35	97.74	-38.39	41.95	1	Vertical	72	1.50	-	38.78	16.79	38.17
RMS	24.57622G	47.65	77.74	-30.09	30.25	1	Vertical	72	1.50	-	38.78	16.79	38.17

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.42276G	62.92	83.54	-20.62	40.99	1	Horizontal	155	1.73	-	37.64	13.92	29.63
AV	18.43524G	52.00	63.54	-11.54	30.07	1	Horizontal	155	1.73	-	37.65	13.92	29.64
PK	24.58006G	61.15	97.74	-36.59	43.75	1	Horizontal	228	1.52	-	38.78	16.79	38.17
RMS	24.58018G	54.89	77.74	-22.85	37.49	1	Horizontal	228	1.52	-	38.78	16.79	38.17

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8746G	57.94	88.20	-30.26	51.99	3	Vertical	67	1.01	-	34.55	6.94	35.54
RMS	5.925G	48.07	68.20	-20.13	42.02	3	Vertical	67	1.01	-	34.65	6.96	35.56
PK	6.3982G	113.46	Inf	-Inf	106.70	3	Vertical	67	1.01	-	34.90	7.30	35.44
RMS	6.374G	102.73	Inf	-Inf	96.01	3	Vertical	67	1.01	-	34.90	7.27	35.45

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8988G	59.00	88.20	-29.20	52.91	3	Horizontal	158	1.80	-	34.69	6.95	35.55
RMS	5.923G	48.07	68.20	-20.13	42.02	3	Horizontal	158	1.80	-	34.65	6.96	35.56
PK	6.3938G	116.39	Inf	-Inf	109.64	3	Horizontal	158	1.80	-	34.90	7.29	35.44
RMS	6.374G	105.08	Inf	-Inf	98.36	3	Horizontal	158	1.80	-	34.90	7.27	35.45

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.776G	55.71	88.20	-32.49	40.83	3	Vertical	187	2.02	-	39.25	10.39	34.76
RMS	12.76016G	45.14	68.20	-23.06	30.33	3	Vertical	187	2.02	-	39.22	10.38	34.79

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.769G	56.71	88.20	-31.49	41.86	3	Horizontal	257	1.91	-	39.24	10.38	34.77
RMS	12.77444G	45.25	68.20	-22.95	30.37	3	Horizontal	257	1.91	-	39.25	10.39	34.76

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14384G	60.53	83.54	-23.01	39.93	1	Vertical	107	1.74	-	38.23	13.96	31.59
AV	19.14156G	49.36	63.54	-14.18	28.73	1	Vertical	107	1.74	-	38.23	13.96	31.56
PK	25.54246G	58.54	97.74	-39.20	40.32	1	Vertical	0	1.50	-	39.37	17.27	38.42
RMS	25.53148G	47.73	77.74	-30.01	29.50	1	Vertical	0	1.50	-	39.37	17.27	38.41

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15248G	61.03	83.54	-22.51	40.53	1	Horizontal	163	1.51	-	38.22	13.96	31.68
AV	19.155G	51.57	63.54	-11.97	31.11	1	Horizontal	163	1.51	-	38.21	13.96	31.71
PK	25.54012G	59.13	97.74	-38.61	40.91	1	Horizontal	190	1.50	-	39.37	17.27	38.42
RMS	25.54006G	48.91	77.74	-28.83	30.69	1	Horizontal	190	1.50	-	39.37	17.27	38.42

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8644G	59.28	88.20	-28.92	53.39	3	Vertical	68	1.00	-	34.49	6.93	35.53
RMS	5.9242G	48.00	68.20	-20.20	41.95	3	Vertical	68	1.00	-	34.65	6.96	35.56
PK	6.4728G	111.76	Inf	-Inf	105.07	3	Vertical	68	1.00	-	34.80	7.30	35.41
RMS	6.4546G	101.26	Inf	-Inf	94.58	3	Vertical	68	1.00	-	34.80	7.30	35.42

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.841G	58.49	88.20	-29.71	52.69	3	Horizontal	163	1.80	-	34.40	6.92	35.52
RMS	5.9164G	48.00	68.20	-20.20	41.93	3	Horizontal	163	1.80	-	34.67	6.96	35.56
PK	6.4728G	114.94	Inf	-Inf	108.25	3	Horizontal	163	1.80	-	34.80	7.30	35.41
RMS	6.4338G	103.78	Inf	-Inf	97.08	3	Horizontal	163	1.80	-	34.83	7.30	35.43

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9258G	57.91	88.20	-30.29	42.33	3	Vertical	98	2.01	-	39.53	10.46	34.41
RMS	12.92984G	46.86	68.20	-21.34	31.27	3	Vertical	98	2.01	-	39.53	10.46	34.40

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93256G	57.43	88.20	-30.77	41.83	3	Horizontal	15	2.87	-	39.53	10.47	34.40
RMS	12.93936G	46.72	68.20	-21.48	31.09	3	Horizontal	15	2.87	-	39.54	10.47	34.38

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39482G	58.07	83.54	-25.47	40.53	1	Vertical	86	1.57	-	37.93	13.97	34.36
AV	19.39524G	48.92	63.54	-14.62	31.38	1	Vertical	86	1.57	-	37.93	13.97	34.36
PK	25.86558G	59.18	97.74	-38.56	41.28	1	Vertical	220	1.50	-	39.11	17.43	38.64
RMS	25.8633G	47.96	77.74	-29.78	30.06	1	Vertical	220	1.50	-	39.11	17.43	38.64

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TnomVnom



EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39506G	59.61	83.54	-23.93	42.07	1	Horizontal	206	1.52	-	37.93	13.97	34.36
AV	19.39518G	52.42	63.54	-11.12	34.88	1	Horizontal	206	1.52	-	37.93	13.97	34.36
PK	25.87038G	58.44	97.74	-39.30	40.54	1	Horizontal	227	1.53	-	39.10	17.44	38.64
RMS	25.86036G	48.70	77.74	-29.04	30.80	1	Horizontal	227	1.53	-	39.11	17.43	38.64


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_V_4TX
 Setting 108
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9132G	58.31	88.20	-29.89	52.24	3	Vertical	91	1.80	-	34.67	6.96	35.56
RMS	5.9184G	47.96	68.20	-20.24	41.90	3	Vertical	91	1.80	-	34.66	6.96	35.56
PK	6.5502G	110.86	Inf	-Inf	103.97	3	Vertical	91	1.80	-	35.00	7.30	35.41
RMS	6.532G	99.91	Inf	-Inf	93.09	3	Vertical	91	1.80	-	34.93	7.30	35.41
PK	7.1872G	60.82	88.20	-27.38	52.22	3	Vertical	91	1.80	-	36.45	7.69	35.54
RMS	7.1456G	50.98	68.20	-17.22	42.57	3	Vertical	91	1.80	-	36.27	7.67	35.53

802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
 Setting 108
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9054G	58.29	88.20	-29.91	52.20	3	Horizontal	160	1.80	-	34.69	6.95	35.55
RMS	5.925G	47.98	68.20	-20.22	41.93	3	Horizontal	160	1.80	-	34.65	6.96	35.56
PK	6.5528G	114.52	Inf	-Inf	107.62	3	Horizontal	160	1.80	-	35.01	7.30	35.41
RMS	6.5346G	103.75	Inf	-Inf	96.92	3	Horizontal	160	1.80	-	34.94	7.30	35.41
PK	7.1456G	61.28	88.20	-26.92	52.87	3	Horizontal	160	1.80	-	36.27	7.67	35.53
RMS	7.1456G	50.96	68.20	-17.24	42.55	3	Horizontal	160	1.80	-	36.27	7.67	35.53

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0974G	62.03	88.20	-26.17	45.67	3	Vertical	89	1.92	-	39.89	10.55	34.08
RMS	13.088G	51.89	68.20	-16.31	35.58	3	Vertical	89	1.92	-	39.86	10.54	34.09

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




16/07/2021

EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08744G	61.59	88.20	-26.61	45.28	3	Horizontal	120	1.80	-	39.86	10.54	34.09
RMS	13.08824G	51.37	68.20	-16.83	35.06	3	Horizontal	120	1.80	-	39.86	10.54	34.09


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 108
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63206G	59.46	83.54	-24.08	42.13	1	Vertical	106	1.65	-	37.69	13.98	34.34
AV	19.63518G	48.56	63.54	-14.98	31.20	1	Vertical	106	1.65	-	37.69	13.98	34.31
PK	26.19272G	59.16	97.74	-38.58	41.35	1	Vertical	170	1.50	-	39.27	17.51	38.97
RMS	26.16716G	49.22	77.74	-28.52	31.41	1	Vertical	170	1.50	-	39.23	17.51	38.93

802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 108
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62726G	63.26	83.54	-20.28	45.96	1	Horizontal	130	1.53	-	37.70	13.98	34.38
AV	19.64712G	52.86	63.54	-10.68	35.41	1	Horizontal	130	1.53	-	37.68	13.98	34.21
PK	26.1731G	59.57	97.74	-38.17	41.76	1	Horizontal	203	1.50	-	39.24	17.51	38.94
RMS	26.19482G	48.76	77.74	-28.98	30.95	1	Horizontal	203	1.50	-	39.27	17.51	38.97

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6346G	113.81	Inf	-Inf	106.56	3	Vertical	63	2.14	-	35.34	7.33	35.42
RMS	6.6202G	102.65	Inf	-Inf	95.47	3	Vertical	63	2.14	-	35.28	7.32	35.42
PK	7.2226G	61.58	88.20	-26.62	52.76	3	Vertical	63	2.14	-	36.64	7.73	35.55
RMS	7.225G	51.94	68.20	-16.26	43.10	3	Vertical	63	2.14	-	36.65	7.74	35.55

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5938G	114.37	Inf	-Inf	107.31	3	Horizontal	160	1.77	-	35.18	7.30	35.42
RMS	6.5986G	104.17	Inf	-Inf	97.10	3	Horizontal	160	1.77	-	35.19	7.30	35.42
PK	7.1362G	61.72	88.20	-26.48	53.36	3	Horizontal	160	1.77	-	36.22	7.67	35.53
RMS	7.225G	51.93	68.20	-16.27	43.09	3	Horizontal	160	1.77	-	36.65	7.74	35.55

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24831G	59.98	88.20	-28.22	43.05	3	Vertical	89	2.02	-	40.14	10.62	33.83
RMS	13.24829G	49.31	68.20	-18.89	32.38	3	Vertical	89	2.02	-	40.14	10.62	33.83

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24264G	59.65	88.20	-28.55	42.74	3	Horizontal	119	1.84	-	40.13	10.62	33.84
RMS	13.24852G	49.38	68.20	-18.82	32.44	3	Horizontal	119	1.84	-	40.15	10.62	33.83

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8822G	63.60	83.54	-19.94	44.23	1	Vertical	91	1.68	-	37.49	13.99	32.11
AV	19.8819G	53.62	63.54	-9.92	34.25	1	Vertical	91	1.68	-	37.49	13.99	32.11
PK	26.48704G	60.18	97.74	-37.56	42.30	1	Vertical	11	1.63	-	39.68	17.52	39.32
RMS	26.50564G	49.46	77.74	-28.28	31.58	1	Vertical	11	1.63	-	39.70	17.53	39.35

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8852G	69.86	83.54	-13.68	50.46	1	Horizontal	162	1.50	-	37.49	13.99	32.08
AV	19.88016G	59.64	63.54	-3.90	40.28	1	Horizontal	162	1.50	-	37.50	13.99	32.13
PK	26.49814G	60.09	97.74	-37.65	42.21	1	Horizontal	189	1.51	-	39.70	17.52	39.34
RMS	26.50018G	49.84	77.74	-27.90	31.95	1	Horizontal	189	1.51	-	39.70	17.53	39.34

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.711G	112.65	Inf	-Inf	105.14	3	Vertical	63	2.26	-	35.54	7.41	35.44
RMS	6.717G	101.98	Inf	-Inf	94.43	3	Vertical	63	2.26	-	35.57	7.42	35.44
PK	7.141G	61.97	88.20	-26.23	53.58	3	Vertical	63	2.26	-	36.25	7.67	35.53
RMS	7.203G	51.67	68.20	-16.53	42.99	3	Vertical	63	2.26	-	36.52	7.70	35.54

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.713G	114.39	Inf	-Inf	106.87	3	Horizontal	171	1.64	-	35.55	7.41	35.44
RMS	6.693G	103.68	Inf	-Inf	96.23	3	Horizontal	171	1.64	-	35.49	7.39	35.43
PK	7.161G	62.36	88.20	-25.84	53.87	3	Horizontal	171	1.64	-	36.34	7.68	35.53
RMS	7.203G	51.68	68.20	-16.52	43.00	3	Horizontal	171	1.64	-	36.52	7.70	35.54

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.402G	58.20	88.20	-30.00	40.57	3	Vertical	23	2.04	-	40.50	10.70	33.57
RMS	13.4152G	47.73	68.20	-20.47	30.07	3	Vertical	23	2.04	-	40.50	10.71	33.55

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41208G	58.70	88.20	-29.50	41.05	3	Horizontal	86	1.35	-	40.50	10.71	33.56
RMS	13.40292G	48.05	68.20	-20.15	30.42	3	Horizontal	86	1.35	-	40.50	10.70	33.57

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10696G	65.70	83.54	-17.84	45.38	1	Vertical	92	1.64	-	37.46	14.08	31.22
AV	20.12022G	55.32	63.54	-8.22	35.00	1	Vertical	92	1.64	-	37.47	14.09	31.24
PK	26.83476G	58.58	97.74	-39.16	41.11	1	Vertical	0	1.50	-	39.63	17.54	39.70
RMS	26.80566G	47.63	77.74	-30.11	30.12	1	Vertical	0	1.50	-	39.64	17.54	39.67

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10006G	72.66	83.54	-10.88	52.33	1	Horizontal	168	1.50	-	37.46	14.08	31.21
AV	20.10516G	62.03	63.54	-1.51	41.71	1	Horizontal	168	1.50	-	37.46	14.08	31.22
PK	26.82018G	59.28	97.74	-38.46	41.79	1	Horizontal	194	1.50	-	39.64	17.54	39.69
RMS	26.82006G	49.05	77.74	-28.69	31.56	1	Horizontal	194	1.50	-	39.64	17.54	39.69

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.777G	113.49	Inf	-Inf	105.76	3	Vertical	101	1.00	-	35.70	7.48	35.45
RMS	6.777G	102.47	Inf	-Inf	94.74	3	Vertical	101	1.00	-	35.70	7.48	35.45
PK	7.1274G	62.95	88.20	-25.25	54.65	3	Vertical	101	1.00	-	36.16	7.66	35.52
RMS	7.145G	52.13	68.20	-16.07	43.72	3	Vertical	101	1.00	-	36.27	7.67	35.53

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7578G	114.21	Inf	-Inf	106.50	3	Horizontal	166	1.97	-	35.70	7.46	35.45
RMS	6.7482G	103.33	Inf	-Inf	95.63	3	Horizontal	166	1.97	-	35.69	7.45	35.44
PK	7.129G	62.67	88.20	-25.53	54.36	3	Horizontal	166	1.97	-	36.17	7.66	35.52
RMS	7.1354G	52.18	68.20	-16.02	43.83	3	Horizontal	166	1.97	-	36.21	7.67	35.53

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57152G	58.24	88.20	-29.96	40.31	3	Vertical	189	1.18	-	40.57	10.79	33.43
RMS	13.57476G	47.89	68.20	-20.31	29.97	3	Vertical	189	1.18	-	40.57	10.79	33.44

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56828G	58.84	88.20	-29.36	40.92	3	Horizontal	136	2.07	-	40.57	10.78	33.43
RMS	13.57688G	48.29	68.20	-19.91	30.36	3	Horizontal	136	2.07	-	40.58	10.79	33.44

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3505G	62.27	83.54	-21.27	41.99	1	Vertical	86	1.70	-	37.61	14.26	31.59
AV	20.35464G	51.59	63.54	-11.95	31.30	1	Vertical	86	1.70	-	37.61	14.27	31.59
PK	27.12812G	57.64	97.74	-40.10	40.45	1	Vertical	0	1.53	-	39.60	17.56	39.97
RMS	27.14048G	47.06	77.74	-30.68	29.88	1	Vertical	0	1.53	-	39.60	17.56	39.98

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TnomVnom



EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3466G	67.00	83.54	-16.54	46.71	1	Horizontal	145	1.51	-	37.61	14.26	31.58
AV	20.36004G	57.10	63.54	-6.44	36.81	1	Horizontal	145	1.51	-	37.62	14.27	31.60
PK	27.1403G	58.42	97.74	-39.32	41.24	1	Horizontal	201	1.50	-	39.60	17.56	39.98
RMS	27.14018G	48.80	77.74	-28.94	31.62	1	Horizontal	201	1.50	-	39.60	17.56	39.98


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 108
 03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8748G	113.19	Inf	-Inf	105.27	3	Vertical	183	2.13	-	35.85	7.54	35.47
RMS	6.8496G	101.15	Inf	-Inf	93.19	3	Vertical	183	2.13	-	35.90	7.52	35.46
PK	7.194G	63.12	88.20	-25.08	54.48	3	Vertical	183	2.13	-	36.48	7.70	35.54
RMS	7.1408G	52.29	68.20	-15.91	43.91	3	Vertical	183	2.13	-	36.24	7.67	35.53


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 108
 03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8524G	114.25	Inf	-Inf	106.28	3	Horizontal	172	1.70	-	35.90	7.53	35.46
RMS	6.858G	103.69	Inf	-Inf	95.74	3	Horizontal	172	1.70	-	35.88	7.53	35.46
PK	7.1562G	62.82	88.20	-25.38	54.35	3	Horizontal	172	1.70	-	36.32	7.68	35.53
RMS	7.1282G	53.06	68.20	-15.14	44.75	3	Horizontal	172	1.70	-	36.17	7.66	35.52

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




16/07/2021

EUT Y_4TX
 Setting 108
 03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7312G	61.32	88.20	-26.88	43.11	3	Vertical	217	1.00	-	40.83	10.87	33.49
RMS	13.72252G	50.57	68.20	-17.63	32.38	3	Vertical	217	1.00	-	40.82	10.86	33.49

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




16/07/2021

EUT Y_4TX
 Setting 108
 03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73604G	61.25	88.20	-26.95	43.03	3	Horizontal	276	2.17	-	40.84	10.87	33.49
RMS	13.73136G	50.40	68.20	-17.80	32.19	3	Horizontal	276	2.17	-	40.83	10.87	33.49


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 108
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59506G	62.23	83.54	-21.31	41.95	1	Vertical	87	1.50	-	37.80	14.45	31.97
AV	20.59518G	51.83	63.54	-11.71	31.55	1	Vertical	87	1.50	-	37.80	14.45	31.97
PK	27.45022G	57.68	97.74	-40.06	40.70	1	Vertical	222	1.50	-	39.60	17.57	40.19
RMS	27.44734G	47.13	77.74	-30.61	30.14	1	Vertical	222	1.50	-	39.60	17.57	40.18

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 108
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59518G	63.61	83.54	-19.93	43.33	1	Horizontal	201	1.52	-	37.80	14.45	31.97
AV	20.59512G	57.02	63.54	-6.52	36.74	1	Horizontal	201	1.52	-	37.80	14.45	31.97
PK	27.45994G	58.29	97.74	-39.45	41.31	1	Horizontal	184	1.96	-	39.60	17.57	40.19
RMS	27.4603G	48.87	77.74	-28.87	31.89	1	Horizontal	184	1.96	-	39.60	17.57	40.19

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9546G	112.99	Inf	-Inf	105.01	3	Vertical	179	1.63	-	35.88	7.58	35.48
RMS	6.9342G	102.62	Inf	-Inf	94.66	3	Vertical	179	1.63	-	35.87	7.57	35.48
PK	7.1286G	66.97	88.20	-21.23	58.66	3	Vertical	179	1.63	-	36.17	7.66	35.52
RMS	7.1286G	55.50	68.20	-12.70	47.19	3	Vertical	179	1.63	-	36.17	7.66	35.52

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9378G	114.45	Inf	-Inf	106.48	3	Horizontal	114	1.42	-	35.88	7.57	35.48
RMS	6.9174G	103.78	Inf	-Inf	95.87	3	Horizontal	114	1.42	-	35.83	7.56	35.48
PK	7.1274G	69.04	88.20	-19.16	60.74	3	Horizontal	114	1.42	-	36.16	7.66	35.52
RMS	7.125G	57.92	68.20	-10.28	49.63	3	Horizontal	114	1.42	-	36.15	7.66	35.52

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89472G	61.31	88.20	-26.89	42.81	3	Vertical	185	2.10	-	41.09	10.95	33.54
RMS	13.8932G	51.02	68.20	-17.18	32.52	3	Vertical	185	2.10	-	41.09	10.95	33.54

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88784G	61.81	88.20	-26.39	43.33	3	Horizontal	94	1.12	-	41.08	10.94	33.54
RMS	13.8844G	51.33	68.20	-16.87	32.86	3	Horizontal	94	1.12	-	41.07	10.94	33.54

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82006G	60.70	83.54	-22.84	40.41	1	Vertical	87	1.20	-	38.02	14.62	32.35
AV	20.8407G	50.06	63.54	-13.48	29.78	1	Vertical	87	1.20	-	38.04	14.63	32.39
PK	27.77994G	58.28	97.74	-39.46	41.61	1	Vertical	83	1.08	-	39.43	17.59	40.35
RMS	27.77982G	50.43	77.74	-27.31	33.76	1	Vertical	83	1.08	-	39.43	17.59	40.35

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83542G	62.48	83.54	-21.06	42.19	1	Horizontal	204	1.50	-	38.04	14.63	32.38
AV	20.83506G	56.42	63.54	-7.12	36.13	1	Horizontal	204	1.50	-	38.04	14.63	32.38
PK	27.77976G	58.40	97.74	-39.34	41.73	1	Horizontal	230	1.52	-	39.43	17.59	40.35
RMS	27.77988G	50.70	77.74	-27.04	34.03	1	Horizontal	230	1.52	-	39.43	17.59	40.35

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 91
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.034G	112.75	Inf	-Inf	104.79	3	Vertical	179	1.56	-	35.84	7.62	35.50
RMS	7.014G	103.90	Inf	-Inf	96.02	3	Vertical	179	1.56	-	35.76	7.61	35.49
PK	7.129G	79.21	88.20	-8.99	70.90	3	Vertical	179	1.56	-	36.17	7.66	35.52
RMS	7.129G	66.34	68.20	-1.86	58.03	3	Vertical	179	1.56	-	36.17	7.66	35.52
PK	7.254G	55.71	74.00	-18.29	46.67	3	Vertical	179	1.56	-	36.82	7.78	35.56
RMS	7.251G	45.59	54.00	-8.41	36.57	3	Vertical	179	1.56	-	36.80	7.78	35.56

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 91
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.016G	112.90	Inf	-Inf	105.02	3	Horizontal	119	1.44	-	35.76	7.61	35.49
RMS	7.017G	103.71	Inf	-Inf	95.82	3	Horizontal	119	1.44	-	35.77	7.61	35.49
PK	7.125G	78.77	88.20	-9.43	70.48	3	Horizontal	119	1.44	-	36.15	7.66	35.52
RMS	7.125G	68.12	68.20	-0.08	59.83	3	Horizontal	119	1.44	-	36.15	7.66	35.52
PK	7.251G	56.37	74.00	-17.63	47.35	3	Horizontal	119	1.44	-	36.80	7.78	35.56
RMS	7.251G	45.88	54.00	-8.12	36.86	3	Horizontal	119	1.44	-	36.80	7.78	35.56

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 91
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0568G	62.51	88.20	-25.69	43.74	3	Vertical	340	1.56	-	41.41	11.03	33.67
RMS	14.04164G	51.71	68.20	-16.49	32.96	3	Vertical	340	1.56	-	41.38	11.02	33.65

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 91
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0596G	62.00	88.20	-26.20	43.22	3	Horizontal	148	1.70	-	41.42	11.03	33.67
RMS	14.04736G	51.91	68.20	-16.29	33.15	3	Horizontal	148	1.70	-	41.39	11.02	33.65

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 91
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.08784G	60.56	83.54	-22.98	40.40	1	Vertical	259	2.20	-	38.16	14.82	32.82
AV	21.08514G	49.20	63.54	-14.34	29.03	1	Vertical	259	2.20	-	38.17	14.81	32.81
PK	28.10558G	58.64	97.74	-39.10	42.04	1	Vertical	86	2.70	-	39.38	17.68	40.46
RMS	28.0883G	48.16	77.74	-29.58	31.58	1	Vertical	86	2.70	-	39.37	17.67	40.46

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 91
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06378G	60.05	83.54	-23.49	39.85	1	Horizontal	200	1.80	-	38.17	14.80	32.77
AV	21.08502G	49.53	63.54	-14.01	29.36	1	Horizontal	200	1.80	-	38.17	14.81	32.81
PK	28.10996G	59.86	97.74	-37.88	43.25	1	Horizontal	188	2.20	-	39.39	17.68	40.46
RMS	28.08608G	48.41	77.74	-29.33	31.84	1	Horizontal	188	2.20	-	39.37	17.66	40.46

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 88
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	84.97	88.20	-3.23	77.56	3	Vertical	159	2.50	-	34.85	5.50	32.94
RMS	5.921G	68.05	68.20	-0.15	60.61	3	Vertical	159	2.50	-	34.88	5.50	32.94
PK	6.041G	113.24	Inf	-Inf	105.41	3	Vertical	159	2.50	-	35.20	5.58	32.95
RMS	6.0362G	102.15	Inf	-Inf	94.33	3	Vertical	159	2.50	-	35.20	5.57	32.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 88
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	82.53	88.20	-5.67	75.11	3	Horizontal	133	1.80	-	34.86	5.50	32.94
RMS	5.921G	66.66	68.20	-1.54	59.22	3	Horizontal	133	1.80	-	34.88	5.50	32.94
PK	6.041G	112.73	Inf	-Inf	104.90	3	Horizontal	133	1.80	-	35.20	5.58	32.95
RMS	6.0458G	100.93	Inf	-Inf	93.09	3	Horizontal	133	1.80	-	35.20	5.59	32.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 88
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0538G	54.02	74.00	-19.98	40.46	3	Vertical	52	2.67	-	38.35	8.02	32.81
AV	12.0515G	41.89	54.00	-12.11	28.34	3	Vertical	52	2.67	-	38.35	8.02	32.82

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 88
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05314G	54.44	74.00	-19.56	40.88	3	Horizontal	71	2.30	-	38.35	8.02	32.81
AV	12.05232G	42.25	54.00	-11.75	28.70	3	Horizontal	71	2.30	-	38.35	8.02	32.82

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 88
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07692G	66.43	83.54	-17.11	44.42	1	Vertical	249	1.07	-	37.36	13.90	29.25
AV	18.07564G	53.62	63.54	-9.92	31.61	1	Vertical	249	1.07	-	37.36	13.90	29.25
PK	24.09674G	63.29	97.74	-34.45	45.65	1	Vertical	318	1.99	-	38.94	16.55	37.85
RMS	24.0998G	50.90	77.74	-26.84	33.27	1	Vertical	318	1.99	-	38.94	16.55	37.86

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 88
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0786G	65.33	83.54	-18.21	43.32	1	Horizontal	62	2.62	-	37.36	13.90	29.25
AV	18.0711G	53.47	63.54	-10.07	31.46	1	Horizontal	62	2.62	-	37.36	13.90	29.25
PK	24.10096G	63.51	97.74	-34.23	45.88	1	Horizontal	211	1.81	-	38.94	16.55	37.86
RMS	24.10204G	50.75	77.74	-26.99	33.12	1	Horizontal	211	1.81	-	38.94	16.55	37.86

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	66.08	88.20	-22.12	60.03	3	Vertical	149	3.00	-	34.65	6.96	35.56
AV	5.921G	56.63	68.20	-11.57	50.57	3	Vertical	149	3.00	-	34.66	6.96	35.56
PK	6.2378G	112.45	Inf	-Inf	105.84	3	Vertical	149	3.00	-	34.97	7.14	35.50
AV	6.2074G	102.59	Inf	-Inf	95.84	3	Vertical	149	3.00	-	35.16	7.11	35.52

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	69.99	88.20	-18.21	63.94	3	Horizontal	315	1.60	-	34.65	6.96	35.56
AV	5.921G	58.63	68.20	-9.57	52.57	3	Horizontal	315	1.60	-	34.66	6.96	35.56
PK	6.153G	114.48	Inf	-Inf	107.83	3	Horizontal	315	1.60	-	35.11	7.08	35.54
AV	6.1738G	103.53	Inf	-Inf	96.82	3	Horizontal	315	1.60	-	35.15	7.09	35.53

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3754G	56.14	74.00	-17.86	42.34	3	Vertical	225	1.63	-	39.02	10.19	35.41
AV	12.37352G	43.52	54.00	-10.48	29.72	3	Vertical	225	1.63	-	39.03	10.19	35.42

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37632G	55.69	74.00	-18.31	41.89	3	Horizontal	359	1.57	-	39.02	10.19	35.41
AV	12.37524G	43.66	54.00	-10.34	29.86	3	Horizontal	359	1.57	-	39.02	10.19	35.41

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55896G	62.03	83.54	-21.51	40.06	1	Vertical	239	2.33	-	37.78	13.93	29.74
AV	18.55284G	50.25	63.54	-13.29	28.29	1	Vertical	239	2.33	-	37.77	13.93	29.74

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54594G	63.07	83.54	-20.47	41.12	1	Horizontal	121	1.54	-	37.76	13.93	29.74
AV	18.55494G	51.42	63.54	-12.12	29.45	1	Horizontal	121	1.54	-	37.78	13.93	29.74

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	60.96	88.20	-27.24	54.91	3	Vertical	69	1.00	-	34.65	6.96	35.56
AV	5.923G	50.88	68.20	-17.32	44.83	3	Vertical	69	1.00	-	34.65	6.96	35.56
PK	6.313G	112.87	Inf	-Inf	106.16	3	Vertical	69	1.00	-	34.97	7.21	35.47
AV	6.369G	101.51	Inf	-Inf	94.79	3	Vertical	69	1.00	-	34.90	7.27	35.45

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	62.81	88.20	-25.39	56.75	3	Horizontal	160	1.60	-	34.66	6.96	35.56
AV	5.925G	52.20	68.20	-16.00	46.15	3	Horizontal	160	1.60	-	34.65	6.96	35.56
PK	6.359G	113.97	Inf	-Inf	107.27	3	Horizontal	160	1.60	-	34.90	7.26	35.46
AV	6.339G	103.16	Inf	-Inf	96.46	3	Horizontal	160	1.60	-	34.92	7.24	35.46

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68388G	56.65	74.00	-17.35	42.20	3	Vertical	1	2.48	-	39.08	10.34	34.97
AV	12.6972G	43.83	54.00	-10.17	29.32	3	Vertical	1	2.48	-	39.10	10.35	34.94

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68192G	56.17	74.00	-17.83	41.72	3	Horizontal	177	1.81	-	39.08	10.34	34.97
AV	12.69804G	44.04	54.00	-9.96	29.52	3	Horizontal	177	1.81	-	39.10	10.35	34.93

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02882G	62.07	83.54	-21.47	40.07	1	Vertical	112	2.47	-	38.37	13.95	30.32
AV	19.0296G	49.86	63.54	-13.68	27.88	1	Vertical	112	2.47	-	38.36	13.95	30.33

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03188G	62.37	83.54	-21.17	40.41	1	Horizontal	19	1.66	-	38.36	13.95	30.35
AV	19.02144G	49.83	63.54	-13.71	27.75	1	Horizontal	19	1.66	-	38.37	13.95	30.24

802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8274G	60.14	88.20	-28.06	54.34	3	Vertical	66	1.00	-	34.40	6.91	35.51
AV	5.9226G	49.59	68.20	-18.61	43.54	3	Vertical	66	1.00	-	34.65	6.96	35.56
PK	6.5582G	110.32	Inf	-Inf	103.40	3	Vertical	66	1.00	-	35.03	7.30	35.41
AV	6.4938G	99.60	Inf	-Inf	92.90	3	Vertical	66	1.00	-	34.80	7.30	35.40
PK	7.177G	62.75	88.20	-25.45	54.19	3	Vertical	66	1.00	-	36.41	7.69	35.54
AV	7.205G	52.30	68.20	-15.90	43.60	3	Vertical	66	1.00	-	36.53	7.71	35.54

802.11ax HEW160_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 108
 03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8414G	59.80	88.20	-28.40	54.00	3	Horizontal	156	1.80	-	34.40	6.92	35.52
AV	5.924G	49.81	68.20	-18.39	43.76	3	Horizontal	156	1.80	-	34.65	6.96	35.56
PK	6.4742G	115.43	Inf	-Inf	108.74	3	Horizontal	156	1.80	-	34.80	7.30	35.41
AV	6.4938G	103.04	Inf	-Inf	96.34	3	Horizontal	156	1.80	-	34.80	7.30	35.40
PK	7.1798G	63.10	88.20	-25.10	54.53	3	Horizontal	156	1.80	-	36.42	7.69	35.54
AV	7.1966G	52.29	68.20	-15.91	43.64	3	Horizontal	156	1.80	-	36.49	7.70	35.54

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00772G	58.18	88.20	-30.02	42.29	3	Vertical	188	2.38	-	39.62	10.50	34.23
RMS	13.00812G	46.07	68.20	-22.13	30.18	3	Vertical	188	2.38	-	39.62	10.50	34.23

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01564G	58.61	88.20	-29.59	42.66	3	Horizontal	194	2.03	-	39.65	10.51	34.21
RMS	13.01508G	45.94	68.20	-22.26	29.99	3	Horizontal	194	2.03	-	39.65	10.51	34.21

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.52406G	57.75	83.54	-25.79	41.30	1	Vertical	349	2.08	-	37.78	13.98	35.31
AV	19.52904G	45.30	63.54	-18.24	28.80	1	Vertical	349	2.08	-	37.78	13.98	35.26

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.50918G	57.84	83.54	-25.70	41.51	1	Horizontal	332	1.23	-	37.79	13.98	35.44
AV	19.50918G	45.27	63.54	-18.27	28.94	1	Horizontal	332	1.23	-	37.79	13.98	35.44

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6496G	110.87	Inf	-Inf	103.55	3	Vertical	69	1.00	-	35.40	7.35	35.43
RMS	6.654G	100.42	Inf	-Inf	93.09	3	Vertical	69	1.00	-	35.41	7.35	35.43
PK	7.127G	62.73	88.20	-25.47	54.43	3	Vertical	69	1.00	-	36.16	7.66	35.52
RMS	7.1336G	52.62	68.20	-15.58	44.27	3	Vertical	69	1.00	-	36.20	7.67	35.52

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6452G	112.79	Inf	-Inf	105.49	3	Horizontal	171	2.99	-	35.38	7.35	35.43
RMS	6.6562G	101.62	Inf	-Inf	94.28	3	Horizontal	171	2.99	-	35.41	7.36	35.43
PK	7.127G	62.73	88.20	-25.47	54.43	3	Horizontal	171	2.99	-	36.16	7.66	35.52
RMS	7.1402G	52.72	68.20	-15.48	44.34	3	Horizontal	171	2.99	-	36.24	7.67	35.53

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32036G	57.61	74.00	-16.39	40.32	3	Vertical	109	1.77	-	40.34	10.66	33.71
AV	13.33468G	45.78	54.00	-8.22	28.42	3	Vertical	109	1.77	-	40.37	10.67	33.68

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3216G	58.13	74.00	-15.87	40.84	3	Horizontal	288	1.34	-	40.34	10.66	33.71
AV	13.33788G	45.78	54.00	-8.22	28.41	3	Horizontal	288	1.34	-	40.38	10.67	33.68

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99992G	60.62	83.54	-22.92	40.28	1	Vertical	301	2.71	-	37.40	14.00	31.06
AV	19.98408G	48.77	63.54	-14.77	28.56	1	Vertical	301	2.71	-	37.41	14.00	31.20

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00442G	60.89	83.54	-22.65	40.56	1	Horizontal	136	1.19	-	37.40	14.00	31.07
AV	20.00418G	49.15	63.54	-14.39	28.82	1	Horizontal	136	1.19	-	37.40	14.00	31.07

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.777G	110.07	Inf	-Inf	102.34	3	Vertical	102	1.06	-	35.70	7.48	35.45
RMS	6.8426G	100.51	Inf	-Inf	92.58	3	Vertical	102	1.06	-	35.87	7.52	35.46
PK	7.137G	69.57	88.20	-18.63	61.21	3	Vertical	102	1.06	-	36.22	7.67	35.53
RMS	7.137G	57.37	68.20	-10.83	49.01	3	Vertical	102	1.06	-	36.22	7.67	35.53

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_4TX
Setting 108
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.849G	111.52	Inf	-Inf	103.56	3	Horizontal	164	2.03	-	35.90	7.52	35.46
RMS	6.8186G	101.41	Inf	-Inf	93.59	3	Horizontal	164	2.03	-	35.77	7.51	35.46
PK	7.1338G	70.32	88.20	-17.88	61.97	3	Horizontal	164	2.03	-	36.20	7.67	35.52
RMS	7.1258G	58.38	68.20	-9.82	50.09	3	Horizontal	164	2.03	-	36.15	7.66	35.52

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64984G	61.07	88.20	-27.13	43.01	3	Vertical	277	2.25	-	40.70	10.82	33.46
RMS	13.65892G	48.81	68.20	-19.39	30.72	3	Vertical	277	2.25	-	40.72	10.83	33.46

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 108
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64744G	60.73	88.20	-27.47	42.68	3	Horizontal	15	1.02	-	40.69	10.82	33.46
RMS	13.64624G	48.59	68.20	-19.61	30.54	3	Horizontal	15	1.02	-	40.69	10.82	33.46

802.11ax HEW160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
Setting 108
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48676G	61.92	83.54	-21.62	41.65	1	Vertical	153	1.87	-	37.69	14.37	31.79
AV	20.48358G	49.22	63.54	-14.32	28.96	1	Vertical	153	1.87	-	37.69	14.36	31.79

802.11ax HEW160_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 108
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48184G	61.38	83.54	-22.16	41.11	1	Horizontal	266	1.25	-	37.69	14.36	31.78
AV	20.48634G	49.17	63.54	-14.37	28.91	1	Horizontal	266	1.25	-	37.69	14.36	31.79

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 83
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9434G	108.95	Inf	-Inf	100.97	3	Vertical	179	1.60	-	35.89	7.57	35.48
RMS	7.0042G	98.88	Inf	-Inf	91.05	3	Vertical	179	1.60	-	35.72	7.60	35.49
PK	7.1322G	82.68	88.20	-5.52	74.34	3	Vertical	179	1.60	-	36.19	7.67	35.52
RMS	7.129G	68.10	68.20	-0.10	59.79	3	Vertical	179	1.60	-	36.17	7.66	35.52
PK	7.2522G	64.61	74.00	-9.39	55.58	3	Vertical	179	1.60	-	36.81	7.78	35.56
RMS	7.2538G	49.93	54.00	-4.07	40.89	3	Vertical	179	1.60	-	36.82	7.78	35.56

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 83
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.977G	109.79	Inf	-Inf	101.90	3	Horizontal	118	1.43	-	35.79	7.59	35.49
RMS	6.9418G	99.37	Inf	-Inf	91.40	3	Horizontal	118	1.43	-	35.88	7.57	35.48
PK	7.137G	82.07	88.20	-6.13	73.71	3	Horizontal	118	1.43	-	36.22	7.67	35.53
RMS	7.1322G	68.05	68.20	-0.15	59.71	3	Horizontal	118	1.43	-	36.19	7.67	35.52
PK	7.2522G	62.16	74.00	-11.84	53.13	3	Horizontal	118	1.43	-	36.81	7.78	35.56
RMS	7.2522G	49.32	54.00	-4.68	40.29	3	Horizontal	118	1.43	-	36.81	7.78	35.56

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 83
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96708G	62.52	88.20	-25.68	43.88	3	Vertical	177	1.31	-	41.23	10.98	33.57
RMS	13.9608G	49.75	68.20	-18.45	31.12	3	Vertical	177	1.31	-	41.22	10.98	33.57

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 83
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96152G	62.10	88.20	-26.10	43.47	3	Horizontal	97	2.37	-	41.22	10.98	33.57
RMS	13.96708G	49.84	68.20	-18.36	31.20	3	Horizontal	97	2.37	-	41.23	10.98	33.57

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 83
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95968G	59.93	83.54	-23.61	39.64	1	Vertical	257	1.85	-	38.16	14.72	32.59
AV	20.9661G	47.68	63.54	-15.86	27.39	1	Vertical	257	1.85	-	38.17	14.72	32.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT Y_4TX
Setting 83
03-C-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95962G	59.96	83.54	-23.58	39.67	1	Horizontal	51	1.19	-	38.16	14.72	32.59
AV	20.95224G	47.81	63.54	-15.73	27.53	1	Horizontal	51	1.19	-	38.15	14.71	32.58

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

28/10/2021




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

28/10/2021



802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

28/10/2021

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4162G	-9.44	6.4509G	-59.87	-49.44	-10.43	1
6.4124G	-8.31	6.4508G	-59.79	-48.31	-11.48	2
6.4162G	-8.55	6.4481G	-59.60	-48.55	-11.05	3
6.4137G	-9.65	6.4487G	-60.08	-49.65	-10.43	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

28/10/2021

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4312G	-9.44	6.4801G	-60.28	-49.44	-10.84	1
6.4374G	-8.84	6.4686G	-60.02	-48.84	-11.18	2
6.4375G	-8.51	6.3979G	-60.05	-48.51	-11.54	3
6.4336G	-10.33	6.4744G	-60.22	-50.33	-9.89	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

28/10/2021

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4736G	-9.41	6.5077G	-60.12	-49.41	-10.71	1
6.4774G	-9.42	6.4371G	-60.04	-49.42	-10.62	2
6.46991G	-8.72	6.4358G	-59.96	-48.72	-11.24	3
6.4736G	-10.52	6.4426G	-60.07	-50.52	-9.55	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

28/10/2021

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5174G	-9.65	6.4791G	-60.28	-49.65	-10.63	1
6.5125G	-9.73	6.4748G	-60.14	-49.73	-10.41	2
6.5123G	-8.67	6.4792G	-60.00	-48.67	-11.33	3
6.5138G	-10.40	6.4725G	-60.22	-50.40	-9.82	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

28/10/2021




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5374G	-8.58	6.4996G	-60.07	-48.58	-11.49	1
6.52991G	-8.68	6.5004G	-59.89	-48.68	-11.21	2
6.52991G	-7.75	6.5025G	-59.75	-47.75	-12.00	3
6.5337G	-9.69	6.4995G	-60.06	-49.69	-10.37	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

28/10/2021



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6936G	-7.63	6.7331G	-59.90	-47.63	-12.27	1
6.6924G	-7.54	6.7362G	-59.68	-47.54	-12.14	2
6.6925G	-7.31	6.7284G	-59.73	-47.31	-12.42	3
6.6925G	-8.44	6.7437G	-59.98	-48.44	-11.54	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

28/10/2021

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8562G	-8.11	6.8929G	-59.53	-48.11	-11.42	1
6.8524G	-7.88	6.889G	-59.21	-47.88	-11.33	2
6.8524G	-7.95	6.8891G	-59.39	-47.95	-11.44	3
6.8525G	-9.20	6.89G	-59.52	-49.20	-10.32	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

28/10/2021

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8737G	-8.70	6.9244G	-59.49	-48.70	-10.79	1
6.8724G	-8.68	6.9217G	-59.26	-48.68	-10.58	2
6.86871G	-8.19	6.9074G	-59.28	-48.19	-11.09	3
6.8724G	-9.70	6.9078G	-59.46	-49.70	-9.76	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

28/10/2021

CF Freq
6.895GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8925G	-9.47	6.9334G	-59.04	-49.47	-9.57	1
6.8974G	-9.28	6.9387G	-59.01	-49.28	-9.73	2
6.8913G	-9.18	6.9366G	-59.09	-49.18	-9.91	3
6.8925G	-10.60	6.9339G	-59.23	-50.60	-8.63	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

28/10/2021

CF Freq
6.995GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9961G	-10.43	7.0363G	-58.96	-50.43	-8.53	1
6.98871G	-9.67	6.9613G	-58.74	-49.67	-9.07	2
6.9924G	-9.28	6.9618G	-58.95	-49.28	-9.67	3
6.9924G	-11.24	7.0336G	-59.11	-51.24	-7.87	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

28/10/2021




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0912G	-10.58	7.0453G	-58.99	-50.58	-8.41	1
7.08751G	-10.12	7.0482G	-58.84	-50.12	-8.72	2
7.08991G	-9.69	7.0536G	-58.98	-49.69	-9.29	3
7.08991G	-12.01	7.0531G	-59.35	-52.01	-7.34	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

28/10/2021



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97619G	-6.34	6.0262G	-56.93	-46.34	-10.59	1
5.97359G	-5.57	6.0262G	-56.41	-45.57	-10.84	2
5.97879G	-5.15	6.0264G	-56.08	-45.15	-10.93	3
5.97G	-6.96	6.026G	-57.27	-46.96	-10.31	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

28/10/2021

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17019G	-5.99	6.226G	-56.95	-45.99	-10.96	1
6.17099G	-6.17	6.2264G	-56.77	-46.17	-10.60	2
6.1698G	-5.82	6.2262G	-56.65	-45.82	-10.83	3
6.17739G	-6.99	6.2266G	-56.89	-46.99	-9.90	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

28/10/2021

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4088G	-6.57	6.4662G	-56.97	-46.57	-10.40	1
6.4G	-6.12	6.3436G	-56.93	-46.12	-10.81	2
6.4074G	-5.20	6.3438G	-56.40	-45.20	-11.20	3
6.4098G	-6.97	6.3434G	-57.09	-46.97	-10.12	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

28/10/2021

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4486G	-7.44	6.5084G	-57.59	-47.44	-10.15	1
6.45239G	-7.35	6.3832G	-57.53	-47.35	-10.18	2
6.45G	-6.21	6.3832G	-57.11	-46.21	-10.90	3
6.45G	-8.10	6.378G	-57.70	-48.10	-9.60	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

28/10/2021

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48G	-7.23	6.4222G	-57.58	-47.23	-10.35	1
6.4802G	-7.28	6.423G	-57.26	-47.28	-9.98	2
6.48G	-6.20	6.4228G	-56.90	-46.20	-10.70	3
6.4888G	-8.30	6.4228G	-57.46	-48.30	-9.16	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

28/10/2021

CF Freq
6.525GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5214G	-7.40	6.4632G	-57.53	-47.40	-10.13	1
6.52G	-7.25	6.4634G	-57.36	-47.25	-10.11	2
6.5276G	-6.27	6.4636G	-56.76	-46.27	-10.49	3
6.5298G	-8.26	6.464G	-57.38	-48.26	-9.12	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

28/10/2021

CF Freq
6.565GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56G	-6.43	6.5026G	-57.21	-46.43	-10.78	1
6.57G	-5.83	6.6266G	-56.94	-45.83	-11.11	2
6.5698G	-5.22	6.5034G	-56.63	-45.22	-11.41	3
6.5698G	-7.11	6.5028G	-57.32	-47.11	-10.21	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

28/10/2021

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6898G	-5.74	6.7462G	-57.10	-45.74	-11.36	1
6.69G	-5.73	6.6234G	-56.88	-45.73	-11.15	2
6.69G	-5.23	6.7466G	-56.61	-45.23	-11.38	3
6.6898G	-6.77	6.6224G	-57.12	-46.77	-10.35	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

28/10/2021

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8402G	-6.41	6.9294G	-56.91	-46.41	-10.50	1
6.84G	-6.06	6.9062G	-56.57	-46.06	-10.51	2
6.85G	-5.42	6.7834G	-56.48	-45.42	-11.06	3
6.8486G	-6.98	6.907G	-56.89	-46.98	-9.91	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

28/10/2021




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87741G	-6.16	6.8236G	-56.76	-46.16	-10.60	1
6.88G	-5.88	6.9462G	-56.61	-45.88	-10.73	2
6.8814G	-5.36	6.8238G	-56.29	-45.36	-10.93	3
6.8886G	-6.80	6.8234G	-56.68	-46.80	-9.88	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

28/10/2021



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93G	-8.24	7.0028G	-56.38	-48.24	-8.14	1
6.92G	-7.91	7.004G	-56.26	-47.91	-8.35	2
6.91981G	-7.93	7.001G	-56.34	-47.93	-8.41	3
6.9286G	-9.44	7.0068G	-56.63	-49.44	-7.19	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

28/10/2021

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99861G	-8.55	6.9438G	-56.62	-48.55	-8.07	1
6.99981G	-8.15	6.9436G	-56.36	-48.15	-8.21	2
6.99981G	-7.87	6.9438G	-56.17	-47.87	-8.30	3
6.99741G	-9.79	6.9434G	-56.77	-49.79	-6.98	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

28/10/2021

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07361G	-8.36	6.9956G	-56.02	-48.36	-7.66	1
7.08G	-8.17	6.986G	-55.84	-48.17	-7.67	2
7.07241G	-7.54	6.9876G	-55.72	-47.54	-8.18	3
7.07741G	-9.30	6.995G	-56.27	-49.30	-6.97	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

28/10/2021

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99699G	-3.34	6.1066G	-53.42	-43.34	-10.08	1
6.01337G	-3.11	6.1074G	-52.84	-43.11	-9.73	2
5.99619G	-2.17	6.111G	-52.40	-42.17	-10.23	3
5.99619G	-4.57	6.1078G	-53.93	-44.57	-9.36	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

28/10/2021

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16018G	-3.24	6.2694G	-52.08	-43.24	-8.84	1
6.15579G	-2.62	6.2674G	-52.22	-42.62	-9.60	2
6.15819G	-2.49	6.267G	-51.64	-42.48	-9.16	3
6.15739G	-4.63	6.269G	-52.24	-44.63	-7.61	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

28/10/2021

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37341G	-3.98	6.263G	-52.78	-43.98	-8.80	1
6.37381G	-3.75	6.263G	-52.87	-43.74	-9.13	2
6.37141G	-2.59	6.2622G	-52.19	-42.59	-9.60	3
6.37581G	-4.97	6.2622G	-53.42	-44.97	-8.45	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

28/10/2021

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45301G	-4.55	6.3418G	-53.23	-44.55	-8.68	1
6.45221G	-4.52	6.3314G	-53.28	-44.52	-8.76	2
6.45301G	-3.33	6.3262G	-52.45	-43.33	-9.12	3
6.45261G	-5.39	6.343G	-53.41	-45.33	-8.08	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

28/10/2021

CF Freq
6.545GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53341G	-4.44	6.6666G	-53.30	-44.44	-8.86	1
6.55259G	-4.07	6.4206G	-52.97	-44.07	-8.90	2
6.53221G	-3.38	6.423G	-52.29	-43.37	-8.92	3
6.55619G	-5.41	6.4194G	-53.21	-45.41	-7.80	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

28/10/2021

CF Freq
6.625GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61341G	-2.34	6.5022G	-52.26	-42.34	-9.92	1
6.61381G	-2.06	6.503G	-52.00	-42.06	-9.94	2
6.61261G	-1.40	6.5022G	-51.36	-41.40	-9.96	3
6.61141G	-3.32	6.4918G	-52.53	-43.32	-9.21	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

28/10/2021

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69341G	-2.09	6.5818G	-52.37	-42.09	-10.28	1
6.71619G	-1.87	6.5826G	-51.80	-41.82	-9.98	2
6.71619G	-1.18	6.8274G	-51.52	-41.18	-10.34	3
6.71579G	-3.60	6.5806G	-52.58	-43.60	-8.98	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

28/10/2021

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77381G	-3.26	6.663G	-52.70	-43.26	-9.44	1
6.77221G	-3.16	6.6618G	-52.63	-43.16	-9.47	2
6.77221G	-2.17	6.9086G	-52.00	-42.17	-9.83	3
6.77181G	-3.95	6.6626G	-52.99	-43.95	-9.04	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

28/10/2021

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85341G	-3.23	6.7422G	-52.09	-43.23	-8.86	1
6.85381G	-3.03	6.7426G	-52.13	-43.03	-9.10	2
6.85221G	-2.02	6.7426G	-51.76	-42.02	-9.74	3
6.85301G	-3.92	6.7422G	-52.36	-43.92	-8.44	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

28/10/2021

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93101G	-4.85	6.8226G	-52.45	-44.85	-7.60	1
6.93261G	-4.41	6.8214G	-52.51	-44.41	-8.10	2
6.93221G	-3.71	6.8178G	-52.16	-43.71	-8.45	3
6.93101G	-5.41	6.8222G	-52.63	-45.41	-7.22	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

28/10/2021

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99623G	-4.89	6.9034G	-52.03	-44.89	-7.14	1
6.99663G	-4.36	6.9022G	-51.94	-44.36	-7.58	2
6.99663G	-3.45	6.9026G	-51.25	-43.45	-7.80	3
6.99623G	-5.68	6.903G	-52.22	-45.62	-6.60	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

28/10/2021

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.03219G	-0.77	6.2722G	-49.58	-40.77	-8.81	1
6.03459G	-0.34	6.2698G	-49.24	-40.34	-8.90	2
6.01861G	0.68	6.269G	-48.43	-39.31	-9.12	3
6.01541G	-2.11	6.2762G	-49.72	-42.11	-7.61	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

28/10/2021

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20018G	-0.23	6.4346G	-49.66	-40.23	-9.43	1
6.19539G	0.08	6.4306G	-49.25	-39.92	-9.33	2
6.20098G	0.94	6.4346G	-48.18	-39.06	-9.12	3
6.20818G	-0.85	6.4354G	-49.36	-40.85	-8.51	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

28/10/2021

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.33701G	-0.82	6.5978G	-50.22	-40.82	-9.40	1
6.3402G	-0.32	6.6074G	-50.18	-40.32	-9.86	2
6.341G	0.81	6.6058G	-49.37	-39.19	-10.18	3
6.341G	-1.64	6.5986G	-50.71	-41.64	-9.07	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

28/10/2021

CF Freq
6.505GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52098G	-1.44	6.2538G	-50.21	-41.44	-8.77	1
6.51539G	-1.03	6.2554G	-49.70	-41.03	-8.67	2
6.49861G	-0.12	6.2578G	-48.27	-40.12	-8.15	3
6.49941G	-2.54	6.2498G	-50.36	-42.54	-7.82	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

28/10/2021

CF Freq
6.665GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64902G	0.39	6.4154G	-49.16	-39.61	-9.55	1
6.65221G	0.41	6.4178G	-47.38	-39.59	-7.79	2
6.65061G	1.54	6.3178G	-48.22	-38.46	-9.76	3
6.65301G	-0.69	6.4146G	-48.65	-40.69	-7.96	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

28/10/2021




802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

28/10/2021





Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Freq. (MHz)	Interference Frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	45	20	6175	Center	6175	-75.00	Stop Transmission	10	100	90	Pass
						-76.00	Stop & with beacon	-			
						-79.00	Start Transmission	-			
6	105	20	6475	Center	6475	-75.00	Stop Transmission	10	100	90	Pass
						-76.00	Stop & with beacon	-			
						-79.00	Start Transmission	-			
7	149	20	6695	Center	6695	-75.00	Stop Transmission	9	90	90	Pass
						-76.00	Stop & with beacon	-			
						-79.00	Start Transmission	-			
8	209	20	6995	Center	6995	-75.00	Stop Transmission	10	100	90	Pass
						-76.00	Stop & with beacon	-			
						-79.00	Start Transmission	-			

Note :

1. EUT antenna gain = 0 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Contention Based protocol 802.11ax HEW160											
UNII Band	Test Channel	Bandwidth (MHz)	Freq. (MHz)	Interference Frequency (MHz)	AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result	
5	47	160	6185	Low edge	6110	-78.00	Stop Transmission	10	100	90	Pass
						-79.00	Stop & with beacon				
						-80.00	Start Transmission				
				Center	6185	-74.00	Stop Transmission	10	100	90	Pass
						-75.00	Stop & with beacon				
						-78.00	Start Transmission				
				High edge	6260	-75.00	Stop Transmission	10	100	90	Pass
						-76.00	Stop & with beacon				
						-79.00	Start Transmission				
6	111	160	6505	Low edge	6430	-77.00	Stop Transmission	9	90	90	Pass
						-78.00	Stop & with beacon				
						-80.00	Start Transmission				
				Center	6505	-75.00	Stop Transmission	10	100	90	Pass
						-76.00	Stop & with beacon				
						-78.00	Start Transmission				
				High edge	6580	-75.00	Stop Transmission	9	90	90	Pass
						-76.00	Stop & with beacon				
						-79.00	Start Transmission				
7	143	160	6665	Low edge	6590	-77.00	Stop Transmission	10	100	90	Pass
						-78.00	Stop & with beacon				
						-80.00	Start Transmission				
				Center	6665	-74.00	Stop Transmission	10	100	90	Pass
						-75.00	Stop & with beacon				
						-79.00	Start Transmission				
				High edge	6740	-75.00	Stop Transmission	9	90	90	Pass
						-76.00	Stop & with beacon				
						-78.00	Start Transmission				
8	207	160	6985	Low edge	6910	-77.00	Stop Transmission	10	100	90	Pass
						-78.00	Stop & with beacon				
						-80.00	Start Transmission				
				Center	6985	-75.00	Stop Transmission	9	90	90	Pass
						-76.00	Stop & with beacon				
						-78.00	Start Transmission				
				High edge	7060	-76.00	Stop Transmission	9	90	90	Pass
						-77.00	Stop & with beacon				
						-78.00	Start Transmission				


Note :

1. EUT antenna gain = 0 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6175 MHz







Date: 19.OCT.2021 19:08:02



Frequency (MHz): 6475 MHz







Date: 19.OCT.2021 19:09:48

























Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal