


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 40
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36242G	54.73	74.00	-19.27	41.57	3	Horizontal	200	1.73	-	38.74	9.11	34.69
AV	12.35783G	44.13	54.00	-9.87	30.97	3	Horizontal	200	1.73	-	38.74	9.11	34.69

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 40
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.51102G	52.41	83.54	-31.13	63.63	1	Vertical	349	2.18	-	37.60	14.58	63.40
AV	18.51012G	48.79	63.54	-14.75	60.01	1	Vertical	349	2.18	-	37.60	14.58	63.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 40
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.51564G	60.53	83.54	-23.01	71.74	1	Horizontal	117	1.33	-	37.61	14.58	63.40
AV	18.51426G	58.13	63.54	-5.41	69.34	1	Horizontal	117	1.33	-	37.61	14.58	63.40

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	59.56	88.20	-28.64	52.58	3	Vertical	147	2.85	-	34.67	7.26	34.95
RMS	5.925G	49.23	68.20	-18.97	42.22	3	Vertical	147	2.85	-	34.70	7.26	34.95
PK	6.415G	109.30	Inf	-Inf	101.87	3	Vertical	147	2.85	-	34.84	7.61	35.02
RMS	6.4198G	98.51	Inf	-Inf	91.10	3	Vertical	147	2.85	-	34.82	7.61	35.02

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 40
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	59.67	88.20	-28.53	52.91	3	Horizontal	158	1.80	-	34.46	7.24	34.94
RMS	5.925G	49.16	68.20	-19.04	42.15	3	Horizontal	158	1.80	-	34.70	7.26	34.95
PK	6.4198G	109.20	Inf	-Inf	101.79	3	Horizontal	158	1.80	-	34.82	7.61	35.02
RMS	6.4198G	97.48	Inf	-Inf	90.07	3	Horizontal	158	1.80	-	34.82	7.61	35.02

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8435G	59.15	88.20	-29.05	48.67	3	Vertical	319	1.80	-	39.34	13.77	42.63
RMS	12.8438G	44.69	68.20	-23.51	34.19	3	Vertical	319	1.80	-	39.34	13.78	42.62

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUTY_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82346G	58.39	88.20	-29.81	47.94	3	Horizontal	85	2.11	-	39.32	13.76	42.63
RMS	12.84476G	44.73	68.20	-23.47	34.23	3	Horizontal	85	2.11	-	39.34	13.78	42.62

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24464G	52.93	83.54	-30.61	63.79	1	Vertical	88	1.47	-	37.60	14.84	63.30
AV	19.24476G	49.84	63.54	-13.70	60.70	1	Vertical	88	1.47	-	37.60	14.84	63.30

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




18/11/2022

EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2447G	59.20	83.54	-24.34	70.06	1	Horizontal	122	1.53	-	37.60	14.84	63.30
AV	19.24476G	57.84	63.54	-5.70	68.70	1	Horizontal	122	1.53	-	37.60	14.84	63.30

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 40
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	60.16	88.20	-28.04	53.22	3	Vertical	159	2.71	-	34.64	7.25	34.95
RMS	5.9228G	49.13	68.20	-19.07	42.13	3	Vertical	159	2.71	-	34.69	7.26	34.95
PK	6.4376G	108.61	Inf	-Inf	101.26	3	Vertical	159	2.71	-	34.75	7.62	35.02
RMS	6.4298G	97.90	Inf	-Inf	90.53	3	Vertical	159	2.71	-	34.78	7.61	35.02

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	60.15	88.20	-28.05	53.23	3	Horizontal	152	1.77	-	34.62	7.25	34.95
RMS	5.925G	49.12	68.20	-19.08	42.11	3	Horizontal	152	1.77	-	34.70	7.26	34.95
PK	6.4298G	108.71	Inf	-Inf	101.34	3	Horizontal	152	1.77	-	34.78	7.61	35.02
RMS	6.4298G	97.76	Inf	-Inf	90.39	3	Horizontal	152	1.77	-	34.78	7.61	35.02

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87972G	60.01	88.20	-28.19	49.45	3	Vertical	329	1.80	-	39.38	13.80	42.62
RMS	12.86628G	45.25	68.20	-22.95	34.71	3	Vertical	329	1.80	-	39.37	13.79	42.62

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87018G	59.36	88.20	-28.84	48.81	3	Horizontal	210	2.38	-	39.37	13.80	42.62
RMS	12.86982G	46.07	68.20	-22.13	35.52	3	Horizontal	210	2.38	-	39.37	13.80	42.62

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30482G	56.33	83.54	-27.21	67.11	1	Vertical	178	1.54	-	37.62	14.86	63.26
AV	19.30476G	53.83	63.54	-9.71	64.61	1	Vertical	178	1.54	-	37.62	14.86	63.26

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30476G	60.53	83.54	-23.01	71.31	1	Horizontal	122	1.54	-	37.62	14.86	63.26
AV	19.30476G	59.14	63.54	-4.40	69.92	1	Horizontal	122	1.54	-	37.62	14.86	63.26

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7918G	58.99	88.20	-29.21	52.51	3	Vertical	131	2.94	-	34.20	7.20	34.92
RMS	5.925G	49.07	68.20	-19.13	42.06	3	Vertical	131	2.94	-	34.70	7.26	34.95
PK	6.4694G	108.20	Inf	-Inf	100.90	3	Vertical	131	2.94	-	34.70	7.63	35.03
RMS	6.4694G	98.54	Inf	-Inf	91.24	3	Vertical	131	2.94	-	34.70	7.63	35.03
PK	7.1414G	62.06	88.20	-26.14	52.50	3	Vertical	131	2.94	-	36.05	8.58	35.07
RMS	7.1694G	52.24	68.20	-15.96	42.46	3	Vertical	131	2.94	-	36.22	8.64	35.08

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	59.55	88.20	-28.65	52.86	3	Horizontal	156	1.99	-	34.40	7.23	34.94
RMS	5.9234G	49.03	68.20	-19.17	42.03	3	Horizontal	156	1.99	-	34.69	7.26	34.95
PK	6.475G	107.09	Inf	-Inf	99.78	3	Horizontal	156	1.99	-	34.70	7.64	35.03
RMS	6.475G	96.85	Inf	-Inf	89.54	3	Horizontal	156	1.99	-	34.70	7.64	35.03
PK	7.1694G	62.56	88.20	-25.64	52.78	3	Horizontal	156	1.99	-	36.22	8.64	35.08
RMS	7.1694G	52.21	68.20	-15.99	42.43	3	Horizontal	156	1.99	-	36.22	8.64	35.08

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95588G	59.98	88.20	-28.22	49.27	3	Vertical	85	1.80	-	39.46	13.86	42.61
RMS	12.93944G	45.65	68.20	-22.55	34.97	3	Vertical	85	1.80	-	39.44	13.85	42.61

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUTY_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9374G	59.69	88.20	-28.51	49.01	3	Horizontal	224	1.87	-	39.44	13.85	42.61
RMS	12.94988G	46.84	68.20	-21.36	36.14	3	Horizontal	224	1.87	-	39.45	13.86	42.61

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42488G	55.12	83.54	-28.42	65.71	1	Vertical	170	1.43	-	37.67	14.90	63.16
AV	19.42476G	52.55	63.54	-10.99	63.14	1	Vertical	170	1.43	-	37.67	14.90	63.16

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42476G	61.72	83.54	-21.82	72.31	1	Horizontal	123	1.54	-	37.67	14.90	63.16
AV	19.42476G	59.42	63.54	-4.12	70.01	1	Horizontal	123	1.54	-	37.67	14.90	63.16

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUTY_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	59.11	88.20	-29.09	52.10	3	Vertical	133	3.00	-	34.70	7.26	34.95
RMS	5.9214G	49.05	68.20	-19.15	42.05	3	Vertical	133	3.00	-	34.69	7.26	34.95
PK	6.5094G	110.80	Inf	-Inf	103.44	3	Vertical	133	3.00	-	34.74	7.65	35.03
RMS	6.5122G	98.56	Inf	-Inf	91.18	3	Vertical	133	3.00	-	34.75	7.66	35.03
PK	7.1702G	62.98	88.20	-25.22	53.20	3	Vertical	133	3.00	-	36.22	8.64	35.08
RMS	7.215G	52.45	68.20	-15.75	42.36	3	Vertical	133	3.00	-	36.49	8.70	35.10

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8822G	59.05	88.20	-29.15	52.26	3	Horizontal	137	1.76	-	34.49	7.24	34.94
RMS	5.9242G	49.08	68.20	-19.12	42.07	3	Horizontal	137	1.76	-	34.70	7.26	34.95
PK	6.5094G	109.45	Inf	-Inf	102.09	3	Horizontal	137	1.76	-	34.74	7.65	35.03
RMS	6.5178G	97.81	Inf	-Inf	90.41	3	Horizontal	137	1.76	-	34.77	7.66	35.03
PK	7.1898G	62.81	88.20	-25.39	52.88	3	Horizontal	137	1.76	-	36.34	8.68	35.09
RMS	7.2122G	52.44	68.20	-15.76	42.37	3	Horizontal	137	1.76	-	36.47	8.70	35.10

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUTY_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03912G	60.33	88.20	-27.87	49.37	3	Vertical	72	2.55	-	39.62	13.93	42.59
RMS	13.0423G	46.08	68.20	-22.12	35.11	3	Vertical	72	2.55	-	39.63	13.93	42.59

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03294G	59.82	88.20	-28.38	48.88	3	Horizontal	229	1.80	-	39.60	13.93	42.59
RMS	13.02988G	47.31	68.20	-20.89	36.39	3	Horizontal	229	1.80	-	39.59	13.92	42.59

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54476G	55.91	83.54	-27.63	66.37	1	Vertical	170	1.43	-	37.68	14.94	63.08
AV	19.54476G	53.80	63.54	-9.74	64.26	1	Vertical	170	1.43	-	37.68	14.94	63.08

6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54488G	59.72	83.54	-23.82	70.18	1	Horizontal	123	1.54	-	37.68	14.94	63.08
AV	19.54476G	56.80	63.54	-6.74	67.26	1	Horizontal	123	1.54	-	37.68	14.94	63.08

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUTY_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	59.62	88.20	-28.58	52.66	3	Vertical	134	3.00	-	34.65	7.26	34.95
RMS	5.9246G	49.12	68.20	-19.08	42.11	3	Vertical	134	3.00	-	34.70	7.26	34.95
PK	6.5378G	107.68	Inf	-Inf	100.19	3	Vertical	134	3.00	-	34.85	7.67	35.03
RMS	6.5294G	98.59	Inf	-Inf	91.14	3	Vertical	134	3.00	-	34.82	7.66	35.03
PK	7.2182G	63.83	88.20	-24.37	53.72	3	Vertical	134	3.00	-	36.51	8.70	35.10
RMS	7.235G	52.75	68.20	-15.45	42.55	3	Vertical	134	3.00	-	36.61	8.70	35.11

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	59.02	88.20	-29.18	52.26	3	Horizontal	136	1.73	-	34.46	7.24	34.94
RMS	5.9246G	49.04	68.20	-19.16	42.03	3	Horizontal	136	1.73	-	34.70	7.26	34.95
PK	6.5322G	109.41	Inf	-Inf	101.94	3	Horizontal	136	1.73	-	34.83	7.67	35.03
RMS	6.5378G	97.81	Inf	-Inf	90.32	3	Horizontal	136	1.73	-	34.85	7.67	35.03
PK	7.221G	62.56	88.20	-25.64	52.43	3	Horizontal	136	1.73	-	36.53	8.70	35.10
RMS	7.235G	52.76	68.20	-15.44	42.56	3	Horizontal	136	1.73	-	36.61	8.70	35.11

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07312G	60.80	88.20	-27.40	49.70	3	Vertical	17	1.80	-	39.72	13.96	42.58
RMS	13.06376G	46.14	68.20	-22.06	35.08	3	Vertical	17	1.80	-	39.69	13.95	42.58

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06736G	60.30	88.20	-27.90	49.23	3	Horizontal	228	1.88	-	39.70	13.95	42.58
RMS	13.06982G	47.67	68.20	-20.53	36.58	3	Horizontal	228	1.88	-	39.71	13.96	42.58

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60482G	56.17	83.54	-27.37	66.61	1	Vertical	170	1.40	-	37.66	14.96	63.06
AV	19.60476G	53.90	63.54	-9.64	64.34	1	Vertical	170	1.40	-	37.66	14.96	63.06

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60476G	60.11	83.54	-23.43	70.55	1	Horizontal	124	1.53	-	37.66	14.96	63.06
AV	19.60476G	57.78	63.54	-5.76	68.22	1	Horizontal	124	1.53	-	37.66	14.96	63.06

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUTY_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	104.56	Inf	-Inf	96.39	3	Vertical	68	1.69	-	35.39	7.80	35.02
RMS	6.6972G	94.94	Inf	-Inf	86.77	3	Vertical	68	1.69	-	35.39	7.80	35.02
PK	7.2208G	63.79	88.20	-24.41	53.67	3	Vertical	68	1.69	-	36.52	8.70	35.10
RMS	7.2428G	52.87	68.20	-15.33	42.62	3	Vertical	68	1.69	-	36.66	8.70	35.11

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6994G	111.40	Inf	-Inf	103.22	3	Horizontal	131	2.04	-	35.40	7.80	35.02
RMS	6.7038G	98.29	Inf	-Inf	90.09	3	Horizontal	131	2.04	-	35.42	7.80	35.02
PK	7.234G	64.19	88.20	-24.01	54.00	3	Horizontal	131	2.04	-	36.60	8.70	35.11
RMS	7.245G	52.82	68.20	-15.38	42.56	3	Horizontal	131	2.04	-	36.67	8.70	35.11

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3881G	60.24	74.00	-13.76	48.25	3	Vertical	104	1.74	-	40.28	14.21	42.50
AV	13.39184G	46.19	54.00	-7.81	34.20	3	Vertical	104	1.74	-	40.28	14.21	42.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38988G	61.23	74.00	-12.77	49.24	3	Horizontal	240	1.80	-	40.28	14.21	42.50
AV	13.38988G	46.81	54.00	-7.19	34.82	3	Horizontal	240	1.80	-	40.28	14.21	42.50

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUTY_4TX
 Setting 40
 06-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08482G	63.78	83.54	-19.76	74.01	1	Vertical	152	1.54	-	37.47	15.12	62.82
AV	20.08475G	55.93	63.54	-7.61	66.16	1	Vertical	152	1.54	-	37.47	15.12	62.82

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUTY_4TX
 Setting 40
 06-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08474G	66.92	83.54	-16.62	77.15	1	Horizontal	195	1.56	-	37.47	15.12	62.82
AV	20.08477G	63.53	63.54	-0.01	73.76	1	Horizontal	195	1.56	-	37.47	15.12	62.82

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUTY_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8564G	109.48	Inf	-Inf	100.79	3	Vertical	134	2.98	-	35.69	8.01	35.01
RMS	6.8564G	97.93	Inf	-Inf	89.24	3	Vertical	134	2.98	-	35.69	8.01	35.01
PK	7.1854G	63.79	88.20	-24.41	53.90	3	Vertical	134	2.98	-	36.31	8.67	35.09
RMS	7.2008G	52.51	68.20	-15.69	42.50	3	Vertical	134	2.98	-	36.40	8.70	35.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUTY_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	107.66	Inf	-Inf	98.97	3	Horizontal	106	1.68	-	35.70	8.00	35.01
RMS	6.8578G	99.27	Inf	-Inf	90.58	3	Horizontal	106	1.68	-	35.68	8.02	35.01
PK	7.1686G	63.84	88.20	-24.36	54.07	3	Horizontal	106	1.68	-	36.21	8.64	35.08
RMS	7.2036G	52.53	68.20	-15.67	42.50	3	Horizontal	106	1.68	-	36.42	8.70	35.09

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70684G	61.05	88.20	-27.15	48.39	3	Vertical	288	2.76	-	40.61	14.47	42.42
RMS	13.70978G	47.90	68.20	-20.30	35.23	3	Vertical	288	2.76	-	40.62	14.47	42.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70943G	61.46	88.20	-26.74	48.79	3	Horizontal	220	2.79	-	40.62	14.47	42.42
RMS	13.70984G	47.90	68.20	-20.30	35.23	3	Horizontal	220	2.79	-	40.62	14.47	42.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56464G	52.75	83.54	-30.79	62.12	1	Vertical	89	1.65	-	37.73	15.24	62.34
AV	20.56476G	48.82	63.54	-14.72	58.19	1	Vertical	89	1.65	-	37.73	15.24	62.34

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56476G	58.67	83.54	-24.87	68.04	1	Horizontal	209	1.52	-	37.73	15.24	62.34
AV	20.56476G	56.94	63.54	-6.60	66.31	1	Horizontal	209	1.52	-	37.73	15.24	62.34

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8762G	109.33	Inf	-Inf	100.64	3	Vertical	134	2.96	-	35.65	8.05	35.01
RMS	6.8762G	98.38	Inf	-Inf	89.69	3	Vertical	134	2.96	-	35.65	8.05	35.01
PK	7.1558G	62.87	88.20	-25.33	53.20	3	Vertical	134	2.96	-	36.13	8.61	35.07
RMS	7.1702G	52.24	68.20	-15.96	42.46	3	Vertical	134	2.96	-	36.22	8.64	35.08

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8678G	108.60	Inf	-Inf	99.91	3	Horizontal	108	1.83	-	35.66	8.04	35.01
RMS	6.8726G	99.08	Inf	-Inf	90.39	3	Horizontal	108	1.83	-	35.65	8.05	35.01
PK	7.1486G	62.64	88.20	-25.56	53.02	3	Horizontal	108	1.83	-	36.09	8.60	35.07
RMS	7.1726G	52.23	68.20	-15.97	42.42	3	Horizontal	108	1.83	-	36.24	8.65	35.08

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75162G	60.81	88.20	-27.39	48.02	3	Vertical	260	1.80	-	40.70	14.50	42.41
RMS	13.73506G	46.91	68.20	-21.29	34.17	3	Vertical	260	1.80	-	40.67	14.49	42.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75418G	61.06	88.20	-27.14	48.26	3	Horizontal	203	1.80	-	40.71	14.50	42.41
RMS	13.74986G	46.97	68.20	-21.23	34.19	3	Horizontal	203	1.80	-	40.70	14.50	42.42

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62494G	51.64	83.54	-31.90	60.91	1	Vertical	89	1.65	-	37.75	15.26	62.28
AV	20.62476G	46.87	63.54	-16.67	56.14	1	Vertical	89	1.65	-	37.75	15.26	62.28

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62476G	60.10	83.54	-23.44	69.37	1	Horizontal	209	1.52	-	37.75	15.26	62.28
AV	20.62476G	58.56	63.54	-4.98	67.83	1	Horizontal	209	1.52	-	37.75	15.26	62.28

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUTY_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.901G	107.43	Inf	-Inf	98.74	3	Vertical	135	2.96	-	35.60	8.10	35.01
RMS	6.8914G	98.01	Inf	-Inf	89.32	3	Vertical	135	2.96	-	35.62	8.08	35.01
PK	7.1926G	62.56	88.20	-25.64	52.60	3	Vertical	135	2.96	-	36.36	8.69	35.09
RMS	7.1926G	52.39	68.20	-15.81	42.43	3	Vertical	135	2.96	-	36.36	8.69	35.09

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUTY_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8974G	108.44	Inf	-Inf	99.75	3	Horizontal	107	1.80	-	35.61	8.09	35.01
RMS	6.8926G	99.14	Inf	-Inf	90.45	3	Horizontal	107	1.80	-	35.61	8.09	35.01
PK	7.183G	63.76	88.20	-24.44	53.87	3	Horizontal	107	1.80	-	36.30	8.67	35.08
RMS	7.195G	52.39	68.20	-15.81	42.42	3	Horizontal	107	1.80	-	36.37	8.69	35.09

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUTY_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79912G	60.14	88.20	-28.06	47.20	3	Vertical	52	2.22	-	40.80	14.54	42.40
RMS	13.77752G	46.75	68.20	-21.45	33.88	3	Vertical	52	2.22	-	40.76	14.52	42.41

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUTY_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78514G	61.53	88.20	-26.67	48.64	3	Horizontal	108	1.64	-	40.77	14.53	42.41
RMS	13.78778G	46.63	68.20	-21.57	33.73	3	Horizontal	108	1.64	-	40.78	14.53	42.41

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68476G	55.23	83.54	-28.31	64.41	1	Vertical	222	1.42	-	37.77	15.27	62.22
AV	20.68482G	52.61	63.54	-10.93	61.79	1	Vertical	222	1.42	-	37.77	15.27	62.22

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68476G	60.61	83.54	-22.93	69.79	1	Horizontal	208	1.52	-	37.77	15.27	62.22
AV	20.68482G	59.33	63.54	-4.21	68.51	1	Horizontal	208	1.52	-	37.77	15.27	62.22

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUTY_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.999G	108.20	Inf	-Inf	99.20	3	Vertical	118	1.74	-	35.70	8.30	35.00
RMS	6.9942G	98.98	Inf	-Inf	89.99	3	Vertical	118	1.74	-	35.70	8.29	35.00
PK	7.1318G	63.05	88.20	-25.15	53.56	3	Vertical	118	1.74	-	35.99	8.56	35.06
RMS	7.1942G	52.40	68.20	-15.80	42.43	3	Vertical	118	1.74	-	36.37	8.69	35.09

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.987G	111.54	Inf	-Inf	102.57	3	Horizontal	113	1.65	-	35.70	8.27	35.00
RMS	6.9974G	101.40	Inf	-Inf	92.41	3	Horizontal	113	1.65	-	35.70	8.29	35.00
PK	7.187G	63.43	88.20	-24.77	53.53	3	Horizontal	113	1.65	-	36.32	8.67	35.09
RMS	7.1902G	52.38	68.20	-15.82	42.45	3	Horizontal	113	1.65	-	36.34	8.68	35.09

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUTY_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99384G	62.32	88.20	-25.88	48.79	3	Vertical	126	1.80	-	41.19	14.70	42.36
RMS	13.9996G	47.81	68.20	-20.39	34.27	3	Vertical	126	1.80	-	41.20	14.70	42.36

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUTY_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98574G	62.87	88.20	-25.33	49.37	3	Horizontal	217	2.79	-	41.17	14.69	42.36
RMS	13.98984G	49.44	68.20	-18.76	35.93	3	Horizontal	217	2.79	-	41.18	14.69	42.36

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98476G	53.93	83.54	-29.61	62.23	1	Vertical	78	1.50	-	38.27	15.35	61.92
AV	20.98476G	50.59	63.54	-12.95	58.89	1	Vertical	78	1.50	-	38.27	15.35	61.92

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9847G	57.50	83.54	-26.04	65.80	1	Horizontal	124	1.52	-	38.27	15.35	61.92
AV	20.98476G	55.47	63.54	-8.07	63.77	1	Horizontal	124	1.52	-	38.27	15.35	61.92

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0918G	107.48	Inf	-Inf	98.26	3	Vertical	119	1.80	-	35.78	8.48	35.04
RMS	7.0942G	98.32	Inf	-Inf	89.08	3	Vertical	119	1.80	-	35.79	8.49	35.04
PK	7.1906G	63.64	88.20	-24.56	53.71	3	Vertical	119	1.80	-	36.34	8.68	35.09
RMS	7.1946G	52.40	68.20	-15.80	42.43	3	Vertical	119	1.80	-	36.37	8.69	35.09

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUTY_4TX
 Setting 40
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1018G	111.23	Inf	-Inf	101.97	3	Horizontal	123	1.44	-	35.81	8.50	35.05
RMS	7.0966G	100.78	Inf	-Inf	91.54	3	Horizontal	123	1.44	-	35.79	8.49	35.04
PK	7.1622G	63.32	88.20	-24.88	53.60	3	Horizontal	123	1.44	-	36.17	8.62	35.07
RMS	7.195G	52.45	68.20	-15.75	42.48	3	Horizontal	123	1.44	-	36.37	8.69	35.09

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUTY_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1939G	62.32	88.20	-25.88	48.14	3	Vertical	82	2.05	-	41.59	14.89	42.30
RMS	14.19108G	48.56	68.20	-19.64	34.38	3	Vertical	82	2.05	-	41.59	14.89	42.30

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUTY_4TX
 Setting 40
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19138G	63.22	88.20	-24.98	49.04	3	Horizontal	140	1.80	-	41.59	14.89	42.30
RMS	14.18976G	48.58	68.20	-19.62	34.40	3	Horizontal	140	1.80	-	41.59	14.89	42.30

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28482G	55.51	83.54	-28.03	63.58	1	Vertical	97	1.63	-	38.07	15.42	61.56
AV	21.28476G	52.99	63.54	-10.55	61.06	1	Vertical	97	1.63	-	38.07	15.42	61.56

6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
 Setting 40
 03-K-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28488G	57.08	83.54	-26.46	65.15	1	Horizontal	212	1.65	-	38.07	15.42	61.56
AV	21.28476G	54.82	63.54	-8.72	62.89	1	Horizontal	212	1.65	-	38.07	15.42	61.56

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUTY_4TX
Setting 50
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	62.07	88.20	-26.13	55.06	3	Vertical	146	2.84	-	34.70	7.26	34.95
RMS	5.9238G	50.20	68.20	-18.00	43.19	3	Vertical	146	2.84	-	34.70	7.26	34.95
PK	5.9706G	109.67	Inf	-Inf	102.54	3	Vertical	146	2.84	-	34.80	7.29	34.96
RMS	5.971G	100.29	Inf	-Inf	93.16	3	Vertical	146	2.84	-	34.80	7.29	34.96

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	60.37	88.20	-27.83	53.38	3	Horizontal	136	1.62	-	34.68	7.26	34.95
RMS	5.925G	49.94	68.20	-18.26	42.93	3	Horizontal	136	1.62	-	34.70	7.26	34.95
PK	5.9702G	111.09	Inf	-Inf	103.96	3	Horizontal	136	1.62	-	34.80	7.29	34.96
RMS	5.9706G	101.01	Inf	-Inf	93.88	3	Horizontal	136	1.62	-	34.80	7.29	34.96

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUTY_4TX
Setting 50
02-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93366G	53.74	74.00	-20.26	48.15	3	Vertical	299	1.80	-	39.37	8.98	42.76
AV	11.91746G	41.66	54.00	-12.34	36.07	3	Vertical	299	1.80	-	39.38	8.97	42.76
PK	17.88318G	62.19	74.00	-11.81	46.35	3	Vertical	164	1.80	-	46.57	11.16	41.89
AV	17.89998G	49.96	54.00	-4.04	34.09	3	Vertical	164	1.80	-	46.60	11.16	41.89

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUTY_4TX
Setting 50
02-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93006G	54.28	74.00	-19.72	48.69	3	Horizontal	129	1.80	-	39.37	8.98	42.76
AV	11.92994G	43.64	54.00	-10.36	38.05	3	Horizontal	129	1.80	-	39.37	8.98	42.76
PK	17.90658G	62.83	74.00	-11.17	46.96	3	Horizontal	12	2.98	-	46.59	11.17	41.89
AV	17.88564G	50.22	54.00	-3.78	34.38	3	Horizontal	12	2.98	-	46.57	11.16	41.89

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
 Setting 50
 06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8843G	59.76	88.20	-28.44	53.57	3	Vertical	153	2.50	-	32.51	6.06	32.38
RMS	5.8976G	49.02	68.20	-19.18	42.75	3	Vertical	153	2.50	-	32.59	6.05	32.37
PK	6.1706G	107.69	Inf	-Inf	101.33	3	Vertical	153	2.50	-	32.78	6.17	32.59
RMS	6.1776G	97.44	Inf	-Inf	91.05	3	Vertical	153	2.50	-	32.81	6.18	32.60

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
Setting 50
06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.871G	60.10	88.20	-28.10	53.99	3	Horizontal	160	1.60	-	32.43	6.06	32.38
RMS	5.8892G	49.00	68.20	-19.20	42.78	3	Horizontal	160	1.60	-	32.54	6.06	32.38
PK	6.1636G	107.50	Inf	-Inf	101.17	3	Horizontal	160	1.60	-	32.75	6.16	32.58
RMS	6.1538G	96.97	Inf	-Inf	90.66	3	Horizontal	160	1.60	-	32.72	6.15	32.56

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX
 Setting 50
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34176G	54.44	74.00	-19.56	41.27	3	Vertical	212	2.23	-	38.76	9.10	34.69
AV	12.32124G	44.00	54.00	-10.00	30.81	3	Vertical	212	2.23	-	38.78	9.10	34.69

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT Y_4TX
 Setting 50
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.327G	55.09	74.00	-18.91	41.91	3	Horizontal	196	1.93	-	38.77	9.10	34.69
AV	12.32481G	43.81	54.00	-10.19	30.62	3	Horizontal	196	1.93	-	38.78	9.10	34.69

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
 Setting 50
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49032G	52.20	83.54	-31.34	63.42	1	Vertical	146	1.43	-	37.60	14.57	63.39
AV	18.49122G	48.85	63.54	-14.69	60.07	1	Vertical	146	1.43	-	37.60	14.57	63.39

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TX




EUT_Y_4TX
 Setting 50
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49056G	60.67	83.54	-22.87	71.89	1	Horizontal	252	1.15	-	37.60	14.57	63.39
AV	18.49752G	58.00	63.54	-5.54	69.23	1	Horizontal	252	1.15	-	37.60	14.57	63.40

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8434G	59.80	88.20	-28.40	53.23	3	Vertical	144	3.00	-	34.29	7.22	34.94
RMS	5.9226G	49.19	68.20	-19.01	42.19	3	Vertical	144	3.00	-	34.69	7.26	34.95
PK	6.4026G	109.19	Inf	-Inf	101.72	3	Vertical	144	3.00	-	34.89	7.60	35.02
RMS	6.4002G	98.30	Inf	-Inf	90.82	3	Vertical	144	3.00	-	34.90	7.60	35.02

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUTY_4TX
Setting 50
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	59.64	88.20	-28.56	52.69	3	Horizontal	153	1.77	-	34.64	7.26	34.95
RMS	5.925G	49.11	68.20	-19.09	42.10	3	Horizontal	153	1.77	-	34.70	7.26	34.95
PK	6.4194G	107.96	Inf	-Inf	100.55	3	Horizontal	153	1.77	-	34.82	7.61	35.02
RMS	6.4146G	96.85	Inf	-Inf	89.42	3	Horizontal	153	1.77	-	34.84	7.61	35.02

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.79668G	59.74	88.20	-28.46	40.84	3	Vertical	62	2.88	-	39.29	13.74	34.13
RMS	12.82092G	47.31	68.20	-20.89	28.32	3	Vertical	62	2.88	-	39.32	13.76	34.09

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81138G	59.41	88.20	-28.79	40.45	3	Horizontal	258	2.62	-	39.31	13.75	34.10
RMS	12.8244G	47.20	68.20	-21.00	28.20	3	Horizontal	258	2.62	-	39.32	13.76	34.08

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 50
 03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21478G	55.50	83.54	-28.04	66.41	1	Vertical	179	1.54	-	37.59	14.83	63.33
AV	19.2148G	53.24	63.54	-10.30	64.15	1	Vertical	179	1.54	-	37.59	14.83	63.33

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
 Setting 50
 03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21482G	59.79	83.54	-23.75	70.70	1	Horizontal	121	1.53	-	37.59	14.83	63.33
AV	19.2148G	58.22	63.54	-5.32	69.13	1	Horizontal	121	1.53	-	37.59	14.83	63.33

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUTY_4TX
Setting 50
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9042G	59.54	88.20	-28.66	52.62	3	Vertical	218	1.80	-	34.62	7.25	34.95
RMS	5.9224G	49.13	68.20	-19.07	42.13	3	Vertical	218	1.80	-	34.69	7.26	34.95
PK	6.4424G	105.14	Inf	-Inf	97.81	3	Vertical	218	1.80	-	34.73	7.62	35.02
RMS	6.4346G	93.63	Inf	-Inf	86.27	3	Vertical	218	1.80	-	34.76	7.62	35.02

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8912G	58.98	88.20	-29.22	52.13	3	Horizontal	153	1.80	-	34.55	7.25	34.95
RMS	5.9224G	49.10	68.20	-19.10	42.10	3	Horizontal	153	1.80	-	34.69	7.26	34.95
PK	6.445G	107.54	Inf	-Inf	100.22	3	Horizontal	153	1.80	-	34.72	7.62	35.02
RMS	6.4346G	96.09	Inf	-Inf	88.73	3	Horizontal	153	1.80	-	34.76	7.62	35.02

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUTY_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87962G	61.41	88.20	-26.79	42.22	3	Vertical	17	1.80	-	39.38	13.80	33.99
RMS	12.89486G	48.61	68.20	-19.59	29.36	3	Vertical	17	1.80	-	39.39	13.82	33.96

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUTY_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9011G	61.21	88.20	-26.99	41.94	3	Horizontal	51	2.34	-	39.40	13.82	33.95
RMS	12.90164G	48.80	68.20	-19.40	29.53	3	Horizontal	51	2.34	-	39.40	13.82	33.95

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33478G	55.34	83.54	-28.20	66.07	1	Vertical	179	1.54	-	37.63	14.87	63.23
AV	19.33482G	53.03	63.54	-10.51	63.76	1	Vertical	179	1.54	-	37.63	14.87	63.23

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33476G	61.23	83.54	-22.31	71.96	1	Horizontal	122	1.53	-	37.63	14.87	63.23
AV	19.33478G	59.92	63.54	-3.62	70.65	1	Horizontal	122	1.53	-	37.63	14.87	63.23

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	58.96	88.20	-29.24	51.97	3	Vertical	132	2.88	-	34.68	7.26	34.95
RMS	5.925G	49.11	68.20	-19.09	42.10	3	Vertical	132	2.88	-	34.70	7.26	34.95
PK	6.4878G	108.57	Inf	-Inf	101.26	3	Vertical	132	2.88	-	34.70	7.64	35.03
RMS	6.4878G	97.52	Inf	-Inf	90.21	3	Vertical	132	2.88	-	34.70	7.64	35.03
PK	7.1654G	63.14	88.20	-25.06	53.40	3	Vertical	132	2.88	-	36.19	8.63	35.08
RMS	7.1822G	52.32	68.20	-15.88	42.45	3	Vertical	132	2.88	-	36.29	8.66	35.08

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8998G	59.30	88.20	-28.90	52.40	3	Horizontal	153	1.90	-	34.60	7.25	34.95
RMS	5.9222G	49.04	68.20	-19.16	42.04	3	Horizontal	153	1.90	-	34.69	7.26	34.95
PK	6.485G	108.23	Inf	-Inf	100.92	3	Horizontal	153	1.90	-	34.70	7.64	35.03
RMS	6.485G	96.22	Inf	-Inf	88.91	3	Horizontal	153	1.90	-	34.70	7.64	35.03
PK	7.1486G	62.16	88.20	-26.04	52.54	3	Horizontal	153	1.90	-	36.09	8.60	35.07
RMS	7.1822G	52.37	68.20	-15.83	42.50	3	Horizontal	153	1.90	-	36.29	8.66	35.08

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95542G	62.73	88.20	-25.47	43.27	3	Vertical	109	2.00	-	39.46	13.86	33.86
RMS	12.98296G	48.87	68.20	-19.33	29.32	3	Vertical	109	2.00	-	39.48	13.89	33.82

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUTY_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95662G	61.79	88.20	-26.41	42.32	3	Horizontal	79	1.99	-	39.46	13.87	33.86
RMS	12.97618G	49.10	68.20	-19.10	29.57	3	Horizontal	79	1.99	-	39.48	13.88	33.83

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45478G	55.00	83.54	-28.54	65.55	1	Vertical	166	1.45	-	37.68	14.91	63.14
AV	19.45478G	52.37	63.54	-11.17	62.92	1	Vertical	166	1.45	-	37.68	14.91	63.14

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45478G	61.01	83.54	-22.53	71.56	1	Horizontal	123	1.54	-	37.68	14.91	63.14
AV	19.45478G	59.21	63.54	-4.33	69.76	1	Horizontal	123	1.54	-	37.68	14.91	63.14

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9174G	59.13	88.20	-29.07	52.15	3	Vertical	147	2.91	-	34.67	7.26	34.95
RMS	5.925G	49.15	68.20	-19.05	42.14	3	Vertical	147	2.91	-	34.70	7.26	34.95
PK	6.511G	108.01	Inf	-Inf	100.64	3	Vertical	147	2.91	-	34.74	7.66	35.03
RMS	6.5194G	97.71	Inf	-Inf	90.30	3	Vertical	147	2.91	-	34.78	7.66	35.03
PK	7.1438G	62.95	88.20	-25.25	53.37	3	Vertical	147	2.91	-	36.06	8.59	35.07
RMS	7.225G	52.75	68.20	-15.45	42.60	3	Vertical	147	2.91	-	36.55	8.70	35.10

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.895G	59.15	88.20	-29.05	52.28	3	Horizontal	156	1.99	-	34.57	7.25	34.95
RMS	5.9146G	49.03	68.20	-19.17	42.06	3	Horizontal	156	1.99	-	34.66	7.26	34.95
PK	6.525G	108.31	Inf	-Inf	100.88	3	Horizontal	156	1.99	-	34.80	7.66	35.03
RMS	6.5194G	97.03	Inf	-Inf	89.62	3	Horizontal	156	1.99	-	34.78	7.66	35.03
PK	7.1718G	63.97	88.20	-24.23	54.18	3	Horizontal	156	1.99	-	36.23	8.64	35.08
RMS	7.2222G	52.72	68.20	-15.48	42.59	3	Horizontal	156	1.99	-	36.53	8.70	35.10

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04262G	61.68	88.20	-26.52	41.87	3	Vertical	188	1.34	-	39.63	13.93	33.75
RMS	13.05486G	49.19	68.20	-19.01	29.32	3	Vertical	188	1.34	-	39.66	13.94	33.73

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
Setting 50
03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03818G	61.60	88.20	-26.60	41.81	3	Horizontal	218	1.80	-	39.61	13.93	33.75
RMS	13.0497G	49.25	68.20	-18.95	29.40	3	Horizontal	218	1.80	-	39.65	13.94	33.74

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57476G	56.74	83.54	-26.80	67.19	1	Vertical	169	1.43	-	37.67	14.95	63.07
AV	19.57476G	54.38	63.54	-9.16	64.83	1	Vertical	169	1.43	-	37.67	14.95	63.07

6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57476G	60.00	83.54	-23.54	70.45	1	Horizontal	125	1.53	-	37.67	14.95	63.07
AV	19.57484G	57.97	63.54	-5.57	68.42	1	Horizontal	125	1.53	-	37.67	14.95	63.07

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5698G	108.62	Inf	-Inf	100.99	3	Vertical	149	3.00	-	34.98	7.68	35.03
RMS	6.5602G	97.95	Inf	-Inf	90.36	3	Vertical	149	3.00	-	34.94	7.68	35.03
PK	7.1602G	63.14	88.20	-25.06	53.43	3	Vertical	149	3.00	-	36.16	8.62	35.07
RMS	7.1434G	52.24	68.20	-15.96	42.66	3	Vertical	149	3.00	-	36.06	8.59	35.07

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.553G	107.45	Inf	-Inf	99.89	3	Horizontal	165	1.80	-	34.91	7.68	35.03
RMS	6.5578G	96.28	Inf	-Inf	88.70	3	Horizontal	165	1.80	-	34.93	7.68	35.03
PK	7.165G	63.31	88.20	-24.89	53.57	3	Horizontal	165	1.80	-	36.19	8.63	35.08
RMS	7.1578G	52.32	68.20	-15.88	42.62	3	Horizontal	165	1.80	-	36.15	8.62	35.07

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13306G	62.75	88.20	-25.45	42.56	3	Vertical	287	1.51	-	39.83	14.01	33.65
RMS	13.11818G	49.86	68.20	-18.34	29.72	3	Vertical	287	1.51	-	39.82	13.99	33.67

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14092G	62.22	88.20	-25.98	42.01	3	Horizontal	84	2.02	-	39.84	14.01	33.64
RMS	13.12382G	50.04	68.20	-18.16	29.88	3	Horizontal	84	2.02	-	39.82	14.00	33.66

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69484G	57.16	83.54	-26.38	67.57	1	Vertical	189	1.48	-	37.62	14.99	63.02
AV	19.69478G	55.18	63.54	-8.36	65.59	1	Vertical	189	1.48	-	37.62	14.99	63.02

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69476G	61.31	83.54	-22.23	71.72	1	Horizontal	126	1.52	-	37.62	14.99	63.02
AV	19.69478G	60.05	63.54	-3.49	70.46	1	Horizontal	126	1.52	-	37.62	14.99	63.02

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUTY_4TX
Setting 50
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.681G	103.42	Inf	-Inf	95.30	3	Vertical	321	2.23	-	35.36	7.78	35.02
RMS	6.691G	94.37	Inf	-Inf	86.22	3	Vertical	321	2.23	-	35.38	7.79	35.02
PK	7.175G	62.60	88.20	-25.60	52.78	3	Vertical	321	2.23	-	36.25	8.65	35.08
RMS	7.185G	52.38	68.20	-15.82	42.49	3	Vertical	321	2.23	-	36.31	8.67	35.09

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUTY_4TX
Setting 50
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.683G	108.11	Inf	-Inf	99.98	3	Horizontal	130	1.89	-	35.37	7.78	35.02
RMS	6.679G	96.96	Inf	-Inf	88.84	3	Horizontal	130	1.89	-	35.36	7.78	35.02
PK	7.173G	62.80	88.20	-25.40	52.99	3	Horizontal	130	1.89	-	36.24	8.65	35.08
RMS	7.185G	52.41	68.20	-15.79	42.52	3	Horizontal	130	1.89	-	36.31	8.67	35.09

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUTY_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38386G	61.39	74.00	-12.61	40.30	3	Vertical	113	1.73	-	40.27	14.21	33.39
AV	13.35722G	49.70	54.00	-4.30	28.72	3	Vertical	113	1.73	-	40.21	14.19	33.42

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUTY_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38296G	61.68	74.00	-12.32	40.59	3	Horizontal	151	1.80	-	40.27	14.21	33.39
AV	13.37858G	49.71	54.00	-4.29	28.65	3	Horizontal	151	1.80	-	40.26	14.20	33.40

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05474G	55.16	83.54	-28.38	65.46	1	Vertical	178	1.56	-	37.44	15.11	62.85
AV	20.05476G	52.71	63.54	-10.83	63.01	1	Vertical	178	1.56	-	37.44	15.11	62.85

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05478G	61.65	83.54	-21.89	71.95	1	Horizontal	198	1.52	-	37.44	15.11	62.85
AV	20.05478G	60.22	63.54	-3.32	70.52	1	Horizontal	198	1.52	-	37.44	15.11	62.85

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUTY_4TX
Setting 50
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8514G	106.26	Inf	-Inf	97.57	3	Vertical	135	3.00	-	35.70	8.00	35.01
RMS	6.8514G	97.00	Inf	-Inf	88.31	3	Vertical	135	3.00	-	35.70	8.00	35.01
PK	7.2034G	63.19	88.20	-25.01	53.16	3	Vertical	135	3.00	-	36.42	8.70	35.09
RMS	7.2434G	52.88	68.20	-15.32	42.63	3	Vertical	135	3.00	-	36.66	8.70	35.11

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.853G	107.89	Inf	-Inf	99.20	3	Horizontal	110	1.60	-	35.69	8.01	35.01
RMS	6.8578G	97.74	Inf	-Inf	89.05	3	Horizontal	110	1.60	-	35.68	8.02	35.01
PK	7.2274G	64.12	88.20	-24.08	53.96	3	Horizontal	110	1.60	-	36.56	8.70	35.10
RMS	7.245G	52.88	68.20	-15.32	42.62	3	Horizontal	110	1.60	-	36.67	8.70	35.11

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68742G	64.77	88.20	-23.43	42.80	3	Vertical	333	1.77	-	40.59	14.45	33.07
RMS	13.68946G	52.68	68.20	-15.52	30.71	3	Vertical	333	1.77	-	40.59	14.45	33.07

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70242G	65.36	88.20	-22.84	43.36	3	Horizontal	215	1.49	-	40.60	14.46	33.06
RMS	13.69132G	53.16	68.20	-15.04	31.19	3	Horizontal	215	1.49	-	40.59	14.45	33.07

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53474G	53.94	83.54	-29.60	63.37	1	Vertical	88	1.65	-	37.71	15.23	62.37
AV	20.5348G	50.72	63.54	-12.82	60.15	1	Vertical	88	1.65	-	37.71	15.23	62.37

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53478G	58.68	83.54	-24.86	68.11	1	Horizontal	209	1.51	-	37.71	15.23	62.37
AV	20.53476G	56.87	63.54	-6.67	66.30	1	Horizontal	209	1.51	-	37.71	15.23	62.37

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	107.45	Inf	-Inf	98.76	3	Vertical	133	2.95	-	35.64	8.06	35.01
RMS	6.8864G	96.79	Inf	-Inf	88.10	3	Vertical	133	2.95	-	35.63	8.07	35.01
PK	7.144G	63.40	88.20	-24.80	53.82	3	Vertical	133	2.95	-	36.06	8.59	35.07
RMS	7.235G	52.85	68.20	-15.35	42.65	3	Vertical	133	2.95	-	36.61	8.70	35.11

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8976G	107.89	Inf	-Inf	99.20	3	Horizontal	113	1.79	-	35.60	8.10	35.01
RMS	6.8822G	98.51	Inf	-Inf	89.82	3	Horizontal	113	1.79	-	35.64	8.06	35.01
PK	7.2112G	63.54	88.20	-24.66	53.47	3	Horizontal	113	1.79	-	36.47	8.70	35.10
RMS	7.235G	52.88	68.20	-15.32	42.68	3	Horizontal	113	1.79	-	36.61	8.70	35.11

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77084G	65.49	88.20	-22.71	43.21	3	Vertical	303	1.65	-	40.74	14.52	32.98
RMS	13.7751G	53.03	68.20	-15.17	30.74	3	Vertical	303	1.65	-	40.75	14.52	32.98

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78452G	65.81	88.20	-22.39	43.48	3	Horizontal	3	2.94	-	40.77	14.53	32.97
RMS	13.77468G	53.25	68.20	-14.95	30.96	3	Horizontal	3	2.94	-	40.75	14.52	32.98

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65474G	53.10	83.54	-30.44	62.33	1	Vertical	87	1.65	-	37.76	15.26	62.25
AV	20.65472G	49.39	63.54	-14.15	58.62	1	Vertical	87	1.65	-	37.76	15.26	62.25

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65476G	60.80	83.54	-22.74	70.03	1	Horizontal	209	1.52	-	37.76	15.26	62.25
AV	20.65476G	59.52	63.54	-4.02	68.75	1	Horizontal	209	1.52	-	37.76	15.26	62.25

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUTY_4TX
Setting 50
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9238G	106.25	Inf	-Inf	97.45	3	Vertical	123	1.62	-	35.65	8.15	35.00
RMS	6.9286G	96.45	Inf	-Inf	87.63	3	Vertical	123	1.62	-	35.66	8.16	35.00
PK	7.1362G	63.31	88.20	-24.89	53.78	3	Vertical	123	1.62	-	36.02	8.57	35.06
RMS	7.2118G	52.75	68.20	-15.45	42.68	3	Vertical	123	1.62	-	36.47	8.70	35.10

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.913G	111.14	Inf	-Inf	102.39	3	Horizontal	112	1.58	-	35.63	8.13	35.01
RMS	6.9322G	99.84	Inf	-Inf	91.02	3	Horizontal	112	1.58	-	35.66	8.16	35.00
PK	7.1842G	63.54	88.20	-24.66	53.64	3	Horizontal	112	1.58	-	36.31	8.67	35.08
RMS	7.225G	52.72	68.20	-15.48	42.57	3	Horizontal	112	1.58	-	36.55	8.70	35.10

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.86308G	65.99	88.20	-22.21	43.36	3	Vertical	52	1.74	-	40.93	14.59	32.89
RMS	13.85654G	53.39	68.20	-14.81	30.78	3	Vertical	52	1.74	-	40.91	14.59	32.89

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84394G	65.85	88.20	-22.35	43.29	3	Horizontal	360	2.62	-	40.89	14.58	32.91
RMS	13.8608G	53.58	68.20	-14.62	30.96	3	Horizontal	360	2.62	-	40.92	14.59	32.89

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7748G	55.08	83.54	-28.46	64.07	1	Vertical	221	1.52	-	37.85	15.29	62.13
AV	20.77478G	52.59	63.54	-10.95	61.58	1	Vertical	221	1.52	-	37.85	15.29	62.13

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77474G	61.49	83.54	-22.05	70.48	1	Horizontal	232	1.52	-	37.85	15.29	62.13
AV	20.77476G	60.32	63.54	-3.22	69.31	1	Horizontal	232	1.52	-	37.85	15.29	62.13

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0042G	108.96	Inf	-Inf	99.95	3	Vertical	119	1.80	-	35.70	8.31	35.00
RMS	7.0042G	98.36	Inf	-Inf	89.35	3	Vertical	119	1.80	-	35.70	8.31	35.00
PK	7.1298G	63.09	88.20	-25.11	53.61	3	Vertical	119	1.80	-	35.98	8.56	35.06
RMS	7.2034G	52.65	68.20	-15.55	42.62	3	Vertical	119	1.80	-	36.42	8.70	35.09

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9922G	111.28	Inf	-Inf	102.30	3	Horizontal	113	1.66	-	35.70	8.28	35.00
RMS	7.0074G	101.00	Inf	-Inf	91.99	3	Horizontal	113	1.66	-	35.70	8.31	35.00
PK	7.165G	62.90	88.20	-25.30	53.16	3	Horizontal	113	1.66	-	36.19	8.63	35.08
RMS	7.2002G	52.64	68.20	-15.56	42.63	3	Horizontal	113	1.66	-	36.40	8.70	35.09

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02386G	66.09	88.20	-22.11	42.87	3	Vertical	198	1.11	-	41.27	14.72	32.77
RMS	14.02464G	54.02	68.20	-14.18	30.80	3	Vertical	198	1.11	-	41.27	14.72	32.77

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9959G	66.13	88.20	-22.07	42.98	3	Horizontal	201	1.03	-	41.19	14.70	32.74
RMS	14.0217G	54.22	68.20	-13.98	31.00	3	Horizontal	201	1.03	-	41.27	14.72	32.77

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01484G	52.63	83.54	-30.91	60.87	1	Vertical	76	1.65	-	38.29	15.35	61.88
AV	21.01478G	49.26	63.54	-14.28	57.50	1	Vertical	76	1.65	-	38.29	15.35	61.88

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01478G	59.11	83.54	-24.43	67.35	1	Horizontal	230	1.62	-	38.29	15.35	61.88
AV	21.01474G	57.66	63.54	-5.88	65.90	1	Horizontal	230	1.62	-	38.29	15.35	61.88

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0742G	107.19	Inf	-Inf	98.02	3	Vertical	121	1.95	-	35.75	8.45	35.03
RMS	7.0794G	97.89	Inf	-Inf	88.71	3	Vertical	121	1.95	-	35.76	8.46	35.04
PK	7.1314G	64.07	88.20	-24.13	54.58	3	Vertical	121	1.95	-	35.99	8.56	35.06
RMS	7.1294G	52.58	68.20	-15.62	43.10	3	Vertical	121	1.95	-	35.98	8.56	35.06

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUTY_4TX
 Setting 50
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0722G	110.97	Inf	-Inf	101.82	3	Horizontal	114	1.62	-	35.74	8.44	35.03
RMS	7.0722G	100.50	Inf	-Inf	91.35	3	Horizontal	114	1.62	-	35.74	8.44	35.03
PK	7.1254G	63.70	88.20	-24.50	54.26	3	Horizontal	114	1.62	-	35.95	8.55	35.06
RMS	7.125G	52.95	68.20	-15.25	43.51	3	Horizontal	114	1.62	-	35.95	8.55	35.06

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUTY_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17426G	66.57	88.20	-21.63	43.08	3	Vertical	71	1.41	-	41.57	14.87	32.95
RMS	14.18104G	54.38	68.20	-13.82	30.88	3	Vertical	71	1.41	-	41.58	14.88	32.96

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17228G	67.08	88.20	-21.12	43.59	3	Horizontal	317	1.00	-	41.57	14.87	32.95
RMS	14.16064G	54.47	68.20	-13.73	30.98	3	Horizontal	317	1.00	-	41.56	14.86	32.93

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
 Setting 50
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25486G	54.99	83.54	-28.55	63.07	1	Vertical	96	1.64	-	38.10	15.41	61.59
AV	21.2548G	52.30	63.54	-11.24	60.38	1	Vertical	96	1.64	-	38.10	15.41	61.59

6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 50
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25486G	61.22	74.00	-12.78	69.30	1	Horizontal	216	1.63	-	38.10	15.41	61.59
AV	21.25476G	59.95	63.54	-3.59	68.03	1	Horizontal	216	1.63	-	38.10	15.41	61.59

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUTY_4TX
Setting 65
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	66.87	88.20	-21.33	59.87	3	Vertical	158	1.80	-	34.69	7.26	34.95
RMS	5.9234G	54.11	68.20	-14.09	47.11	3	Vertical	158	1.80	-	34.69	7.26	34.95
PK	5.9962G	110.14	Inf	-Inf	103.01	3	Vertical	158	1.80	-	34.80	7.30	34.97
RMS	5.9962G	99.05	Inf	-Inf	91.92	3	Vertical	158	1.80	-	34.80	7.30	34.97

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUTY_4TX
Setting 65
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	69.61	88.20	-18.59	62.62	3	Horizontal	137	1.69	-	34.68	7.26	34.95
RMS	5.921G	55.46	68.20	-12.74	48.47	3	Horizontal	137	1.69	-	34.68	7.26	34.95
PK	5.9658G	111.26	Inf	-Inf	104.14	3	Horizontal	137	1.69	-	34.80	7.28	34.96
RMS	5.9706G	101.16	Inf	-Inf	94.03	3	Horizontal	137	1.69	-	34.80	7.29	34.96

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUTY_4TX
 Setting 65
 02-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96598G	53.66	74.00	-20.34	48.10	3	Vertical	348	1.80	-	39.33	8.99	42.76
AV	11.97954G	40.99	54.00	-13.01	35.44	3	Vertical	348	1.80	-	39.32	8.99	42.76
PK	17.94078G	61.97	74.00	-12.03	46.12	3	Vertical	180	1.80	-	46.56	11.18	41.89
AV	17.96802G	50.21	54.00	-3.79	34.38	3	Vertical	180	1.80	-	46.53	11.19	41.89

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUTY_4TX
 Setting 65
 02-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9697G	54.36	74.00	-19.64	48.80	3	Horizontal	128	1.80	-	39.33	8.99	42.76
AV	11.96988G	43.21	54.00	-10.79	37.65	3	Horizontal	128	1.80	-	39.33	8.99	42.76
PK	17.96886G	62.17	74.00	-11.83	46.34	3	Horizontal	128	2.62	-	46.53	11.19	41.89
AV	17.96712G	50.17	54.00	-3.83	34.34	3	Horizontal	128	2.62	-	46.53	11.19	41.89

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	59.74	88.20	-28.46	52.77	3	Vertical	152	2.89	-	34.66	7.26	34.95
RMS	5.9242G	49.72	68.20	-18.48	42.71	3	Vertical	152	2.89	-	34.70	7.26	34.95
PK	6.1366G	110.47	Inf	-Inf	102.96	3	Vertical	152	2.89	-	35.00	7.50	34.99
RMS	6.1162G	99.57	Inf	-Inf	92.08	3	Vertical	152	2.89	-	35.00	7.47	34.98

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8894G	60.18	88.20	-28.02	53.35	3	Horizontal	155	1.65	-	34.54	7.24	34.95
RMS	5.923G	49.43	68.20	-18.77	42.43	3	Horizontal	155	1.65	-	34.69	7.26	34.95
PK	6.1438G	108.29	Inf	-Inf	100.76	3	Horizontal	155	1.65	-	35.00	7.52	34.99
RMS	6.1342G	99.15	Inf	-Inf	91.64	3	Horizontal	155	1.65	-	35.00	7.50	34.99

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29168G	58.98	74.00	-15.02	41.67	3	Vertical	114	1.80	-	38.80	13.33	34.82
AV	12.29132G	46.61	54.00	-7.39	29.30	3	Vertical	114	1.80	-	38.80	13.33	34.82

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2765G	59.33	74.00	-14.67	42.05	3	Horizontal	132	1.80	-	38.80	13.32	34.84
AV	12.28982G	46.54	54.00	-7.46	29.24	3	Horizontal	132	1.80	-	38.80	13.33	34.83

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43476G	50.85	83.54	-32.69	62.09	1	Vertical	270	1.46	-	37.57	14.55	63.36
AV	18.43482G	45.94	63.54	-17.60	57.18	1	Vertical	270	1.46	-	37.57	14.55	63.36

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43478G	60.92	83.54	-22.62	72.16	1	Horizontal	232	1.56	-	37.57	14.55	63.36
AV	18.4348G	58.44	63.54	-5.10	69.68	1	Horizontal	232	1.56	-	37.57	14.55	63.36

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	60.22	88.20	-27.98	53.32	3	Vertical	147	3.00	-	34.60	7.25	34.95
RMS	5.9242G	49.43	68.20	-18.77	42.42	3	Vertical	147	3.00	-	34.70	7.26	34.95
PK	6.4018G	109.50	Inf	-Inf	102.03	3	Vertical	147	3.00	-	34.89	7.60	35.02
RMS	6.3706G	98.80	Inf	-Inf	91.31	3	Vertical	147	3.00	-	34.90	7.60	35.01

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	59.48	88.20	-28.72	52.50	3	Horizontal	155	1.79	-	34.67	7.26	34.95
RMS	5.9242G	49.27	68.20	-18.93	42.26	3	Horizontal	155	1.79	-	34.70	7.26	34.95
PK	6.409G	108.57	Inf	-Inf	101.13	3	Horizontal	155	1.79	-	34.86	7.60	35.02
RMS	6.3994G	97.45	Inf	-Inf	89.97	3	Horizontal	155	1.79	-	34.90	7.60	35.02

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7595G	60.29	88.20	-27.91	41.55	3	Vertical	317	1.80	-	39.22	13.71	34.19
RMS	12.77708G	48.06	68.20	-20.14	29.25	3	Vertical	317	1.80	-	39.25	13.72	34.16

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77342G	60.54	88.20	-27.66	41.74	3	Horizontal	162	1.25	-	39.25	13.72	34.17
RMS	12.77828G	47.76	68.20	-20.44	28.94	3	Horizontal	162	1.25	-	39.26	13.72	34.16

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 65
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15474G	56.59	83.54	-26.95	67.61	1	Vertical	178	1.54	-	37.56	14.80	63.38
AV	19.15478G	54.46	63.54	-9.08	65.48	1	Vertical	178	1.54	-	37.56	14.80	63.38

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15482G	58.84	83.54	-24.70	69.86	1	Horizontal	121	1.53	-	37.56	14.80	63.38
AV	19.15476G	57.34	63.54	-6.20	68.36	1	Horizontal	121	1.53	-	37.56	14.80	63.38

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	60.58	88.20	-27.62	53.57	3	Vertical	215	1.91	-	34.70	7.26	34.95
RMS	5.919G	49.19	68.20	-19.01	42.20	3	Vertical	215	1.91	-	34.68	7.26	34.95
PK	6.4754G	104.44	Inf	-Inf	97.13	3	Vertical	215	1.91	-	34.70	7.64	35.03
RMS	6.4598G	94.02	Inf	-Inf	86.72	3	Vertical	215	1.91	-	34.70	7.63	35.03

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	59.73	88.20	-28.47	52.82	3	Horizontal	153	1.74	-	34.61	7.25	34.95
RMS	5.9216G	49.23	68.20	-18.97	42.23	3	Horizontal	153	1.74	-	34.69	7.26	34.95
PK	6.465G	108.31	Inf	-Inf	101.01	3	Horizontal	153	1.74	-	34.70	7.63	35.03
RMS	6.4546G	97.08	Inf	-Inf	89.77	3	Horizontal	153	1.74	-	34.70	7.63	35.02

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93612G	61.89	88.20	-26.31	42.50	3	Vertical	356	2.93	-	39.44	13.85	33.90
RMS	12.9264G	48.84	68.20	-19.36	29.48	3	Vertical	356	2.93	-	39.43	13.84	33.91

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93012G	60.76	88.20	-27.44	41.40	3	Horizontal	39	1.96	-	39.43	13.84	33.91
RMS	12.93612G	48.63	68.20	-19.57	29.24	3	Horizontal	39	1.96	-	39.44	13.85	33.90

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39474G	54.79	83.54	-28.75	65.42	1	Vertical	170	1.44	-	37.66	14.89	63.18
AV	19.3948G	52.15	63.54	-11.39	62.78	1	Vertical	170	1.44	-	37.66	14.89	63.18

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 65
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39482G	61.54	83.54	-22.00	72.17	1	Horizontal	121	1.54	-	37.66	14.89	63.18
AV	19.39478G	59.81	63.54	-3.73	70.44	1	Horizontal	121	1.54	-	37.66	14.89	63.18

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8842G	60.04	88.20	-28.16	53.23	3	Vertical	140	3.00	-	34.51	7.24	34.94
RMS	5.9234G	49.45	68.20	-18.75	42.45	3	Vertical	140	3.00	-	34.69	7.26	34.95
PK	6.5366G	109.47	Inf	-Inf	101.98	3	Vertical	140	3.00	-	34.85	7.67	35.03
RMS	6.531G	98.48	Inf	-Inf	91.02	3	Vertical	140	3.00	-	34.82	7.67	35.03
PK	7.2226G	64.39	88.20	-23.81	54.25	3	Vertical	140	3.00	-	36.54	8.70	35.10
RMS	7.245G	53.12	68.20	-15.08	42.86	3	Vertical	140	3.00	-	36.67	8.70	35.11

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	59.74	88.20	-28.46	52.77	3	Horizontal	153	1.80	-	34.66	7.26	34.95
RMS	5.9206G	49.29	68.20	-18.91	42.30	3	Horizontal	153	1.80	-	34.68	7.26	34.95
PK	6.545G	108.13	Inf	-Inf	100.61	3	Horizontal	153	1.80	-	34.88	7.67	35.03
RMS	6.5338G	97.44	Inf	-Inf	89.96	3	Horizontal	153	1.80	-	34.84	7.67	35.03
PK	7.2058G	63.66	88.20	-24.54	53.62	3	Horizontal	153	1.80	-	36.43	8.70	35.09
RMS	7.2282G	53.02	68.20	-15.18	42.85	3	Horizontal	153	1.80	-	36.57	8.70	35.10

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07644G	63.03	88.20	-25.17	43.05	3	Vertical	319	1.83	-	39.73	13.96	33.71
RMS	13.08646G	49.77	68.20	-18.43	29.74	3	Vertical	319	1.83	-	39.76	13.97	33.70

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09876G	62.20	88.20	-26.00	42.11	3	Horizontal	210	2.55	-	39.80	13.98	33.69
RMS	13.09552G	49.99	68.20	-18.21	29.91	3	Horizontal	210	2.55	-	39.79	13.98	33.69

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63474G	56.41	83.54	-27.13	66.84	1	Vertical	186	1.57	-	37.65	14.97	63.05
AV	19.63476G	54.32	63.54	-9.22	64.75	1	Vertical	186	1.57	-	37.65	14.97	63.05

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63476G	60.29	83.54	-23.25	70.72	1	Horizontal	122	1.52	-	37.65	14.97	63.05
AV	19.6348G	58.59	63.54	-4.95	69.02	1	Horizontal	122	1.52	-	37.65	14.97	63.05

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.637G	105.81	Inf	-Inf	97.84	3	Vertical	321	2.19	-	35.25	7.74	35.02
RMS	6.637G	94.27	Inf	-Inf	86.30	3	Vertical	321	2.19	-	35.25	7.74	35.02
PK	7.1746G	62.89	88.20	-25.31	53.07	3	Vertical	321	2.19	-	36.25	8.65	35.08
RMS	7.2202G	52.95	68.20	-15.25	42.83	3	Vertical	321	2.19	-	36.52	8.70	35.10

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6274G	108.65	Inf	-Inf	100.73	3	Horizontal	129	1.80	-	35.21	7.73	35.02
RMS	6.5986G	97.14	Inf	-Inf	89.37	3	Horizontal	129	1.80	-	35.09	7.70	35.02
PK	7.1626G	63.48	88.20	-24.72	53.74	3	Horizontal	129	1.80	-	36.18	8.63	35.07
RMS	7.2226G	52.99	68.20	-15.21	42.85	3	Horizontal	129	1.80	-	36.54	8.70	35.10

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25168G	62.72	74.00	-11.28	42.15	3	Vertical	22	2.26	-	40.00	14.10	33.53
AV	13.25412G	49.97	54.00	-4.03	29.39	3	Vertical	22	2.26	-	40.01	14.10	33.53

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2563G	62.11	74.00	-11.89	41.51	3	Horizontal	243	1.80	-	40.01	14.11	33.52
AV	13.25216G	49.79	54.00	-4.21	29.22	3	Horizontal	243	1.80	-	40.00	14.10	33.53

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUTY_4TX
 Setting 65
 06-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8748G	62.42	83.54	-21.12	72.81	1	Vertical	181	1.43	-	37.50	15.06	62.95
AV	19.87477G	57.59	63.54	-5.95	67.98	1	Vertical	181	1.43	-	37.50	15.06	62.95

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUTY_4TX
 Setting 65
 06-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87481G	63.88	83.54	-19.66	74.27	1	Horizontal	127	1.61	-	37.50	15.06	62.95
AV	19.87476G	59.20	63.54	-4.34	69.59	1	Horizontal	127	1.61	-	37.50	15.06	62.95

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.717G	106.98	Inf	-Inf	98.71	3	Vertical	321	2.22	-	35.47	7.82	35.02
RMS	6.711G	94.67	Inf	-Inf	86.44	3	Vertical	321	2.22	-	35.44	7.81	35.02
PK	7.187G	63.00	88.20	-25.20	53.10	3	Vertical	321	2.22	-	36.32	8.67	35.09
RMS	7.205G	52.78	68.20	-15.42	42.74	3	Vertical	321	2.22	-	36.43	8.70	35.09

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.709G	109.52	Inf	-Inf	101.29	3	Horizontal	129	1.91	-	35.44	7.81	35.02
RMS	6.719G	97.62	Inf	-Inf	89.34	3	Horizontal	129	1.91	-	35.48	7.82	35.02
PK	7.173G	63.94	88.20	-24.26	54.13	3	Horizontal	129	1.91	-	36.24	8.65	35.08
RMS	7.205G	52.76	68.20	-15.44	42.72	3	Horizontal	129	1.91	-	36.43	8.70	35.09

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41104G	62.07	88.20	-26.13	40.89	3	Vertical	357	1.80	-	40.31	14.23	33.36
RMS	13.40658G	49.38	68.20	-18.82	28.21	3	Vertical	357	1.80	-	40.31	14.23	33.37

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40966G	61.38	88.20	-26.82	40.20	3	Horizontal	130	2.34	-	40.31	14.23	33.36
RMS	13.40916G	49.30	68.20	-18.90	28.12	3	Horizontal	130	2.34	-	40.31	14.23	33.36

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11476G	55.11	83.54	-28.43	65.28	1	Vertical	357	1.45	-	37.49	15.13	62.79
AV	20.11476G	52.30	63.54	-11.24	62.47	1	Vertical	357	1.45	-	37.49	15.13	62.79

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11478G	61.82	83.54	-21.72	71.99	1	Horizontal	200	1.52	-	37.49	15.13	62.79
AV	20.1148G	60.61	63.54	-2.93	70.78	1	Horizontal	200	1.52	-	37.49	15.13	62.79

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.817G	105.64	Inf	-Inf	96.95	3	Vertical	321	2.23	-	35.77	7.93	35.01
RMS	6.7962G	95.72	Inf	-Inf	87.05	3	Vertical	321	2.23	-	35.78	7.90	35.01
PK	7.1674G	63.34	88.20	-24.86	53.59	3	Vertical	321	2.23	-	36.20	8.63	35.08
RMS	7.185G	52.64	68.20	-15.56	42.75	3	Vertical	321	2.23	-	36.31	8.67	35.09

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7882G	109.07	Inf	-Inf	100.44	3	Horizontal	105	1.80	-	35.75	7.89	35.01
RMS	6.793G	97.70	Inf	-Inf	89.05	3	Horizontal	105	1.80	-	35.77	7.89	35.01
PK	7.1274G	62.55	88.20	-25.65	53.10	3	Horizontal	105	1.80	-	35.96	8.55	35.06
RMS	7.185G	52.65	68.20	-15.55	42.76	3	Horizontal	105	1.80	-	36.31	8.67	35.09

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56758G	62.22	88.20	-25.98	40.60	3	Vertical	67	2.98	-	40.47	14.35	33.20
RMS	13.57494G	50.29	68.20	-17.91	28.65	3	Vertical	67	2.98	-	40.47	14.36	33.19

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57194G	64.18	88.20	-24.02	42.54	3	Horizontal	338	2.49	-	40.47	14.36	33.19
RMS	13.56576G	49.94	68.20	-18.26	28.32	3	Horizontal	338	2.49	-	40.47	14.35	33.20

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35484G	56.50	83.54	-27.04	66.22	1	Vertical	88	1.63	-	37.64	15.19	62.55
AV	20.35476G	54.32	63.54	-9.22	64.04	1	Vertical	88	1.63	-	37.64	15.19	62.55

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35486G	57.62	83.54	-25.92	67.34	1	Horizontal	148	1.50	-	37.64	15.19	62.55
AV	20.35474G	55.43	63.54	-8.11	65.15	1	Horizontal	148	1.50	-	37.64	15.19	62.55

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8758G	109.48	Inf	-Inf	100.79	3	Vertical	136	2.97	-	35.65	8.05	35.01
RMS	6.8506G	97.95	Inf	-Inf	89.26	3	Vertical	136	2.97	-	35.70	8.00	35.01
PK	7.1422G	63.94	88.20	-24.26	54.38	3	Vertical	136	2.97	-	36.05	8.58	35.07
RMS	7.1578G	52.52	68.20	-15.68	42.82	3	Vertical	136	2.97	-	36.15	8.62	35.07

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 65
03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.847G	110.75	Inf	-Inf	102.06	3	Horizontal	111	1.59	-	35.71	7.99	35.01
RMS	6.8926G	99.50	Inf	-Inf	90.81	3	Horizontal	111	1.59	-	35.61	8.09	35.01
PK	7.1302G	64.00	88.20	-24.20	54.52	3	Horizontal	111	1.59	-	35.98	8.56	35.06
RMS	7.1554G	52.58	68.20	-15.62	42.91	3	Horizontal	111	1.59	-	36.13	8.61	35.07

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




17/11/2022

EUTY_4TX
Setting 65
03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72766G	66.19	88.20	-22.01	44.08	3	Vertical	360	2.94	-	40.66	14.48	33.03
RMS	13.74368G	52.94	68.20	-15.26	30.77	3	Vertical	360	2.94	-	40.69	14.49	33.01

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71662G	65.23	88.20	-22.97	43.17	3	Horizontal	59	2.10	-	40.63	14.47	33.04
RMS	13.73174G	52.74	68.20	-15.46	30.61	3	Horizontal	59	2.10	-	40.66	14.49	33.02

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59468G	54.42	83.54	-29.12	63.74	1	Vertical	87	1.63	-	37.74	15.25	62.31
AV	20.59478G	51.69	63.54	-11.85	61.01	1	Vertical	87	1.63	-	37.74	15.25	62.31

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59476G	60.44	83.54	-23.10	69.76	1	Horizontal	209	1.52	-	37.74	15.25	62.31
AV	20.59478G	59.06	63.54	-4.48	68.38	1	Horizontal	209	1.52	-	37.74	15.25	62.31

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.909G	107.00	Inf	-Inf	98.27	3	Vertical	119	1.77	-	35.62	8.12	35.01
RMS	6.9342G	97.35	Inf	-Inf	88.51	3	Vertical	119	1.77	-	35.67	8.17	35.00
PK	7.185G	63.49	88.20	-24.71	53.60	3	Vertical	119	1.77	-	36.31	8.67	35.09
RMS	7.2414G	53.11	68.20	-15.09	42.87	3	Vertical	119	1.77	-	36.65	8.70	35.11

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.927G	110.70	Inf	-Inf	101.90	3	Horizontal	108	1.72	-	35.65	8.15	35.00
RMS	6.9474G	99.75	Inf	-Inf	90.87	3	Horizontal	108	1.72	-	35.69	8.19	35.00
PK	7.2066G	63.81	88.20	-24.39	53.77	3	Horizontal	108	1.72	-	36.44	8.70	35.10
RMS	7.2378G	53.16	68.20	-15.04	42.94	3	Horizontal	108	1.72	-	36.63	8.70	35.11

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88028G	65.93	88.20	-22.27	43.24	3	Vertical	358	2.65	-	40.96	14.60	32.87
RMS	13.89678G	53.51	68.20	-14.69	30.75	3	Vertical	358	2.65	-	40.99	14.62	32.85

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8969G	65.61	88.20	-22.59	42.85	3	Horizontal	70	2.04	-	40.99	14.62	32.85
RMS	13.89402G	53.78	68.20	-14.42	31.02	3	Horizontal	70	2.04	-	40.99	14.62	32.85

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83468G	54.01	83.54	-29.53	62.80	1	Vertical	76	1.40	-	37.97	15.31	62.07
AV	20.83476G	50.99	63.54	-12.55	59.78	1	Vertical	76	1.40	-	37.97	15.31	62.07

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
 Setting 65
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83474G	61.52	83.54	-22.02	70.31	1	Horizontal	232	1.52	-	37.97	15.31	62.07
AV	20.83478G	60.03	63.54	-3.51	68.82	1	Horizontal	232	1.52	-	37.97	15.31	62.07

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0242G	108.38	Inf	-Inf	99.34	3	Vertical	121	1.99	-	35.70	8.35	35.01
RMS	7.0394G	98.55	Inf	-Inf	89.49	3	Vertical	121	1.99	-	35.70	8.38	35.02
PK	7.1738G	63.53	88.20	-24.67	53.72	3	Vertical	121	1.99	-	36.24	8.65	35.08
RMS	7.2194G	53.00	68.20	-15.20	42.88	3	Vertical	121	1.99	-	36.52	8.70	35.10

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUTY_4TX
 Setting 65
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0226G	111.54	Inf	-Inf	102.50	3	Horizontal	119	1.57	-	35.70	8.35	35.01
RMS	7.037G	101.61	Inf	-Inf	92.56	3	Horizontal	119	1.57	-	35.70	8.37	35.02
PK	7.1474G	64.13	88.20	-24.07	54.53	3	Horizontal	119	1.57	-	36.08	8.59	35.07
RMS	7.1274G	53.29	68.20	-14.91	43.84	3	Horizontal	119	1.57	-	35.96	8.55	35.06

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04034G	67.38	88.20	-20.82	44.11	3	Vertical	14	2.93	-	41.32	14.74	32.79
RMS	14.05978G	54.47	68.20	-13.73	31.14	3	Vertical	14	2.93	-	41.38	14.76	32.81

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUTY_4TX
 Setting 65
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04094G	66.66	88.20	-21.54	43.39	3	Horizontal	315	2.60	-	41.32	14.74	32.79
RMS	14.0551G	54.47	68.20	-13.73	31.15	3	Horizontal	315	2.60	-	41.37	14.76	32.81

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 65
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07484G	54.08	83.54	-29.46	62.28	1	Vertical	76	1.64	-	38.24	15.37	61.81
AV	21.07476G	50.71	63.54	-12.83	58.91	1	Vertical	76	1.64	-	38.24	15.37	61.81

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 65
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07478G	59.89	83.54	-23.65	68.09	1	Horizontal	237	1.63	-	38.24	15.37	61.81
AV	21.07474G	58.25	63.54	-5.29	66.45	1	Horizontal	237	1.63	-	38.24	15.37	61.81

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	77.12	88.20	-11.08	70.17	3	Vertical	158	1.80	-	34.64	7.26	34.95
RMS	5.911G	60.98	68.20	-7.22	54.03	3	Vertical	158	1.80	-	34.64	7.26	34.95
PK	6.001G	108.08	Inf	-Inf	100.95	3	Vertical	158	1.80	-	34.80	7.30	34.97
RMS	6.031G	98.80	Inf	-Inf	91.56	3	Vertical	158	1.80	-	34.86	7.35	34.97

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	77.64	88.20	-10.56	70.72	3	Horizontal	135	1.78	-	34.62	7.25	34.95
RMS	5.925G	63.17	68.20	-5.03	56.16	3	Horizontal	135	1.78	-	34.70	7.26	34.95
PK	6.031G	109.81	Inf	-Inf	102.57	3	Horizontal	135	1.78	-	34.86	7.35	34.97
RMS	6.036G	99.72	Inf	-Inf	92.47	3	Horizontal	135	1.78	-	34.87	7.35	34.97

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05444G	59.35	74.00	-14.65	42.18	3	Vertical	355	1.80	-	39.09	13.14	35.06
AV	12.05132G	49.06	54.00	-4.94	31.88	3	Vertical	355	1.80	-	39.10	13.14	35.06

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.03884G	60.57	74.00	-13.43	43.39	3	Horizontal	125	1.77	-	39.12	13.13	35.07
AV	12.04982G	48.99	54.00	-5.01	31.81	3	Horizontal	125	1.77	-	39.10	13.14	35.06

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07488G	51.56	83.54	-31.98	62.77	1	Vertical	133	1.56	-	37.50	14.43	63.14
AV	18.07478G	46.73	63.54	-16.81	57.94	1	Vertical	133	1.56	-	37.50	14.43	63.14

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07478G	57.75	83.54	-25.79	68.96	1	Horizontal	199	1.53	-	37.50	14.43	63.14
AV	18.0748G	54.54	63.54	-9.00	65.75	1	Horizontal	199	1.53	-	37.50	14.43	63.14

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	60.98	88.20	-27.22	53.97	3	Vertical	152	2.55	-	34.70	7.26	34.95
RMS	5.9242G	51.56	68.20	-16.64	44.55	3	Vertical	152	2.55	-	34.70	7.26	34.95
PK	6.209G	109.01	Inf	-Inf	101.25	3	Vertical	152	2.55	-	35.16	7.60	35.00
RMS	6.1882G	99.86	Inf	-Inf	92.12	3	Vertical	152	2.55	-	35.15	7.58	34.99

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	60.01	88.20	-28.19	53.04	3	Horizontal	152	1.57	-	34.66	7.26	34.95
RMS	5.9242G	50.36	68.20	-17.84	43.35	3	Horizontal	152	1.57	-	34.70	7.26	34.95
PK	6.153G	108.30	Inf	-Inf	100.75	3	Horizontal	152	1.57	-	35.01	7.53	34.99
RMS	6.1738G	97.73	Inf	-Inf	90.06	3	Horizontal	152	1.57	-	35.10	7.56	34.99

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36814G	59.90	74.00	-14.10	42.39	3	Vertical	8	1.11	-	38.87	13.39	34.75
AV	12.38356G	49.25	54.00	-4.75	31.69	3	Vertical	8	1.11	-	38.88	13.41	34.73

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36988G	60.09	74.00	-13.91	42.57	3	Horizontal	231	1.80	-	38.87	13.40	34.75
AV	12.35896G	48.78	54.00	-5.22	31.29	3	Horizontal	231	1.80	-	38.86	13.39	34.76

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55476G	53.77	83.54	-29.77	64.97	1	Vertical	214	1.59	-	37.62	14.59	63.41
AV	18.55482G	51.49	63.54	-12.05	62.69	1	Vertical	214	1.59	-	37.62	14.59	63.41

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55482G	61.51	83.54	-22.03	72.71	1	Horizontal	204	1.55	-	37.62	14.59	63.41
AV	18.5548G	60.44	63.54	-3.10	71.64	1	Horizontal	204	1.55	-	37.62	14.59	63.41

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	60.15	88.20	-28.05	53.27	3	Vertical	141	2.43	-	34.58	7.25	34.95
RMS	5.925G	49.91	68.20	-18.29	42.90	3	Vertical	141	2.43	-	34.70	7.26	34.95
PK	6.363G	109.98	Inf	-Inf	102.49	3	Vertical	141	2.43	-	34.90	7.60	35.01
RMS	6.319G	99.30	Inf	-Inf	91.75	3	Vertical	141	2.43	-	34.96	7.60	35.01

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.875G	59.30	88.20	-28.90	52.55	3	Horizontal	155	1.73	-	34.45	7.24	34.94
RMS	5.925G	49.64	68.20	-18.56	42.63	3	Horizontal	155	1.73	-	34.70	7.26	34.95
PK	6.329G	108.39	Inf	-Inf	100.86	3	Horizontal	155	1.73	-	34.94	7.60	35.01
RMS	6.319G	97.56	Inf	-Inf	90.01	3	Horizontal	155	1.73	-	34.96	7.60	35.01

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69144G	60.65	74.00	-13.35	42.23	3	Vertical	339	1.25	-	39.07	13.65	34.30
AV	12.68352G	49.19	54.00	-4.81	30.81	3	Vertical	339	1.25	-	39.05	13.65	34.32

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69278G	60.10	74.00	-13.90	41.67	3	Horizontal	202	1.86	-	39.08	13.65	34.30
AV	12.6899G	49.87	54.00	-4.13	31.45	3	Horizontal	202	1.86	-	39.07	13.65	34.30

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUTY_4TX
Setting 75
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03478G	54.83	83.54	-28.71	66.03	1	Vertical	178	1.54	-	37.51	14.76	63.47
AV	19.03476G	52.69	63.54	-10.85	63.89	1	Vertical	178	1.54	-	37.51	14.76	63.47

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03482G	60.88	83.54	-22.66	72.08	1	Horizontal	137	1.65	-	37.51	14.76	63.47
AV	19.03478G	59.53	63.54	-4.01	70.73	1	Horizontal	137	1.65	-	37.51	14.76	63.47

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	59.69	88.20	-28.51	52.71	3	Vertical	133	3.00	-	34.67	7.26	34.95
RMS	5.925G	49.67	68.20	-18.53	42.66	3	Vertical	133	3.00	-	34.70	7.26	34.95
PK	6.4742G	108.87	Inf	-Inf	101.56	3	Vertical	133	3.00	-	34.70	7.64	35.03
RMS	6.5106G	98.12	Inf	-Inf	90.75	3	Vertical	133	3.00	-	34.74	7.66	35.03
PK	7.191G	63.28	88.20	-24.92	53.34	3	Vertical	133	3.00	-	36.35	8.68	35.09
RMS	7.1966G	52.87	68.20	-15.33	42.89	3	Vertical	133	3.00	-	36.38	8.69	35.09

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	60.15	88.20	-28.05	53.15	3	Horizontal	154	1.80	-	34.69	7.26	34.95
RMS	5.925G	49.61	68.20	-18.59	42.60	3	Horizontal	154	1.80	-	34.70	7.26	34.95
PK	6.533G	109.61	Inf	-Inf	102.14	3	Horizontal	154	1.80	-	34.83	7.67	35.03
RMS	6.519G	96.67	Inf	-Inf	89.26	3	Horizontal	154	1.80	-	34.78	7.66	35.03
PK	7.191G	62.46	88.20	-25.74	52.52	3	Horizontal	154	1.80	-	36.35	8.68	35.09
RMS	7.191G	52.84	68.20	-15.36	42.90	3	Horizontal	154	1.80	-	36.35	8.68	35.09

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01588G	61.75	88.20	-26.45	42.06	3	Vertical	329	1.77	-	39.55	13.91	33.77
RMS	13.02362G	50.97	68.20	-17.23	31.25	3	Vertical	329	1.77	-	39.57	13.92	33.77

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.99602G	62.02	88.20	-26.18	42.42	3	Horizontal	191	2.65	-	39.50	13.90	33.80
RMS	13.00934G	50.74	68.20	-17.46	31.08	3	Horizontal	191	2.65	-	39.53	13.91	33.78

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 75
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5148G	56.39	83.54	-27.15	66.86	1	Vertical	170	1.44	-	37.69	14.93	63.09
AV	19.51478G	54.38	63.54	-9.16	64.85	1	Vertical	170	1.44	-	37.69	14.93	63.09

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 75
03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51468G	60.47	83.54	-23.07	70.94	1	Horizontal	123	1.54	-	37.69	14.93	63.09
AV	19.5148G	59.27	63.54	-4.27	69.74	1	Horizontal	123	1.54	-	37.69	14.93	63.09

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6408G	105.37	Inf	-Inf	97.39	3	Vertical	324	2.26	-	35.26	7.74	35.02
RMS	6.6364G	94.35	Inf	-Inf	86.38	3	Vertical	324	2.26	-	35.25	7.74	35.02
PK	7.16G	63.24	88.20	-24.96	53.53	3	Vertical	324	2.26	-	36.16	8.62	35.07
RMS	7.2128G	53.01	68.20	-15.19	42.93	3	Vertical	324	2.26	-	36.48	8.70	35.10

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6342G	108.40	Inf	-Inf	100.45	3	Horizontal	127	1.80	-	35.24	7.73	35.02
RMS	6.654G	96.89	Inf	-Inf	88.85	3	Horizontal	127	1.80	-	35.31	7.75	35.02
PK	7.1908G	64.36	88.20	-23.84	54.43	3	Horizontal	127	1.80	-	36.34	8.68	35.09
RMS	7.2084G	53.04	68.20	-15.16	42.99	3	Horizontal	127	1.80	-	36.45	8.70	35.10

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33156G	62.00	74.00	-12.00	41.12	3	Vertical	170	1.80	-	40.16	14.17	33.45
AV	13.33018G	50.77	54.00	-3.23	29.90	3	Vertical	170	1.80	-	40.16	14.16	33.45

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3351G	61.45	74.00	-12.55	40.55	3	Horizontal	221	2.96	-	40.17	14.17	33.44
AV	13.34146G	50.78	54.00	-3.22	29.86	3	Horizontal	221	2.96	-	40.18	14.17	33.43

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99478G	56.21	83.54	-27.33	66.61	1	Vertical	170	1.56	-	37.40	15.10	62.90
AV	19.99478G	53.64	63.54	-9.90	64.04	1	Vertical	170	1.56	-	37.40	15.10	62.90

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99482G	61.31	83.54	-22.23	71.71	1	Horizontal	189	1.52	-	37.40	15.10	62.90
AV	19.99478G	59.95	63.54	-3.59	70.35	1	Horizontal	189	1.52	-	37.40	15.10	62.90

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.793G	107.85	Inf	-Inf	99.20	3	Vertical	138	2.98	-	35.77	7.89	35.01
RMS	6.8506G	97.18	Inf	-Inf	88.49	3	Vertical	138	2.98	-	35.70	8.00	35.01
PK	7.2138G	64.76	88.20	-23.44	54.68	3	Vertical	138	2.98	-	36.48	8.70	35.10
RMS	7.225G	53.14	68.20	-15.06	42.99	3	Vertical	138	2.98	-	36.55	8.70	35.10

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.817G	109.53	Inf	-Inf	100.84	3	Horizontal	112	1.62	-	35.77	7.93	35.01
RMS	6.8474G	98.91	Inf	-Inf	90.22	3	Horizontal	112	1.62	-	35.71	7.99	35.01
PK	7.2154G	63.69	88.20	-24.51	53.60	3	Horizontal	112	1.62	-	36.49	8.70	35.10
RMS	7.2186G	53.22	68.20	-14.98	43.11	3	Horizontal	112	1.62	-	36.51	8.70	35.10

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.63692G	64.78	88.20	-23.42	42.95	3	Vertical	117	1.78	-	40.54	14.41	33.12
RMS	13.6641G	54.35	68.20	-13.85	32.46	3	Vertical	117	1.78	-	40.56	14.43	33.10

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64964G	64.92	88.20	-23.28	43.06	3	Horizontal	306	2.66	-	40.55	14.42	33.11
RMS	13.66242G	53.99	68.20	-14.21	32.10	3	Horizontal	306	2.66	-	40.56	14.43	33.10

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 75
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47482G	55.87	83.54	-27.67	65.39	1	Vertical	89	1.64	-	37.69	15.22	62.43
AV	20.47474G	53.55	63.54	-9.99	63.07	1	Vertical	89	1.64	-	37.69	15.22	62.43

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 75
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47476G	58.96	83.54	-24.58	68.48	1	Horizontal	208	1.52	-	37.69	15.22	62.43
AV	20.47474G	57.78	63.54	-5.76	67.30	1	Horizontal	208	1.52	-	37.69	15.22	62.43

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.004G	108.33	Inf	-Inf	99.32	3	Vertical	119	1.80	-	35.70	8.31	35.00
RMS	6.974G	97.77	Inf	-Inf	88.82	3	Vertical	119	1.80	-	35.70	8.25	35.00
PK	7.141G	72.99	88.20	-15.21	63.42	3	Vertical	119	1.80	-	36.05	8.58	35.06
RMS	7.128G	57.86	68.20	-10.34	48.39	3	Vertical	119	1.80	-	35.97	8.56	35.06

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUTY_4TX
 Setting 75
 03-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.937G	110.42	Inf	-Inf	101.58	3	Horizontal	118	1.57	-	35.67	8.17	35.00
RMS	6.977G	100.98	Inf	-Inf	92.03	3	Horizontal	118	1.57	-	35.70	8.25	35.00
PK	7.125G	77.18	88.20	-11.02	67.74	3	Horizontal	118	1.57	-	35.95	8.55	35.06
RMS	7.125G	61.68	68.20	-6.52	52.24	3	Horizontal	118	1.57	-	35.95	8.55	35.06

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9661G	66.21	88.20	-21.99	43.19	3	Vertical	205	1.80	-	41.13	14.67	32.78
RMS	13.97918G	55.75	68.20	-12.45	32.67	3	Vertical	205	1.80	-	41.16	14.68	32.76

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUTY_4TX
 Setting 75
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9601G	66.16	88.20	-22.04	43.15	3	Horizontal	119	2.80	-	41.12	14.67	32.78
RMS	13.95782G	55.60	68.20	-12.60	32.59	3	Horizontal	119	2.80	-	41.12	14.67	32.78

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
 Setting 75
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95472G	54.94	83.54	-28.60	63.34	1	Vertical	75	1.52	-	38.21	15.34	61.95
AV	20.95476G	52.77	63.54	-10.77	61.17	1	Vertical	75	1.52	-	38.21	15.34	61.95

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX



EUT_Y_4TX
 Setting 75
 03-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9548G	58.74	83.54	-24.80	67.14	1	Horizontal	190	1.50	-	38.21	15.34	61.95
AV	20.95474G	56.48	63.54	-7.06	64.88	1	Horizontal	190	1.50	-	38.21	15.34	61.95




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	20.11486G	63.10	63.54	-0.44	1	Horizontal	198	1.54	-

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 35
03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	63.75	88.20	-24.45	56.74	3	Vertical	138	2.15	-	34.70	7.26	34.95
RMS	5.9242G	51.83	68.20	-16.37	44.82	3	Vertical	138	2.15	-	34.70	7.26	34.95
PK	5.9606G	117.19	Inf	-Inf	110.07	3	Vertical	138	2.15	-	34.80	7.28	34.96
RMS	5.959G	106.57	Inf	-Inf	99.45	3	Vertical	138	2.15	-	34.80	7.28	34.96

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	62.62	88.20	-25.58	55.61	3	Horizontal	64	1.40	-	34.70	7.26	34.95
RMS	5.9242G	51.38	68.20	-16.82	44.37	3	Horizontal	64	1.40	-	34.70	7.26	34.95
PK	5.9634G	118.93	Inf	-Inf	111.81	3	Horizontal	64	1.40	-	34.80	7.28	34.96
RMS	5.963G	108.92	Inf	-Inf	101.80	3	Horizontal	64	1.40	-	34.80	7.28	34.96

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91013G	59.23	74.00	-14.77	49.73	3	Vertical	191	2.68	-	39.20	13.05	42.75
AV	11.91047G	46.70	54.00	-7.30	37.20	3	Vertical	191	2.68	-	39.20	13.05	42.75
PK	17.85936G	61.86	74.00	-12.14	41.05	3	Vertical	3	1.99	-	44.88	17.82	41.89
AV	17.8665G	50.16	54.00	-3.84	29.33	3	Vertical	3	1.99	-	44.90	17.82	41.89

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90972G	59.11	74.00	-14.89	49.61	3	Horizontal	170	2.66	-	39.20	13.05	42.75
AV	11.9098G	46.32	54.00	-7.68	36.82	3	Horizontal	170	2.66	-	39.20	13.05	42.75
PK	17.86812G	61.85	74.00	-12.15	41.02	3	Horizontal	316	1.72	-	44.90	17.82	41.89
AV	17.87742G	50.21	54.00	-3.79	29.34	3	Horizontal	316	1.72	-	44.93	17.83	41.89

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	59.80	88.20	-28.40	52.91	3	Vertical	134	2.21	-	34.59	7.25	34.95
RMS	5.925G	49.97	68.20	-18.23	42.96	3	Vertical	134	2.21	-	34.70	7.26	34.95
PK	6.1666G	114.33	Inf	-Inf	106.70	3	Vertical	134	2.21	-	35.07	7.55	34.99
RMS	6.1702G	104.19	Inf	-Inf	96.54	3	Vertical	134	2.21	-	35.08	7.56	34.99

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	60.21	88.20	-27.99	53.23	3	Horizontal	158	1.79	-	34.67	7.26	34.95
RMS	5.925G	49.72	68.20	-18.48	42.71	3	Horizontal	158	1.79	-	34.70	7.26	34.95
PK	6.1834G	117.84	Inf	-Inf	110.12	3	Horizontal	158	1.79	-	35.13	7.58	34.99
RMS	6.1834G	108.17	Inf	-Inf	100.45	3	Horizontal	158	1.79	-	35.13	7.58	34.99

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35041G	59.38	74.00	-14.62	41.92	3	Vertical	351	1.42	-	38.85	13.38	34.77
AV	12.35011G	45.88	54.00	-8.12	28.42	3	Vertical	351	1.42	-	38.85	13.38	34.77

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35001G	58.74	74.00	-15.26	41.28	3	Horizontal	349	1.65	-	38.85	13.38	34.77
AV	12.35042G	45.93	54.00	-8.07	28.47	3	Horizontal	349	1.65	-	38.85	13.38	34.77

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 35
 03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5249G	54.57	83.54	-28.97	65.78	1	Vertical	212	1.60	-	37.61	14.58	63.40
AV	18.52492G	51.65	63.54	-11.89	62.86	1	Vertical	212	1.60	-	37.61	14.58	63.40

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




EUT_Y_4TX
 Setting 35
 03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52494G	63.04	83.54	-20.50	74.25	1	Horizontal	203	1.56	-	37.61	14.58	63.40
AV	18.52488G	62.01	63.54	-1.53	73.22	1	Horizontal	203	1.56	-	37.61	14.58	63.40

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 35
03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	60.42	88.20	-27.78	53.61	3	Vertical	140	2.98	-	34.52	7.24	34.95
RMS	5.925G	49.59	68.20	-18.61	42.58	3	Vertical	140	2.98	-	34.70	7.26	34.95
PK	6.4102G	108.07	Inf	-Inf	100.62	3	Vertical	140	2.98	-	34.86	7.61	35.02
RMS	6.4126G	99.03	Inf	-Inf	91.59	3	Vertical	140	2.98	-	34.85	7.61	35.02

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8174G	59.82	88.20	-28.38	53.31	3	Horizontal	164	1.53	-	34.23	7.21	34.93
RMS	5.925G	49.49	68.20	-18.71	42.48	3	Horizontal	164	1.53	-	34.70	7.26	34.95
PK	6.4174G	109.09	Inf	-Inf	101.67	3	Horizontal	164	1.53	-	34.83	7.61	35.02
RMS	6.4198G	99.27	Inf	-Inf	91.86	3	Horizontal	164	1.53	-	34.82	7.61	35.02

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




18/11/2022

EUT_Y_4TX
Setting 35
03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82978G	59.59	88.20	-28.61	40.57	3	Vertical	253	1.47	-	39.33	13.76	34.07
RMS	12.82998G	46.78	68.20	-21.42	27.76	3	Vertical	253	1.47	-	39.33	13.76	34.07

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83047G	60.74	88.20	-27.46	41.72	3	Horizontal	257	1.12	-	39.33	13.76	34.07
RMS	12.83019G	46.77	68.20	-21.43	27.75	3	Horizontal	257	1.12	-	39.33	13.76	34.07

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
 Setting 35
 03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24492G	53.89	83.54	-29.65	64.75	1	Vertical	88	1.47	-	37.60	14.84	63.30
AV	19.2449G	50.68	63.54	-12.86	61.54	1	Vertical	88	1.47	-	37.60	14.84	63.30

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 35
03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24484G	60.01	83.54	-23.53	70.87	1	Horizontal	122	1.53	-	37.60	14.84	63.30
AV	19.24488G	58.65	63.54	-4.89	69.51	1	Horizontal	122	1.53	-	37.60	14.84	63.30

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 35
03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	59.63	88.20	-28.57	52.76	3	Vertical	141	2.84	-	34.57	7.25	34.95
RMS	5.925G	49.54	68.20	-18.66	42.53	3	Vertical	141	2.84	-	34.70	7.26	34.95
PK	6.4298G	109.28	Inf	-Inf	101.91	3	Vertical	141	2.84	-	34.78	7.61	35.02
RMS	6.4324G	99.12	Inf	-Inf	91.75	3	Vertical	141	2.84	-	34.77	7.62	35.02

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.876G	59.50	88.20	-28.70	52.74	3	Horizontal	161	1.43	-	34.46	7.24	34.94
RMS	5.9228G	49.48	68.20	-18.72	42.48	3	Horizontal	161	1.43	-	34.69	7.26	34.95
PK	6.4272G	108.05	Inf	-Inf	100.67	3	Horizontal	161	1.43	-	34.79	7.61	35.02
RMS	6.4298G	98.13	Inf	-Inf	90.76	3	Horizontal	161	1.43	-	34.78	7.61	35.02

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 35
03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87042G	59.98	88.20	-28.22	40.82	3	Vertical	337	1.63	-	39.37	13.80	34.01
RMS	12.87003G	47.39	68.20	-20.81	28.23	3	Vertical	337	1.63	-	39.37	13.80	34.01

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86969G	60.72	88.20	-27.48	41.56	3	Horizontal	37	2.01	-	39.37	13.80	34.01
RMS	12.86965G	47.33	68.20	-20.87	28.17	3	Horizontal	37	2.01	-	39.37	13.80	34.01

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
 Setting 35
 03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3048G	55.50	83.54	-28.04	66.28	1	Vertical	289	1.40	-	37.62	14.86	63.26
AV	19.30476G	52.87	63.54	-10.67	63.65	1	Vertical	289	1.40	-	37.62	14.86	63.26

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 35
03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30476G	61.31	83.54	-22.23	72.09	1	Horizontal	122	1.53	-	37.62	14.86	63.26
AV	19.30478G	60.17	63.54	-3.37	70.95	1	Horizontal	122	1.53	-	37.62	14.86	63.26

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.845G	59.94	88.20	-28.26	53.37	3	Vertical	142	2.94	-	34.29	7.22	34.94
RMS	5.925G	49.46	68.20	-18.74	42.45	3	Vertical	142	2.94	-	34.70	7.26	34.95
PK	6.4778G	108.27	Inf	-Inf	100.96	3	Vertical	142	2.94	-	34.70	7.64	35.03
RMS	6.4778G	98.95	Inf	-Inf	91.64	3	Vertical	142	2.94	-	34.70	7.64	35.03
PK	7.1498G	62.77	88.20	-25.43	53.14	3	Vertical	142	2.94	-	36.10	8.60	35.07
RMS	7.1722G	52.55	68.20	-15.65	42.76	3	Vertical	142	2.94	-	36.23	8.64	35.08

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
 Setting 35
 03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7974G	60.01	88.20	-28.19	53.54	3	Horizontal	178	2.56	-	34.20	7.20	34.93
RMS	5.925G	49.36	68.20	-18.84	42.35	3	Horizontal	178	2.56	-	34.70	7.26	34.95
PK	6.4834G	109.32	Inf	-Inf	102.01	3	Horizontal	178	2.56	-	34.70	7.64	35.03
RMS	6.4834G	99.53	Inf	-Inf	92.22	3	Horizontal	178	2.56	-	34.70	7.64	35.03
PK	7.1694G	62.66	88.20	-25.54	52.88	3	Horizontal	178	2.56	-	36.22	8.64	35.08
RMS	7.175G	52.63	68.20	-15.57	42.81	3	Horizontal	178	2.56	-	36.25	8.65	35.08

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT Y_4TX
 Setting 35
 03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95021G	61.11	88.20	-27.09	41.67	3	Vertical	220	2.82	-	39.45	13.86	33.87
RMS	12.95029G	47.94	68.20	-20.26	28.50	3	Vertical	220	2.82	-	39.45	13.86	33.87

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 35
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94989G	61.60	88.20	-26.60	42.16	3	Horizontal	336	2.61	-	39.45	13.86	33.87
RMS	12.95016G	47.88	68.20	-20.32	28.44	3	Horizontal	336	2.61	-	39.45	13.86	33.87

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
 Setting 35
 03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42478G	54.77	83.54	-28.77	65.36	1	Vertical	166	1.45	-	37.67	14.90	63.16
AV	19.42476G	52.15	63.54	-11.39	62.74	1	Vertical	166	1.45	-	37.67	14.90	63.16

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 35
03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42478G	62.11	83.54	-21.43	72.70	1	Horizontal	122	1.53	-	37.67	14.90	63.16
AV	19.42484G	61.10	63.54	-2.44	71.69	1	Horizontal	122	1.53	-	37.67	14.90	63.16

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9074G	59.88	88.20	-28.32	52.95	3	Vertical	144	3.00	-	34.63	7.25	34.95
RMS	5.9214G	49.15	68.20	-19.05	42.15	3	Vertical	144	3.00	-	34.69	7.26	34.95
PK	6.515G	108.24	Inf	-Inf	100.85	3	Vertical	144	3.00	-	34.76	7.66	35.03
RMS	6.515G	99.00	Inf	-Inf	91.61	3	Vertical	144	3.00	-	34.76	7.66	35.03
PK	7.1394G	62.68	88.20	-25.52	53.12	3	Vertical	144	3.00	-	36.04	8.58	35.06
RMS	7.1954G	52.48	68.20	-15.72	42.51	3	Vertical	144	3.00	-	36.37	8.69	35.09

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8738G	59.40	88.20	-28.80	52.66	3	Horizontal	163	1.80	-	34.44	7.24	34.94
RMS	5.9242G	49.15	68.20	-19.05	42.14	3	Horizontal	163	1.80	-	34.70	7.26	34.95
PK	6.5234G	108.30	Inf	-Inf	100.88	3	Horizontal	163	1.80	-	34.79	7.66	35.03
RMS	6.5234G	97.93	Inf	-Inf	90.51	3	Horizontal	163	1.80	-	34.79	7.66	35.03
PK	7.1422G	63.07	88.20	-25.13	53.51	3	Horizontal	163	1.80	-	36.05	8.58	35.07
RMS	7.1954G	52.52	68.20	-15.68	42.55	3	Horizontal	163	1.80	-	36.37	8.69	35.09

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03017G	61.90	88.20	-26.30	42.15	3	Vertical	99	2.64	-	39.59	13.92	33.76
RMS	13.03047G	48.68	68.20	-19.52	28.93	3	Vertical	99	2.64	-	39.59	13.92	33.76

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03014G	61.58	88.20	-26.62	41.83	3	Horizontal	118	1.80	-	39.59	13.92	33.76
RMS	13.02973G	48.56	68.20	-19.64	28.81	3	Horizontal	118	1.80	-	39.59	13.92	33.76

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 35
 03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54488G	54.59	83.54	-28.95	65.05	1	Vertical	188	1.49	-	37.68	14.94	63.08
AV	19.5448G	51.99	63.54	-11.55	62.45	1	Vertical	188	1.49	-	37.68	14.94	63.08

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
 Setting 35
 03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54484G	63.36	83.54	-20.18	73.82	1	Horizontal	191	1.65	-	37.68	14.94	63.08
AV	19.54482G	62.28	63.54	-1.26	72.74	1	Horizontal	191	1.65	-	37.68	14.94	63.08

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.835G	59.44	88.20	-28.76	52.88	3	Vertical	142	3.00	-	34.27	7.22	34.93
RMS	5.9246G	49.13	68.20	-19.07	42.12	3	Vertical	142	3.00	-	34.70	7.26	34.95
PK	6.5294G	109.19	Inf	-Inf	101.74	3	Vertical	142	3.00	-	34.82	7.66	35.03
RMS	6.5294G	99.07	Inf	-Inf	91.62	3	Vertical	142	3.00	-	34.82	7.66	35.03
PK	7.1594G	62.86	88.20	-25.34	53.15	3	Vertical	142	3.00	-	36.16	8.62	35.07
RMS	7.2322G	52.76	68.20	-15.44	42.58	3	Vertical	142	3.00	-	36.59	8.70	35.11

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	58.90	88.20	-29.30	52.14	3	Horizontal	155	1.80	-	34.46	7.24	34.94
RMS	5.9246G	49.10	68.20	-19.10	42.09	3	Horizontal	155	1.80	-	34.70	7.26	34.95
PK	6.5378G	108.17	Inf	-Inf	100.68	3	Horizontal	155	1.80	-	34.85	7.67	35.03
RMS	6.5378G	99.30	Inf	-Inf	91.81	3	Horizontal	155	1.80	-	34.85	7.67	35.03
PK	7.2294G	64.27	88.20	-23.93	54.10	3	Horizontal	155	1.80	-	36.58	8.70	35.11
RMS	7.2322G	52.77	68.20	-15.43	42.59	3	Horizontal	155	1.80	-	36.59	8.70	35.11

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06979G	61.51	88.20	-26.69	41.56	3	Vertical	231	1.42	-	39.71	13.96	33.72
RMS	13.07039G	48.85	68.20	-19.35	28.90	3	Vertical	231	1.42	-	39.71	13.96	33.72

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06997G	61.73	88.20	-26.47	41.78	3	Horizontal	265	2.60	-	39.71	13.96	33.72
RMS	13.06979G	48.85	68.20	-19.35	28.90	3	Horizontal	265	2.60	-	39.71	13.96	33.72

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 35
 03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60494G	55.38	83.54	-28.16	65.82	1	Vertical	188	1.48	-	37.66	14.96	63.06
AV	19.60486G	53.02	63.54	-10.52	63.46	1	Vertical	188	1.48	-	37.66	14.96	63.06

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
 Setting 35
 03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60488G	60.50	83.54	-23.04	70.94	1	Horizontal	125	1.53	-	37.66	14.96	63.06
AV	19.60484G	59.26	63.54	-4.28	69.70	1	Horizontal	125	1.53	-	37.66	14.96	63.06

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6928G	102.02	Inf	-Inf	93.86	3	Vertical	217	1.62	-	35.39	7.79	35.02
RMS	6.6928G	92.38	Inf	-Inf	84.22	3	Vertical	217	1.62	-	35.39	7.79	35.02
PK	7.2428G	64.34	88.20	-23.86	54.09	3	Vertical	217	1.62	-	36.66	8.70	35.11
RMS	7.2428G	52.87	68.20	-15.33	42.62	3	Vertical	217	1.62	-	36.66	8.70	35.11

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 35
03-C-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6994G	106.75	Inf	-Inf	98.57	3	Horizontal	147	1.80	-	35.40	7.80	35.02
RMS	6.6972G	97.39	Inf	-Inf	89.22	3	Horizontal	147	1.80	-	35.39	7.80	35.02
PK	7.1746G	63.61	88.20	-24.59	53.79	3	Horizontal	147	1.80	-	36.25	8.65	35.08
RMS	7.245G	52.87	68.20	-15.33	42.61	3	Horizontal	147	1.80	-	36.67	8.70	35.11

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39032G	61.79	74.00	-12.21	40.68	3	Vertical	47	2.95	-	40.28	14.21	33.38
AV	13.39015G	48.43	54.00	-5.57	27.32	3	Vertical	47	2.95	-	40.28	14.21	33.38

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
 Setting 35
 03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39024G	61.36	74.00	-12.64	40.25	3	Horizontal	330	2.54	-	40.28	14.21	33.38
AV	13.39006G	48.33	54.00	-5.67	27.22	3	Horizontal	330	2.54	-	40.28	14.21	33.38

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX



EUT_Y_4TX
 Setting 35
 03-K-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08494G	54.98	83.54	-28.56	65.21	1	Vertical	356	1.44	-	37.47	15.12	62.82
AV	20.08496G	52.28	63.54	-11.26	62.51	1	Vertical	356	1.44	-	37.47	15.12	62.82