


### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95618G	58.19	88.20	-30.01	39.85	3	Vertical	206	1.00	-	39.47	9.48	30.61
RMS	12.96044G	45.51	68.20	-22.69	27.15	3	Vertical	206	1.00	-	39.48	9.48	30.60

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95204G	58.52	88.20	-29.68	40.20	3	Horizontal	263	1.18	-	39.46	9.48	30.62
RMS	12.96176G	45.51	68.20	-22.69	27.14	3	Horizontal	263	1.18	-	39.49	9.48	30.60

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42604G	55.58	83.54	-27.96	53.61	1	Vertical	231	1.54	-	37.67	14.90	50.60
AV	19.42572G	41.85	63.54	-21.69	39.88	1	Vertical	231	1.54	-	37.67	14.90	50.60

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42906G	55.60	83.54	-27.94	53.63	1	Horizontal	250	1.52	-	37.67	14.90	50.60
AV	19.4209G	41.76	63.54	-21.78	39.79	1	Horizontal	250	1.52	-	37.67	14.90	50.60

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	60.93	88.20	-27.27	52.50	3	Vertical	328	1.80	-	34.88	6.35	32.80
RMS	5.9214G	48.24	68.20	-19.96	39.70	3	Vertical	328	1.80	-	34.99	6.36	32.81
PK	6.5122G	112.61	Inf	-Inf	103.11	3	Vertical	328	1.80	-	35.65	6.71	32.86
RMS	6.5094G	101.75	Inf	-Inf	92.26	3	Vertical	328	1.80	-	35.64	6.71	32.86
PK	7.215G	63.27	88.20	-24.93	52.19	3	Vertical	328	1.80	-	37.10	7.11	33.13
RMS	7.131G	50.69	68.20	-17.51	40.00	3	Vertical	328	1.80	-	36.75	7.03	33.09

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8766G	60.00	88.20	-28.20	51.60	3	Horizontal	23	1.79	-	34.85	6.34	32.79
RMS	5.885G	48.29	68.20	-19.91	39.87	3	Horizontal	23	1.79	-	34.87	6.34	32.79
PK	6.5066G	114.40	Inf	-Inf	104.92	3	Horizontal	23	1.79	-	35.63	6.71	32.86
RMS	6.5066G	106.32	Inf	-Inf	96.84	3	Horizontal	23	1.79	-	35.63	6.71	32.86
PK	7.2066G	62.64	88.20	-25.56	51.57	3	Horizontal	23	1.79	-	37.10	7.10	33.13
RMS	7.1954G	50.53	68.20	-17.67	39.47	3	Horizontal	23	1.79	-	37.08	7.10	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0312G	58.65	88.20	-29.55	39.98	3	Vertical	151	2.12	-	39.63	9.51	30.47
RMS	13.03948G	45.31	68.20	-22.89	26.61	3	Vertical	151	2.12	-	39.64	9.52	30.46

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02532G	58.16	88.20	-30.04	39.50	3	Horizontal	212	1.58	-	39.63	9.51	30.48
RMS	13.0198G	45.38	68.20	-22.82	26.74	3	Horizontal	212	1.58	-	39.62	9.51	30.49



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54034G	53.71	83.54	-29.83	51.67	1	Vertical	222	1.55	-	37.68	14.94	50.58
AV	19.54524G	40.67	63.54	-22.87	38.62	1	Vertical	222	1.55	-	37.68	14.94	50.57

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5422G	54.45	83.54	-29.09	52.40	1	Horizontal	96	1.57	-	37.68	14.94	50.57
AV	19.5453G	40.61	63.54	-22.93	38.56	1	Horizontal	96	1.57	-	37.68	14.94	50.57

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8546G	60.07	88.20	-28.13	51.71	3	Vertical	328	1.87	-	34.81	6.33	32.78
RMS	5.8966G	48.37	68.20	-19.83	39.93	3	Vertical	328	1.87	-	34.89	6.35	32.80
PK	6.5322G	112.50	Inf	-Inf	102.91	3	Vertical	328	1.87	-	35.73	6.73	32.87
RMS	6.5322G	100.51	Inf	-Inf	90.92	3	Vertical	328	1.87	-	35.73	6.73	32.87
PK	7.2098G	63.13	88.20	-25.07	52.06	3	Vertical	328	1.87	-	37.10	7.10	33.13
RMS	7.2154G	50.51	68.20	-17.69	39.43	3	Vertical	328	1.87	-	37.10	7.11	33.13

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	60.64	88.20	-27.56	52.11	3	Horizontal	341	2.90	-	34.98	6.36	32.81
RMS	5.8714G	48.30	68.20	-19.90	39.91	3	Horizontal	341	2.90	-	34.84	6.34	32.79
PK	6.5266G	113.64	Inf	-Inf	104.07	3	Horizontal	341	2.90	-	35.71	6.73	32.87
RMS	6.5266G	104.63	Inf	-Inf	95.06	3	Horizontal	341	2.90	-	35.71	6.73	32.87
PK	7.2322G	63.58	88.20	-24.62	52.50	3	Horizontal	341	2.90	-	37.10	7.12	33.14
RMS	7.2294G	50.57	68.20	-17.63	39.50	3	Horizontal	341	2.90	-	37.10	7.11	33.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07918G	58.92	88.20	-29.28	40.11	3	Vertical	193	1.50	-	39.68	9.53	30.40
RMS	13.0823G	45.58	68.20	-22.62	26.77	3	Vertical	193	1.50	-	39.68	9.53	30.40

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06604G	58.78	88.20	-29.42	40.00	3	Horizontal	177	1.93	-	39.67	9.53	30.42
RMS	13.06322G	45.53	68.20	-22.67	26.77	3	Horizontal	177	1.93	-	39.66	9.53	30.43

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60106G	53.63	83.54	-29.91	51.55	1	Vertical	97	1.50	-	37.66	14.96	50.54
AV	19.60582G	40.10	63.54	-23.44	38.02	1	Vertical	97	1.50	-	37.66	14.96	50.54

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60684G	53.40	83.54	-30.14	51.32	1	Horizontal	293	1.54	-	37.66	14.96	50.54
AV	19.60584G	40.31	63.54	-23.23	38.23	1	Horizontal	293	1.54	-	37.66	14.96	50.54



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TnomVnom




EUT Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6906G	111.92	Inf	-Inf	102.12	3	Vertical	311	1.91	-	35.92	6.80	32.92
RMS	6.6862G	100.47	Inf	-Inf	90.66	3	Vertical	311	1.91	-	35.93	6.80	32.92
PK	7.157G	63.34	88.20	-24.86	52.45	3	Vertical	311	1.91	-	36.93	7.06	33.10
RMS	7.212G	50.84	68.20	-17.36	39.76	3	Vertical	311	1.91	-	37.10	7.11	33.13

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TnomVnom




EUT Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6884G	112.05	Inf	-Inf	102.25	3	Horizontal	157	1.80	-	35.92	6.80	32.92
RMS	6.6862G	101.08	Inf	-Inf	91.27	3	Horizontal	157	1.80	-	35.93	6.80	32.92
PK	7.2164G	63.67	88.20	-24.53	52.59	3	Horizontal	157	1.80	-	37.10	7.11	33.13
RMS	7.2362G	50.72	68.20	-17.48	39.64	3	Horizontal	157	1.80	-	37.10	7.12	33.14

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3888G	60.90	74.00	-13.10	41.00	3	Vertical	199	2.18	-	40.18	9.66	29.94
AV	13.38424G	47.57	54.00	-6.43	27.70	3	Vertical	199	2.18	-	40.17	9.65	29.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37578G	60.65	74.00	-13.35	40.81	3	Horizontal	147	1.75	-	40.15	9.65	29.96
AV	13.37908G	47.37	54.00	-6.63	27.52	3	Horizontal	147	1.75	-	40.16	9.65	29.96

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0851G	51.34	83.54	-32.20	49.03	1	Vertical	82	1.56	-	37.47	15.12	50.28
AV	20.08022G	37.56	63.54	-25.98	35.26	1	Vertical	82	1.56	-	37.46	15.12	50.28

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08008G	51.67	83.54	-31.87	49.37	1	Horizontal	186	1.50	-	37.46	15.12	50.28
AV	20.08524G	37.76	63.54	-25.78	35.45	1	Horizontal	186	1.50	-	37.47	15.12	50.28

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TnomVnom




EUT Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8606G	112.63	Inf	-Inf	102.26	3	Vertical	311	2.59	-	36.52	6.83	32.98
RMS	6.8578G	100.58	Inf	-Inf	90.18	3	Vertical	311	2.59	-	36.54	6.83	32.97
PK	7.1476G	62.88	88.20	-25.32	52.05	3	Vertical	311	2.59	-	36.88	7.05	33.10
RMS	7.1602G	50.75	68.20	-17.45	39.85	3	Vertical	311	2.59	-	36.94	7.06	33.10

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TnomVnom




EUT Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	112.35	Inf	-Inf	101.90	3	Horizontal	0	1.85	-	36.60	6.82	32.97
RMS	6.8494G	101.84	Inf	-Inf	91.39	3	Horizontal	0	1.85	-	36.60	6.82	32.97
PK	7.177G	63.13	88.20	-25.07	52.15	3	Horizontal	0	1.85	-	37.01	7.08	33.11
RMS	7.1868G	50.60	68.20	-17.60	39.58	3	Horizontal	0	1.85	-	37.05	7.09	33.12



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6855MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69554G	63.29	88.20	-24.91	42.69	3	Vertical	231	1.41	-	40.49	9.78	29.67
RMS	13.71888G	50.03	68.20	-18.17	29.33	3	Vertical	231	1.41	-	40.56	9.79	29.65

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6855MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69644G	62.81	88.20	-25.39	42.21	3	Horizontal	66	1.14	-	40.49	9.78	29.67
RMS	13.72086G	50.27	68.20	-17.93	29.57	3	Horizontal	66	1.14	-	40.56	9.79	29.65

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6855MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56416G	52.79	83.54	-30.75	49.98	1	Vertical	183	1.52	-	37.73	15.24	50.16
AV	20.56846G	39.39	63.54	-24.15	36.58	1	Vertical	183	1.52	-	37.73	15.24	50.16

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6855MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56838G	52.70	83.54	-30.84	49.89	1	Horizontal	160	1.54	-	37.73	15.24	50.16
AV	20.56374G	39.34	63.54	-24.20	36.53	1	Horizontal	160	1.54	-	37.73	15.24	50.16

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


6875MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8846G	111.62	Inf	-Inf	101.44	3	Vertical	215	1.80	-	36.32	6.84	32.98
RMS	6.8834G	100.00	Inf	-Inf	89.81	3	Vertical	215	1.80	-	36.33	6.84	32.98
PK	7.1738G	63.59	88.20	-24.61	52.63	3	Vertical	215	1.80	-	37.00	7.07	33.11
RMS	7.1258G	50.41	68.20	-17.79	39.76	3	Vertical	215	1.80	-	36.71	7.03	33.09

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT Z\_4TX  
 Setting 61  
 01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	112.58	Inf	-Inf	102.39	3	Horizontal	181	2.70	-	36.33	6.84	32.98
RMS	6.8798G	100.95	Inf	-Inf	90.73	3	Horizontal	181	2.70	-	36.36	6.84	32.98
PK	7.1282G	62.86	88.20	-25.34	52.19	3	Horizontal	181	2.70	-	36.73	7.03	33.09
RMS	7.1654G	50.65	68.20	-17.55	39.73	3	Horizontal	181	2.70	-	36.96	7.07	33.11

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76152G	62.77	88.20	-25.43	41.92	3	Vertical	264	2.02	-	40.68	9.80	29.63
RMS	13.76362G	50.52	68.20	-17.68	29.65	3	Vertical	264	2.02	-	40.69	9.81	29.63

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom



20/10/2022


EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75228G	63.15	88.20	-25.05	42.32	3	Horizontal	338	1.08	-	40.66	9.80	29.63
RMS	13.76164G	50.48	68.20	-17.72	29.63	3	Horizontal	338	1.08	-	40.68	9.80	29.63



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6285G	50.76	83.54	-32.78	47.87	1	Vertical	301	1.56	-	37.75	15.26	50.12
AV	20.62354G	38.03	63.54	-25.51	35.15	1	Vertical	301	1.56	-	37.75	15.26	50.13

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62148G	50.87	83.54	-32.67	47.99	1	Horizontal	204	1.55	-	37.75	15.26	50.13
AV	20.62858G	37.81	63.54	-25.73	34.92	1	Horizontal	204	1.55	-	37.75	15.26	50.12

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TnomVnom




EUTZ\_4TX  
Setting 51  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	109.07	Inf	-Inf	99.82	3	Vertical	312	1.94	-	35.90	6.38	33.03
RMS	6.8878G	99.43	Inf	-Inf	90.18	3	Vertical	312	1.94	-	35.90	6.38	33.03
PK	7.1902G	61.94	88.20	-26.26	51.44	3	Vertical	312	1.94	-	36.88	6.79	33.17
RMS	7.1542G	51.12	68.20	-17.08	40.72	3	Vertical	312	1.94	-	36.81	6.75	33.16

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TnomVnom




EUTZ\_4TX  
Setting 51  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	111.36	Inf	-Inf	102.10	3	Horizontal	274	2.98	-	35.89	6.41	33.04
RMS	6.9034G	102.85	Inf	-Inf	93.59	3	Horizontal	274	2.98	-	35.89	6.41	33.04
PK	7.1266G	61.31	88.20	-26.89	51.07	3	Horizontal	274	2.98	-	36.66	6.73	33.15
RMS	7.1542G	51.12	68.20	-17.08	40.72	3	Horizontal	274	2.98	-	36.81	6.75	33.16

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78664G	57.57	88.20	-30.63	41.39	3	Vertical	360	2.97	-	40.60	9.49	33.91
RMS	13.7996G	45.71	68.20	-22.49	29.52	3	Vertical	360	2.97	-	40.60	9.50	33.91

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78028G	57.96	88.20	-30.24	41.79	3	Horizontal	144	1.38	-	40.60	9.49	33.92
RMS	13.79402G	45.73	68.20	-22.47	29.54	3	Horizontal	144	1.38	-	40.60	9.50	33.91

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68236G	46.04	83.54	-37.50	43.09	1	Vertical	330	1.50	-	37.77	15.27	50.09
AV	20.6891G	33.33	63.54	-30.21	30.37	1	Vertical	330	1.50	-	37.78	15.27	50.09

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6897G	46.48	83.54	-37.06	43.52	1	Horizontal	36	1.57	-	37.78	15.27	50.09
AV	20.68822G	33.41	63.54	-30.13	30.45	1	Horizontal	36	1.57	-	37.78	15.27	50.09



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TnomVnom




EUTZ\_4TX  
Setting 51  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9886G	108.69	Inf	-Inf	99.33	3	Vertical	310	1.80	-	35.88	6.58	33.10
RMS	6.9862G	98.77	Inf	-Inf	89.43	3	Vertical	310	1.80	-	35.87	6.57	33.10
PK	7.1566G	62.76	88.20	-25.44	52.35	3	Vertical	310	1.80	-	36.81	6.76	33.16
RMS	7.1638G	51.23	68.20	-16.97	40.81	3	Vertical	310	1.80	-	36.83	6.76	33.17

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TnomVnom




EUTZ\_4TX  
Setting 51  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9862G	114.51	Inf	-Inf	105.17	3	Horizontal	284	1.98	-	35.87	6.57	33.10
RMS	6.9862G	104.62	Inf	-Inf	95.28	3	Horizontal	284	1.98	-	35.87	6.57	33.10
PK	7.1694G	62.47	88.20	-25.73	52.03	3	Horizontal	284	1.98	-	36.84	6.77	33.17
RMS	7.1478G	51.48	68.20	-16.72	41.10	3	Horizontal	284	1.98	-	36.79	6.75	33.16

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9768G	57.82	88.20	-30.38	41.23	3	Vertical	296	1.49	-	40.80	9.59	33.80
RMS	13.97536G	46.76	68.20	-21.44	30.17	3	Vertical	296	1.49	-	40.80	9.59	33.80

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6995MHz\_TnomVnom




EUTZ\_4TX  
Setting 51  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98154G	58.41	88.20	-29.79	41.82	3	Horizontal	85	2.91	-	40.80	9.59	33.80
RMS	13.99012G	46.99	68.20	-21.21	30.39	3	Horizontal	85	2.91	-	40.80	9.60	33.80

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98454G	46.45	83.54	-37.09	42.74	1	Vertical	283	1.53	-	38.27	15.35	49.91
AV	20.9877G	32.84	63.54	-30.70	29.12	1	Vertical	283	1.53	-	38.28	15.35	49.91

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98498G	46.20	83.54	-37.34	42.49	1	Horizontal	116	1.54	-	38.27	15.35	49.91
AV	20.98264G	32.92	63.54	-30.62	29.21	1	Horizontal	116	1.54	-	38.27	15.35	49.91

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TnomVnom




EUTZ\_4TX  
Setting 51  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.101G	111.83	Inf	-Inf	101.76	3	Vertical	311	1.80	-	36.51	6.70	33.14
RMS	7.0974G	101.61	Inf	-Inf	91.57	3	Vertical	311	1.80	-	36.48	6.70	33.14
PK	7.195G	63.16	88.20	-25.04	52.66	3	Vertical	311	1.80	-	36.89	6.79	33.18
RMS	7.125G	52.26	68.20	-15.94	42.04	3	Vertical	311	1.80	-	36.65	6.72	33.15

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TnomVnom




EUTZ\_4TX  
Setting 51  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0874G	113.89	Inf	-Inf	103.94	3	Horizontal	252	2.26	-	36.40	6.69	33.14
RMS	7.0878G	103.64	Inf	-Inf	93.69	3	Horizontal	252	2.26	-	36.40	6.69	33.14
PK	7.1294G	64.42	88.20	-23.78	54.16	3	Horizontal	252	2.26	-	36.68	6.73	33.15
RMS	7.1258G	52.86	68.20	-15.34	42.63	3	Horizontal	252	2.26	-	36.65	6.73	33.15



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 7095MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17566G	59.49	88.20	-28.71	42.64	3	Vertical	181	2.88	-	40.90	9.66	33.71
RMS	14.178G	47.52	68.20	-20.68	30.66	3	Vertical	181	2.88	-	40.90	9.66	33.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 7095MHz\_TnomVnom




EUTZ\_4TX  
Setting 51  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17764G	59.52	88.20	-28.68	42.66	3	Horizontal	40	1.91	-	40.90	9.66	33.70
RMS	14.17764G	47.69	68.20	-20.51	30.83	3	Horizontal	40	1.91	-	40.90	9.66	33.70

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2887G	48.38	83.54	-35.16	44.85	1	Vertical	270	1.57	-	38.07	15.42	49.96
AV	21.28526G	34.95	63.54	-28.59	31.42	1	Vertical	270	1.57	-	38.07	15.42	49.96

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 7095MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 51  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28086G	48.11	83.54	-35.43	44.57	1	Horizontal	182	1.58	-	38.08	15.42	49.96
AV	21.28328G	34.64	63.54	-28.90	31.11	1	Horizontal	182	1.58	-	38.07	15.42	49.96

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TnomVnom




EUTZ\_4TX  
Setting 27  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10998G	99.55	Inf	-Inf	89.43	3	Vertical	311	2.06	-	36.56	6.71	33.15
RMS	7.10873G	84.52	Inf	-Inf	74.41	3	Vertical	311	2.06	-	36.55	6.71	33.15
PK	7.1255G	78.55	88.20	-9.65	68.32	3	Vertical	311	2.06	-	36.65	6.73	33.15
RMS	7.1255G	66.81	68.20	-1.39	56.58	3	Vertical	311	2.06	-	36.65	6.73	33.15

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 7115MHz\_TnomVnom




EUTZ\_4TX  
Setting 27  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.12248G	97.96	Inf	-Inf	87.76	3	Horizontal	256	2.21	-	36.63	6.72	33.15
RMS	7.1056G	87.54	Inf	-Inf	77.45	3	Horizontal	256	2.21	-	36.53	6.71	33.15
PK	7.1255G	81.09	88.20	-7.11	70.86	3	Horizontal	256	2.21	-	36.65	6.73	33.15
RMS	7.1255G	67.78	68.20	-0.42	57.55	3	Horizontal	256	2.21	-	36.65	6.73	33.15

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 7115MHz\_TnomVnom




EUTZ\_4TX  
Setting 27  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.24188G	59.41	88.20	-28.79	42.58	3	Vertical	302	2.80	-	40.82	9.68	33.67
RMS	14.23084G	46.66	68.20	-21.54	29.82	3	Vertical	302	2.80	-	40.84	9.68	33.68

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 7115MHz\_TnomVnom




EUTZ\_4TX  
Setting 27  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21812G	58.96	88.20	-29.24	42.11	3	Horizontal	268	1.14	-	40.86	9.68	33.69
RMS	14.2285G	46.69	68.20	-21.51	29.85	3	Horizontal	268	1.14	-	40.84	9.68	33.68



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 7115MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 27  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34752G	47.93	83.54	-35.61	44.44	1	Vertical	289	1.52	-	38.02	15.44	49.97
AV	21.3486G	34.56	63.54	-28.98	31.07	1	Vertical	289	1.52	-	38.02	15.44	49.97

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 7115MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 27  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34514G	47.55	83.54	-35.99	44.06	1	Horizontal	208	1.56	-	38.02	15.44	49.97
AV	21.34634G	34.34	63.54	-29.20	30.85	1	Horizontal	208	1.56	-	38.02	15.44	49.97

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6125MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7946G	60.34	88.20	-27.86	53.28	3	Vertical	43	1.84	-	33.88	5.70	32.52
RMS	5.8828G	49.54	68.20	-18.66	42.21	3	Vertical	43	1.84	-	34.13	5.74	32.54
PK	6.1222G	107.92	Inf	-Inf	100.49	3	Vertical	43	1.84	-	34.14	5.92	32.63
RMS	6.1208G	97.50	Inf	-Inf	90.07	3	Vertical	43	1.84	-	34.14	5.92	32.63

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6125MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.852G	60.61	88.20	-27.59	53.41	3	Horizontal	267	3.00	-	34.01	5.73	32.54
RMS	5.8604G	49.56	68.20	-18.64	42.33	3	Horizontal	267	3.00	-	34.04	5.73	32.54
PK	6.1096G	111.29	Inf	-Inf	103.88	3	Horizontal	267	3.00	-	34.12	5.91	32.62
RMS	6.1082G	101.17	Inf	-Inf	93.76	3	Horizontal	267	3.00	-	34.12	5.91	32.62

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6125MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.23674G	57.03	74.00	-16.97	43.48	3	Vertical	71	2.59	-	39.10	8.72	34.27
AV	12.23632G	45.13	54.00	-8.87	31.58	3	Vertical	71	2.59	-	39.10	8.72	34.27

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6125MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25G	59.10	74.00	-14.90	45.55	3	Horizontal	36	2.60	-	39.10	8.72	34.27
AV	12.23668G	45.13	54.00	-8.87	31.58	3	Horizontal	36	2.60	-	39.10	8.72	34.27

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6125MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37708G	47.94	83.54	-35.60	46.39	1	Vertical	162	1.51	-	37.55	14.53	50.53
AV	18.37224G	34.60	63.54	-28.94	33.04	1	Vertical	162	1.51	-	37.55	14.53	50.52

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6125MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3723G	48.67	83.54	-34.87	47.11	1	Horizontal	177	1.53	-	37.55	14.53	50.52
AV	18.37204G	34.55	63.54	-28.99	32.99	1	Horizontal	177	1.53	-	37.55	14.53	50.52



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6245MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	62.08	88.20	-26.12	54.68	3	Vertical	265	2.14	-	34.20	5.75	32.55
RMS	5.857G	49.53	68.20	-18.67	42.31	3	Vertical	265	2.14	-	34.03	5.73	32.54
PK	6.227G	107.22	Inf	-Inf	99.58	3	Vertical	265	2.14	-	34.31	6.00	32.67
RMS	6.229G	97.73	Inf	-Inf	90.08	3	Vertical	265	2.14	-	34.32	6.00	32.67

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6245MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	60.48	88.20	-27.72	53.09	3	Horizontal	253	2.16	-	34.19	5.75	32.55
RMS	5.867G	49.51	68.20	-18.69	42.25	3	Horizontal	253	2.16	-	34.07	5.73	32.54
PK	6.257G	113.24	Inf	-Inf	105.52	3	Horizontal	253	2.16	-	34.40	6.00	32.68
RMS	6.259G	103.40	Inf	-Inf	95.68	3	Horizontal	253	2.16	-	34.40	6.00	32.68

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6245MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48526G	57.47	74.00	-16.53	43.79	3	Vertical	283	1.89	-	39.00	8.84	34.16
AV	12.48814G	45.13	54.00	-8.87	31.45	3	Vertical	283	1.89	-	39.00	8.84	34.16

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6245MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.50098G	56.81	74.00	-17.19	43.11	3	Horizontal	356	1.16	-	39.00	8.85	34.15
AV	12.5047G	45.20	54.00	-8.80	31.48	3	Horizontal	356	1.16	-	39.02	8.85	34.15

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73692G	47.34	83.54	-36.20	45.59	1	Vertical	12	1.57	-	37.69	14.66	50.60
AV	18.7315G	33.80	63.54	-29.74	32.05	1	Vertical	12	1.57	-	37.69	14.66	50.60

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6245MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73592G	47.87	83.54	-35.67	46.12	1	Horizontal	292	1.51	-	37.69	14.66	50.60
AV	18.7306G	33.80	63.54	-29.74	32.05	1	Horizontal	292	1.51	-	37.69	14.66	50.60

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8602G	60.19	88.20	-28.01	52.96	3	Vertical	298	2.09	-	34.04	5.73	32.54
RMS	5.8626G	49.56	68.20	-18.64	42.32	3	Vertical	298	2.09	-	34.05	5.73	32.54
PK	6.393G	109.43	Inf	-Inf	101.39	3	Vertical	298	2.09	-	34.77	6.00	32.73
RMS	6.3954G	99.72	Inf	-Inf	91.67	3	Vertical	298	2.09	-	34.78	6.00	32.73

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	60.53	88.20	-27.67	53.17	3	Horizontal	244	2.32	-	34.16	5.76	32.56
RMS	5.8458G	49.49	68.20	-18.71	42.31	3	Horizontal	244	2.32	-	33.99	5.72	32.53
PK	6.4098G	111.66	Inf	-Inf	103.57	3	Horizontal	244	2.32	-	34.82	6.01	32.74
RMS	6.4146G	101.31	Inf	-Inf	93.21	3	Horizontal	244	2.32	-	34.83	6.01	32.74



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6405MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82302G	58.21	88.20	-29.99	43.50	3	Vertical	107	1.36	-	39.75	9.01	34.05
RMS	12.81192G	46.04	68.20	-22.16	31.37	3	Vertical	107	1.36	-	39.72	9.01	34.06

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6405MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80946G	58.21	88.20	-29.99	43.55	3	Horizontal	300	1.93	-	39.72	9.00	34.06
RMS	12.81402G	46.10	68.20	-22.10	31.42	3	Horizontal	300	1.93	-	39.73	9.01	34.06

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2197G	46.99	83.54	-36.55	45.17	1	Vertical	51	1.57	-	37.59	14.83	50.60
AV	19.21232G	33.30	63.54	-30.24	31.50	1	Vertical	51	1.57	-	37.58	14.82	50.60

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21294G	46.48	83.54	-37.06	44.67	1	Horizontal	217	1.53	-	37.59	14.82	50.60
AV	19.21234G	33.21	63.54	-30.33	31.41	1	Horizontal	217	1.53	-	37.58	14.82	50.60

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TnomVnom




EUT Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8548G	61.00	88.20	-27.20	52.64	3	Vertical	309	1.91	-	34.81	6.33	32.78
RMS	5.9224G	47.76	68.20	-20.44	39.22	3	Vertical	309	1.91	-	34.99	6.36	32.81
PK	6.4424G	111.00	Inf	-Inf	101.79	3	Vertical	309	1.91	-	35.43	6.64	32.86
RMS	6.4476G	98.87	Inf	-Inf	89.67	3	Vertical	309	1.91	-	35.41	6.65	32.86

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TnomVnom




EUT Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8626G	60.61	88.20	-27.59	52.24	3	Horizontal	174	1.80	-	34.83	6.33	32.79
RMS	5.8912G	47.82	68.20	-20.38	39.39	3	Horizontal	174	1.80	-	34.88	6.35	32.80
PK	6.4632G	111.37	Inf	-Inf	102.12	3	Horizontal	174	1.80	-	35.45	6.66	32.86
RMS	6.4632G	99.96	Inf	-Inf	90.71	3	Horizontal	174	1.80	-	35.45	6.66	32.86

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9029G	58.70	88.20	-29.50	40.66	3	Vertical	349	1.79	-	39.31	9.46	30.73
RMS	12.90404G	44.76	68.20	-23.44	26.72	3	Vertical	349	1.79	-	39.31	9.46	30.73

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8792G	58.35	88.20	-29.85	40.40	3	Horizontal	132	1.75	-	39.28	9.45	30.78
RMS	12.90428G	44.07	68.20	-24.13	26.02	3	Horizontal	132	1.75	-	39.31	9.46	30.72



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33064G	50.84	83.54	-32.70	48.94	1	Vertical	330	1.57	-	37.63	14.87	50.60
AV	19.33116G	37.37	63.54	-26.17	35.47	1	Vertical	330	1.57	-	37.63	14.87	50.60

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33606G	51.27	83.54	-32.27	49.37	1	Horizontal	300	1.57	-	37.63	14.87	50.60
AV	19.33116G	37.09	63.54	-26.45	35.19	1	Horizontal	300	1.57	-	37.63	14.87	50.60

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	60.33	88.20	-27.87	51.80	3	Vertical	304	1.88	-	34.98	6.36	32.81
RMS	5.925G	47.81	68.20	-20.39	39.26	3	Vertical	304	1.88	-	35.00	6.36	32.81
PK	6.485G	111.31	Inf	-Inf	101.95	3	Vertical	304	1.88	-	35.54	6.68	32.86
RMS	6.4878G	99.23	Inf	-Inf	89.85	3	Vertical	304	1.88	-	35.55	6.69	32.86
PK	7.1738G	62.47	88.20	-25.73	51.51	3	Vertical	304	1.88	-	37.00	7.07	33.11
RMS	7.1486G	50.27	68.20	-17.93	39.43	3	Vertical	304	1.88	-	36.89	7.05	33.10

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8438G	60.46	88.20	-27.74	52.17	3	Horizontal	346	2.06	-	34.75	6.32	32.78
RMS	5.9222G	47.85	68.20	-20.35	39.31	3	Horizontal	346	2.06	-	34.99	6.36	32.81
PK	6.4822G	109.90	Inf	-Inf	100.55	3	Horizontal	346	2.06	-	35.53	6.68	32.86
RMS	6.4822G	98.64	Inf	-Inf	89.29	3	Horizontal	346	2.06	-	35.53	6.68	32.86
PK	7.129G	62.83	88.20	-25.37	52.16	3	Horizontal	346	2.06	-	36.73	7.03	33.09
RMS	7.1486G	50.24	68.20	-17.96	39.40	3	Horizontal	346	2.06	-	36.89	7.05	33.10

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97786G	58.43	88.20	-29.77	39.98	3	Vertical	247	1.05	-	39.53	9.49	30.57
RMS	12.98236G	44.77	68.20	-23.43	26.29	3	Vertical	247	1.05	-	39.55	9.49	30.56

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96802G	58.67	88.20	-29.53	40.27	3	Horizontal	89	2.26	-	39.50	9.49	30.59
AV	12.97942G	44.99	68.20	-23.21	26.52	3	Horizontal	89	2.26	-	39.54	9.49	30.56

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45562G	50.75	83.54	-32.79	48.76	1	Vertical	176	1.55	-	37.68	14.91	50.60
AV	19.45136G	36.69	63.54	-26.85	34.70	1	Vertical	176	1.55	-	37.68	14.91	50.60

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45978G	51.03	83.54	-32.51	49.04	1	Horizontal	120	1.57	-	37.68	14.91	50.60
AV	19.45548G	36.61	63.54	-26.93	34.62	1	Horizontal	120	1.57	-	37.68	14.91	50.60



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	60.95	88.20	-27.25	52.41	3	Vertical	223	1.88	-	34.99	6.36	32.81
RMS	5.923G	48.19	68.20	-20.01	39.65	3	Vertical	223	1.88	-	34.99	6.36	32.81
PK	6.522G	111.36	Inf	-Inf	101.82	3	Vertical	223	1.88	-	35.69	6.72	32.87
RMS	6.522G	100.18	Inf	-Inf	90.64	3	Vertical	223	1.88	-	35.69	6.72	32.87
PK	7.216G	63.77	88.20	-24.43	52.69	3	Vertical	223	1.88	-	37.10	7.11	33.13
RMS	7.152G	50.71	68.20	-17.49	39.85	3	Vertical	223	1.88	-	36.91	7.05	33.10

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8418G	60.43	88.20	-27.77	52.16	3	Horizontal	182	1.77	-	34.73	6.32	32.78
RMS	5.925G	48.11	68.20	-20.09	39.56	3	Horizontal	182	1.77	-	35.00	6.36	32.81
PK	6.5418G	111.52	Inf	-Inf	101.88	3	Horizontal	182	1.77	-	35.77	6.74	32.87
RMS	6.5418G	100.80	Inf	-Inf	91.16	3	Horizontal	182	1.77	-	35.77	6.74	32.87
PK	7.127G	63.40	88.20	-24.80	52.74	3	Horizontal	182	1.77	-	36.72	7.03	33.09
RMS	7.183G	50.65	68.20	-17.55	39.66	3	Horizontal	182	1.77	-	37.03	7.08	33.12

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05784G	58.87	88.20	-29.33	40.12	3	Vertical	12	2.11	-	39.66	9.52	30.43
RMS	13.0564G	45.42	68.20	-22.78	26.68	3	Vertical	12	2.11	-	39.66	9.52	30.44

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04644G	59.48	88.20	-28.72	40.76	3	Horizontal	88	2.88	-	39.65	9.52	30.45
RMS	13.04664G	45.46	68.20	-22.74	26.74	3	Horizontal	88	2.88	-	39.65	9.52	30.45

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


6525MHz Straddle 6.425-6.525GHz\_TnomVnom



EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57782G	48.55	83.54	-34.99	46.48	1	Vertical	153	1.54	-	37.67	14.95	50.55
AV	19.57686G	35.32	63.54	-28.22	33.25	1	Vertical	153	1.54	-	37.67	14.95	50.55

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 61  
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57724G	48.91	83.54	-34.63	46.84	1	Horizontal	155	1.51	-	37.67	14.95	50.55
AV	19.5771G	35.26	63.54	-28.28	33.19	1	Horizontal	155	1.51	-	37.67	14.95	50.55

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TnomVnom




EUT Z\_4TX  
Setting 61  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5482G	111.28	Inf	-Inf	101.62	3	Vertical	323	1.80	-	35.79	6.75	32.88
RMS	6.553G	99.47	Inf	-Inf	89.79	3	Vertical	323	1.80	-	35.81	6.75	32.88
PK	7.141G	63.27	88.20	-24.93	52.49	3	Vertical	323	1.80	-	36.83	7.04	33.09
RMS	7.1578G	50.41	68.20	-17.79	39.52	3	Vertical	323	1.80	-	36.93	7.06	33.10

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TnomVnom




EUT Z\_4TX  
 Setting 61  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.577G	113.30	Inf	-Inf	103.55	3	Horizontal	333	1.80	-	35.85	6.78	32.88
RMS	6.5794G	102.39	Inf	-Inf	92.64	3	Horizontal	333	1.80	-	35.86	6.78	32.89
PK	7.153G	62.46	88.20	-25.74	51.60	3	Horizontal	333	1.80	-	36.91	7.05	33.10
RMS	7.1338G	50.34	68.20	-17.86	39.63	3	Horizontal	333	1.80	-	36.77	7.03	33.09



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12192G	61.20	88.20	-27.00	42.25	3	Vertical	174	1.13	-	39.74	9.55	30.34
RMS	13.13936G	46.30	68.20	-21.90	27.27	3	Vertical	174	1.13	-	39.78	9.56	30.31

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1384G	60.47	88.20	-27.73	41.45	3	Horizontal	99	2.41	-	39.78	9.56	30.32
RMS	13.13642G	46.06	68.20	-22.14	27.06	3	Horizontal	99	2.41	-	39.77	9.55	30.32

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69G	48.52	83.54	-35.02	46.40	1	Vertical	340	1.56	-	37.62	14.99	50.49
AV	19.69042G	34.99	63.54	-28.55	32.87	1	Vertical	340	1.56	-	37.62	14.99	50.49

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69232G	48.56	83.54	-34.98	46.43	1	Horizontal	247	1.51	-	37.62	14.99	50.48
AV	19.69022G	35.04	63.54	-28.50	32.92	1	Horizontal	247	1.51	-	37.62	14.99	50.49

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TnomVnom




EUT Z\_4TX  
Setting 61  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.701G	111.10	Inf	-Inf	101.31	3	Vertical	308	1.83	-	35.91	6.80	32.92
RMS	6.671G	98.20	Inf	-Inf	88.35	3	Vertical	308	1.83	-	35.96	6.80	32.91
PK	7.169G	62.85	88.20	-25.35	51.91	3	Vertical	308	1.83	-	36.98	7.07	33.11
RMS	7.175G	50.32	68.20	-17.88	39.36	3	Vertical	308	1.83	-	37.00	7.07	33.11

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TnomVnom




EUT Z\_4TX  
Setting 61  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.693G	110.32	Inf	-Inf	100.53	3	Horizontal	191	2.43	-	35.91	6.80	32.92
RMS	6.667G	99.35	Inf	-Inf	89.49	3	Horizontal	191	2.43	-	35.97	6.80	32.91
PK	7.129G	62.90	88.20	-25.30	52.23	3	Horizontal	191	2.43	-	36.73	7.03	33.09
RMS	7.131G	50.33	68.20	-17.87	39.64	3	Horizontal	191	2.43	-	36.75	7.03	33.09

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37634G	61.38	74.00	-12.62	41.54	3	Vertical	182	1.80	-	40.15	9.65	29.96
AV	13.3772G	47.86	54.00	-6.14	28.02	3	Vertical	182	1.80	-	40.15	9.65	29.96

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37434G	61.26	74.00	-12.74	41.43	3	Horizontal	360	1.80	-	40.15	9.65	29.97
AV	13.37424G	47.49	54.00	-6.51	27.66	3	Horizontal	360	1.80	-	40.15	9.65	29.97



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05452G	48.52	83.54	-35.02	46.26	1	Vertical	55	1.56	-	37.44	15.11	50.29
AV	20.05992G	35.07	63.54	-28.47	32.80	1	Vertical	55	1.56	-	37.45	15.11	50.29

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0599G	48.33	83.54	-35.21	46.06	1	Horizontal	186	1.55	-	37.45	15.11	50.29
AV	20.0548G	35.04	63.54	-28.50	32.78	1	Horizontal	186	1.55	-	37.44	15.11	50.29

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TnomVnom




EUT Z\_4TX  
Setting 61  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8562G	110.45	Inf	-Inf	100.04	3	Vertical	312	1.80	-	36.55	6.83	32.97
RMS	6.8498G	98.12	Inf	-Inf	87.67	3	Vertical	312	1.80	-	36.60	6.82	32.97
PK	7.1762G	63.51	88.20	-24.69	52.54	3	Vertical	312	1.80	-	37.00	7.08	33.11
RMS	7.2434G	50.52	68.20	-17.68	39.45	3	Vertical	312	1.80	-	37.10	7.12	33.15

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TnomVnom




EUT Z\_4TX  
Setting 61  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8498G	113.37	Inf	-Inf	102.92	3	Horizontal	357	1.80	-	36.60	6.82	32.97
RMS	6.8498G	101.19	Inf	-Inf	90.74	3	Horizontal	357	1.80	-	36.60	6.82	32.97
PK	7.2258G	63.39	88.20	-24.81	52.32	3	Horizontal	357	1.80	-	37.10	7.11	33.14
RMS	7.157G	50.53	68.20	-17.67	39.64	3	Horizontal	357	1.80	-	36.93	7.06	33.10

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6845MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68796G	64.17	88.20	-24.03	43.58	3	Vertical	124	1.80	-	40.48	9.78	29.67
RMS	13.68876G	50.29	68.20	-17.91	29.70	3	Vertical	124	1.80	-	40.48	9.78	29.67

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6845MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68598G	65.26	88.20	-22.94	44.69	3	Horizontal	170	1.80	-	40.47	9.77	29.67
RMS	13.6864G	50.23	68.20	-17.97	29.66	3	Horizontal	170	1.80	-	40.47	9.77	29.67

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53688G	52.60	83.54	-30.94	49.84	1	Vertical	165	1.50	-	37.71	15.23	50.18
AV	20.53186G	38.09	63.54	-25.45	35.33	1	Vertical	165	1.50	-	37.71	15.23	50.18

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6845MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5335G	52.37	83.54	-31.17	49.61	1	Horizontal	293	1.53	-	37.71	15.23	50.18
AV	20.53134G	38.26	63.54	-25.28	35.50	1	Horizontal	293	1.53	-	37.71	15.23	50.18



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	111.86	Inf	-Inf	101.70	3	Vertical	313	1.90	-	36.30	6.84	32.98
RMS	6.8892G	101.00	Inf	-Inf	90.85	3	Vertical	313	1.90	-	36.29	6.84	32.98
PK	7.1398G	64.04	88.20	-24.16	53.27	3	Vertical	313	1.90	-	36.82	7.04	33.09
RMS	7.1426G	52.41	68.20	-15.79	41.62	3	Vertical	313	1.90	-	36.84	7.04	33.09

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.871G	111.67	Inf	-Inf	101.38	3	Horizontal	215	1.80	-	36.43	6.84	32.98
RMS	6.8724G	100.51	Inf	-Inf	90.23	3	Horizontal	215	1.80	-	36.42	6.84	32.98
PK	7.2336G	64.22	88.20	-23.98	53.14	3	Horizontal	215	1.80	-	37.10	7.12	33.14
RMS	7.1398G	52.44	68.20	-15.76	41.67	3	Horizontal	215	1.80	-	36.82	7.04	33.09

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77396G	65.13	88.20	-23.07	44.22	3	Vertical	254	1.13	-	40.72	9.81	29.62
RMS	13.78398G	51.21	68.20	-16.99	30.27	3	Vertical	254	1.13	-	40.75	9.81	29.62

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**

**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
Setting 61  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77498G	65.83	88.20	-22.37	44.92	3	Horizontal	12	1.79	-	40.72	9.81	29.62
RMS	13.77816G	51.17	68.20	-17.03	30.25	3	Horizontal	12	1.79	-	40.73	9.81	29.62

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65106G	49.67	83.54	-33.87	46.76	1	Vertical	182	1.50	-	37.76	15.26	50.11
AV	20.65112G	36.38	63.54	-27.16	33.47	1	Vertical	182	1.50	-	37.76	15.26	50.11

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 61  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65068G	50.46	83.54	-33.08	47.55	1	Horizontal	228	1.58	-	37.76	15.26	50.11
AV	20.65098G	36.45	63.54	-27.09	33.54	1	Horizontal	228	1.58	-	37.76	15.26	50.11

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9334G	108.69	Inf	-Inf	99.45	3	Vertical	304	2.27	-	35.83	6.47	33.06
RMS	6.9094G	95.57	Inf	-Inf	86.32	3	Vertical	304	2.27	-	35.88	6.42	33.05
PK	7.1674G	62.62	88.20	-25.58	52.19	3	Vertical	304	2.27	-	36.83	6.77	33.17
RMS	7.2226G	51.42	68.20	-16.78	40.84	3	Vertical	304	2.27	-	36.95	6.82	33.19

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6925MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9418G	113.19	Inf	-Inf	103.96	3	Horizontal	245	3.00	-	35.82	6.48	33.07
RMS	6.9418G	103.22	Inf	-Inf	93.99	3	Horizontal	245	3.00	-	35.82	6.48	33.07
PK	7.1362G	61.99	88.20	-26.21	51.69	3	Horizontal	245	3.00	-	36.72	6.74	33.16
RMS	7.225G	51.46	68.20	-16.74	40.87	3	Horizontal	245	3.00	-	36.95	6.83	33.19



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6925MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85084G	60.10	88.20	-28.10	43.75	3	Vertical	74	2.58	-	40.70	9.53	33.88
RMS	13.8503G	48.22	68.20	-19.98	31.87	3	Vertical	74	2.58	-	40.70	9.53	33.88

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6925MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85102G	60.28	88.20	-27.92	43.93	3	Horizontal	234	2.15	-	40.70	9.53	33.88
RMS	13.84964G	48.12	68.20	-20.08	31.78	3	Horizontal	234	2.15	-	40.70	9.52	33.88

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77942G	47.45	83.54	-36.09	44.33	1	Vertical	159	1.56	-	37.86	15.29	50.03
AV	20.77418G	34.14	63.54	-29.40	31.04	1	Vertical	159	1.56	-	37.85	15.29	50.04

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77428G	48.12	83.54	-35.42	45.02	1	Horizontal	282	1.58	-	37.85	15.29	50.04
AV	20.77448G	33.95	63.54	-29.59	30.85	1	Horizontal	282	1.58	-	37.85	15.29	50.04

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0114G	108.87	Inf	-Inf	99.42	3	Vertical	311	2.10	-	35.95	6.61	33.11
RMS	7.0122G	97.44	Inf	-Inf	87.99	3	Vertical	311	2.10	-	35.95	6.61	33.11
PK	7.1898G	62.28	88.20	-25.92	51.78	3	Vertical	311	2.10	-	36.88	6.79	33.17
RMS	7.1546G	51.32	68.20	-16.88	40.92	3	Vertical	311	2.10	-	36.81	6.75	33.16

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7005MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9874G	111.64	Inf	-Inf	102.30	3	Horizontal	273	2.15	-	35.87	6.57	33.10
RMS	6.9906G	101.00	Inf	-Inf	91.64	3	Horizontal	273	2.15	-	35.88	6.58	33.10
PK	7.1602G	62.17	88.20	-26.03	51.75	3	Horizontal	273	2.15	-	36.82	6.76	33.16
RMS	7.153G	51.57	68.20	-16.63	41.17	3	Horizontal	273	2.15	-	36.81	6.75	33.16

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99956G	58.54	88.20	-29.66	41.93	3	Vertical	254	1.12	-	40.80	9.60	33.79
RMS	14.0085G	46.07	68.20	-22.13	29.45	3	Vertical	254	1.12	-	40.81	9.60	33.79

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 7005MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99698G	57.89	88.20	-30.31	41.28	3	Horizontal	341	2.45	-	40.80	9.60	33.79
RMS	14.00238G	45.91	68.20	-22.29	29.30	3	Horizontal	341	2.45	-	40.80	9.60	33.79



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01194G	51.07	83.54	-32.47	47.33	1	Vertical	254	1.55	-	38.29	15.35	49.90
AV	21.0101G	35.53	63.54	-28.01	31.79	1	Vertical	254	1.55	-	38.29	15.35	49.90

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01322G	52.44	83.54	-31.10	48.70	1	Horizontal	332	1.58	-	38.29	15.35	49.90
AV	21.01214G	35.41	63.54	-28.13	31.67	1	Horizontal	332	1.58	-	38.29	15.35	49.90

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0978G	108.85	Inf	-Inf	98.81	3	Vertical	305	1.79	-	36.48	6.70	33.14
RMS	7.0974G	98.48	Inf	-Inf	88.44	3	Vertical	305	1.79	-	36.48	6.70	33.14
PK	7.129G	63.41	88.20	-24.79	53.16	3	Vertical	305	1.79	-	36.67	6.73	33.15
RMS	7.1286G	52.31	68.20	-15.89	42.06	3	Vertical	305	1.79	-	36.67	6.73	33.15

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 7085MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0682G	112.90	Inf	-Inf	103.11	3	Horizontal	245	2.16	-	36.25	6.67	33.13
RMS	7.069G	100.60	Inf	-Inf	90.81	3	Horizontal	245	2.16	-	36.25	6.67	33.13
PK	7.149G	63.47	88.20	-24.73	53.09	3	Horizontal	245	2.16	-	36.79	6.75	33.16
RMS	7.125G	52.68	68.20	-15.52	42.46	3	Horizontal	245	2.16	-	36.65	6.72	33.15

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18176G	58.15	88.20	-30.05	41.29	3	Vertical	13	1.10	-	40.90	9.66	33.70
RMS	14.16628G	45.83	68.20	-22.37	28.98	3	Vertical	13	1.10	-	40.90	9.66	33.71

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 7085MHz\_TnomVnom




EUTZ\_4TX  
Setting 58  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16892G	58.38	88.20	-29.82	41.53	3	Horizontal	352	1.76	-	40.90	9.66	33.71
RMS	14.17108G	45.79	68.20	-22.41	28.94	3	Horizontal	352	1.76	-	40.90	9.66	33.71

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 7085MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2531G	48.05	83.54	-35.49	44.49	1	Vertical	63	1.53	-	38.10	15.41	49.95
AV	21.2556G	34.38	63.54	-29.16	30.82	1	Vertical	63	1.53	-	38.10	15.41	49.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7085MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 58  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2524G	47.57	83.54	-35.97	44.01	1	Horizontal	303	1.52	-	38.10	15.41	49.95
AV	21.25608G	34.35	63.54	-29.19	30.79	1	Horizontal	303	1.52	-	38.10	15.41	49.95



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6145MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	60.58	88.20	-27.62	53.18	3	Vertical	281	1.90	-	34.20	5.75	32.55
RMS	5.8714G	49.55	68.20	-18.65	42.26	3	Vertical	281	1.90	-	34.09	5.74	32.54
PK	6.1414G	107.45	Inf	-Inf	99.96	3	Vertical	281	1.90	-	34.18	5.94	32.63
RMS	6.139G	97.13	Inf	-Inf	89.64	3	Vertical	281	1.90	-	34.18	5.94	32.63

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6145MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8726G	61.02	88.20	-27.18	53.73	3	Horizontal	272	2.97	-	34.09	5.74	32.54
RMS	5.8582G	49.53	68.20	-18.67	42.31	3	Horizontal	272	2.97	-	34.03	5.73	32.54
PK	6.1186G	114.72	Inf	-Inf	107.29	3	Horizontal	272	2.97	-	34.14	5.92	32.63
RMS	6.1186G	101.52	Inf	-Inf	94.09	3	Horizontal	272	2.97	-	34.14	5.92	32.63

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.27638G	56.09	74.00	-17.91	42.50	3	Vertical	149	1.80	-	39.10	8.74	34.25
AV	12.28844G	43.48	54.00	-10.52	29.89	3	Vertical	149	1.80	-	39.10	8.74	34.25

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.30074G	55.96	74.00	-18.04	42.35	3	Horizontal	280	1.70	-	39.10	8.75	34.24
AV	12.2825G	43.73	54.00	-10.27	30.14	3	Horizontal	280	1.70	-	39.10	8.74	34.25

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43226G	52.65	83.54	-30.89	51.09	1	Vertical	64	1.51	-	37.57	14.55	50.56
AV	18.43222G	39.19	63.54	-24.35	37.63	1	Vertical	64	1.51	-	37.57	14.55	50.56

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6145MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43736G	53.22	83.54	-30.32	51.66	1	Horizontal	12	1.54	-	37.57	14.55	50.56
AV	18.43214G	39.16	63.54	-24.38	37.60	1	Horizontal	12	1.54	-	37.57	14.55	50.56

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.883G	61.10	88.20	-27.10	53.77	3	Vertical	47	2.05	-	34.13	5.74	32.54
RMS	5.865G	49.55	68.20	-18.65	42.30	3	Vertical	47	2.05	-	34.06	5.73	32.54
PK	6.205G	107.70	Inf	-Inf	100.14	3	Vertical	47	2.05	-	34.22	6.00	32.66
RMS	6.229G	97.15	Inf	-Inf	89.50	3	Vertical	47	2.05	-	34.32	6.00	32.67

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.823G	60.87	88.20	-27.33	53.74	3	Horizontal	272	3.00	-	33.95	5.71	32.53
RMS	5.873G	49.56	68.20	-18.64	42.27	3	Horizontal	272	3.00	-	34.09	5.74	32.54
PK	6.253G	114.43	Inf	-Inf	106.71	3	Horizontal	272	3.00	-	34.40	6.00	32.68
RMS	6.251G	103.38	Inf	-Inf	95.66	3	Horizontal	272	3.00	-	34.40	6.00	32.68



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6225MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45366G	55.99	74.00	-18.01	42.33	3	Vertical	16	1.80	-	39.00	8.83	34.17
AV	12.4644G	43.29	54.00	-10.71	29.63	3	Vertical	16	1.80	-	39.00	8.83	34.17

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6225MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46314G	55.97	74.00	-18.03	42.31	3	Horizontal	25	2.78	-	39.00	8.83	34.17
AV	12.46428G	43.18	54.00	-10.82	29.52	3	Horizontal	25	2.78	-	39.00	8.83	34.17

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6225MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67128G	51.00	83.54	-32.54	49.30	1	Vertical	335	1.57	-	37.67	14.63	50.60
AV	18.67582G	37.09	63.54	-26.45	35.38	1	Vertical	335	1.57	-	37.67	14.64	50.60

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67148G	50.29	83.54	-33.25	48.58	1	Horizontal	234	1.53	-	37.67	14.64	50.60
AV	18.67082G	36.99	63.54	-26.55	35.29	1	Horizontal	234	1.53	-	37.67	14.63	50.60

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	60.07	88.20	-28.13	52.68	3	Vertical	268	2.17	-	34.19	5.75	32.55
RMS	5.8594G	49.55	68.20	-18.65	42.32	3	Vertical	268	2.17	-	34.04	5.73	32.54
PK	6.3514G	112.21	Inf	-Inf	104.31	3	Vertical	268	2.17	-	34.61	6.00	32.71
RMS	6.349G	99.19	Inf	-Inf	91.30	3	Vertical	268	2.17	-	34.60	6.00	32.71

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8018G	60.69	88.20	-27.51	53.61	3	Horizontal	237	2.86	-	33.90	5.70	32.52
RMS	5.8738G	49.55	68.20	-18.65	42.25	3	Horizontal	237	2.86	-	34.10	5.74	32.54
PK	6.3682G	113.10	Inf	-Inf	105.15	3	Horizontal	237	2.86	-	34.67	6.00	32.72
RMS	6.409G	102.01	Inf	-Inf	93.92	3	Horizontal	237	2.86	-	34.82	6.01	32.74

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6385MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7778G	54.99	88.20	-33.21	40.41	3	Vertical	198	1.23	-	39.66	8.99	34.07
RMS	12.78044G	43.53	68.20	-24.67	28.95	3	Vertical	198	1.23	-	39.66	8.99	34.07

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77906G	55.71	88.20	-32.49	41.13	3	Horizontal	308	2.87	-	39.66	8.99	34.07
RMS	12.77408G	43.39	68.20	-24.81	28.82	3	Horizontal	308	2.87	-	39.65	8.99	34.07



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6385MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1572G	49.81	83.54	-33.73	48.04	1	Vertical	192	1.53	-	37.56	14.81	50.60
AV	19.1575G	36.55	63.54	-26.99	34.78	1	Vertical	192	1.53	-	37.56	14.81	50.60

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6385MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15232G	49.90	83.54	-33.64	48.14	1	Horizontal	60	1.52	-	37.56	14.80	50.60
AV	19.1576G	36.56	63.54	-26.98	34.79	1	Horizontal	60	1.52	-	37.56	14.81	50.60

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6465MHz\_TnomVnom




EUT Z\_4TX  
Setting 72  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	61.19	88.20	-27.01	52.66	3	Vertical	308	1.80	-	34.98	6.36	32.81
RMS	5.9086G	49.78	68.20	-18.42	41.30	3	Vertical	308	1.80	-	34.93	6.35	32.80
PK	6.439G	111.84	Inf	-Inf	102.62	3	Vertical	308	1.80	-	35.44	6.64	32.86
RMS	6.4364G	100.79	Inf	-Inf	91.56	3	Vertical	308	1.80	-	35.45	6.64	32.86

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TnomVnom




EUT Z\_4TX  
Setting 72  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8904G	60.37	88.20	-27.83	51.94	3	Horizontal	36	1.89	-	34.88	6.35	32.80
RMS	5.9138G	49.80	68.20	-18.40	41.29	3	Horizontal	36	1.89	-	34.96	6.36	32.81
PK	6.4572G	111.67	Inf	-Inf	102.44	3	Horizontal	36	1.89	-	35.43	6.66	32.86
RMS	6.4572G	102.24	Inf	-Inf	93.01	3	Horizontal	36	1.89	-	35.43	6.66	32.86

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6465MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9367G	60.51	88.20	-27.69	42.29	3	Vertical	204	1.58	-	39.41	9.47	30.66
RMS	12.9343G	46.48	68.20	-21.72	28.27	3	Vertical	204	1.58	-	39.40	9.47	30.66

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9346G	61.00	88.20	-27.20	42.79	3	Horizontal	177	1.68	-	39.40	9.47	30.66
RMS	12.9321G	46.02	68.20	-22.18	27.82	3	Horizontal	177	1.68	-	39.40	9.47	30.67

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6465MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39128G	55.96	83.54	-27.58	54.01	1	Vertical	204	1.56	-	37.66	14.89	50.60
AV	19.39594G	41.54	63.54	-22.00	39.59	1	Vertical	204	1.56	-	37.66	14.89	50.60

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6465MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3953G	56.32	83.54	-27.22	54.37	1	Horizontal	223	1.50	-	37.66	14.89	50.60
AV	19.39588G	41.51	63.54	-22.03	39.56	1	Horizontal	223	1.50	-	37.66	14.89	50.60



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8786G	60.41	88.20	-27.79	52.00	3	Vertical	221	1.87	-	34.86	6.34	32.79
RMS	5.915G	49.77	68.20	-18.43	41.26	3	Vertical	221	1.87	-	34.96	6.36	32.81
PK	6.517G	110.51	Inf	-Inf	100.99	3	Vertical	221	1.87	-	35.67	6.72	32.87
RMS	6.5142G	99.98	Inf	-Inf	90.47	3	Vertical	221	1.87	-	35.66	6.71	32.86
PK	7.1862G	62.99	88.20	-25.21	51.98	3	Vertical	221	1.87	-	37.04	7.09	33.12
RMS	7.245G	52.36	68.20	-15.84	41.29	3	Vertical	221	1.87	-	37.10	7.12	33.15

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	61.46	88.20	-26.74	53.09	3	Horizontal	177	1.80	-	34.82	6.33	32.78
RMS	5.9066G	49.77	68.20	-18.43	41.29	3	Horizontal	177	1.80	-	34.93	6.35	32.80
PK	6.5422G	113.78	Inf	-Inf	104.14	3	Horizontal	177	1.80	-	35.77	6.74	32.87
RMS	6.559G	101.62	Inf	-Inf	91.92	3	Horizontal	177	1.80	-	35.82	6.76	32.88
PK	7.1554G	63.25	88.20	-24.95	52.37	3	Horizontal	177	1.80	-	36.92	7.06	33.10
RMS	7.245G	52.32	68.20	-15.88	41.25	3	Horizontal	177	1.80	-	37.10	7.12	33.15

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




21/10/2022

EUT\_Z\_4TX  
Setting 72  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1038G	60.86	88.20	-27.34	41.98	3	Vertical	201	2.24	-	39.71	9.54	30.37
RMS	13.1077G	47.18	68.20	-21.02	28.28	3	Vertical	201	2.24	-	39.72	9.54	30.36

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




21/10/2022

EUT\_Z\_4TX  
Setting 72  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0908G	60.68	88.20	-27.52	41.84	3	Horizontal	113	1.80	-	39.69	9.54	30.39
RMS	13.1106G	46.64	68.20	-21.56	27.74	3	Horizontal	113	1.80	-	39.72	9.54	30.36

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63034G	54.30	83.54	-29.24	52.20	1	Vertical	13	1.57	-	37.65	14.97	50.52
AV	19.63052G	39.89	63.54	-23.65	37.79	1	Vertical	13	1.57	-	37.65	14.97	50.52

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63564G	54.80	83.54	-28.74	52.70	1	Horizontal	248	1.56	-	37.65	14.97	50.52
AV	19.63532G	39.80	63.54	-23.74	37.70	1	Horizontal	248	1.56	-	37.65	14.97	50.52

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TnomVnom




EUT Z\_4TX  
Setting 72  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.589G	110.71	Inf	-Inf	100.93	3	Vertical	308	1.80	-	35.88	6.79	32.89
RMS	6.6298G	100.26	Inf	-Inf	90.40	3	Vertical	308	1.80	-	35.96	6.80	32.90
PK	7.2226G	63.07	88.20	-25.13	52.00	3	Vertical	308	1.80	-	37.10	7.11	33.14
RMS	7.1434G	52.32	68.20	-15.88	41.52	3	Vertical	308	1.80	-	36.85	7.04	33.09

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TnomVnom




EUT Z\_4TX  
Setting 72  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.661G	112.29	Inf	-Inf	102.42	3	Horizontal	184	1.99	-	35.98	6.80	32.91
RMS	6.6562G	102.74	Inf	-Inf	92.86	3	Horizontal	184	1.99	-	35.99	6.80	32.91
PK	7.1866G	63.11	88.20	-25.09	52.09	3	Horizontal	184	1.99	-	37.05	7.09	33.12
RMS	7.1434G	52.38	68.20	-15.82	41.58	3	Horizontal	184	1.99	-	36.85	7.04	33.09



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6625MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2633G	61.35	74.00	-12.65	41.91	3	Vertical	200	2.37	-	39.96	9.61	30.13
AV	13.2684G	47.54	54.00	-6.46	28.08	3	Vertical	200	2.37	-	39.97	9.61	30.12

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.258G	60.52	74.00	-13.48	41.10	3	Horizontal	290	1.64	-	39.96	9.60	30.14
AV	13.2586G	47.15	54.00	-6.85	27.73	3	Horizontal	290	1.64	-	39.96	9.60	30.14

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6625MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87562G	51.97	83.54	-31.57	49.78	1	Vertical	309	1.58	-	37.50	15.06	50.37
AV	19.87038G	37.86	63.54	-25.68	35.69	1	Vertical	309	1.58	-	37.50	15.05	50.38

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6625MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87428G	51.38	83.54	-32.16	49.20	1	Horizontal	69	1.57	-	37.50	15.06	50.38
AV	19.87514G	37.74	63.54	-25.80	35.55	1	Horizontal	69	1.57	-	37.50	15.06	50.37

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TnomVnom




EUT Z\_4TX  
Setting 72  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.707G	111.37	Inf	-Inf	101.56	3	Vertical	342	2.95	-	35.94	6.80	32.93
RMS	6.707G	99.99	Inf	-Inf	90.18	3	Vertical	342	2.95	-	35.94	6.80	32.93
PK	7.191G	63.38	88.20	-24.82	52.35	3	Vertical	342	2.95	-	37.06	7.09	33.12
RMS	7.197G	52.38	68.20	-15.82	41.31	3	Vertical	342	2.95	-	37.09	7.10	33.12

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TnomVnom




EUT Z\_4TX  
Setting 72  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.741G	112.63	Inf	-Inf	102.62	3	Horizontal	0	1.94	-	36.15	6.80	32.94
RMS	6.743G	103.88	Inf	-Inf	93.86	3	Horizontal	0	1.94	-	36.16	6.80	32.94
PK	7.159G	63.10	88.20	-25.10	52.20	3	Horizontal	0	1.94	-	36.94	7.06	33.10
RMS	7.145G	52.34	68.20	-15.86	41.54	3	Horizontal	0	1.94	-	36.86	7.04	33.10

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6705MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4175G	62.66	88.20	-25.54	42.69	3	Vertical	187	1.80	-	40.20	9.67	29.90
RMS	13.4178G	48.73	68.20	-19.47	28.76	3	Vertical	187	1.80	-	40.20	9.67	29.90

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TnomVnom



21/10/2022


EUT Z\_4TX  
Setting 72  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41656G	61.55	88.20	-26.65	41.58	3	Horizontal	126	2.10	-	40.20	9.67	29.90
RMS	13.40832G	47.33	68.20	-20.87	27.39	3	Horizontal	126	2.10	-	40.20	9.66	29.92



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6705MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1198G	56.99	83.54	-26.55	54.64	1	Vertical	66	1.50	-	37.50	15.13	50.28
AV	20.11538G	42.33	63.54	-21.21	39.99	1	Vertical	66	1.50	-	37.49	15.13	50.28

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6705MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11018G	56.54	83.54	-27.00	54.20	1	Horizontal	170	1.53	-	37.49	15.13	50.28
AV	20.11524G	42.64	63.54	-20.90	40.30	1	Horizontal	170	1.53	-	37.49	15.13	50.28

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7818G	108.46	Inf	-Inf	98.41	3	Vertical	337	2.98	-	36.20	6.80	32.95
RMS	6.7834G	98.57	Inf	-Inf	88.52	3	Vertical	337	2.98	-	36.20	6.80	32.95
PK	7.1514G	63.88	88.20	-24.32	53.02	3	Vertical	337	2.98	-	36.91	7.05	33.10
RMS	7.153G	52.37	68.20	-15.83	41.51	3	Vertical	337	2.98	-	36.91	7.05	33.10

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TnomVnom




EUT Z\_4TX  
Setting 72  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7882G	112.29	Inf	-Inf	102.24	3	Horizontal	360	1.80	-	36.20	6.80	32.95
RMS	6.7882G	102.27	Inf	-Inf	92.22	3	Horizontal	360	1.80	-	36.20	6.80	32.95
PK	7.169G	63.60	88.20	-24.60	52.66	3	Horizontal	360	1.80	-	36.98	7.07	33.11
RMS	7.1386G	52.39	68.20	-15.81	41.63	3	Horizontal	360	1.80	-	36.81	7.04	33.09

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57708G	63.40	88.20	-24.80	43.13	3	Vertical	271	1.65	-	40.28	9.73	29.74
RMS	13.57896G	49.74	68.20	-18.46	29.46	3	Vertical	271	1.65	-	40.28	9.73	29.73

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TnomVnom




21/10/2022

EUT\_Z\_4TX  
Setting 72  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56848G	61.62	88.20	-26.58	41.36	3	Horizontal	38	1.02	-	40.27	9.73	29.74
RMS	13.58G	47.84	68.20	-20.36	27.56	3	Horizontal	38	1.02	-	40.28	9.73	29.73

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3595G	59.56	83.54	-23.98	56.96	1	Vertical	279	1.58	-	37.64	15.19	50.23
AV	20.35336G	44.41	63.54	-19.13	41.81	1	Vertical	279	1.58	-	37.64	15.19	50.23

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35954G	59.90	83.54	-23.64	57.30	1	Horizontal	259	1.54	-	37.64	15.19	50.23
AV	20.35372G	44.38	63.54	-19.16	41.78	1	Horizontal	259	1.54	-	37.64	15.19	50.23



**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 72  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8818G	111.52	Inf	-Inf	101.31	3	Vertical	324	3.00	-	36.35	6.84	32.98
RMS	6.8782G	101.09	Inf	-Inf	90.86	3	Vertical	324	3.00	-	36.37	6.84	32.98
PK	7.147G	62.93	88.20	-25.27	52.10	3	Vertical	324	3.00	-	36.88	7.05	33.10
RMS	7.147G	52.50	68.20	-15.70	41.67	3	Vertical	324	3.00	-	36.88	7.05	33.10

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


6865MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT Z\_4TX  
Setting 72  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8374G	112.56	Inf	-Inf	102.21	3	Horizontal	4	2.59	-	36.50	6.82	32.97
RMS	6.8362G	102.46	Inf	-Inf	92.12	3	Horizontal	4	2.59	-	36.49	6.82	32.97
PK	7.1566G	63.34	88.20	-24.86	52.45	3	Horizontal	4	2.59	-	36.93	7.06	33.10
RMS	7.141G	52.48	68.20	-15.72	41.70	3	Horizontal	4	2.59	-	36.83	7.04	33.09


**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT Z\_4TX  
 Setting 72  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.744G	65.01	88.20	-23.19	44.22	3	Vertical	57	1.80	-	40.63	9.80	29.64
AV	13.7424G	50.99	68.20	-17.21	30.20	3	Vertical	57	1.80	-	40.63	9.80	29.64

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 72  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7334G	64.84	88.20	-23.36	44.09	3	Horizontal	175	2.60	-	40.60	9.79	29.64
AV	13.73984G	50.54	68.20	-17.66	29.76	3	Horizontal	175	2.60	-	40.62	9.80	29.64

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5912G	58.46	83.54	-25.08	55.62	1	Vertical	11	1.58	-	37.74	15.25	50.15
AV	20.59164G	42.98	63.54	-20.56	40.14	1	Vertical	11	1.58	-	37.74	15.25	50.15

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59594G	57.42	83.54	-26.12	54.57	1	Horizontal	307	1.50	-	37.74	15.25	50.14
AV	20.59156G	42.84	63.54	-20.70	40.00	1	Horizontal	307	1.50	-	37.74	15.25	50.15

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6945MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9174G	111.17	Inf	-Inf	101.92	3	Vertical	309	1.80	-	35.87	6.43	33.05
RMS	6.9162G	100.12	Inf	-Inf	90.87	3	Vertical	309	1.80	-	35.87	6.43	33.05
PK	7.2258G	62.20	88.20	-26.00	51.61	3	Vertical	309	1.80	-	36.95	6.83	33.19
RMS	7.2366G	51.66	68.20	-16.54	41.04	3	Vertical	309	1.80	-	36.97	6.84	33.19

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9702G	111.76	Inf	-Inf	102.47	3	Horizontal	238	2.97	-	35.84	6.54	33.09
RMS	6.9714G	101.61	Inf	-Inf	92.32	3	Horizontal	238	2.97	-	35.84	6.54	33.09
PK	7.2234G	62.73	88.20	-25.47	52.15	3	Horizontal	238	2.97	-	36.95	6.82	33.19
RMS	7.2354G	51.71	68.20	-16.49	41.09	3	Horizontal	238	2.97	-	36.97	6.84	33.19



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6945MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9002G	60.96	88.20	-27.24	44.46	3	Vertical	30	2.79	-	40.80	9.55	33.85
RMS	13.8975G	48.98	68.20	-19.22	32.49	3	Vertical	30	2.79	-	40.79	9.55	33.85

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9008G	61.77	88.20	-26.43	45.27	3	Horizontal	298	1.28	-	40.80	9.55	33.85
RMS	13.9017G	48.88	68.20	-19.32	32.38	3	Horizontal	298	1.28	-	40.80	9.55	33.85

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6945MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83078G	52.76	83.54	-30.78	49.49	1	Vertical	12	1.55	-	37.96	15.31	50.00
AV	20.8305G	38.42	63.54	-25.12	35.15	1	Vertical	12	1.55	-	37.96	15.31	50.00

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6945MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8304G	52.44	83.54	-31.10	49.17	1	Horizontal	205	1.52	-	37.96	15.31	50.00
AV	20.83042G	38.34	63.54	-25.20	35.07	1	Horizontal	205	1.52	-	37.96	15.31	50.00

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9898G	113.11	Inf	-Inf	103.75	3	Vertical	313	1.80	-	35.88	6.58	33.10
RMS	7.0114G	99.24	Inf	-Inf	89.79	3	Vertical	313	1.80	-	35.95	6.61	33.11
PK	7.125G	65.66	88.20	-22.54	55.44	3	Vertical	313	1.80	-	36.65	6.72	33.15
RMS	7.125G	54.55	68.20	-13.65	44.33	3	Vertical	313	1.80	-	36.65	6.72	33.15

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 7025MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.001G	114.48	Inf	-Inf	105.09	3	Horizontal	295	2.17	-	35.90	6.60	33.11
RMS	7.0474G	100.28	Inf	-Inf	90.67	3	Horizontal	295	2.17	-	36.09	6.65	33.13
PK	7.1258G	63.82	88.20	-24.38	53.59	3	Horizontal	295	2.17	-	36.65	6.73	33.15
RMS	7.125G	53.48	68.20	-14.72	43.26	3	Horizontal	295	2.17	-	36.65	6.72	33.15

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 7025MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05756G	60.29	88.20	-27.91	43.57	3	Vertical	115	2.32	-	40.86	9.62	33.76
RMS	14.06152G	47.71	68.20	-20.49	30.99	3	Vertical	115	2.32	-	40.86	9.62	33.76

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 7025MHz\_TnomVnom




EUTZ\_4TX  
Setting 72  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05306G	59.44	88.20	-28.76	42.73	3	Horizontal	166	2.38	-	40.85	9.62	33.76
RMS	14.05504G	47.69	68.20	-20.51	30.97	3	Horizontal	166	2.38	-	40.86	9.62	33.76



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 7025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07036G	53.07	83.54	-30.47	49.37	1	Vertical	292	1.57	-	38.24	15.37	49.91
AV	21.07166G	38.28	63.54	-25.26	34.58	1	Vertical	292	1.57	-	38.24	15.37	49.91

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 7025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 72  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0795G	53.08	83.54	-30.46	49.39	1	Horizontal	265	1.55	-	38.24	15.37	49.92
AV	21.0751G	38.40	63.54	-25.14	34.71	1	Horizontal	265	1.55	-	38.24	15.37	49.92

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TnomVnom




EUTZ\_4TX  
Setting 83  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.865G	61.04	88.20	-27.16	53.79	3	Vertical	43	2.10	-	34.06	5.73	32.54
RMS	5.849G	49.54	68.20	-18.66	42.35	3	Vertical	43	2.10	-	34.00	5.72	32.53
PK	6.2042G	110.18	Inf	-Inf	102.62	3	Vertical	43	2.10	-	34.22	6.00	32.66
RMS	6.2058G	99.75	Inf	-Inf	92.19	3	Vertical	43	2.10	-	34.22	6.00	32.66

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TnomVnom




EUTZ\_4TX  
Setting 83  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	60.78	88.20	-27.42	53.42	3	Horizontal	271	3.00	-	34.16	5.75	32.55
RMS	5.8698G	49.58	68.20	-18.62	42.31	3	Horizontal	271	3.00	-	34.08	5.73	32.54
PK	6.2474G	112.91	Inf	-Inf	105.19	3	Horizontal	271	3.00	-	34.39	6.00	32.67
RMS	6.249G	103.01	Inf	-Inf	95.28	3	Horizontal	271	3.00	-	34.40	6.00	32.67

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6185MHz\_TnomVnom




EUTZ\_4TX  
Setting 83  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36484G	55.78	74.00	-18.22	42.17	3	Vertical	282	1.32	-	39.04	8.78	34.21
AV	12.36322G	43.24	54.00	-10.76	29.63	3	Vertical	282	1.32	-	39.04	8.78	34.21

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38272G	55.73	74.00	-18.27	42.12	3	Horizontal	134	1.80	-	39.02	8.79	34.20
AV	12.35848G	43.15	54.00	-10.85	29.55	3	Horizontal	134	1.80	-	39.04	8.78	34.22

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5573G	53.77	83.54	-29.77	52.15	1	Vertical	187	1.55	-	37.62	14.60	50.60
AV	18.55204G	39.41	63.54	-24.13	37.80	1	Vertical	187	1.55	-	37.62	14.59	50.60

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5569G	54.41	83.54	-29.13	52.80	1	Horizontal	38	1.53	-	37.62	14.59	50.60
AV	18.55216G	39.28	63.54	-24.26	37.67	1	Horizontal	38	1.53	-	37.62	14.59	50.60



### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6345MHz\_TnomVnom




EUTZ\_4TX  
Setting 83  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	60.42	88.20	-27.78	53.05	3	Vertical	265	1.00	-	34.17	5.76	32.56
RMS	5.863G	49.61	68.20	-18.59	42.37	3	Vertical	265	1.00	-	34.05	5.73	32.54
PK	6.371G	108.14	Inf	-Inf	100.18	3	Vertical	265	1.00	-	34.68	6.00	32.72
RMS	6.363G	98.07	Inf	-Inf	90.14	3	Vertical	265	1.00	-	34.65	6.00	32.72

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TnomVnom




EUTZ\_4TX  
Setting 83  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	60.59	88.20	-27.61	53.28	3	Horizontal	256	2.41	-	34.11	5.74	32.54
RMS	5.863G	49.59	68.20	-18.61	42.35	3	Horizontal	256	2.41	-	34.05	5.73	32.54
PK	6.401G	113.36	Inf	-Inf	105.29	3	Horizontal	256	2.41	-	34.80	6.00	32.73
RMS	6.403G	102.78	Inf	-Inf	94.70	3	Horizontal	256	2.41	-	34.81	6.00	32.73

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6345MHz\_TnomVnom




EUTZ\_4TX  
Setting 83  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6832G	56.61	74.00	-17.39	42.29	3	Vertical	161	1.80	-	39.48	8.94	34.10
AV	12.67506G	43.41	54.00	-10.59	29.09	3	Vertical	161	1.80	-	39.48	8.94	34.10

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TnomVnom




EUTZ\_4TX  
Setting 83  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.67908G	55.30	74.00	-18.70	40.98	3	Horizontal	73	1.57	-	39.48	8.94	34.10
AV	12.67548G	43.40	54.00	-10.60	29.08	3	Horizontal	73	1.57	-	39.48	8.94	34.10

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03762G	58.00	83.54	-25.54	56.32	1	Vertical	231	1.53	-	37.52	14.76	50.60
AV	19.03292G	42.97	63.54	-20.57	41.30	1	Vertical	231	1.53	-	37.51	14.76	50.60

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


6345MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 83  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0378G	57.44	83.54	-26.10	55.76	1	Horizontal	102	1.53	-	37.52	14.76	50.60
AV	19.0324G	43.07	63.54	-20.47	41.40	1	Horizontal	102	1.53	-	37.51	14.76	50.60


**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 83  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8358G	60.44	88.20	-27.76	52.20	3	Vertical	227	1.80	-	34.69	6.32	32.77
RMS	5.925G	49.82	68.20	-18.38	41.27	3	Vertical	227	1.80	-	35.00	6.36	32.81
PK	6.5582G	111.25	Inf	-Inf	101.55	3	Vertical	227	1.80	-	35.82	6.76	32.88
RMS	6.5274G	100.22	Inf	-Inf	90.65	3	Vertical	227	1.80	-	35.71	6.73	32.87
PK	7.149G	62.78	88.20	-25.42	51.94	3	Vertical	227	1.80	-	36.89	7.05	33.10
RMS	7.1574G	52.32	68.20	-15.88	41.43	3	Vertical	227	1.80	-	36.93	7.06	33.10

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 83  
 01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.833G	60.06	88.20	-28.14	51.85	3	Horizontal	203	2.88	-	34.66	6.32	32.77
RMS	5.925G	49.81	68.20	-18.39	41.26	3	Horizontal	203	2.88	-	35.00	6.36	32.81
PK	6.4406G	115.27	Inf	-Inf	106.05	3	Horizontal	203	2.88	-	35.44	6.64	32.86
RMS	6.4574G	104.05	Inf	-Inf	94.82	3	Horizontal	203	2.88	-	35.43	6.66	32.86
PK	7.1574G	63.60	88.20	-24.60	52.71	3	Horizontal	203	2.88	-	36.93	7.06	33.10
RMS	7.1434G	52.42	68.20	-15.78	41.62	3	Horizontal	203	2.88	-	36.85	7.04	33.09




**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 83  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.99608G	61.40	88.20	-26.80	42.84	3	Vertical	206	1.61	-	39.59	9.50	30.53
RMS	12.9938G	47.66	68.20	-20.54	29.11	3	Vertical	206	1.61	-	39.58	9.50	30.53

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




20/10/2022

EUT\_Z\_4TX  
 Setting 83  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00432G	60.39	88.20	-27.81	41.80	3	Horizontal	80	1.56	-	39.60	9.50	30.51
RMS	13.01684G	46.03	68.20	-22.17	27.40	3	Horizontal	80	1.56	-	39.62	9.51	30.50


**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 83  
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51618G	60.00	83.54	-23.54	57.97	1	Vertical	224	1.53	-	37.69	14.93	50.59
AV	19.51216G	45.28	63.54	-18.26	43.24	1	Vertical	224	1.53	-	37.70	14.93	50.59

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 83  
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51176G	59.85	83.54	-23.69	57.81	1	Horizontal	12	1.52	-	37.70	14.93	50.59
AV	19.51142G	45.33	63.54	-18.21	43.29	1	Horizontal	12	1.52	-	37.70	14.93	50.59

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6518G	109.32	Inf	-Inf	99.43	3	Vertical	229	1.80	-	36.00	6.80	32.91
RMS	6.6518G	98.50	Inf	-Inf	88.61	3	Vertical	229	1.80	-	36.00	6.80	32.91
PK	7.2018G	63.52	88.20	-24.68	52.44	3	Vertical	229	1.80	-	37.10	7.10	33.12
RMS	7.1952G	52.35	68.20	-15.85	41.29	3	Vertical	229	1.80	-	37.08	7.10	33.12

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TnomVnom




EUT Z\_4TX  
Setting 83  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6276G	115.11	Inf	-Inf	105.25	3	Horizontal	219	1.80	-	35.96	6.80	32.90
RMS	6.6276G	104.88	Inf	-Inf	95.02	3	Horizontal	219	1.80	-	35.96	6.80	32.90
PK	7.1996G	63.18	88.20	-25.02	52.10	3	Horizontal	219	1.80	-	37.10	7.10	33.12
RMS	7.1336G	52.53	68.20	-15.67	41.82	3	Horizontal	219	1.80	-	36.77	7.03	33.09

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33172G	62.63	74.00	-11.37	42.97	3	Vertical	184	2.17	-	40.06	9.63	30.03
AV	13.33168G	48.87	54.00	-5.13	29.21	3	Vertical	184	2.17	-	40.06	9.63	30.03

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32096G	61.36	74.00	-12.64	41.73	3	Horizontal	179	2.06	-	40.04	9.63	30.04
AV	13.32036G	47.43	54.00	-6.57	27.81	3	Horizontal	179	2.06	-	40.04	9.63	30.05



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99578G	58.05	83.54	-25.49	55.85	1	Vertical	68	1.51	-	37.40	15.10	50.30
AV	19.99512G	43.62	63.54	-19.92	41.42	1	Vertical	68	1.51	-	37.40	15.10	50.30

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99492G	59.03	83.54	-24.51	56.83	1	Horizontal	270	1.55	-	37.40	15.10	50.30
AV	19.99524G	43.78	63.54	-19.76	41.58	1	Horizontal	270	1.55	-	37.40	15.10	50.30

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7674G	110.37	Inf	-Inf	100.32	3	Vertical	226	1.80	-	36.20	6.80	32.95
RMS	6.7674G	99.62	Inf	-Inf	89.57	3	Vertical	226	1.80	-	36.20	6.80	32.95
PK	7.153G	64.34	88.20	-23.86	53.48	3	Vertical	226	1.80	-	36.91	7.05	33.10
RMS	7.1258G	53.71	68.20	-14.49	43.06	3	Vertical	226	1.80	-	36.71	7.03	33.09

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


6825MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT\_Z\_4TX  
Setting 83  
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8074G	112.75	Inf	-Inf	102.65	3	Horizontal	44	2.78	-	36.26	6.80	32.96
RMS	6.8058G	101.69	Inf	-Inf	91.60	3	Horizontal	44	2.78	-	36.25	6.80	32.96
PK	7.137G	64.90	88.20	-23.30	54.15	3	Horizontal	44	2.78	-	36.80	7.04	33.09
RMS	7.1258G	53.76	68.20	-14.44	43.11	3	Horizontal	44	2.78	-	36.71	7.03	33.09

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




20/10/2022

EUT\_Z\_4TX  
 Setting 83  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6501G	66.39	88.20	-21.81	45.92	3	Vertical	185	2.41	-	40.40	9.76	29.69
RMS	13.6521G	51.10	68.20	-17.10	30.63	3	Vertical	185	2.41	-	40.40	9.76	29.69


**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 83  
 01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6602G	63.49	88.20	-24.71	43.00	3	Horizontal	283	3.00	-	40.42	9.76	29.69
RMS	13.6599G	49.68	68.20	-18.52	29.19	3	Horizontal	283	3.00	-	40.42	9.76	29.69

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 83  
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47616G	66.32	83.54	-17.22	63.61	1	Vertical	21	1.58	-	37.69	15.22	50.20
AV	20.47252G	50.78	63.54	-12.76	48.08	1	Vertical	21	1.58	-	37.69	15.22	50.21

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47456G	65.90	83.54	-17.64	63.20	1	Horizontal	120	1.57	-	37.69	15.22	50.21
AV	20.47236G	50.85	63.54	-12.69	48.15	1	Horizontal	120	1.57	-	37.69	15.22	50.21



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TnomVnom




EUTZ\_4TX  
Setting 73  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.971G	106.89	Inf	-Inf	97.60	3	Vertical	28	2.36	-	35.84	6.54	33.09
RMS	7.011G	95.87	Inf	-Inf	86.43	3	Vertical	28	2.36	-	35.94	6.61	33.11
PK	7.136G	75.69	88.20	-12.51	65.39	3	Vertical	28	2.36	-	36.72	6.74	33.16
RMS	7.136G	58.63	68.20	-9.57	48.33	3	Vertical	28	2.36	-	36.72	6.74	33.16

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TnomVnom




EUTZ\_4TX  
Setting 73  
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.955G	111.06	Inf	-Inf	101.82	3	Horizontal	248	2.72	-	35.81	6.51	33.08
RMS	7.003G	100.62	Inf	-Inf	91.22	3	Horizontal	248	2.72	-	35.91	6.60	33.11
PK	7.134G	80.89	88.20	-7.31	70.62	3	Horizontal	248	2.72	-	36.70	6.73	33.16
RMS	7.126G	60.99	68.20	-7.21	50.75	3	Horizontal	248	2.72	-	36.66	6.73	33.15

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 73  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98242G	57.56	88.20	-30.64	40.97	3	Vertical	115	2.06	-	40.80	9.59	33.80
RMS	13.96436G	45.79	68.20	-22.41	29.22	3	Vertical	115	2.06	-	40.80	9.58	33.81

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 73  
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97018G	57.74	88.20	-30.46	41.16	3	Horizontal	75	1.29	-	40.80	9.59	33.81
RMS	13.95866G	45.82	68.20	-22.38	29.25	3	Horizontal	75	1.29	-	40.80	9.58	33.81

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 73  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95018G	56.98	83.54	-26.56	53.37	1	Vertical	352	1.52	-	38.20	15.34	49.93
AV	20.95512G	41.18	63.54	-22.36	37.56	1	Vertical	352	1.52	-	38.21	15.34	49.93



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX



6985MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 73  
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95002G	56.52	83.54	-27.02	52.91	1	Horizontal	126	1.54	-	38.20	15.34	49.93
AV	20.95512G	41.00	63.54	-22.54	37.38	1	Horizontal	126	1.54	-	38.21	15.34	49.93







6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX  
6475MHz\_TnomVnom

MASK

27/10/2022

CF Freq  
6.475GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 4 

Port 5 

Port 7 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4712G	-9.08	6.4591G	-39.58	-31.43	-8.15	1
6.4786G	-9.75	6.4918G	-40.52	-32.65	-7.87	4
6.4712G	-8.97	6.4881G	-37.39	-29.26	-8.13	5
6.4724G	-9.77	6.4895G	-39.63	-31.36	-8.27	7

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX  
6515MHz\_TnomVnom

MASK

28/10/2022

CF Freq  
6.515GHz


Span  
100MHz


RBW  
300kHz


VBW  
1MHz


Sweep Time  
20ms


Detector Type  
RMS





Port 1 



Port 4 

Port 5 

Port 7 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5112G	-9.34	6.5304G	-39.39	-31.02	-8.37	1
6.5174G	-8.45	6.5299G	-38.38	-29.82	-8.56	4
6.5112G	-8.68	6.5306G	-38.80	-31.28	-7.52	5
6.5125G	-8.98	6.5291G	-38.28	-29.43	-8.85	7






6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX  
6895MHz\_TnomVnom

MASK

28/10/2022

CF Freq  
6.895GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 5  
Port 8


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8963G	-11.11	6.8574G	-59.51	-51.11	-8.40	1
6.9G	-12.74	6.9358G	-59.83	-52.74	-7.09	4
6.8963G	-10.63	6.9109G	-41.05	-32.85	-8.20	5
6.8974G	-10.90	6.9096G	-40.22	-32.22	-8.00	8

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX  
6995MHz\_TnomVnom

MASK



28/10/2022

CF Freq  
6.995GHz  
Span  
100MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 5  
Port 8

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00129G	-9.87	7.0081G	-38.36	-29.96	-8.40	1
7.00009G	-10.04	6.9566G	-58.88	-50.04	-8.84	4
7.00119G	-9.51	7.0105G	-39.63	-30.30	-9.33	5
7.00009G	-10.38	6.9559G	-59.03	-50.38	-8.65	8




5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX  
6125MHz\_TnomVnom

MASK

27/10/2022

CF Freq  
6.125GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 6  
Port 8


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13119G	-6.93	6.1562G	-38.64	-30.42	-8.22	1
6.1288G	-7.16	6.148G	-35.40	-27.32	-8.08	4
6.13259G	-6.83	6.1566G	-38.01	-30.76	-7.25	6
6.13119G	-6.42	6.1546G	-37.20	-29.30	-7.90	8

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX  
6245MHz\_TnomVnom

MASK

27/10/2022

CF Freq  
6.245GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 6  
Port 8


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25119G	-6.54	6.2746G	-37.16	-29.17	-7.99	1
6.2426G	-6.08	6.267G	-33.81	-26.10	-7.71	4
6.25139G	-5.76	6.2668G	-33.43	-25.78	-7.65	6
6.2488G	-6.87	6.2744G	-37.29	-29.59	-7.70	8

5.925-6.425GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX  
6405MHz\_TnomVnom

MASK

27/10/2022

CF Freq  
6.405GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 6  
Port 8


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4088G	-7.26	6.4344G	-38.15	-30.19	-7.96	1
6.39861G	-7.10	6.4274G	-35.53	-27.27	-8.26	4
6.41G	-6.44	6.376G	-37.36	-29.34	-8.02	6
6.4076G	-5.33	6.435G	-36.60	-28.43	-8.17	8

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX  
6445MHz\_TnomVnom

MASK

28/10/2022

CF Freq  
6.445GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 5  
Port 7


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4486G	-7.10	6.4776G	-39.07	-31.43	-7.64	1
6.43881G	-7.02	6.411G	-39.16	-31.15	-8.01	4
6.45019G	-6.38	6.3814G	-54.38	-46.31	-8.07	5
6.4496G	-7.67	6.3814G	-55.38	-47.67	-7.71	7

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX  
6485MHz\_TnomVnom

MASK

28/10/2022

CF Freq  
6.485GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 5  
Port 7


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.49139G	-7.16	6.5164G	-38.39	-30.58	-7.81	1
6.49259G	-6.87	6.5144G	-36.83	-30.05	-6.78	4
6.49119G	-6.69	6.5144G	-37.14	-29.03	-8.11	5
6.49239G	-7.32	6.5144G	-37.79	-30.05	-7.74	7

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX  
6525MHz Straddle 6.425-6.525GHz\_TnomVnom

MASK

28/10/2022



CF Freq  
6.525GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 5  
Port 7

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53119G	-8.21	6.5578G	-40.02	-32.42	-7.60	1
6.51861G	-7.39	6.5898G	-55.51	-47.39	-8.12	4
6.5276G	-7.83	6.5916G	-55.47	-47.83	-7.64	5
6.53139G	-7.82	6.5576G	-39.37	-31.76	-7.61	7






6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX  
6845MHz\_TnomVnom

MASK

28/10/2022

CF Freq  
6.845GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 4   
Port 5   
Port 7


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8414G	-7.83	6.8112G	-40.23	-32.36	-7.87	1
6.8402G	-7.39	6.8138G	-37.68	-30.83	-6.85	4
6.8402G	-7.24	6.816G	-36.96	-29.94	-7.02	5
6.83741G	-7.35	6.8074G	-40.96	-33.51	-7.45	7

6.525-6.875GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX  
6885MHz Straddle 6.525-6.875GHz\_TnomVnom

MASK



28/10/2022

CF Freq  
6.885GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 4   
Port 5   
Port 7

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87861G	-8.12	6.8486G	-41.12	-33.90	-7.22	1
6.89239G	-8.62	6.8218G	-55.27	-48.62	-6.65	4
6.8822G	-7.69	6.8214G	-54.66	-47.69	-6.97	5
6.8814G	-7.93	6.821G	-55.26	-47.93	-7.33	7




6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX  
7085MHz\_TnomVnom





MASK

28/10/2022

CF Freq  
7.085GHz  
Span  
200MHz  
RBW  
500kHz  
VBW  
2MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07981G	-7.61	7.0554G	-37.01	-29.48	-7.53	1
7.07981G	-6.58	7.0478G	-38.72	-31.44	-7.28	4
7.07621G	-7.13	7.0508G	-37.83	-30.57	-7.26	5
7.08G	-8.33	7.0522G	-39.18	-32.71	-6.47	8


Port 1   
Port 4   
Port 5   
Port 8 

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX  
6145MHz\_TnomVnom





MASK

27/10/2022

CF Freq  
6.145GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15659G	-4.83	6.2722G	-52.19	-44.83	-7.36	1
6.13301G	-3.77	6.2142G	-35.82	-28.47	-7.35	4
6.15739G	-4.81	6.1874G	-31.44	-24.87	-6.57	6
6.15659G	-4.48	6.2758G	-52.05	-44.46	-7.59	8


Port 1   
Port 4   
Port 6   
Port 8 

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX  
6225MHz\_TnomVnom

MASK

27/10/2022

CF Freq  
6.225GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 6  
Port 8


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21341G	-4.08	6.3702G	-52.44	-44.08	-8.36	1
6.23339G	-2.18	6.2682G	-30.04	-22.20	-7.84	4
6.21061G	-4.28	6.291G	-36.11	-28.75	-7.36	6
6.23659G	-4.62	6.3506G	-51.79	-44.62	-7.17	8

5.925-6.425GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX  
6385MHz\_TnomVnom

MASK



27/10/2022

CF Freq  
6.385GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 6  
Port 8

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37421G	-3.35	6.327G	-33.97	-25.98	-7.99	1
6.39979G	-3.84	6.5142G	-51.69	-43.84	-7.85	4
6.39659G	-3.15	6.4282G	-31.10	-23.21	-7.89	6
6.37341G	-2.36	6.4498G	-34.54	-26.11	-8.43	8








6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX  
6625MHz\_TnomVnom

MASK

28/10/2022

CF Freq  
6.625GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 4   
Port 5   
Port 7 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61021G	-4.78	6.755G	-51.96	-44.78	-7.18	1
6.63379G	-3.98	6.6938G	-35.63	-28.48	-7.15	4
6.61181G	-4.22	6.6918G	-36.56	-28.72	-7.84	5
6.61381G	-4.22	6.7634G	-52.06	-44.21	-7.85	7





6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX  
6705MHz\_TnomVnom

MASK

28/10/2022

CF Freq  
6.705GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1   
Port 4   
Port 5   
Port 7 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69261G	-4.89	6.8322G	-51.66	-44.77	-6.89	1
6.69421G	-2.84	6.8326G	-50.38	-42.84	-7.54	4
6.69421G	-3.92	6.8366G	-51.76	-43.92	-7.84	5
6.69261G	-3.95	6.835G	-51.31	-43.95	-7.36	7

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX  
6785MHz\_TnomVnom

MASK

28/10/2022

CF Freq  
6.785GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 4 

Port 5 

Port 7 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77101G	-4.47	6.7422G	-32.11	-24.54	-7.57	1
6.79659G	-4.02	6.6518G	-51.40	-44.02	-7.38	4
6.77021G	-4.05	6.7274G	-34.09	-26.61	-7.48	5
6.77021G	-3.51	6.7122G	-36.29	-28.89	-7.40	7

6.525-6.875GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX  
6865MHz Straddle 6.525-6.875GHz\_TnomVnom

MASK

28/10/2022

CF Freq  
6.865GHz


Span  
400MHz


RBW  
1MHz


VBW  
3MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 4 

Port 5 

Port 7 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85341G	-4.67	6.9986G	-51.53	-44.67	-6.86	1
6.83383G	-4.77	6.7242G	-52.10	-44.77	-7.33	4
6.85621G	-4.12	6.9962G	-51.28	-44.12	-7.16	5
6.85101G	-4.06	6.9986G	-51.07	-44.06	-7.01	7




6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX  
6945MHz\_TnomVnom

MASK

28/10/2022

CF Freq  
6.945GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 5  
Port 8


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93141G	-5.72	6.8166G	-52.04	-45.72	-6.32	1
6.93261G	-4.72	6.819G	-51.19	-44.72	-6.47	4
6.93141G	-5.17	6.8154G	-51.85	-45.07	-6.78	5
6.93061G	-5.52	6.8178G	-51.36	-45.52	-5.84	8

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX  
7025MHz\_TnomVnom

MASK

28/10/2022

CF Freq  
7.025GHz  
Span  
400MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 5  
Port 8


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99623G	-5.22	6.8986G	-50.53	-45.18	-5.35	1
6.99383G	-4.33	6.9342G	-40.79	-34.73	-6.06	4
6.99543G	-5.08	6.9002G	-50.91	-44.99	-5.92	5
6.99623G	-6.33	6.8946G	-52.34	-46.33	-6.01	8

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX  
6185MHz\_TnomVnom

MASK

27/10/2022

CF Freq  
6.185GHz  
Span  
800MHz  
RBW  
2MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 6  
Port 8


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15943G	-0.52	6.4506G	-48.69	-40.52	-8.17	1
6.20978G	0.48	6.4826G	-47.40	-39.52	-7.88	4
6.20898G	-0.52	6.4378G	-48.64	-40.52	-8.12	6
6.15863G	-0.05	6.4706G	-47.10	-40.05	-7.05	8

5.925-6.425GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX  
6345MHz\_TnomVnom

MASK

27/10/2022

CF Freq  
6.345GHz  
Span  
800MHz  
RBW  
2MHz  
VBW  
10MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1  
Port 4  
Port 6  
Port 8

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36818G	-0.35	6.093G	-48.38	-40.35	-8.03	1
6.31943G	-0.32	6.6074G	-47.77	-40.32	-7.45	4
6.31943G	-0.80	6.5986G	-49.77	-40.80	-8.97	6
6.36818G	0.75	6.6874G	-48.46	-39.25	-9.21	8

**6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**

**MASK**

28/10/2022

CF Freq  
6.505GHz


Span  
800MHz

RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 4

Port 5

Port 7

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53137G	0.25	6.757G	-46.97	-39.75	-7.22	1
6.53057G	1.68	6.8674G	-47.55	-38.32	-9.23	4
6.53297G	0.46	6.2522G	-47.67	-39.54	-8.13	5
6.52898G	0.47	6.8746G	-46.63	-39.39	-7.24	7

**6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX**  
**6665MHz\_TnomVnom**

**MASK**

28/10/2022

CF Freq  
6.665GHz


Span  
800MHz

RBW  
2MHz

VBW  
10MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Port 4

Port 5

Port 7

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64022G	-0.32	6.4122G	-47.29	-40.32	-6.97	1
6.69137G	1.34	6.3018G	-46.89	-38.66	-8.23	4
6.63943G	0.09	6.4122G	-47.25	-39.91	-7.34	5
6.63943G	-0.35	6.9994G	-48.12	-39.77	-8.35	7

**6.525-6.875GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**

**MASK**

28/10/2022

CF Freq  
6.825GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 4 

Port 5 

Port 7 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84898G	-1.33	6.4898G	-48.89	-41.33	-7.56	1
6.80262G	0.11	6.573G	-46.42	-39.89	-6.53	4
6.79703G	-0.82	6.5674G	-47.33	-40.82	-6.51	5
6.84898G	-0.61	6.5722G	-46.66	-40.61	-6.05	7

**6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX**  
**6985MHz\_TnomVnom**

**MASK**

28/10/2022

CF Freq  
6.985GHz


Span  
800MHz


RBW  
2MHz


VBW  
10MHz


Sweep Time  
20ms


Detector Type  
RMS



Port 1 

Port 4 

Port 5 

Port 8 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96022G	-1.20	6.693G	-45.16	-40.98	-4.18	1
6.95863G	-1.22	6.7346G	-46.24	-41.22	-5.02	4
6.95783G	-1.66	6.7314G	-46.31	-41.66	-4.65	5
6.95703G	-2.27	6.733G	-46.01	-42.27	-3.74	8

