




Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	QP	47.46M	35.22	40.00	-4.78	Vertical

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	47.46M	35.22	40.00	-4.78	-16.29	3	Vertical	335	1.00	"Worst"	51.51	14.91	0.64	31.84
PK	61.04M	27.94	40.00	-12.06	-18.91	3	Vertical	59	1.00	-	46.85	12.23	0.78	31.92
PK	108.57M	24.39	43.50	-19.11	-13.26	3	Vertical	188	1.00	-	37.65	17.55	1.16	31.97
PK	190.05M	21.18	43.50	-22.32	-15.53	3	Vertical	341	1.00	-	36.71	14.80	1.68	32.01
PK	250.19M	29.42	46.00	-16.58	-11.78	3	Vertical	359	1.50	-	41.20	18.22	2.00	32.00
PK	549.92M	27.78	46.00	-18.22	-4.73	3	Vertical	1	1.25	-	32.51	24.48	3.17	32.38

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	45.52M	25.34	40.00	-14.66	-15.43	3	Horizontal	245	3.00	"Worst"	40.77	15.78	0.62	31.83
PK	110.51M	24.70	43.50	-18.80	-13.19	3	Horizontal	248	3.00	-	37.89	17.61	1.17	31.97
PK	125.06M	26.48	43.50	-17.02	-12.81	3	Horizontal	94	3.00	-	39.29	17.89	1.28	31.98
PK	199.75M	24.77	43.50	-18.73	-15.19	3	Horizontal	259	1.50	-	39.96	15.10	1.73	32.02
PK	250.19M	30.65	46.00	-15.35	-11.78	3	Horizontal	252	1.25	-	42.43	18.22	2.00	32.00
PK	725.49M	29.18	46.00	-16.82	-4.07	3	Horizontal	148	1.25	-	33.25	24.83	3.69	32.59




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	68.02	68.20	-0.18	3	Horizontal	286	1.89	-

802.11ax HEW20_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT_Z_4TX
Setting 39
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8678G	60.76	88.20	-27.44	53.50	3	Vertical	46	1.92	-	34.07	5.73	32.54
AV	5.899G	48.61	68.20	-19.59	41.21	3	Vertical	46	1.92	-	34.20	5.75	32.55
PK	6.1174G	105.99	Inf	-Inf	98.56	3	Vertical	46	1.92	-	34.13	5.92	32.62
AV	6.1222G	95.62	Inf	-Inf	88.19	3	Vertical	46	1.92	-	34.14	5.92	32.63

802.11ax HEW20_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUTZ_4TX
Setting 39
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	59.54	88.20	-28.66	52.17	3	Horizontal	284	1.85	-	34.17	5.76	32.56
RMS	5.9146G	48.69	68.20	-19.51	41.31	3	Horizontal	284	1.85	-	34.17	5.76	32.55
PK	6.109G	109.29	Inf	-Inf	101.88	3	Horizontal	284	1.85	-	34.12	5.91	32.62
RMS	6.1198G	99.32	Inf	-Inf	91.89	3	Horizontal	284	1.85	-	34.14	5.92	32.63

802.11ax HEW20_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUTZ_4TX
Setting 39
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.23052G	55.63	74.00	-18.37	42.08	3	Vertical	61	1.57	-	39.10	8.72	34.27
AV	12.23056G	41.62	54.00	-12.38	28.07	3	Vertical	61	1.57	-	39.10	8.72	34.27

802.11ax HEW20_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUTZ_4TX
Setting 39
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2322G	55.41	74.00	-18.59	41.86	3	Horizontal	286	2.74	-	39.10	8.72	34.27
AV	12.23644G	41.72	54.00	-12.28	28.17	3	Horizontal	286	2.74	-	39.10	8.72	34.27

802.11ax HEW20_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUTZ_4TX
Setting 39
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	18.34456G	32.17	63.54	-31.37	30.62	1	Vertical	345	1.51	-	37.54	14.52	50.51
PK	18.34592G	45.91	83.54	-37.63	44.36	1	Vertical	345	1.51	-	37.54	14.52	50.51

802.11ax HEW20_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT_Z_4TX
Setting 39
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34852G	46.01	83.54	-37.53	44.46	1	Horizontal	315	1.58	-	37.54	14.52	50.51
AV	18.34212G	32.24	63.54	-31.30	30.69	1	Horizontal	315	1.58	-	37.54	14.52	50.51

802.11ax HEW20_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUTZ_4TX
Setting 34
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	59.81	88.20	-28.39	52.45	3	Vertical	300	1.95	-	34.16	5.76	32.56
RMS	5.9078G	48.58	68.20	-19.62	41.20	3	Vertical	300	1.95	-	34.18	5.75	32.55
PK	6.2598G	107.22	Inf	-Inf	99.50	3	Vertical	300	1.95	-	34.40	6.00	32.68
RMS	6.2502G	95.55	Inf	-Inf	87.83	3	Vertical	300	1.95	-	34.40	6.00	32.68

802.11ax HEW20_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUTZ_4TX
Setting 34
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.855G	59.50	88.20	-28.70	52.29	3	Horizontal	289	2.05	-	34.02	5.73	32.54
RMS	5.9158G	48.65	68.20	-19.55	41.27	3	Horizontal	289	2.05	-	34.17	5.76	32.55
PK	6.2534G	109.24	Inf	-Inf	101.52	3	Horizontal	289	2.05	-	34.40	6.00	32.68
RMS	6.2486G	98.46	Inf	-Inf	90.74	3	Horizontal	289	2.05	-	34.39	6.00	32.67

802.11ax HEW20_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUTZ_4TX
Setting 34
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.50336G	56.34	74.00	-17.66	42.63	3	Vertical	174	2.46	-	39.01	8.85	34.15
AV	12.51124G	41.83	54.00	-12.17	28.08	3	Vertical	174	2.46	-	39.04	8.86	34.15

802.11ax HEW20_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT_Z_4TX
Setting 34
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.50912G	55.32	74.00	-18.68	41.58	3	Horizontal	114	2.20	-	39.04	8.85	34.15
AV	12.51392G	41.86	54.00	-12.14	28.09	3	Horizontal	114	2.20	-	39.06	8.86	34.15

802.11ax HEW20_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT_Z_4TX
Setting 34
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76614G	47.34	83.54	-36.20	45.58	1	Vertical	44	1.55	-	37.69	14.67	50.60
AV	18.76844G	32.25	63.54	-31.29	30.49	1	Vertical	44	1.55	-	37.69	14.67	50.60

802.11ax HEW20_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT_Z_4TX
Setting 34
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76392G	46.23	83.54	-37.31	44.47	1	Horizontal	356	1.55	-	37.69	14.67	50.60
AV	18.76002G	32.29	63.54	-31.25	30.53	1	Horizontal	356	1.55	-	37.69	14.67	50.60

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTZ_4TX
Setting 37
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	58.79	88.20	-29.41	51.40	3	Vertical	294	1.93	-	34.19	5.75	32.55
RMS	5.9134G	48.59	68.20	-19.61	41.21	3	Vertical	294	1.93	-	34.17	5.76	32.55
PK	6.4198G	105.27	Inf	-Inf	97.15	3	Vertical	294	1.93	-	34.84	6.02	32.74
RMS	6.4102G	94.72	Inf	-Inf	86.63	3	Vertical	294	1.93	-	34.82	6.01	32.74

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTZ_4TX
Setting 37
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8918G	60.02	88.20	-28.18	52.65	3	Horizontal	276	2.01	-	34.17	5.75	32.55
RMS	5.9182G	48.56	68.20	-19.64	41.20	3	Horizontal	276	2.01	-	34.16	5.76	32.56
PK	6.4102G	108.97	Inf	-Inf	100.88	3	Horizontal	276	2.01	-	34.82	6.01	32.74
RMS	6.4102G	96.62	Inf	-Inf	88.53	3	Horizontal	276	2.01	-	34.82	6.01	32.74

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 37
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.837G	56.77	88.20	-31.43	42.03	3	Vertical	110	1.39	-	39.77	9.02	34.05
RMS	12.82452G	42.64	68.20	-25.56	27.93	3	Vertical	110	1.39	-	39.75	9.01	34.05

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTZ_4TX
Setting 37
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82236G	56.85	88.20	-31.35	42.15	3	Horizontal	279	2.59	-	39.74	9.01	34.05
RMS	12.82636G	42.80	68.20	-25.40	28.09	3	Horizontal	279	2.59	-	39.75	9.01	34.05

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 37
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2467G	45.68	83.54	-37.86	43.84	1	Vertical	12	1.52	-	37.60	14.84	50.60
AV	19.24532G	32.04	63.54	-31.50	30.20	1	Vertical	12	1.52	-	37.60	14.84	50.60

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 37
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24908G	47.00	83.54	-36.54	45.16	1	Horizontal	234	1.56	-	37.60	14.84	50.60
AV	19.2456G	32.03	63.54	-31.51	30.19	1	Horizontal	234	1.56	-	37.60	14.84	50.60

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 32
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.902G	58.41	88.20	-29.79	51.01	3	Vertical	304	1.97	-	34.20	5.75	32.55
RMS	5.915G	48.17	68.20	-20.03	40.79	3	Vertical	304	1.97	-	34.17	5.76	32.55
PK	6.4376G	104.31	Inf	-Inf	96.14	3	Vertical	304	1.97	-	34.88	6.04	32.75
RMS	6.4428G	93.40	Inf	-Inf	85.22	3	Vertical	304	1.97	-	34.89	6.04	32.75

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUTZ_4TX
Setting 32
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8786G	59.22	88.20	-28.98	51.91	3	Horizontal	98	3.00	-	34.11	5.74	32.54
RMS	5.925G	48.19	68.20	-20.01	40.84	3	Horizontal	98	3.00	-	34.15	5.76	32.56
PK	6.4272G	103.94	Inf	-Inf	95.80	3	Horizontal	98	3.00	-	34.85	6.03	32.74
RMS	6.4324G	92.98	Inf	-Inf	84.83	3	Horizontal	98	3.00	-	34.86	6.03	32.74

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUTZ_4TX
Setting 32
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85644G	58.01	88.20	-30.19	43.21	3	Vertical	145	1.80	-	39.81	9.03	34.04
RMS	12.85542G	44.02	68.20	-24.18	29.22	3	Vertical	145	1.80	-	39.81	9.03	34.04

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 32
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8715G	57.51	88.20	-30.69	42.67	3	Horizontal	236	1.80	-	39.84	9.04	34.04
RMS	12.85572G	43.55	68.20	-24.65	28.75	3	Horizontal	236	1.80	-	39.81	9.03	34.04

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 32
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30156G	46.38	83.54	-37.16	44.50	1	Vertical	47	1.53	-	37.62	14.86	50.60
AV	19.30084G	32.14	63.54	-31.40	30.26	1	Vertical	47	1.53	-	37.62	14.86	50.60

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 32
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3082G	46.33	83.54	-37.21	44.45	1	Horizontal	355	1.55	-	37.62	14.86	50.60
AV	19.30108G	32.15	63.54	-31.39	30.27	1	Horizontal	355	1.55	-	37.62	14.86	50.60

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 30
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.873G	59.01	88.20	-29.19	51.72	3	Vertical	288	2.13	-	34.09	5.74	32.54
RMS	5.9206G	48.24	68.20	-19.96	40.88	3	Vertical	288	2.13	-	34.16	5.76	32.56
PK	6.4806G	103.48	Inf	-Inf	95.08	3	Vertical	288	2.13	-	35.08	6.08	32.76
RMS	6.4806G	92.48	Inf	-Inf	84.08	3	Vertical	288	2.13	-	35.08	6.08	32.76
PK	7.1638G	62.65	88.20	-25.55	52.23	3	Vertical	288	2.13	-	36.83	6.76	33.17
RMS	7.175G	52.05	68.20	-16.15	41.60	3	Vertical	288	2.13	-	36.85	6.77	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 30
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8534G	59.27	88.20	-28.93	52.07	3	Horizontal	120	1.80	-	34.01	5.73	32.54
RMS	5.9206G	48.28	68.20	-19.92	40.92	3	Horizontal	120	1.80	-	34.16	5.76	32.56
PK	6.4806G	102.71	Inf	-Inf	94.31	3	Horizontal	120	1.80	-	35.08	6.08	32.76
RMS	6.4806G	91.75	Inf	-Inf	83.35	3	Horizontal	120	1.80	-	35.08	6.08	32.76
PK	7.1498G	61.90	88.20	-26.30	51.51	3	Horizontal	120	1.80	-	36.80	6.75	33.16
RMS	7.175G	52.10	68.20	-16.10	41.65	3	Horizontal	120	1.80	-	36.85	6.77	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUTZ_4TX
Setting 30
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94664G	56.91	88.20	-31.29	41.96	3	Vertical	-0	1.50	-	39.90	9.07	34.02
RMS	12.96488G	43.14	68.20	-25.06	28.17	3	Vertical	-0	1.50	-	39.90	9.08	34.01

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUTZ_4TX
Setting 30
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95954G	57.11	88.20	-31.09	42.14	3	Horizontal	128	1.80	-	39.90	9.08	34.01
RMS	12.96464G	43.22	68.20	-24.98	28.25	3	Horizontal	128	1.80	-	39.90	9.08	34.01

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 30
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4297G	46.83	83.54	-36.71	44.86	1	Vertical	271	1.52	-	37.67	14.90	50.60
AV	19.42828G	32.95	63.54	-30.59	30.98	1	Vertical	271	1.52	-	37.67	14.90	50.60

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 30
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42434G	48.35	83.54	-35.19	46.38	1	Horizontal	251	1.58	-	37.67	14.90	50.60
AV	19.42288G	32.95	63.54	-30.59	30.98	1	Horizontal	251	1.58	-	37.67	14.90	50.60

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 28
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8374G	59.14	88.20	-29.06	51.98	3	Vertical	302	2.04	-	33.97	5.72	32.53
RMS	5.913G	48.34	68.20	-19.86	40.96	3	Vertical	302	2.04	-	34.17	5.76	32.55
PK	6.5178G	103.55	Inf	-Inf	94.87	3	Vertical	302	2.04	-	35.34	6.12	32.78
RMS	6.5178G	92.76	Inf	-Inf	84.08	3	Vertical	302	2.04	-	35.34	6.12	32.78
PK	7.2066G	62.92	88.20	-25.28	52.38	3	Vertical	302	2.04	-	36.91	6.81	33.18
RMS	7.1982G	52.23	68.20	-15.97	41.71	3	Vertical	302	2.04	-	36.90	6.80	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 28
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	59.30	88.20	-28.90	51.95	3	Horizontal	119	1.88	-	34.15	5.76	32.56
RMS	5.9158G	48.32	68.20	-19.88	40.94	3	Horizontal	119	1.88	-	34.17	5.76	32.55
PK	6.515G	103.66	Inf	-Inf	95.00	3	Horizontal	119	1.88	-	35.32	6.12	32.78
RMS	6.5206G	91.70	Inf	-Inf	83.00	3	Horizontal	119	1.88	-	35.36	6.12	32.78
PK	7.1646G	63.56	88.20	-24.64	53.14	3	Horizontal	119	1.88	-	36.83	6.76	33.17
RMS	7.201G	52.32	68.20	-15.88	41.80	3	Horizontal	119	1.88	-	36.90	6.80	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUTZ_4TX
Setting 28
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02868G	57.10	88.20	-31.10	42.15	3	Vertical	84	2.07	-	39.84	9.11	34.00
RMS	13.01596G	43.46	68.20	-24.74	28.48	3	Vertical	84	2.07	-	39.87	9.11	34.00

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 28
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03636G	57.31	88.20	-30.89	42.37	3	Horizontal	276	2.24	-	39.83	9.12	34.01
RMS	13.018G	43.45	68.20	-24.75	28.48	3	Horizontal	276	2.24	-	39.86	9.11	34.00

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54058G	46.85	83.54	-36.69	44.81	1	Vertical	225	1.53	-	37.68	14.94	50.58
AV	19.54192G	33.02	63.54	-30.52	30.97	1	Vertical	225	1.53	-	37.68	14.94	50.57

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54434G	47.30	83.54	-36.24	45.25	1	Horizontal	243	1.56	-	37.68	14.94	50.57
AV	19.54458G	33.01	63.54	-30.53	30.96	1	Horizontal	243	1.56	-	37.68	14.94	50.57

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 27
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.863G	59.15	88.20	-29.05	51.91	3	Vertical	302	1.80	-	34.05	5.73	32.54
RMS	5.9022G	48.37	68.20	-19.83	40.97	3	Vertical	302	1.80	-	34.20	5.75	32.55
PK	6.5378G	102.33	Inf	-Inf	93.49	3	Vertical	302	1.80	-	35.50	6.14	32.80
RMS	6.5378G	91.64	Inf	-Inf	82.80	3	Vertical	302	1.80	-	35.50	6.14	32.80
PK	7.1594G	63.17	88.20	-25.03	52.75	3	Vertical	302	1.80	-	36.82	6.76	33.16
RMS	7.193G	52.34	68.20	-15.86	41.84	3	Vertical	302	1.80	-	36.89	6.79	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 27
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8462G	59.31	88.20	-28.89	52.13	3	Horizontal	118	3.00	-	33.99	5.72	32.53
RMS	5.9078G	48.38	68.20	-19.82	41.00	3	Horizontal	118	3.00	-	34.18	5.75	32.55
PK	6.5434G	102.17	Inf	-Inf	93.28	3	Horizontal	118	3.00	-	35.55	6.14	32.80
RMS	6.5378G	91.82	Inf	-Inf	82.98	3	Horizontal	118	3.00	-	35.50	6.14	32.80
PK	7.2098G	62.73	88.20	-25.47	52.18	3	Horizontal	118	3.00	-	36.92	6.81	33.18
RMS	7.193G	52.33	68.20	-15.87	41.83	3	Horizontal	118	3.00	-	36.89	6.79	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 27
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07222G	56.96	88.20	-31.24	42.07	3	Vertical	217	2.94	-	39.76	9.14	34.01
RMS	13.0586G	43.39	68.20	-24.81	28.49	3	Vertical	217	2.94	-	39.78	9.13	34.01

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 27
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06184G	57.20	88.20	-31.00	42.30	3	Horizontal	281	1.61	-	39.78	9.13	34.01
RMS	13.05584G	43.37	68.20	-24.83	28.46	3	Horizontal	281	1.61	-	39.79	9.13	34.01

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 27
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60924G	46.90	83.54	-36.64	44.81	1	Vertical	304	1.57	-	37.66	14.96	50.53
AV	19.60516G	32.96	63.54	-30.58	30.88	1	Vertical	304	1.57	-	37.66	14.96	50.54

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 27
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60224G	47.37	83.54	-36.17	45.29	1	Horizontal	23	1.51	-	37.66	14.96	50.54
AV	19.60502G	32.96	63.54	-30.58	30.88	1	Horizontal	23	1.51	-	37.66	14.96	50.54

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_Z_4TX
Setting 34
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6994G	106.93	Inf	-Inf	97.54	3	Vertical	49	2.81	-	36.10	6.20	32.91
RMS	6.6994G	94.66	Inf	-Inf	85.27	3	Vertical	49	2.81	-	36.10	6.20	32.91
PK	7.1834G	63.68	88.20	-24.52	53.20	3	Vertical	49	2.81	-	36.87	6.78	33.17
RMS	7.2032G	52.42	68.20	-15.78	41.89	3	Vertical	49	2.81	-	36.91	6.80	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_Z_4TX
Setting 34
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6928G	104.69	Inf	-Inf	95.32	3	Horizontal	173	1.90	-	36.07	6.20	32.90
RMS	6.6972G	92.67	Inf	-Inf	83.28	3	Horizontal	173	1.90	-	36.09	6.20	32.90
PK	7.2208G	63.47	88.20	-24.73	52.90	3	Horizontal	173	1.90	-	36.94	6.82	33.19
RMS	7.2076G	52.43	68.20	-15.77	41.88	3	Horizontal	173	1.90	-	36.92	6.81	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTZ_4TX
Setting 34
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38508G	57.91	74.00	-16.09	42.34	3	Vertical	228	1.80	-	40.34	9.29	34.06
AV	13.39324G	43.79	54.00	-10.21	28.18	3	Vertical	228	1.80	-	40.37	9.30	34.06

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTZ_4TX
Setting 34
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38598G	57.32	74.00	-16.68	41.75	3	Horizontal	8	1.30	-	40.34	9.29	34.06
AV	13.38022G	43.73	54.00	-10.27	28.18	3	Horizontal	8	1.30	-	40.32	9.29	34.06

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTZ_4TX
Setting 34
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08172G	46.68	83.54	-36.86	44.37	1	Vertical	121	1.52	-	37.47	15.12	50.28
AV	20.08296G	32.57	63.54	-30.97	30.26	1	Vertical	121	1.52	-	37.47	15.12	50.28

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_Z_4TX
Setting 34
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08418G	46.78	83.54	-36.76	44.47	1	Horizontal	208	1.56	-	37.47	15.12	50.28
AV	20.08266G	32.49	63.54	-31.05	30.18	1	Horizontal	208	1.56	-	37.47	15.12	50.28

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Z_4TX
Setting 31
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8564G	104.30	Inf	-Inf	95.10	3	Vertical	308	1.80	-	35.90	6.31	33.01
RMS	6.8564G	93.97	Inf	-Inf	84.77	3	Vertical	308	1.80	-	35.90	6.31	33.01
PK	7.1294G	62.89	88.20	-25.31	52.63	3	Vertical	308	1.80	-	36.68	6.73	33.15
RMS	7.198G	52.45	68.20	-15.75	41.93	3	Vertical	308	1.80	-	36.90	6.80	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUTZ_4TX
Setting 31
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	104.51	Inf	-Inf	95.32	3	Horizontal	305	2.16	-	35.90	6.30	33.01
RMS	6.8592G	94.43	Inf	-Inf	85.22	3	Horizontal	305	2.16	-	35.90	6.32	33.01
PK	7.1784G	63.28	88.20	-24.92	52.81	3	Horizontal	305	2.16	-	36.86	6.78	33.17
RMS	7.2036G	52.48	68.20	-15.72	41.95	3	Horizontal	305	2.16	-	36.91	6.80	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Z_4TX
Setting 31
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69884G	59.58	88.20	-28.62	43.49	3	Vertical	25	2.49	-	40.60	9.45	33.96
RMS	13.69626G	45.78	68.20	-22.42	29.70	3	Vertical	25	2.49	-	40.60	9.45	33.97

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUTZ_4TX
Setting 31
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69674G	59.04	88.20	-29.16	42.96	3	Horizontal	311	2.73	-	40.60	9.45	33.97
RMS	13.69914G	45.77	68.20	-22.43	29.68	3	Horizontal	311	2.73	-	40.60	9.45	33.96

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Z_4TX
Setting 31
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56176G	47.59	83.54	-35.95	44.79	1	Vertical	203	1.52	-	37.72	15.24	50.16
AV	20.56976G	33.50	63.54	-30.04	30.69	1	Vertical	203	1.52	-	37.73	15.24	50.16

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Z_4TX
Setting 31
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56G	47.15	83.54	-36.39	44.35	1	Horizontal	351	1.55	-	37.72	15.24	50.16
AV	20.56972G	33.48	63.54	-30.06	30.67	1	Horizontal	351	1.55	-	37.73	15.24	50.16

802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 31
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8762G	104.62	Inf	-Inf	95.40	3	Vertical	314	2.02	-	35.90	6.35	33.03
RMS	6.8762G	93.98	Inf	-Inf	84.76	3	Vertical	314	2.02	-	35.90	6.35	33.03
PK	7.1582G	62.81	88.20	-25.39	52.39	3	Vertical	314	2.02	-	36.82	6.76	33.16
RMS	7.1738G	52.35	68.20	-15.85	41.90	3	Vertical	314	2.02	-	36.85	6.77	33.17

802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 31
 04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8726G	104.26	Inf	-Inf	95.03	3	Horizontal	247	1.96	-	35.90	6.35	33.02
RMS	6.8774G	94.02	Inf	-Inf	84.80	3	Horizontal	247	1.96	-	35.90	6.35	33.03
PK	7.1594G	62.88	88.20	-25.32	52.46	3	Horizontal	247	1.96	-	36.82	6.76	33.16
RMS	7.1594G	52.32	68.20	-15.88	41.90	3	Horizontal	247	1.96	-	36.82	6.76	33.16

802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 31
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74136G	59.54	88.20	-28.66	43.41	3	Vertical	253	2.00	-	40.60	9.47	33.94
RMS	13.75834G	45.85	68.20	-22.35	29.70	3	Vertical	253	2.00	-	40.60	9.48	33.93


802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 31
 04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74022G	59.69	88.20	-28.51	43.56	3	Horizontal	310	2.47	-	40.60	9.47	33.94
RMS	13.76098G	45.78	68.20	-22.42	29.63	3	Horizontal	310	2.47	-	40.60	9.48	33.93


802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 31
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62482G	48.02	83.54	-35.52	45.14	1	Vertical	317	1.50	-	37.75	15.26	50.13
AV	20.62466G	35.75	63.54	-27.79	32.87	1	Vertical	317	1.50	-	37.75	15.26	50.13

802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 31
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62482G	47.64	83.54	-35.90	44.76	1	Horizontal	253	1.57	-	37.75	15.26	50.13
AV	20.62464G	35.69	63.54	-27.85	32.81	1	Horizontal	253	1.57	-	37.75	15.26	50.13

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTZ_4TX
Setting 33
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.901G	102.33	Inf	-Inf	93.07	3	Vertical	314	1.80	-	35.90	6.40	33.04
RMS	6.8914G	93.83	Inf	-Inf	84.59	3	Vertical	314	1.80	-	35.90	6.38	33.04
PK	7.195G	62.03	88.20	-26.17	51.53	3	Vertical	314	1.80	-	36.89	6.79	33.18
RMS	7.1926G	51.48	68.20	-16.72	40.98	3	Vertical	314	1.80	-	36.89	6.79	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTZ_4TX
Setting 33
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8962G	105.32	Inf	-Inf	96.07	3	Horizontal	246	2.13	-	35.90	6.39	33.04
RMS	6.8962G	96.35	Inf	-Inf	87.10	3	Horizontal	246	2.13	-	35.90	6.39	33.04
PK	7.135G	62.18	88.20	-26.02	51.90	3	Horizontal	246	2.13	-	36.71	6.73	33.16
RMS	7.1914G	51.51	68.20	-16.69	41.02	3	Horizontal	246	2.13	-	36.88	6.79	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTZ_4TX
Setting 33
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79462G	59.50	88.20	-28.70	43.31	3	Vertical	224	1.25	-	40.60	9.50	33.91
RMS	13.80458G	45.81	68.20	-22.39	29.60	3	Vertical	224	1.25	-	40.61	9.50	33.90

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTZ_4TX
Setting 33
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78298G	59.13	88.20	-29.07	42.96	3	Horizontal	307	1.60	-	40.60	9.49	33.92
RMS	13.80482G	45.76	68.20	-22.44	29.55	3	Horizontal	307	1.60	-	40.61	9.50	33.90

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68576G	46.81	83.54	-36.73	43.86	1	Vertical	322	1.57	-	37.77	15.27	50.09
AV	20.6822G	33.03	63.54	-30.51	30.08	1	Vertical	322	1.57	-	37.77	15.27	50.09

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68934G	46.46	83.54	-37.08	43.50	1	Horizontal	220	1.54	-	37.78	15.27	50.09
AV	20.68212G	32.95	63.54	-30.59	30.00	1	Horizontal	220	1.54	-	37.77	15.27	50.09

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_Z_4TX
Setting 36
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9974G	106.69	Inf	-Inf	97.32	3	Vertical	310	1.92	-	35.89	6.59	33.11
RMS	6.9918G	96.67	Inf	-Inf	87.31	3	Vertical	310	1.92	-	35.88	6.58	33.10
PK	7.1446G	62.60	88.20	-25.60	52.25	3	Vertical	310	1.92	-	36.77	6.74	33.16
RMS	7.1934G	51.65	68.20	-16.55	41.15	3	Vertical	310	1.92	-	36.89	6.79	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_Z_4TX
Setting 36
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9878G	107.60	Inf	-Inf	98.24	3	Horizontal	289	1.94	-	35.88	6.58	33.10
RMS	6.9934G	97.17	Inf	-Inf	87.80	3	Horizontal	289	1.94	-	35.89	6.59	33.11
PK	7.1742G	62.61	88.20	-25.59	52.16	3	Horizontal	289	1.94	-	36.85	6.77	33.17
RMS	7.1942G	51.63	68.20	-16.57	41.13	3	Horizontal	289	1.94	-	36.89	6.79	33.18

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUTZ_4TX
Setting 36
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99342G	60.08	88.20	-28.12	43.47	3	Vertical	45	1.03	-	40.80	9.60	33.79
RMS	13.9759G	46.36	68.20	-21.84	29.77	3	Vertical	45	1.03	-	40.80	9.59	33.80

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUTZ_4TX
Setting 36
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99252G	60.40	88.20	-27.80	43.79	3	Horizontal	6	2.16	-	40.80	9.60	33.79
RMS	13.97602G	46.28	68.20	-21.92	29.69	3	Horizontal	6	2.16	-	40.80	9.59	33.80

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_Z_4TX
Setting 36
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98366G	46.18	83.54	-37.36	42.47	1	Vertical	17	1.55	-	38.27	15.35	49.91
AV	20.98818G	32.18	63.54	-31.36	28.46	1	Vertical	17	1.55	-	38.28	15.35	49.91

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_Z_4TX
Setting 36
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9814G	46.06	83.54	-37.48	42.36	1	Horizontal	144	1.55	-	38.26	15.35	49.91
AV	20.98758G	32.21	63.54	-31.33	28.49	1	Horizontal	144	1.55	-	38.28	15.35	49.91

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUTZ_4TX
Setting 41
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1018G	108.61	Inf	-Inf	98.54	3	Vertical	310	1.98	-	36.51	6.70	33.14
RMS	7.097G	99.44	Inf	-Inf	89.40	3	Vertical	310	1.98	-	36.48	6.70	33.14
PK	7.1538G	63.01	88.20	-25.19	52.61	3	Vertical	310	1.98	-	36.81	6.75	33.16
RMS	7.127G	52.29	68.20	-15.91	42.05	3	Vertical	310	1.98	-	36.66	6.73	33.15

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUTZ_4TX
Setting 41
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0938G	109.28	Inf	-Inf	99.28	3	Horizontal	287	1.89	-	36.45	6.69	33.14
RMS	7.0934G	99.17	Inf	-Inf	89.17	3	Horizontal	287	1.89	-	36.45	6.69	33.14
PK	7.1454G	62.94	88.20	-25.26	52.58	3	Horizontal	287	1.89	-	36.77	6.75	33.16
RMS	7.125G	52.06	68.20	-16.14	41.84	3	Horizontal	287	1.89	-	36.65	6.72	33.15

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_Z_4TX
Setting 41
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18808G	60.26	88.20	-27.94	43.39	3	Vertical	180	2.29	-	40.90	9.67	33.70
RMS	14.18796G	46.44	68.20	-21.76	29.57	3	Vertical	180	2.29	-	40.90	9.67	33.70

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_Z_4TX
Setting 41
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18052G	59.94	88.20	-28.26	43.08	3	Horizontal	59	1.91	-	40.90	9.66	33.70
RMS	14.18214G	46.43	68.20	-21.77	29.57	3	Horizontal	59	1.91	-	40.90	9.66	33.70

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_Z_4TX
Setting 41
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28858G	47.43	83.54	-36.11	6.36	1	Vertical	215	1.56	-	77.29	13.74	49.96
AV	21.28784G	33.46	63.54	-30.08	-7.60	1	Vertical	215	1.56	-	77.28	13.74	49.96

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_Z_4TX
Setting 41
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28766G	47.62	83.54	-35.92	6.56	1	Horizontal	2	1.50	-	77.28	13.74	49.96
AV	21.28516G	33.44	63.54	-30.10	-7.59	1	Horizontal	2	1.50	-	77.25	13.74	49.96

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTZ_4TX
Setting 20
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10998G	96.45	Inf	-Inf	86.33	3	Vertical	308	1.80	-	36.56	6.71	33.15
RMS	7.10703G	84.94	Inf	-Inf	74.84	3	Vertical	308	1.80	-	36.54	6.71	33.15
PK	7.1255G	78.42	88.20	-9.78	68.19	3	Vertical	308	1.80	-	36.65	6.73	33.15
RMS	7.1255G	65.83	68.20	-2.37	55.60	3	Vertical	308	1.80	-	36.65	6.73	33.15

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTZ_4TX
Setting 20
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.12248G	97.13	Inf	-Inf	86.93	3	Horizontal	286	1.89	-	36.63	6.72	33.15
RMS	7.1134G	85.95	Inf	-Inf	75.81	3	Horizontal	286	1.89	-	36.58	6.71	33.15
PK	7.1255G	80.63	88.20	-7.57	70.40	3	Horizontal	286	1.89	-	36.65	6.73	33.15
RMS	7.1255G	68.02	68.20	-0.18	57.79	3	Horizontal	286	1.89	-	36.65	6.73	33.15

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_4TX
Setting 20
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22496G	58.84	88.20	-29.36	41.99	3	Vertical	101	2.57	-	40.85	9.68	33.68
RMS	14.24212G	45.75	68.20	-22.45	28.92	3	Vertical	101	2.57	-	40.82	9.68	33.67

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




15/10/2022

EUTZ_4TX
Setting 20
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21878G	58.14	88.20	-30.06	41.28	3	Horizontal	133	1.76	-	40.86	9.68	33.68
RMS	14.24122G	45.74	68.20	-22.46	28.91	3	Horizontal	133	1.76	-	40.82	9.68	33.67

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_4TX
Setting 20
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.345G	47.00	83.54	-36.54	43.51	1	Vertical	303	1.57	-	38.02	15.44	49.97
AV	21.34206G	33.37	63.54	-30.17	29.87	1	Vertical	303	1.57	-	38.03	15.44	49.97

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_Z_4TX
Setting 20
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3488G	47.39	83.54	-36.15	43.90	1	Horizontal	171	1.56	-	38.02	15.44	49.97
AV	21.3421G	33.38	63.54	-30.16	29.88	1	Horizontal	171	1.56	-	38.03	15.44	49.97

802.11ax HEW40_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUTZ_4TX
Setting 46
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8682G	60.08	88.20	-28.12	52.82	3	Vertical	282	1.80	-	34.07	5.73	32.54
RMS	5.9198G	48.63	68.20	-19.57	41.27	3	Vertical	282	1.80	-	34.16	5.76	32.56
PK	6.143G	105.84	Inf	-Inf	98.34	3	Vertical	282	1.80	-	34.19	5.94	32.63
RMS	6.1274G	95.23	Inf	-Inf	87.78	3	Vertical	282	1.80	-	34.15	5.93	32.63

802.11ax HEW40_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




14/10/2022

EUTZ_4TX
Setting 46
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.843G	59.62	88.20	-28.58	52.44	3	Horizontal	285	1.95	-	33.99	5.72	32.53
RMS	5.9066G	48.63	68.20	-19.57	41.24	3	Horizontal	285	1.95	-	34.19	5.75	32.55
PK	6.1298G	108.98	Inf	-Inf	101.52	3	Horizontal	285	1.95	-	34.16	5.93	32.63
RMS	6.1346G	98.60	Inf	-Inf	91.13	3	Horizontal	285	1.95	-	34.17	5.93	32.63

802.11ax HEW40_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT_Z_4TX
Setting 46
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25528G	55.76	74.00	-18.24	42.19	3	Vertical	211	2.92	-	39.10	8.73	34.26
AV	12.24716G	43.21	54.00	-10.79	29.66	3	Vertical	211	2.92	-	39.10	8.72	34.27

802.11ax HEW40_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT_Z_4TX
Setting 46
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25592G	55.45	74.00	-18.55	41.88	3	Horizontal	129	1.77	-	39.10	8.73	34.26
AV	12.25192G	43.34	54.00	-10.66	29.77	3	Horizontal	129	1.77	-	39.10	8.73	34.26

802.11ax HEW40_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT_Z_4TX
Setting 46
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37944G	46.86	83.54	-36.68	45.31	1	Vertical	354	1.56	-	37.55	14.53	50.53
AV	18.37298G	34.07	63.54	-29.47	32.51	1	Vertical	354	1.56	-	37.55	14.53	50.52

802.11ax HEW40_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT_Z_4TX
Setting 46
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.37686G	46.68	83.54	-36.86	45.13	1	Horizontal	267	1.51	-	37.55	14.53	50.53
AV	18.37894G	34.33	63.54	-29.21	32.78	1	Horizontal	267	1.51	-	37.55	14.53	50.53

802.11ax HEW40_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUTZ_4TX
Setting 46
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9058G	60.10	88.20	-28.10	52.71	3	Vertical	271	1.80	-	34.19	5.75	32.55
RMS	5.9106G	48.63	68.20	-19.57	41.24	3	Vertical	271	1.80	-	34.18	5.76	32.55
PK	6.2498G	105.79	Inf	-Inf	98.06	3	Vertical	271	1.80	-	34.40	6.00	32.67
RMS	6.2546G	94.72	Inf	-Inf	87.00	3	Vertical	271	1.80	-	34.40	6.00	32.68

802.11ax HEW40_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT_Z_4TX
Setting 46
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8946G	60.74	88.20	-27.46	53.36	3	Horizontal	288	1.87	-	34.18	5.75	32.55
RMS	5.925G	48.66	68.20	-19.54	41.31	3	Horizontal	288	1.87	-	34.15	5.76	32.56
PK	6.2386G	109.34	Inf	-Inf	101.66	3	Horizontal	288	1.87	-	34.35	6.00	32.67
RMS	6.2386G	97.90	Inf	-Inf	90.22	3	Horizontal	288	1.87	-	34.35	6.00	32.67

802.11ax HEW40_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT_Z_4TX
Setting 46
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48428G	55.02	74.00	-18.98	41.34	3	Vertical	301	1.72	-	39.00	8.84	34.16
AV	12.48448G	43.12	54.00	-10.88	29.44	3	Vertical	301	1.72	-	39.00	8.84	34.16

802.11ax HEW40_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT_Z_4TX
Setting 46
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48376G	55.19	74.00	-18.81	41.51	3	Horizontal	187	1.73	-	39.00	8.84	34.16
AV	12.4858G	43.06	54.00	-10.94	29.38	3	Horizontal	187	1.73	-	39.00	8.84	34.16

802.11ax HEW40_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT_Z_4TX
Setting 46
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73924G	46.31	83.54	-37.23	44.55	1	Vertical	22	1.57	-	37.70	14.66	50.60
AV	18.73478G	33.98	63.54	-29.56	32.23	1	Vertical	22	1.57	-	37.69	14.66	50.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT_Z_4TX
Setting 46
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.73786G	46.66	83.54	-36.88	44.90	1	Horizontal	44	1.57	-	37.70	14.66	50.60
AV	18.73798G	34.14	63.54	-29.40	32.38	1	Horizontal	44	1.57	-	37.70	14.66	50.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUTZ_4TX
Setting 45
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8746G	59.06	88.20	-29.14	51.76	3	Vertical	294	1.97	-	34.10	5.74	32.54
RMS	5.913G	48.66	68.20	-19.54	41.28	3	Vertical	294	1.97	-	34.17	5.76	32.55
PK	6.405G	106.52	Inf	-Inf	98.44	3	Vertical	294	1.97	-	34.81	6.00	32.73
RMS	6.3954G	95.17	Inf	-Inf	87.12	3	Vertical	294	1.97	-	34.78	6.00	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUTZ_4TX
Setting 45
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	60.07	88.20	-28.13	52.72	3	Horizontal	245	2.34	-	34.15	5.76	32.56
RMS	5.913G	48.60	68.20	-19.60	41.22	3	Horizontal	245	2.34	-	34.17	5.76	32.55
PK	6.4002G	109.84	Inf	-Inf	101.77	3	Horizontal	245	2.34	-	34.80	6.00	32.73
RMS	6.3954G	97.05	Inf	-Inf	89.00	3	Horizontal	245	2.34	-	34.78	6.00	32.73

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_Z_4TX
Setting 45
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81708G	56.20	88.20	-32.00	41.51	3	Vertical	343	1.16	-	39.73	9.01	34.05
RMS	12.81316G	44.12	68.20	-24.08	29.44	3	Vertical	343	1.16	-	39.73	9.01	34.06

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_Z_4TX
Setting 45
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8036G	56.45	88.20	-31.75	41.80	3	Horizontal	60	1.39	-	39.71	9.00	34.06
RMS	12.80368G	43.92	68.20	-24.28	29.27	3	Horizontal	60	1.39	-	39.71	9.00	34.06

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_Z_4TX
Setting 45
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21504G	46.07	83.54	-37.47	44.25	1	Vertical	96	1.50	-	37.59	14.83	50.60
AV	19.21492G	33.56	63.54	-29.98	31.74	1	Vertical	96	1.50	-	37.59	14.83	50.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_Z_4TX
Setting 45
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21998G	46.32	83.54	-37.22	44.50	1	Horizontal	278	1.57	-	37.59	14.83	50.60
AV	19.21704G	33.59	63.54	-29.95	31.77	1	Horizontal	278	1.57	-	37.59	14.83	50.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUTZ_4TX
Setting 41
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.834G	59.12	88.20	-29.08	51.96	3	Vertical	288	1.94	-	33.97	5.72	32.53
RMS	5.9146G	48.53	68.20	-19.67	41.15	3	Vertical	288	1.94	-	34.17	5.76	32.55
PK	6.4502G	105.89	Inf	-Inf	97.69	3	Vertical	288	1.94	-	34.90	6.05	32.75
RMS	6.4502G	94.29	Inf	-Inf	86.09	3	Vertical	288	1.94	-	34.90	6.05	32.75

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUTZ_4TX
Setting 41
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8912G	59.15	88.20	-29.05	51.79	3	Horizontal	97	2.88	-	34.16	5.75	32.55
RMS	5.9224G	48.87	68.20	-19.33	41.51	3	Horizontal	97	2.88	-	34.16	5.76	32.56
PK	6.4476G	104.73	Inf	-Inf	96.53	3	Horizontal	97	2.88	-	34.90	6.05	32.75
RMS	6.4528G	94.00	Inf	-Inf	85.78	3	Horizontal	97	2.88	-	34.92	6.05	32.75

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 41
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88022G	56.72	88.20	-31.48	41.86	3	Vertical	258	1.80	-	39.86	9.04	34.04
RMS	12.90056G	44.56	68.20	-23.64	29.64	3	Vertical	258	1.80	-	39.90	9.05	34.03

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 41
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.90128G	56.93	88.20	-31.27	42.01	3	Horizontal	83	1.80	-	39.90	9.05	34.03
RMS	12.88496G	44.42	68.20	-23.78	29.54	3	Horizontal	83	1.80	-	39.87	9.04	34.03

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 41
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33046G	45.80	83.54	-37.74	43.90	1	Vertical	170	1.51	-	37.63	14.87	50.60
AV	19.33768G	33.72	63.54	-29.82	31.81	1	Vertical	170	1.51	-	37.64	14.87	50.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 41
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33788G	46.09	83.54	-37.45	44.18	1	Horizontal	346	1.53	-	37.64	14.87	50.60
AV	19.33672G	33.87	63.54	-29.67	31.97	1	Horizontal	346	1.53	-	37.63	14.87	50.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Z_4TX
Setting 40
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.869G	59.51	88.20	-28.69	52.24	3	Vertical	288	2.04	-	34.08	5.73	32.54
RMS	5.911G	48.85	68.20	-19.35	41.46	3	Vertical	288	2.04	-	34.18	5.76	32.55
PK	6.4766G	105.98	Inf	-Inf	97.60	3	Vertical	288	2.04	-	35.06	6.08	32.76
RMS	6.4906G	93.61	Inf	-Inf	85.15	3	Vertical	288	2.04	-	35.14	6.09	32.77
PK	7.1654G	63.55	88.20	-24.65	53.12	3	Vertical	288	2.04	-	36.83	6.77	33.17
RMS	7.185G	52.62	68.20	-15.58	42.14	3	Vertical	288	2.04	-	36.87	6.78	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Z_4TX
Setting 40
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8718G	59.80	88.20	-28.40	52.51	3	Horizontal	119	2.05	-	34.09	5.74	32.54
RMS	5.911G	48.74	68.20	-19.46	41.35	3	Horizontal	119	2.05	-	34.18	5.76	32.55
PK	6.4962G	105.16	Inf	-Inf	96.65	3	Horizontal	119	2.05	-	35.18	6.10	32.77
RMS	6.4906G	93.16	Inf	-Inf	84.70	3	Horizontal	119	2.05	-	35.14	6.09	32.77
PK	7.1598G	63.52	88.20	-24.68	53.10	3	Horizontal	119	2.05	-	36.82	6.76	33.16
RMS	7.1738G	52.53	68.20	-15.67	42.08	3	Horizontal	119	2.05	-	36.85	6.77	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUTZ_4TX
Setting 40
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9697G	57.21	88.20	-30.99	42.24	3	Vertical	173	2.59	-	39.90	9.08	34.01
RMS	12.979G	44.52	68.20	-23.68	29.54	3	Vertical	173	2.59	-	39.90	9.09	34.01

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




15/10/2022

EUT_Z_4TX
Setting 40
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9688G	57.24	88.20	-30.96	42.27	3	Horizontal	122	1.29	-	39.90	9.08	34.01
RMS	12.98326G	44.64	68.20	-23.56	29.66	3	Horizontal	122	1.29	-	39.90	9.09	34.01

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4504G	47.07	83.54	-36.47	45.08	1	Vertical	131	1.57	-	37.68	14.91	50.60
AV	19.45038G	34.37	63.54	-29.17	32.38	1	Vertical	131	1.57	-	37.68	14.91	50.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45442G	46.30	83.54	-37.24	44.31	1	Horizontal	50	1.50	-	37.68	14.91	50.60
AV	19.45402G	34.17	63.54	-29.37	32.18	1	Horizontal	50	1.50	-	37.68	14.91	50.60

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 39
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	59.99	88.20	-28.21	52.61	3	Vertical	303	2.01	-	34.18	5.75	32.55
RMS	5.923G	48.63	68.20	-19.57	41.28	3	Vertical	303	2.01	-	34.15	5.76	32.56
PK	6.539G	104.67	Inf	-Inf	95.82	3	Vertical	303	2.01	-	35.51	6.14	32.80
RMS	6.5278G	93.18	Inf	-Inf	84.42	3	Vertical	303	2.01	-	35.42	6.13	32.79
PK	7.1886G	63.40	88.20	-24.80	52.90	3	Vertical	303	2.01	-	36.88	6.79	33.17
RMS	7.211G	52.61	68.20	-15.59	42.06	3	Vertical	303	2.01	-	36.92	6.81	33.18

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 39
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.853G	58.96	88.20	-29.24	51.76	3	Horizontal	122	1.90	-	34.01	5.73	32.54
RMS	5.8922G	48.62	68.20	-19.58	41.25	3	Horizontal	122	1.90	-	34.17	5.75	32.55
PK	6.5166G	103.72	Inf	-Inf	95.05	3	Horizontal	122	1.90	-	35.33	6.12	32.78
RMS	6.511G	91.47	Inf	-Inf	82.85	3	Horizontal	122	1.90	-	35.29	6.11	32.78
PK	7.1998G	63.97	88.20	-24.23	53.45	3	Horizontal	122	1.90	-	36.90	6.80	33.18
RMS	7.2082G	52.69	68.20	-15.51	42.14	3	Horizontal	122	1.90	-	36.92	6.81	33.18

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




15/10/2022

EUTZ_4TX
Setting 39
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03614G	56.62	88.20	-31.58	41.68	3	Vertical	142	2.79	-	39.83	9.12	34.01
RMS	13.03626G	44.94	68.20	-23.26	30.00	3	Vertical	142	2.79	-	39.83	9.12	34.01

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTZ_4TX
Setting 39
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0398G	56.51	88.20	-31.69	41.58	3	Horizontal	202	1.07	-	39.82	9.12	34.01
RMS	13.05396G	44.69	68.20	-23.51	29.78	3	Horizontal	202	1.07	-	39.79	9.13	34.01

802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
Setting 39
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57616G	46.87	83.54	-36.67	44.80	1	Vertical	147	1.56	-	37.67	14.95	50.55
AV	19.57918G	34.46	63.54	-29.08	32.39	1	Vertical	147	1.56	-	37.67	14.95	50.55

802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 39
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5707G	46.58	83.54	-36.96	44.52	1	Horizontal	156	1.50	-	37.67	14.95	50.56
AV	19.5752G	34.04	63.54	-29.50	31.97	1	Horizontal	156	1.50	-	37.67	14.95	50.55

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUTZ_4TX
Setting 38
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5698G	104.34	Inf	-Inf	95.31	3	Vertical	46	2.07	-	35.68	6.17	32.82
RMS	6.5746G	92.32	Inf	-Inf	83.27	3	Vertical	46	2.07	-	35.70	6.17	32.82
PK	7.1578G	62.68	88.20	-25.52	52.26	3	Vertical	46	2.07	-	36.82	6.76	33.16
RMS	7.1626G	52.38	68.20	-15.82	41.96	3	Vertical	46	2.07	-	36.83	6.76	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUTZ_4TX
Setting 38
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5698G	104.69	Inf	-Inf	95.66	3	Horizontal	270	1.95	-	35.68	6.17	32.82
RMS	6.5746G	93.47	Inf	-Inf	84.42	3	Horizontal	270	1.95	-	35.70	6.17	32.82
PK	7.141G	63.04	88.20	-25.16	52.71	3	Horizontal	270	1.95	-	36.75	6.74	33.16
RMS	7.1482G	52.31	68.20	-15.89	41.93	3	Horizontal	270	1.95	-	36.79	6.75	33.16

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUTZ_4TX
Setting 38
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1174G	56.87	88.20	-31.33	42.00	3	Vertical	136	2.20	-	39.73	9.16	34.02
RMS	13.1273G	44.92	68.20	-23.28	30.03	3	Vertical	136	2.20	-	39.75	9.16	34.02

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUTZ_4TX
Setting 38
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.14242G	56.79	88.20	-31.41	41.86	3	Horizontal	322	1.28	-	39.78	9.17	34.02
RMS	13.12022G	44.77	68.20	-23.43	29.89	3	Horizontal	322	1.28	-	39.74	9.16	34.02

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 38
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69132G	45.95	83.54	-37.59	43.83	1	Vertical	209	1.56	-	37.62	14.99	50.49
AV	19.6901G	33.53	63.54	-30.01	31.41	1	Vertical	209	1.56	-	37.62	14.99	50.49

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 38
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69004G	46.32	83.54	-37.22	44.20	1	Horizontal	179	1.54	-	37.62	14.99	50.49
AV	19.69388G	33.61	63.54	-29.93	31.48	1	Horizontal	179	1.54	-	37.62	14.99	50.48

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 42
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.683G	104.90	Inf	-Inf	95.56	3	Vertical	32	2.11	-	36.03	6.20	32.89
RMS	6.683G	93.58	Inf	-Inf	84.24	3	Vertical	32	2.11	-	36.03	6.20	32.89
PK	7.173G	63.61	88.20	-24.59	53.16	3	Vertical	32	2.11	-	36.85	6.77	33.17
RMS	7.183G	52.47	68.20	-15.73	41.99	3	Vertical	32	2.11	-	36.87	6.78	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 42
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	106.86	Inf	-Inf	97.48	3	Horizontal	271	2.02	-	36.08	6.20	32.90
RMS	6.689G	95.73	Inf	-Inf	86.37	3	Horizontal	271	2.02	-	36.06	6.20	32.90
PK	7.141G	63.17	88.20	-25.03	52.84	3	Horizontal	271	2.02	-	36.75	6.74	33.16
RMS	7.177G	52.46	68.20	-15.74	42.00	3	Horizontal	271	2.02	-	36.85	6.78	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUTZ_4TX
Setting 42
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37774G	57.47	74.00	-16.53	41.93	3	Vertical	45	1.61	-	40.31	9.29	34.06
AV	13.36988G	45.01	54.00	-8.99	29.51	3	Vertical	45	1.61	-	40.28	9.28	34.06

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 42
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36838G	57.09	74.00	-16.91	41.60	3	Horizontal	308	1.80	-	40.27	9.28	34.06
AV	13.37144G	45.31	54.00	-8.69	29.79	3	Horizontal	308	1.80	-	40.29	9.29	34.06

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 42
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05686G	45.31	83.54	-38.23	43.04	1	Vertical	92	1.54	-	37.45	15.11	50.29
AV	20.05202G	32.82	63.54	-30.72	30.56	1	Vertical	92	1.54	-	37.44	15.11	50.29

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 42
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06G	45.16	83.54	-38.38	42.88	1	Horizontal	178	1.58	-	37.45	15.12	50.29
AV	20.05916G	32.85	63.54	-30.69	30.58	1	Horizontal	178	1.58	-	37.45	15.11	50.29

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 41
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8402G	104.65	Inf	-Inf	95.43	3	Vertical	309	1.80	-	35.94	6.28	33.00
RMS	6.8466G	94.35	Inf	-Inf	85.16	3	Vertical	309	1.80	-	35.91	6.29	33.01
PK	7.1682G	64.02	88.20	-24.18	53.58	3	Vertical	309	1.80	-	36.84	6.77	33.17
RMS	7.2146G	52.62	68.20	-15.58	42.06	3	Vertical	309	1.80	-	36.93	6.81	33.18

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 41
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8546G	105.45	Inf	-Inf	96.25	3	Horizontal	304	2.05	-	35.90	6.31	33.01
RMS	6.8594G	94.66	Inf	-Inf	85.45	3	Horizontal	304	2.05	-	35.90	6.32	33.01
PK	7.2018G	63.45	88.20	-24.75	52.93	3	Horizontal	304	2.05	-	36.90	6.80	33.18
RMS	7.2018G	52.59	68.20	-15.61	42.07	3	Horizontal	304	2.05	-	36.90	6.80	33.18

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom








EUT_Z_4TX
Setting 41
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68886G	59.31	88.20	-28.89	43.24	3	Vertical	206	1.18	-	40.60	9.44	33.97
RMS	13.68274G	47.28	68.20	-20.92	31.21	3	Vertical	206	1.18	-	40.60	9.44	33.97

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


15/10/2022

EUT_Z_4TX
Setting 41
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.67968G	60.00	88.20	-28.20	43.94	3	Horizontal	108	2.51	-	40.60	9.44	33.98
RMS	13.6948G	47.17	68.20	-21.03	31.09	3	Horizontal	108	2.51	-	40.60	9.45	33.97

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 41
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53856G	46.98	83.54	-36.56	44.21	1	Vertical	203	1.51	-	37.72	15.23	50.18
AV	20.53786G	34.77	63.54	-28.77	32.00	1	Vertical	203	1.51	-	37.72	15.23	50.18

802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TnomVnom



EUT_Z_4TX
Setting 41
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53166G	46.94	83.54	-36.60	44.18	1	Horizontal	242	1.53	-	37.71	15.23	50.18
AV	20.53664G	34.62	63.54	-28.92	31.86	1	Horizontal	242	1.53	-	37.71	15.23	50.18


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 40
 04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.871G	105.71	Inf	-Inf	96.49	3	Vertical	311	1.93	-	35.90	6.34	33.02
RMS	6.8766G	95.05	Inf	-Inf	85.83	3	Vertical	311	1.93	-	35.90	6.35	33.03
PK	7.1314G	63.49	88.20	-24.71	53.22	3	Vertical	311	1.93	-	36.69	6.73	33.15
RMS	7.2084G	52.60	68.20	-15.60	42.05	3	Vertical	311	1.93	-	36.92	6.81	33.18


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUTZ_4TX
 Setting 40
 04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8892G	104.72	Inf	-Inf	95.47	3	Horizontal	246	2.74	-	35.90	6.38	33.03
RMS	6.8794G	94.04	Inf	-Inf	84.81	3	Horizontal	246	2.74	-	35.90	6.36	33.03
PK	7.207G	63.74	88.20	-24.46	53.20	3	Horizontal	246	2.74	-	36.91	6.81	33.18
RMS	7.2014G	52.57	68.20	-15.63	42.05	3	Horizontal	246	2.74	-	36.90	6.80	33.18

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 40
 04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76592G	59.09	88.20	-29.11	42.94	3	Vertical	226	1.54	-	40.60	9.48	33.93
RMS	13.78404G	47.21	68.20	-20.99	31.04	3	Vertical	226	1.54	-	40.60	9.49	33.92

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 40
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76154G	59.75	88.20	-28.45	43.60	3	Horizontal	304	2.74	-	40.60	9.48	33.93
RMS	13.75878G	47.03	68.20	-21.17	30.88	3	Horizontal	304	2.74	-	40.60	9.48	33.93


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 40
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65382G	46.65	83.54	-36.89	43.74	1	Vertical	18	1.58	-	37.76	15.26	50.11
AV	20.65506G	34.23	63.54	-29.31	31.32	1	Vertical	18	1.58	-	37.76	15.26	50.11

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 40
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6599G	47.57	83.54	-35.97	44.65	1	Horizontal	303	1.55	-	37.76	15.26	50.10
AV	20.65622G	34.34	63.54	-29.20	31.43	1	Horizontal	303	1.55	-	37.76	15.26	50.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 40
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9322G	105.71	Inf	-Inf	96.47	3	Vertical	312	1.99	-	35.84	6.46	33.06
RMS	6.9166G	95.35	Inf	-Inf	86.10	3	Vertical	312	1.99	-	35.87	6.43	33.05
PK	7.2082G	62.18	88.20	-26.02	51.63	3	Vertical	312	1.99	-	36.92	6.81	33.18
RMS	7.213G	51.69	68.20	-16.51	41.13	3	Vertical	312	1.99	-	36.93	6.81	33.18

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUTZ_4TX
Setting 40
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9346G	107.21	Inf	-Inf	97.98	3	Horizontal	249	2.24	-	35.83	6.47	33.07
RMS	6.9202G	97.76	Inf	-Inf	88.52	3	Horizontal	249	2.24	-	35.86	6.44	33.06
PK	7.2034G	62.16	88.20	-26.04	51.63	3	Horizontal	249	2.24	-	36.91	6.80	33.18
RMS	7.2058G	51.72	68.20	-16.48	41.18	3	Horizontal	249	2.24	-	36.91	6.81	33.18

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 40
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85966G	61.27	88.20	-26.93	44.89	3	Vertical	314	2.16	-	40.72	9.53	33.87
RMS	13.8407G	48.36	68.20	-19.84	32.04	3	Vertical	314	2.16	-	40.68	9.52	33.88

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 40
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84232G	59.89	88.20	-28.31	43.57	3	Horizontal	66	1.26	-	40.68	9.52	33.88
RMS	13.8446G	48.10	68.20	-20.10	31.77	3	Horizontal	66	1.26	-	40.69	9.52	33.88

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7745G	46.68	83.54	-36.86	43.58	1	Vertical	304	1.56	-	37.85	15.29	50.04
AV	20.77766G	34.64	63.54	-28.90	31.52	1	Vertical	304	1.56	-	37.86	15.29	50.03

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77882G	46.51	83.54	-37.03	43.39	1	Horizontal	90	1.57	-	37.86	15.29	50.03
AV	20.77688G	34.08	63.54	-29.46	30.97	1	Horizontal	90	1.57	-	37.85	15.29	50.03

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUTZ_4TX
Setting 45
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0122G	106.78	Inf	-Inf	97.33	3	Vertical	309	1.80	-	35.95	6.61	33.11
RMS	7.0122G	96.33	Inf	-Inf	86.88	3	Vertical	309	1.80	-	35.95	6.61	33.11
PK	7.1274G	62.19	88.20	-26.01	51.95	3	Vertical	309	1.80	-	36.66	6.73	33.15
RMS	7.2026G	51.72	68.20	-16.48	41.19	3	Vertical	309	1.80	-	36.91	6.80	33.18

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUTZ_4TX
Setting 45
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0042G	107.44	Inf	-Inf	98.03	3	Horizontal	285	1.93	-	35.92	6.60	33.11
RMS	7.009G	97.91	Inf	-Inf	88.47	3	Horizontal	285	1.93	-	35.94	6.61	33.11
PK	7.197G	62.86	88.20	-25.34	52.35	3	Horizontal	285	1.93	-	36.89	6.80	33.18
RMS	7.189G	51.77	68.20	-16.43	41.27	3	Horizontal	285	1.93	-	36.88	6.79	33.17

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 45
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.013G	59.85	88.20	-28.35	43.22	3	Vertical	355	1.62	-	40.81	9.60	33.78
RMS	13.99902G	47.90	68.20	-20.30	31.29	3	Vertical	355	1.62	-	40.80	9.60	33.79

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 45
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00466G	59.89	88.20	-28.31	43.28	3	Horizontal	88	1.39	-	40.80	9.60	33.79
RMS	13.99704G	47.60	68.20	-20.60	30.99	3	Horizontal	88	1.39	-	40.80	9.60	33.79

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 45
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01878G	50.77	83.54	-32.77	47.04	1	Vertical	302	1.51	-	38.28	15.35	49.90
AV	21.0124G	34.54	63.54	-29.00	30.80	1	Vertical	302	1.51	-	38.29	15.35	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 45
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01934G	48.70	83.54	-34.84	44.97	1	Horizontal	139	1.56	-	38.28	15.35	49.90
AV	21.01854G	36.46	63.54	-27.08	32.72	1	Horizontal	139	1.56	-	38.29	15.35	49.90

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUTZ_4TX
Setting 50
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0922G	108.78	Inf	-Inf	98.79	3	Vertical	309	1.98	-	36.44	6.69	33.14
RMS	7.087G	98.49	Inf	-Inf	88.54	3	Vertical	309	1.98	-	36.40	6.69	33.14
PK	7.129G	62.90	88.20	-25.30	52.65	3	Vertical	309	1.98	-	36.67	6.73	33.15
RMS	7.127G	52.70	68.20	-15.50	42.46	3	Vertical	309	1.98	-	36.66	6.73	33.15

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUTZ_4TX
Setting 50
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0734G	109.03	Inf	-Inf	99.20	3	Horizontal	286	1.93	-	36.29	6.67	33.13
RMS	7.0734G	99.05	Inf	-Inf	89.22	3	Horizontal	286	1.93	-	36.29	6.67	33.13
PK	7.1222G	63.04	88.20	-25.16	52.60	3	Horizontal	286	1.93	-	36.84	6.77	33.17
RMS	7.1286G	52.49	68.20	-15.71	42.24	3	Horizontal	286	1.93	-	36.67	6.73	33.15

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUTZ_4TX
Setting 50
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.15572G	60.28	88.20	-27.92	43.45	3	Vertical	131	1.30	-	40.90	9.65	33.72
RMS	14.15842G	48.12	68.20	-20.08	31.27	3	Vertical	131	1.30	-	40.90	9.66	33.71

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUTZ_4TX
Setting 50
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.15596G	60.01	88.20	-28.19	43.18	3	Horizontal	47	2.87	-	40.90	9.65	33.72
RMS	14.16412G	48.09	68.20	-20.11	31.24	3	Horizontal	47	2.87	-	40.90	9.66	33.71

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 50
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25006G	47.67	83.54	-35.87	44.11	1	Vertical	321	1.55	-	38.10	15.41	49.95
AV	21.2547G	35.59	63.54	-27.95	32.03	1	Vertical	321	1.55	-	38.10	15.41	49.95

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 50
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25472G	47.98	83.54	-35.56	44.42	1	Horizontal	119	1.52	-	38.10	15.41	49.95
AV	21.25022G	35.62	63.54	-27.92	32.06	1	Horizontal	119	1.52	-	38.10	15.41	49.95

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUTZ_4TX
Setting 53
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.875G	59.63	88.20	-28.57	52.33	3	Vertical	46	1.80	-	34.10	5.74	32.54
RMS	5.9122G	48.76	68.20	-19.44	41.37	3	Vertical	46	1.80	-	34.18	5.76	32.55
PK	6.1618G	104.30	Inf	-Inf	96.78	3	Vertical	46	1.80	-	34.20	5.96	32.64
RMS	6.157G	93.92	Inf	-Inf	86.40	3	Vertical	46	1.80	-	34.20	5.96	32.64

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUTZ_4TX
Setting 53
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	60.30	88.20	-27.90	52.96	3	Horizontal	287	2.05	-	34.15	5.74	32.55
RMS	5.9002G	48.76	68.20	-19.44	41.36	3	Horizontal	287	2.05	-	34.20	5.75	32.55
PK	6.1642G	109.35	Inf	-Inf	101.83	3	Horizontal	287	2.05	-	34.20	5.96	32.64
RMS	6.1738G	98.52	Inf	-Inf	91.00	3	Horizontal	287	2.05	-	34.20	5.97	32.65

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 53
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28216G	55.76	74.00	-18.24	42.17	3	Vertical	92	1.79	-	39.10	8.74	34.25
AV	12.28396G	43.48	54.00	-10.52	29.89	3	Vertical	92	1.79	-	39.10	8.74	34.25

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 53
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29352G	55.71	74.00	-18.29	42.10	3	Horizontal	37	2.10	-	39.10	8.75	34.24
AV	12.29388G	43.40	54.00	-10.60	29.79	3	Horizontal	37	2.10	-	39.10	8.75	34.24

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 53
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43534G	46.48	83.54	-37.06	44.92	1	Vertical	161	1.50	-	37.57	14.55	50.56
AV	18.4322G	33.92	63.54	-29.62	32.36	1	Vertical	161	1.50	-	37.57	14.55	50.56

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 53
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43442G	46.35	83.54	-37.19	44.79	1	Horizontal	47	1.57	-	37.57	14.55	50.56
AV	18.4358G	33.73	63.54	-29.81	32.17	1	Horizontal	47	1.57	-	37.57	14.55	50.56

802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUTZ_4TX
Setting 55
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.865G	59.49	88.20	-28.71	52.24	3	Vertical	270	1.99	-	34.06	5.73	32.54
RMS	5.913G	48.72	68.20	-19.48	41.34	3	Vertical	270	1.99	-	34.17	5.76	32.55
PK	6.2202G	105.50	Inf	-Inf	97.88	3	Vertical	270	1.99	-	34.28	6.00	32.66
RMS	6.2346G	94.65	Inf	-Inf	86.98	3	Vertical	270	1.99	-	34.34	6.00	32.67

802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUTZ_4TX
Setting 55
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8282G	59.65	88.20	-28.55	52.51	3	Horizontal	291	2.11	-	33.96	5.71	32.53
RMS	5.905G	48.77	68.20	-19.43	41.38	3	Horizontal	291	2.11	-	34.19	5.75	32.55
PK	6.2138G	109.39	Inf	-Inf	101.79	3	Horizontal	291	2.11	-	34.26	6.00	32.66
RMS	6.2138G	98.88	Inf	-Inf	91.28	3	Horizontal	291	2.11	-	34.26	6.00	32.66

802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT_Z_4TX
Setting 55
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44748G	55.32	74.00	-18.68	41.67	3	Vertical	60	2.96	-	39.00	8.82	34.17
AV	12.44692G	43.11	54.00	-10.89	29.46	3	Vertical	60	2.96	-	39.00	8.82	34.17

802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUTZ_4TX
Setting 55
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45176G	55.76	74.00	-18.24	42.10	3	Horizontal	166	2.46	-	39.00	8.83	34.17
AV	12.44868G	42.96	54.00	-11.04	29.31	3	Horizontal	166	2.46	-	39.00	8.82	34.17

802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67008G	46.31	83.54	-37.23	44.61	1	Vertical	280	1.55	-	37.67	14.63	50.60
AV	18.6786G	34.13	63.54	-29.41	32.42	1	Vertical	280	1.55	-	37.67	14.64	50.60

802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6733G	47.22	83.54	-36.32	45.51	1	Horizontal	112	1.50	-	37.67	14.64	50.60
AV	18.67948G	34.31	63.54	-29.23	32.60	1	Horizontal	112	1.50	-	37.67	14.64	50.60

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUTZ_4TX
Setting 58
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	59.27	88.20	-28.93	51.87	3	Vertical	295	1.94	-	34.20	5.75	32.55
RMS	5.9098G	48.63	68.20	-19.57	41.25	3	Vertical	295	1.94	-	34.18	5.75	32.55
PK	6.3562G	107.43	Inf	-Inf	99.53	3	Vertical	295	1.94	-	34.62	6.00	32.72
RMS	6.4114G	94.84	Inf	-Inf	86.75	3	Vertical	295	1.94	-	34.82	6.01	32.74

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUTZ_4TX
Setting 58
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8858G	59.31	88.20	-28.89	51.98	3	Horizontal	255	2.14	-	34.14	5.74	32.55
RMS	5.9074G	48.64	68.20	-19.56	41.25	3	Horizontal	255	2.14	-	34.19	5.75	32.55
PK	6.3994G	108.31	Inf	-Inf	100.24	3	Horizontal	255	2.14	-	34.80	6.00	32.73
RMS	6.3946G	97.63	Inf	-Inf	89.58	3	Horizontal	255	2.14	-	34.78	6.00	32.73

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 58
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77508G	56.57	88.20	-31.63	42.00	3	Vertical	242	1.98	-	39.65	8.99	34.07
RMS	12.77604G	43.65	68.20	-24.55	29.08	3	Vertical	242	1.98	-	39.65	8.99	34.07

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 58
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76156G	55.91	88.20	-32.29	41.38	3	Horizontal	173	2.57	-	39.62	8.98	34.07
RMS	12.77808G	43.77	68.20	-24.43	29.19	3	Horizontal	173	2.57	-	39.66	8.99	34.07

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 58
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15958G	46.09	83.54	-37.45	44.32	1	Vertical	221	1.50	-	37.56	14.81	50.60
AV	19.15516G	33.34	63.54	-30.20	31.58	1	Vertical	221	1.50	-	37.56	14.80	50.60

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom








EUT_Z_4TX
Setting 58
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15184G	46.13	83.54	-37.41	44.37	1	Horizontal	359	1.56	-	37.56	14.80	50.60
AV	19.15858G	33.50	63.54	-30.04	31.73	1	Horizontal	359	1.56	-	37.56	14.81	50.60

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


15/10/2022

EUTZ_4TX
Setting 54
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	59.51	88.20	-28.69	52.15	3	Vertical	286	1.80	-	34.16	5.76	32.56
RMS	5.919G	48.70	68.20	-19.50	41.34	3	Vertical	286	1.80	-	34.16	5.76	32.56
PK	6.4962G	103.94	Inf	-Inf	95.43	3	Vertical	286	1.80	-	35.18	6.10	32.77
RMS	6.4806G	92.60	Inf	-Inf	84.20	3	Vertical	286	1.80	-	35.08	6.08	32.76

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUTZ_4TX
Setting 54
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.893G	59.02	88.20	-29.18	51.65	3	Horizontal	120	1.83	-	34.17	5.75	32.55
RMS	5.9164G	48.74	68.20	-19.46	41.36	3	Horizontal	120	1.83	-	34.17	5.76	32.55
PK	6.4364G	104.96	Inf	-Inf	96.80	3	Horizontal	120	1.83	-	34.87	6.04	32.75
RMS	6.4754G	93.37	Inf	-Inf	85.00	3	Horizontal	120	1.83	-	35.05	6.08	32.76

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 54
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9429G	57.23	88.20	-30.97	42.28	3	Vertical	145	2.83	-	39.90	9.07	34.02
RMS	12.9168G	44.43	68.20	-23.77	29.49	3	Vertical	145	2.83	-	39.90	9.06	34.02

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 54
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.91686G	56.28	88.20	-31.92	41.34	3	Horizontal	325	1.80	-	39.90	9.06	34.02
RMS	12.94248G	44.49	68.20	-23.71	29.54	3	Horizontal	325	1.80	-	39.90	9.07	34.02

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 54
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3956G	46.75	83.54	-36.79	44.80	1	Vertical	151	1.56	-	37.66	14.89	50.60
AV	19.39124G	34.34	63.54	-29.20	32.39	1	Vertical	151	1.56	-	37.66	14.89	50.60

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 54
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3993G	46.89	83.54	-36.65	44.94	1	Horizontal	82	1.51	-	37.66	14.89	50.60
AV	19.39566G	34.38	63.54	-29.16	32.43	1	Horizontal	82	1.51	-	37.66	14.89	50.60

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 50
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	59.44	88.20	-28.76	52.09	3	Vertical	306	1.80	-	34.15	5.76	32.56
RMS	5.9122G	48.69	68.20	-19.51	41.30	3	Vertical	306	1.80	-	34.18	5.76	32.55
PK	6.5282G	103.11	Inf	-Inf	94.34	3	Vertical	306	1.80	-	35.43	6.13	32.79
RMS	6.5338G	93.03	Inf	-Inf	84.22	3	Vertical	306	1.80	-	35.47	6.13	32.79
PK	7.161G	62.77	88.20	-25.43	52.35	3	Vertical	306	1.80	-	36.82	6.76	33.16
RMS	7.2086G	52.60	68.20	-15.60	42.05	3	Vertical	306	1.80	-	36.92	6.81	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 50
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	60.10	88.20	-28.10	52.91	3	Horizontal	117	1.86	-	34.00	5.73	32.54
RMS	5.9178G	48.76	68.20	-19.44	41.40	3	Horizontal	117	1.86	-	34.16	5.76	32.56
PK	6.517G	103.64	Inf	-Inf	94.96	3	Horizontal	117	1.86	-	35.34	6.12	32.78
RMS	6.5254G	92.30	Inf	-Inf	83.56	3	Horizontal	117	1.86	-	35.40	6.13	32.79
PK	7.2282G	63.21	88.20	-24.99	52.61	3	Horizontal	117	1.86	-	36.96	6.83	33.19
RMS	7.203G	52.61	68.20	-15.59	42.08	3	Horizontal	117	1.86	-	36.91	6.80	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUTZ_4TX
Setting 50
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09294G	56.65	88.20	-31.55	41.80	3	Vertical	1	1.80	-	39.71	9.15	34.01
RMS	13.09174G	44.64	68.20	-23.56	29.78	3	Vertical	1	1.80	-	39.72	9.15	34.01

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




15/10/2022

EUTZ_4TX
Setting 50
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08964G	57.47	88.20	-30.73	42.62	3	Horizontal	324	2.15	-	39.72	9.14	34.01
RMS	13.07584G	44.69	68.20	-23.51	29.81	3	Horizontal	324	2.15	-	39.75	9.14	34.01

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 50
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63882G	46.58	83.54	-36.96	44.49	1	Vertical	173	1.58	-	37.64	14.97	50.52
AV	19.63694G	34.61	63.54	-28.93	32.51	1	Vertical	173	1.58	-	37.65	14.97	50.52

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 50
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6327G	47.44	83.54	-36.10	45.34	1	Horizontal	312	1.56	-	37.65	14.97	50.52
AV	19.63508G	34.49	63.54	-29.05	32.39	1	Horizontal	312	1.56	-	37.65	14.97	50.52

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUTZ_4TX
Setting 52
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6322G	105.37	Inf	-Inf	96.17	3	Vertical	60	3.00	-	35.86	6.20	32.86
RMS	6.5962G	94.07	Inf	-Inf	84.93	3	Vertical	60	3.00	-	35.78	6.20	32.84
PK	7.1938G	62.69	88.20	-25.51	52.19	3	Vertical	60	3.00	-	36.89	6.79	33.18
RMS	7.213G	52.67	68.20	-15.53	42.11	3	Vertical	60	3.00	-	36.93	6.81	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUTZ_4TX
Setting 52
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.613G	106.36	Inf	-Inf	97.18	3	Horizontal	269	1.93	-	35.83	6.20	32.85
RMS	6.6154G	94.40	Inf	-Inf	85.22	3	Horizontal	269	1.93	-	35.83	6.20	32.85
PK	7.1986G	63.52	88.20	-24.68	53.00	3	Horizontal	269	1.93	-	36.90	6.80	33.18
RMS	7.2058G	52.61	68.20	-15.59	42.07	3	Horizontal	269	1.93	-	36.91	6.81	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUTZ_4TX
Setting 52
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25134G	56.93	74.00	-17.07	41.79	3	Vertical	353	1.80	-	39.95	9.23	34.04
AV	13.25198G	44.92	54.00	-9.08	29.78	3	Vertical	353	1.80	-	39.95	9.23	34.04

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUTZ_4TX
Setting 52
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25366G	57.02	74.00	-16.98	41.88	3	Horizontal	355	1.80	-	39.95	9.23	34.04
AV	13.253G	45.11	54.00	-8.89	29.97	3	Horizontal	355	1.80	-	39.95	9.23	34.04

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87908G	45.70	83.54	-37.84	43.51	1	Vertical	254	1.50	-	37.50	15.06	50.37
AV	19.87478G	33.55	63.54	-29.99	31.37	1	Vertical	254	1.50	-	37.50	15.06	50.38

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87454G	46.07	83.54	-37.47	43.89	1	Horizontal	212	1.55	-	37.50	15.06	50.38
AV	19.8758G	33.58	63.54	-29.96	31.39	1	Horizontal	212	1.55	-	37.50	15.06	50.37

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUTZ_4TX
Setting 53
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.697G	105.02	Inf	-Inf	95.63	3	Vertical	309	1.94	-	36.09	6.20	32.90
RMS	6.691G	94.01	Inf	-Inf	84.65	3	Vertical	309	1.94	-	36.06	6.20	32.90
PK	7.195G	63.64	88.20	-24.56	53.14	3	Vertical	309	1.94	-	36.89	6.79	33.18
RMS	7.195G	52.67	68.20	-15.53	42.17	3	Vertical	309	1.94	-	36.89	6.79	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUTZ_4TX
Setting 53
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	105.34	Inf	-Inf	95.96	3	Horizontal	272	2.00	-	36.08	6.20	32.90
RMS	6.689G	95.12	Inf	-Inf	85.76	3	Horizontal	272	2.00	-	36.06	6.20	32.90
PK	7.197G	62.95	88.20	-25.25	52.44	3	Horizontal	272	2.00	-	36.89	6.80	33.18
RMS	7.197G	52.70	68.20	-15.50	42.19	3	Horizontal	272	2.00	-	36.89	6.80	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUTZ_4TX
Setting 53
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39686G	57.20	74.00	-16.80	41.57	3	Vertical	204	1.80	-	40.39	9.30	34.06
AV	13.3982G	45.07	54.00	-8.93	29.44	3	Vertical	204	1.80	-	40.39	9.30	34.06

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 53
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39836G	57.51	74.00	-16.49	41.88	3	Horizontal	216	1.80	-	40.39	9.30	34.06
AV	13.3919G	45.00	54.00	-9.00	29.39	3	Horizontal	216	1.80	-	40.37	9.30	34.06

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 53
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11026G	46.87	83.54	-36.67	44.53	1	Vertical	359	1.53	-	37.49	15.13	50.28
AV	20.11558G	34.27	63.54	-29.27	31.93	1	Vertical	359	1.53	-	37.49	15.13	50.28

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 53
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11656G	46.96	83.54	-36.58	44.62	1	Horizontal	89	1.50	-	37.49	15.13	50.28
AV	20.11578G	34.19	63.54	-29.35	31.85	1	Horizontal	89	1.50	-	37.49	15.13	50.28

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUTZ_4TX
Setting 55
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.777G	104.76	Inf	-Inf	95.42	3	Vertical	312	1.97	-	36.10	6.20	32.96
RMS	6.7706G	93.68	Inf	-Inf	84.33	3	Vertical	312	1.97	-	36.10	6.20	32.95
PK	7.1754G	62.81	88.20	-25.39	52.35	3	Vertical	312	1.97	-	36.85	6.78	33.17
RMS	7.185G	52.59	68.20	-15.61	42.11	3	Vertical	312	1.97	-	36.87	6.78	33.17

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 55
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7818G	104.78	Inf	-Inf	95.44	3	Horizontal	172	1.80	-	36.10	6.20	32.96
RMS	6.777G	94.31	Inf	-Inf	84.97	3	Horizontal	172	1.80	-	36.10	6.20	32.96
PK	7.145G	63.32	88.20	-24.88	52.96	3	Horizontal	172	1.80	-	36.77	6.75	33.16
RMS	7.1818G	52.62	68.20	-15.58	42.15	3	Horizontal	172	1.80	-	36.86	6.78	33.17

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUTZ_4TX
Setting 55
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.58362G	58.04	88.20	-30.16	42.11	3	Vertical	280	1.80	-	40.57	9.39	34.03
RMS	13.56436G	45.39	68.20	-22.81	29.52	3	Vertical	280	1.80	-	40.53	9.38	34.04

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUTZ_4TX
Setting 55
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.58278G	57.55	88.20	-30.65	41.62	3	Horizontal	20	1.42	-	40.57	9.39	34.03
RMS	13.5604G	45.39	68.20	-22.81	29.53	3	Horizontal	20	1.42	-	40.52	9.38	34.04

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35152G	46.11	83.54	-37.43	43.51	1	Vertical	254	1.53	-	37.64	15.19	50.23
AV	20.3508G	33.79	63.54	-29.75	31.19	1	Vertical	254	1.53	-	37.64	15.19	50.23

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35806G	46.17	83.54	-37.37	43.57	1	Horizontal	211	1.56	-	37.64	15.19	50.23
AV	20.35286G	33.79	63.54	-29.75	31.19	1	Horizontal	211	1.56	-	37.64	15.19	50.23

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUTZ_4TX
Setting 55
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8758G	105.29	Inf	-Inf	96.07	3	Vertical	313	1.96	-	35.90	6.35	33.03
RMS	6.871G	94.61	Inf	-Inf	85.39	3	Vertical	313	1.96	-	35.90	6.34	33.02
PK	7.1554G	63.10	88.20	-25.10	52.69	3	Vertical	313	1.96	-	36.81	6.76	33.16
RMS	7.1602G	52.60	68.20	-15.60	42.18	3	Vertical	313	1.96	-	36.82	6.76	33.16

802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUTZ_4TX
Setting 55
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.859G	107.15	Inf	-Inf	97.94	3	Horizontal	305	2.13	-	35.90	6.32	33.01
RMS	6.8542G	95.76	Inf	-Inf	86.56	3	Horizontal	305	2.13	-	35.90	6.31	33.01
PK	7.1446G	63.66	88.20	-24.54	53.31	3	Horizontal	305	2.13	-	36.77	6.74	33.16
RMS	7.159G	52.52	68.20	-15.68	42.10	3	Horizontal	305	2.13	-	36.82	6.76	33.16


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 55
 04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73912G	59.66	88.20	-28.54	43.53	3	Vertical	360	1.80	-	40.60	9.47	33.94
RMS	13.7402G	47.42	68.20	-20.78	31.29	3	Vertical	360	1.80	-	40.60	9.47	33.94


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 55
 04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72256G	59.45	88.20	-28.75	43.34	3	Horizontal	146	2.87	-	40.60	9.46	33.95
RMS	13.73654G	47.16	68.20	-21.04	31.03	3	Horizontal	146	2.87	-	40.60	9.47	33.94


802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 55
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59022G	47.78	83.54	-35.76	44.94	1	Vertical	88	1.57	-	37.74	15.25	50.15
AV	20.59714G	34.45	63.54	-29.09	31.60	1	Vertical	88	1.57	-	37.74	15.25	50.14

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 55
 01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59388G	47.55	83.54	-35.99	44.70	1	Horizontal	274	1.56	-	37.74	15.25	50.14
AV	20.59604G	34.70	63.54	-28.84	31.85	1	Horizontal	274	1.56	-	37.74	15.25	50.14

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUTZ_4TX
Setting 56
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9522G	105.95	Inf	-Inf	96.73	3	Vertical	311	1.90	-	35.80	6.50	33.08
RMS	6.957G	96.19	Inf	-Inf	86.95	3	Vertical	311	1.90	-	35.81	6.51	33.08
PK	7.1286G	63.17	88.20	-25.03	52.92	3	Vertical	311	1.90	-	36.67	6.73	33.15
RMS	7.2042G	51.89	68.20	-16.31	41.36	3	Vertical	311	1.90	-	36.91	6.80	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUTZ_4TX
Setting 56
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.975G	108.65	Inf	-Inf	99.34	3	Horizontal	249	2.24	-	35.85	6.55	33.09
RMS	6.9354G	98.18	Inf	-Inf	88.95	3	Horizontal	249	2.24	-	35.83	6.47	33.07
PK	7.203G	61.80	88.20	-26.40	51.27	3	Horizontal	249	2.24	-	36.91	6.80	33.18
RMS	7.2078G	51.91	68.20	-16.29	41.36	3	Horizontal	249	2.24	-	36.92	6.81	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom








EUT_Z_4TX
Setting 56
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.90002G	60.23	88.20	-27.97	43.73	3	Vertical	280	2.87	-	40.80	9.55	33.85
RMS	13.88628G	48.25	68.20	-19.95	31.80	3	Vertical	280	2.87	-	40.77	9.54	33.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


15/10/2022

EUTZ_4TX
Setting 56
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8855G	60.86	88.20	-27.34	44.41	3	Horizontal	92	2.57	-	40.77	9.54	33.86
RMS	13.90074G	48.13	68.20	-20.07	31.63	3	Horizontal	92	2.57	-	40.80	9.55	33.85

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83224G	46.16	83.54	-37.38	42.89	1	Vertical	0	1.58	-	37.96	15.31	50.00
AV	20.83666G	33.82	63.54	-29.72	30.54	1	Vertical	0	1.58	-	37.97	15.31	50.00

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83148G	46.28	83.54	-37.26	43.01	1	Horizontal	9	1.52	-	37.96	15.31	50.00
AV	20.83242G	33.75	63.54	-29.79	30.48	1	Horizontal	9	1.52	-	37.96	15.31	50.00

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUTZ_4TX
Setting 58
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.017G	107.12	Inf	-Inf	97.65	3	Vertical	310	1.94	-	35.97	6.62	33.12
RMS	7.037G	97.12	Inf	-Inf	87.55	3	Vertical	310	1.94	-	36.05	6.64	33.12
PK	7.1274G	66.79	88.20	-21.41	56.55	3	Vertical	310	1.94	-	36.66	6.73	33.15
RMS	7.1274G	54.55	68.20	-13.65	44.31	3	Vertical	310	1.94	-	36.66	6.73	33.15

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUTZ_4TX
Setting 58
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0194G	107.02	Inf	-Inf	97.54	3	Horizontal	288	1.90	-	35.98	6.62	33.12
RMS	7.0138G	97.72	Inf	-Inf	88.26	3	Horizontal	288	1.90	-	35.96	6.61	33.11
PK	7.129G	64.86	88.20	-23.34	54.61	3	Horizontal	288	1.90	-	36.67	6.73	33.15
RMS	7.1282G	54.39	68.20	-13.81	44.14	3	Horizontal	288	1.90	-	36.67	6.73	33.15

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 58
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.06182G	59.93	88.20	-28.27	43.21	3	Vertical	315	1.66	-	40.86	9.62	33.76
RMS	14.05072G	47.64	68.20	-20.56	30.94	3	Vertical	315	1.66	-	40.85	9.62	33.77

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 58
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.038G	59.50	88.20	-28.70	42.82	3	Horizontal	97	2.08	-	40.84	9.61	33.77
RMS	14.04268G	47.94	68.20	-20.26	31.26	3	Horizontal	97	2.08	-	40.84	9.61	33.77

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0707G	50.40	83.54	-33.14	46.70	1	Vertical	218	1.58	-	38.24	15.37	49.91
AV	21.07036G	37.45	63.54	-26.09	33.75	1	Vertical	218	1.58	-	38.24	15.37	49.91

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07422G	47.26	83.54	-36.28	43.56	1	Horizontal	299	1.58	-	38.24	15.37	49.91
AV	21.07078G	38.41	63.54	-25.13	34.71	1	Horizontal	299	1.58	-	38.24	15.37	49.91

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUTZ_4TX
Setting 66
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	59.05	88.20	-29.15	51.70	3	Vertical	283	1.93	-	34.15	5.76	32.56
RMS	5.9178G	48.70	68.20	-19.50	41.34	3	Vertical	283	1.93	-	34.16	5.76	32.56
PK	6.2634G	106.45	Inf	-Inf	98.73	3	Vertical	283	1.93	-	34.40	6.00	32.68
RMS	6.1626G	94.73	Inf	-Inf	87.21	3	Vertical	283	1.93	-	34.20	5.96	32.64

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUTZ_4TX
Setting 66
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	59.46	88.20	-28.74	52.11	3	Horizontal	286	2.01	-	34.16	5.74	32.55
RMS	5.8986G	48.71	68.20	-19.49	41.32	3	Horizontal	286	2.01	-	34.19	5.75	32.55
PK	6.1642G	109.94	Inf	-Inf	102.42	3	Horizontal	286	2.01	-	34.20	5.96	32.64
RMS	6.1738G	98.80	Inf	-Inf	91.28	3	Horizontal	286	2.01	-	34.20	5.97	32.65

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 66
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3604G	56.71	74.00	-17.29	43.10	3	Vertical	286	1.80	-	39.04	8.78	34.21
AV	12.3609G	45.78	54.00	-8.22	32.17	3	Vertical	286	1.80	-	39.04	8.78	34.21

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 66
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3775G	56.13	74.00	-17.87	42.53	3	Horizontal	349	2.02	-	39.02	8.79	34.21
AV	12.3773G	45.40	54.00	-8.60	31.80	3	Horizontal	349	2.02	-	39.02	8.79	34.21

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 66
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55208G	47.56	83.54	-35.98	45.95	1	Vertical	201	1.54	-	37.62	14.59	50.60
AV	18.55208G	37.43	63.54	-26.11	35.82	1	Vertical	201	1.54	-	37.62	14.59	50.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 66
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55194G	48.03	83.54	-35.51	46.42	1	Horizontal	226	1.51	-	37.62	14.59	50.60
AV	18.5523G	37.18	63.54	-26.36	35.57	1	Horizontal	226	1.51	-	37.62	14.59	50.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUTZ_4TX
Setting 66
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	59.75	88.20	-28.45	52.36	3	Vertical	269	1.80	-	34.19	5.75	32.55
RMS	5.893G	48.54	68.20	-19.66	41.17	3	Vertical	269	1.80	-	34.17	5.75	32.55
PK	6.325G	105.69	Inf	-Inf	97.89	3	Vertical	269	1.80	-	34.50	6.00	32.70
RMS	6.319G	93.13	Inf	-Inf	85.35	3	Vertical	269	1.80	-	34.48	6.00	32.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUTZ_4TX
Setting 66
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	59.19	88.20	-29.01	51.85	3	Horizontal	258	2.04	-	34.15	5.74	32.55
RMS	5.905G	48.56	68.20	-19.64	41.17	3	Horizontal	258	2.04	-	34.19	5.75	32.55
PK	6.269G	108.12	Inf	-Inf	100.40	3	Horizontal	258	2.04	-	34.40	6.00	32.68
RMS	6.319G	97.53	Inf	-Inf	89.75	3	Horizontal	258	2.04	-	34.48	6.00	32.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 66
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69942G	57.14	74.00	-16.86	42.78	3	Vertical	161	2.55	-	39.50	8.95	34.09
AV	12.6891G	45.37	54.00	-8.63	31.03	3	Vertical	161	2.55	-	39.49	8.94	34.09

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 66
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69458G	56.69	74.00	-17.31	42.34	3	Horizontal	21	1.80	-	39.49	8.95	34.09
AV	12.69666G	45.41	54.00	-8.59	31.05	3	Horizontal	21	1.80	-	39.50	8.95	34.09

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 66
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0321G	49.29	83.54	-34.25	47.62	1	Vertical	330	1.57	-	37.51	14.76	50.60
AV	19.03224G	39.31	63.54	-24.23	37.64	1	Vertical	330	1.57	-	37.51	14.76	50.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 66
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03214G	49.27	83.54	-34.27	47.60	1	Horizontal	101	1.51	-	37.51	14.76	50.60
AV	19.03214G	38.91	63.54	-24.63	37.24	1	Horizontal	101	1.51	-	37.51	14.76	50.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 66
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	59.04	88.20	-29.16	51.65	3	Vertical	290	2.04	-	34.18	5.76	32.55
RMS	5.9142G	48.89	68.20	-19.31	41.51	3	Vertical	290	2.04	-	34.17	5.76	32.55
PK	6.519G	105.16	Inf	-Inf	96.47	3	Vertical	290	2.04	-	35.35	6.12	32.78
RMS	6.4798G	94.22	Inf	-Inf	85.82	3	Vertical	290	2.04	-	35.08	6.08	32.76
PK	7.149G	63.08	88.20	-25.12	52.70	3	Vertical	290	2.04	-	36.79	6.75	33.16
RMS	7.1854G	52.83	68.20	-15.37	42.34	3	Vertical	290	2.04	-	36.87	6.79	33.17

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 66
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8218G	58.96	88.20	-29.24	51.84	3	Horizontal	108	2.44	-	33.94	5.71	32.53
RMS	5.903G	48.94	68.20	-19.26	41.55	3	Horizontal	108	2.44	-	34.19	5.75	32.55
PK	6.533G	105.97	Inf	-Inf	97.17	3	Horizontal	108	2.44	-	35.46	6.13	32.79
RMS	6.533G	95.36	Inf	-Inf	86.56	3	Horizontal	108	2.44	-	35.46	6.13	32.79
PK	7.163G	63.17	88.20	-25.03	52.75	3	Horizontal	108	2.44	-	36.83	6.76	33.17
RMS	7.1966G	52.84	68.20	-15.36	42.33	3	Horizontal	108	2.44	-	36.89	6.80	33.18

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




15/10/2022

EUT_Z_4TX
Setting 66
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02146G	56.73	88.20	-31.47	41.76	3	Vertical	326	2.77	-	39.86	9.11	34.00
RMS	13.00172G	46.22	68.20	-21.98	31.22	3	Vertical	326	2.77	-	39.90	9.10	34.00

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 66
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02374G	57.25	88.20	-30.95	42.29	3	Horizontal	360	3.00	-	39.85	9.11	34.00
RMS	13.0112G	46.61	68.20	-21.59	31.62	3	Horizontal	360	3.00	-	39.88	9.11	34.00

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 66
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51206G	53.08	83.54	-30.46	51.04	1	Vertical	288	1.52	-	37.70	14.93	50.59
AV	19.51208G	42.53	63.54	-21.01	40.49	1	Vertical	288	1.52	-	37.70	14.93	50.59

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 66
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5121G	52.97	83.54	-30.57	50.93	1	Horizontal	341	1.52	-	37.70	14.93	50.59
AV	19.51224G	42.27	63.54	-21.27	40.23	1	Horizontal	341	1.52	-	37.70	14.93	50.59

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUTZ_4TX
Setting 68
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6848G	105.89	Inf	-Inf	96.55	3	Vertical	49	2.80	-	36.04	6.20	32.90
RMS	6.6892G	95.14	Inf	-Inf	85.78	3	Vertical	49	2.80	-	36.06	6.20	32.90
PK	7.1996G	63.86	88.20	-24.34	53.34	3	Vertical	49	2.80	-	36.90	6.80	33.18
RMS	7.1952G	52.94	68.20	-15.26	42.43	3	Vertical	49	2.80	-	36.89	6.80	33.18

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 68
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6848G	107.88	Inf	-Inf	98.54	3	Horizontal	272	2.03	-	36.04	6.20	32.90
RMS	6.6892G	96.48	Inf	-Inf	87.12	3	Horizontal	272	2.03	-	36.06	6.20	32.90
PK	7.1666G	63.73	88.20	-24.47	53.30	3	Horizontal	272	2.03	-	36.83	6.77	33.17
RMS	7.1996G	52.97	68.20	-15.23	42.45	3	Horizontal	272	2.03	-	36.90	6.80	33.18

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 68
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.34068G	57.03	74.00	-16.97	41.65	3	Vertical	360	2.26	-	40.16	9.27	34.05
AV	13.31926G	46.55	54.00	-7.45	31.26	3	Vertical	360	2.26	-	40.08	9.26	34.05

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 68
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3297G	57.45	74.00	-16.55	42.12	3	Horizontal	311	1.42	-	40.12	9.26	34.05
AV	13.33606G	46.40	54.00	-7.60	31.04	3	Horizontal	311	1.42	-	40.14	9.27	34.05

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 68
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99962G	49.79	83.54	-33.75	47.59	1	Vertical	169	1.54	-	37.40	15.10	50.30
AV	19.99962G	44.28	63.54	-19.26	42.08	1	Vertical	169	1.54	-	37.40	15.10	50.30

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 68
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99984G	50.07	83.54	-33.47	47.87	1	Horizontal	287	1.55	-	37.40	15.10	50.30
AV	19.99964G	44.45	63.54	-19.09	42.25	1	Horizontal	287	1.55	-	37.40	15.10	50.30

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 65
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7962G	104.71	Inf	-Inf	95.38	3	Vertical	312	1.92	-	36.10	6.20	32.97
RMS	6.7962G	94.89	Inf	-Inf	85.56	3	Vertical	312	1.92	-	36.10	6.20	32.97
PK	7.193G	63.76	88.20	-24.44	53.26	3	Vertical	312	1.92	-	36.89	6.79	33.18
RMS	7.2026G	53.06	68.20	-15.14	42.53	3	Vertical	312	1.92	-	36.91	6.80	33.18

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUTZ_4TX
Setting 65
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7898G	107.00	Inf	-Inf	97.67	3	Horizontal	306	1.98	-	36.10	6.20	32.97
RMS	6.7946G	95.47	Inf	-Inf	86.14	3	Horizontal	306	1.98	-	36.10	6.20	32.97
PK	7.2154G	64.09	88.20	-24.11	53.52	3	Horizontal	306	1.98	-	36.93	6.82	33.18
RMS	7.2074G	53.06	68.20	-15.14	42.52	3	Horizontal	306	1.98	-	36.91	6.81	33.18

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 65
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.66422G	59.02	88.20	-29.18	42.97	3	Vertical	327	1.80	-	40.60	9.43	33.98
RMS	13.66254G	48.84	68.20	-19.36	32.80	3	Vertical	327	1.80	-	40.60	9.43	33.99

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 65
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.63854G	59.31	88.20	-28.89	43.29	3	Horizontal	132	1.80	-	40.60	9.42	34.00
RMS	13.66176G	48.48	68.20	-19.72	32.44	3	Horizontal	132	1.80	-	40.60	9.43	33.99

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 65
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47208G	55.77	83.54	-27.77	53.07	1	Vertical	191	1.52	-	37.69	15.22	50.21
AV	20.47222G	45.15	63.54	-18.39	42.45	1	Vertical	191	1.52	-	37.69	15.22	50.21

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 65
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4732G	55.77	83.54	-27.77	53.07	1	Horizontal	203	1.52	-	37.69	15.22	50.21
AV	20.47208G	44.97	63.54	-18.57	42.27	1	Horizontal	203	1.52	-	37.69	15.22	50.21

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUTZ_4TX
Setting 66
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.957G	106.17	Inf	-Inf	96.93	3	Vertical	312	1.89	-	35.81	6.51	33.08
RMS	6.957G	96.54	Inf	-Inf	87.30	3	Vertical	312	1.89	-	35.81	6.51	33.08
PK	7.133G	71.30	88.20	-16.90	61.03	3	Vertical	312	1.89	-	36.70	6.73	33.16
RMS	7.132G	56.64	68.20	-11.56	46.37	3	Vertical	312	1.89	-	36.69	6.73	33.15

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUTZ_4TX
Setting 66
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.958G	108.87	Inf	-Inf	99.61	3	Horizontal	286	1.91	-	35.82	6.52	33.08
RMS	7.014G	97.73	Inf	-Inf	88.27	3	Horizontal	286	1.91	-	35.96	6.61	33.11
PK	7.133G	74.86	88.20	-13.34	64.59	3	Horizontal	286	1.91	-	36.70	6.73	33.16
RMS	7.133G	58.14	68.20	-10.06	47.87	3	Horizontal	286	1.91	-	36.70	6.73	33.16

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 66
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.95578G	60.32	88.20	-27.88	43.76	3	Vertical	188	2.86	-	40.80	9.58	33.82
RMS	13.98386G	50.58	68.20	-17.62	33.99	3	Vertical	188	2.86	-	40.80	9.59	33.80

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 66
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96634G	60.21	88.20	-27.99	43.64	3	Horizontal	27	2.05	-	40.80	9.58	33.81
RMS	13.96472G	50.05	68.20	-18.15	33.48	3	Horizontal	27	2.05	-	40.80	9.58	33.81

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 66
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9549G	52.42	83.54	-31.12	48.80	1	Vertical	350	1.50	-	38.21	15.34	49.93
AV	20.95608G	41.33	63.54	-22.21	37.71	1	Vertical	350	1.50	-	38.21	15.34	49.93

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT_Z_4TX
Setting 66
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95458G	53.55	83.54	-29.99	49.93	1	Horizontal	1	1.58	-	38.21	15.34	49.93
AV	20.95622G	41.07	63.54	-22.47	37.45	1	Horizontal	1	1.58	-	38.21	15.34	49.93




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	67.78	68.20	-0.42	3	Horizontal	256	2.21	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUTZ_4TX
Setting 51
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.772G	60.54	88.20	-27.66	53.57	3	Vertical	41	1.86	-	33.79	5.69	32.51
RMS	5.85G	49.63	68.20	-18.57	42.44	3	Vertical	41	1.86	-	34.00	5.73	32.54
PK	6.122G	110.68	Inf	-Inf	103.25	3	Vertical	41	1.86	-	34.14	5.92	32.63
RMS	6.1206G	99.44	Inf	-Inf	92.01	3	Vertical	41	1.86	-	34.14	5.92	32.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUTZ_4TX
Setting 51
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8756G	60.84	88.20	-27.36	53.54	3	Horizontal	286	1.90	-	34.10	5.74	32.54
RMS	5.8784G	49.62	68.20	-18.58	42.31	3	Horizontal	286	1.90	-	34.11	5.74	32.54
PK	6.1094G	113.86	Inf	-Inf	106.45	3	Horizontal	286	1.90	-	34.12	5.91	32.62
RMS	6.1094G	103.93	Inf	-Inf	96.52	3	Horizontal	286	1.90	-	34.12	5.91	32.62

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT_Z_4TX
Setting 51
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22046G	60.70	74.00	-13.30	47.17	3	Vertical	218	1.77	-	39.10	8.71	34.28
AV	12.224G	47.66	54.00	-6.34	34.13	3	Vertical	218	1.77	-	39.10	8.71	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUTZ_4TX
Setting 51
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.23936G	56.38	74.00	-17.62	42.83	3	Horizontal	360	1.80	-	39.10	8.72	34.27
AV	12.22634G	43.93	54.00	-10.07	30.40	3	Horizontal	360	1.80	-	39.10	8.71	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT_Z_4TX
Setting 51
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.34532G	46.90	83.54	-36.64	45.35	1	Vertical	30	1.55	-	37.54	14.52	50.51
AV	18.34288G	33.47	63.54	-30.07	31.92	1	Vertical	30	1.55	-	37.54	14.52	50.51

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT_Z_4TX
Setting 51
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3408G	46.22	83.54	-37.32	44.66	1	Horizontal	319	1.51	-	37.54	14.52	50.50
AV	18.34976G	33.30	63.54	-30.24	31.75	1	Horizontal	319	1.51	-	37.54	14.52	50.51

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUTZ_4TX
Setting 51
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.787G	60.57	88.20	-27.63	53.55	3	Vertical	40	1.80	-	33.85	5.69	32.52
RMS	5.861G	49.62	68.20	-18.58	42.39	3	Vertical	40	1.80	-	34.04	5.73	32.54
PK	6.263G	109.17	Inf	-Inf	101.45	3	Vertical	40	1.80	-	34.40	6.00	32.68
RMS	6.263G	100.21	Inf	-Inf	92.49	3	Vertical	40	1.80	-	34.40	6.00	32.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUTZ_4TX
Setting 51
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.843G	60.99	88.20	-27.21	53.81	3	Horizontal	256	2.11	-	33.99	5.72	32.53
RMS	5.845G	49.57	68.20	-18.63	42.39	3	Horizontal	256	2.11	-	33.99	5.72	32.53
PK	6.257G	113.46	Inf	-Inf	105.74	3	Horizontal	256	2.11	-	34.40	6.00	32.68
RMS	6.257G	104.16	Inf	-Inf	96.44	3	Horizontal	256	2.11	-	34.40	6.00	32.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUTZ_4TX
Setting 51
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5142G	55.50	74.00	-18.50	41.73	3	Vertical	297	2.99	-	39.06	8.86	34.15
AV	12.51936G	43.74	54.00	-10.26	29.94	3	Vertical	297	2.99	-	39.08	8.86	34.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUTZ_4TX
Setting 51
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.50484G	55.24	74.00	-18.76	41.52	3	Horizontal	118	2.49	-	39.02	8.85	34.15
AV	12.51978G	43.79	54.00	-10.21	29.99	3	Horizontal	118	2.49	-	39.08	8.86	34.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT_Z_4TX
Setting 51
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76186G	46.45	83.54	-37.09	44.69	1	Vertical	242	1.50	-	37.69	14.67	50.60
AV	18.76004G	33.25	63.54	-30.29	31.49	1	Vertical	242	1.50	-	37.69	14.67	50.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT_Z_4TX
Setting 51
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76678G	46.49	83.54	-37.05	44.73	1	Horizontal	156	1.54	-	37.69	14.67	50.60
AV	18.76738G	32.97	63.54	-30.57	31.21	1	Horizontal	156	1.54	-	37.69	14.67	50.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTZ_4TX
Setting 51
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8726G	61.19	88.20	-27.01	53.90	3	Vertical	299	2.32	-	34.09	5.74	32.54
RMS	5.8486G	49.55	68.20	-18.65	42.36	3	Vertical	299	2.32	-	34.00	5.72	32.53
PK	6.4198G	110.41	Inf	-Inf	102.29	3	Vertical	299	2.32	-	34.84	6.02	32.74
RMS	6.4222G	100.03	Inf	-Inf	91.91	3	Vertical	299	2.32	-	34.84	6.02	32.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTZ_4TX
Setting 51
04-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	60.94	88.20	-27.26	53.58	3	Horizontal	276	2.04	-	34.16	5.76	32.56
RMS	5.8654G	49.54	68.20	-18.66	42.29	3	Horizontal	276	2.04	-	34.06	5.73	32.54
PK	6.4174G	111.68	Inf	-Inf	103.57	3	Horizontal	276	2.04	-	34.83	6.02	32.74
RMS	6.4174G	101.39	Inf	-Inf	93.28	3	Horizontal	276	2.04	-	34.83	6.02	32.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTZ_4TX
Setting 51
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83456G	58.96	88.20	-29.24	44.22	3	Vertical	154	1.67	-	39.77	9.02	34.05
RMS	12.8315G	46.78	68.20	-21.42	32.05	3	Vertical	154	1.67	-	39.76	9.02	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTZ_4TX
Setting 51
04-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83246G	58.43	88.20	-29.77	43.70	3	Horizontal	322	1.51	-	39.76	9.02	34.05
RMS	12.82946G	46.35	68.20	-21.85	31.63	3	Horizontal	322	1.51	-	39.76	9.01	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 51
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24518G	45.96	83.54	-37.58	44.12	1	Vertical	263	1.55	-	37.60	14.84	50.60
AV	19.24226G	32.31	63.54	-31.23	30.48	1	Vertical	263	1.55	-	37.60	14.83	50.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 51
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24722G	45.71	83.54	-37.83	43.87	1	Horizontal	5	1.57	-	37.60	14.84	50.60
AV	19.2429G	32.38	63.54	-31.16	30.54	1	Horizontal	5	1.57	-	37.60	14.84	50.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 61
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9176G	60.73	88.20	-27.47	52.21	3	Vertical	210	1.80	-	34.97	6.36	32.81
RMS	5.8734G	48.11	68.20	-20.09	39.71	3	Vertical	210	1.80	-	34.85	6.34	32.79
PK	6.4324G	113.32	Inf	-Inf	104.08	3	Vertical	210	1.80	-	35.47	6.63	32.86
RMS	6.4324G	101.56	Inf	-Inf	92.32	3	Vertical	210	1.80	-	35.47	6.63	32.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Z_4TX
Setting 61
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	60.60	88.20	-27.60	52.18	3	Horizontal	190	2.50	-	34.88	6.34	32.80
RMS	5.9072G	48.22	68.20	-19.98	39.74	3	Horizontal	190	2.50	-	34.93	6.35	32.80
PK	6.4428G	113.68	Inf	-Inf	104.47	3	Horizontal	190	2.50	-	35.43	6.64	32.86
RMS	6.4428G	102.18	Inf	-Inf	92.97	3	Horizontal	190	2.50	-	35.43	6.64	32.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 61
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85842G	58.48	88.20	-29.72	40.60	3	Vertical	154	2.28	-	39.26	9.44	30.82
RMS	12.88458G	45.33	68.20	-22.87	27.37	3	Vertical	154	2.28	-	39.28	9.45	30.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 61
01-A-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85818G	58.56	88.20	-29.64	40.68	3	Horizontal	120	2.91	-	39.26	9.44	30.82
RMS	12.87594G	45.37	68.20	-22.83	27.43	3	Horizontal	120	2.91	-	39.28	9.45	30.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 61
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30438G	52.49	83.54	-31.05	50.61	1	Vertical	213	1.57	-	37.62	14.86	50.60
AV	19.30714G	38.48	63.54	-25.06	36.60	1	Vertical	213	1.57	-	37.62	14.86	50.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 61
01-A-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30258G	52.38	83.54	-31.16	50.50	1	Horizontal	159	1.51	-	37.62	14.86	50.60
AV	19.30114G	38.47	63.54	-25.07	36.59	1	Horizontal	159	1.51	-	37.62	14.86	50.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 61
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8982G	60.92	88.20	-27.28	52.47	3	Vertical	205	1.82	-	34.90	6.35	32.80
RMS	5.8786G	48.09	68.20	-20.11	39.68	3	Vertical	205	1.82	-	34.86	6.34	32.79
PK	6.4778G	112.74	Inf	-Inf	103.41	3	Vertical	205	1.82	-	35.51	6.68	32.86
RMS	6.475G	101.62	Inf	-Inf	92.31	3	Vertical	205	1.82	-	35.50	6.67	32.86
PK	7.1694G	63.15	88.20	-25.05	52.21	3	Vertical	205	1.82	-	36.98	7.07	33.11
RMS	7.1694G	50.40	68.20	-17.80	39.46	3	Vertical	205	1.82	-	36.98	7.07	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom



EUT_Z_4TX
Setting 61
01-A-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7834G	60.78	88.20	-27.42	52.84	3	Horizontal	18	2.06	-	34.40	6.29	32.75
RMS	5.8926G	48.04	68.20	-20.16	39.60	3	Horizontal	18	2.06	-	34.89	6.35	32.80
PK	6.4834G	114.44	Inf	-Inf	105.09	3	Horizontal	18	2.06	-	35.53	6.68	32.86
RMS	6.4834G	104.12	Inf	-Inf	94.77	3	Horizontal	18	2.06	-	35.53	6.68	32.86
PK	7.1638G	62.43	88.20	-25.77	51.52	3	Horizontal	18	2.06	-	36.96	7.06	33.11
RMS	7.1554G	50.35	68.20	-17.85	39.47	3	Horizontal	18	2.06	-	36.92	7.06	33.10