


802.11be-EHT20 26dB Bandwidth


Channel 149 (6695MHz)




Channel 181 (6855MHz)




Channel 185 (6875MHz)



Channel 189 (6895MHz)



Channel 209 (6995MHz)




Channel 229 (7095MHz)




802.11be-EHT40 26dB Bandwidth


Channel 3 (5965MHz)




Channel 51 (6205MHz)




Channel 91 (6405MHz)




Channel 99 (6445MHz)




Channel 107 (6485MHz)




Channel 115 (6525MHz)



Channel 123 (6565MHz)




Channel 147 (6685MHz)




802.11be-EHT40 26dB Bandwidth


Channel 179 (6845MHz)




Channel 187 (6885MHz)




Channel 195 (6925MHz)



Channel 211 (7005MHz)




Channel 227 (7085MHz)




802.11be-EHT80 26dB Bandwidth


Channel 7 (5985MHz)




Channel 55 (6225MHz)




Channel 87 (6385MHz)




Channel 103 (6465MHz)




Channel 119 (6545MHz)




Channel 135 (6625MHz)



Channel 151 (6705MHz)




Channel 167 (6785MHz)




802.11be-EHT80 26dB Bandwidth


Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)



802.11be-EHT160 26dB Bandwidth


Channel 15 (6025MHz)




Channel 47 (6185MHz)




Channel 79 (6345MHz)




Channel 111 (6505MHz)




Channel 143 (6665MHz)



Channel 175 (6825MHz)




Channel 207 (6985MHz)




802.11be-EHT320-1 26dB Bandwidth


Channel 31 (6105MHz)



Channel 95 (6425MHz)




Channel 159 (6745MHz)




802.11be-EHT320-2 26dB Bandwidth


Channel 63 (6265MHz)



Channel 127 (6585MHz)



Channel 191 (6905MHz)



A.3 Output Power Test Result

Test Site	WZ-AC1	Test Engineer	Dick Shen
Test Date	2024-06-18 ~ 2024-06-26		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBuV/m)	EIRP (dBm)	Duty Cycle (%)	10*log (1/x)	Total EIRP (dBm)	Limit (dBm)
802.11a	MCS0	1	5955	108.2	13.0	94.76	0.23	13.23	≤ 30.00
802.11a	MCS0	49	6195	108.4	13.2	94.76	0.23	13.43	≤ 30.00
802.11a	MCS0	93	6415	107.9	12.7	94.76	0.23	12.93	≤ 30.00
802.11a	MCS0	97	6435	107.8	12.6	94.76	0.23	12.83	≤ 30.00
802.11a	MCS0	105	6475	107.7	12.5	94.76	0.23	12.73	≤ 30.00
802.11a	MCS0	113	6515	107.1	11.9	94.76	0.23	12.13	≤ 30.00
802.11a	MCS0	117	6535	107.3	12.1	94.76	0.23	12.33	≤ 30.00
802.11a	MCS0	149	6695	109.7	14.5	94.76	0.23	14.73	≤ 30.00
802.11a	MCS0	181	6855	108.8	13.6	94.76	0.23	13.83	≤ 30.00
802.11a	MCS0	185	6875	109.7	14.5	94.76	0.23	14.73	≤ 30.00
802.11a	MCS0	189	6895	110.6	15.4	94.76	0.23	15.63	≤ 30.00
802.11a	MCS0	209	6995	109.1	13.9	94.76	0.23	14.13	≤ 30.00
802.11a	MCS0	229	7095	108.8	13.6	94.76	0.23	13.83	≤ 30.00
802.11ax-HE20	MCS0	1	5955	111.3	16.1	97.51	0.11	16.21	≤ 30.00
802.11ax-HE20	MCS0	49	6195	110.4	15.2	97.51	0.11	15.31	≤ 30.00
802.11ax-HE20	MCS0	93	6415	110.1	14.9	97.51	0.11	15.01	≤ 30.00
802.11ax-HE20	MCS0	97	6435	109.7	14.5	97.51	0.11	14.61	≤ 30.00
802.11ax-HE20	MCS0	105	6475	110.1	14.9	97.51	0.11	15.01	≤ 30.00
802.11ax-HE20	MCS0	113	6515	109.9	14.7	97.51	0.11	14.81	≤ 30.00
802.11ax-HE20	MCS0	117	6535	109.9	14.7	97.51	0.11	14.81	≤ 30.00
802.11ax-HE20	MCS0	149	6695	109.1	13.9	97.51	0.11	14.01	≤ 30.00
802.11ax-HE20	MCS0	181	6855	109.6	14.4	97.51	0.11	14.51	≤ 30.00
802.11ax-HE20	MCS0	185	6875	108.8	13.6	97.51	0.11	13.71	≤ 30.00
802.11ax-HE20	MCS0	189	6895	109.8	14.6	97.51	0.11	14.71	≤ 30.00
802.11ax-HE20	MCS0	209	6995	109.8	14.6	97.51	0.11	14.71	≤ 30.00
802.11ax-HE20	MCS0	229	7095	110.5	15.3	97.51	0.11	15.41	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBuV/m)	EIRP (dBm)	Duty Cycle (%)	10*log (1/x)	Total EIRP (dBm)	Limit (dBm)
802.11ax-HE40	MCS0	3	5965	111.9	16.7	95.66	0.19	16.89	≤ 30.00
802.11ax-HE40	MCS0	51	6205	112.1	16.9	95.66	0.19	17.09	≤ 30.00
802.11ax-HE40	MCS0	91	6405	112.6	17.4	95.66	0.19	17.59	≤ 30.00
802.11ax-HE40	MCS0	99	6445	112.8	17.6	95.66	0.19	17.79	≤ 30.00
802.11ax-HE40	MCS0	107	6485	112.8	17.6	95.66	0.19	17.79	≤ 30.00
802.11ax-HE40	MCS0	115	6525	112.9	17.7	95.66	0.19	17.89	≤ 30.00
802.11ax-HE40	MCS0	123	6565	113.0	17.8	95.66	0.19	17.99	≤ 30.00
802.11ax-HE40	MCS0	147	6685	112.3	17.1	95.66	0.19	17.29	≤ 30.00
802.11ax-HE40	MCS0	179	6845	111.9	16.7	95.66	0.19	16.89	≤ 30.00
802.11ax-HE40	MCS0	187	6885	112.5	17.3	95.66	0.19	17.49	≤ 30.00
802.11ax-HE40	MCS0	195	6925	112.7	17.5	95.66	0.19	17.69	≤ 30.00
802.11ax-HE40	MCS0	211	7005	112.8	17.6	95.66	0.19	17.79	≤ 30.00
802.11ax-HE40	MCS0	227	7085	113.5	18.3	95.66	0.19	18.49	≤ 30.00
802.11ax-HE80	MCS0	7	5985	114.0	18.8	92.66	0.33	19.13	≤ 30.00
802.11ax-HE80	MCS0	55	6225	114.6	19.4	92.66	0.33	19.73	≤ 30.00
802.11ax-HE80	MCS0	87	6385	115.4	20.2	92.66	0.33	20.53	≤ 30.00
802.11ax-HE80	MCS0	103	6465	115.3	20.1	92.66	0.33	20.43	≤ 30.00
802.11ax-HE80	MCS0	119	6545	115.9	20.7	92.66	0.33	21.03	≤ 30.00
802.11ax-HE80	MCS0	135	6625	115.6	20.4	92.66	0.33	20.73	≤ 30.00
802.11ax-HE80	MCS0	151	6705	115.1	19.9	92.66	0.33	20.23	≤ 30.00
802.11ax-HE80	MCS0	167	6785	114.6	19.4	92.66	0.33	19.73	≤ 30.00
802.11ax-HE80	MCS0	183	6865	114.7	19.5	92.66	0.33	19.83	≤ 30.00
802.11ax-HE80	MCS0	199	6945	114.7	19.5	92.66	0.33	19.83	≤ 30.00
802.11ax-HE80	MCS0	215	7025	115.1	19.9	92.66	0.33	20.23	≤ 30.00
802.11ax-HE160	MCS0	15	6025	116.2	21.0	87.98	0.56	21.56	≤ 30.00
802.11ax-HE160	MCS0	47	6185	118.4	23.2	87.98	0.56	23.76	≤ 30.00
802.11ax-HE160	MCS0	79	6345	118.2	23.0	87.98	0.56	23.56	≤ 30.00
802.11ax-HE160	MCS0	111	6505	117.9	22.7	87.98	0.56	23.26	≤ 30.00
802.11ax-HE160	MCS0	143	6665	117.9	22.7	87.98	0.56	23.26	≤ 30.00
802.11ax-HE160	MCS0	175	6825	117.8	22.6	87.98	0.56	23.16	≤ 30.00
802.11ax-HE160	MCS0	207	6985	117.9	22.7	87.98	0.56	23.26	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBuV/m)	EIRP (dBm)	Duty Cycle (%)	10*log (1/x)	Total EIRP (dBm)	Limit (dBm)
802.11be-EHT20	MCS0	1	5955	109.2	14.0	97.71	0.10	14.10	≤ 30.00
802.11be-EHT20	MCS0	49	6195	109.4	14.2	97.71	0.10	14.30	≤ 30.00
802.11be-EHT20	MCS0	61	6255	110.0	14.8	97.71	0.10	14.90	≤ 30.00
802.11be-EHT20	MCS0	93	6415	109.9	14.7	97.71	0.10	14.80	≤ 30.00
802.11be-EHT20	MCS0	97	6435	109.7	14.5	97.71	0.10	14.60	≤ 30.00
802.11be-EHT20	MCS0	105	6475	109.8	14.6	97.71	0.10	14.70	≤ 30.00
802.11be-EHT20	MCS0	113	6515	109.5	14.3	97.71	0.10	14.40	≤ 30.00
802.11be-EHT20	MCS0	117	6535	109.6	14.4	97.71	0.10	14.50	≤ 30.00
802.11be-EHT20	MCS0	149	6695	109.3	14.1	97.71	0.10	14.20	≤ 30.00
802.11be-EHT20	MCS0	181	6855	109.5	14.3	97.71	0.10	14.40	≤ 30.00
802.11be-EHT20	MCS0	185	6875	109.9	14.7	97.71	0.10	14.80	≤ 30.00
802.11be-EHT20	MCS0	189	6895	109.6	14.4	97.71	0.10	14.50	≤ 30.00
802.11be-EHT20	MCS0	209	6995	109.3	14.1	97.71	0.10	14.20	≤ 30.00
802.11be-EHT20	MCS0	229	7095	110.1	14.9	97.71	0.10	15.00	≤ 30.00
802.11be-EHT40	MCS0	3	5965	111.9	16.7	95.93	0.18	16.88	≤ 30.00
802.11be-EHT40	MCS0	51	6205	112.0	16.8	95.93	0.18	16.98	≤ 30.00
802.11be-EHT40	MCS0	91	6405	112.8	17.6	95.93	0.18	17.78	≤ 30.00
802.11be-EHT40	MCS0	99	6445	112.6	17.4	95.93	0.18	17.58	≤ 30.00
802.11be-EHT40	MCS0	107	6485	113.1	17.9	95.93	0.18	18.08	≤ 30.00
802.11be-EHT40	MCS0	115	6525	113.0	17.8	95.93	0.18	17.98	≤ 30.00
802.11be-EHT40	MCS0	123	6565	112.8	17.6	95.93	0.18	17.78	≤ 30.00
802.11be-EHT40	MCS0	147	6685	112.5	17.3	95.93	0.18	17.48	≤ 30.00
802.11be-EHT40	MCS0	179	6845	112.7	17.5	95.93	0.18	17.68	≤ 30.00
802.11be-EHT40	MCS0	187	6885	112.2	17.0	95.93	0.18	17.18	≤ 30.00
802.11be-EHT40	MCS0	195	6925	112.0	16.8	95.93	0.18	16.98	≤ 30.00
802.11be-EHT40	MCS0	211	7005	112.1	16.9	95.93	0.18	17.08	≤ 30.00
802.11be-EHT40	MCS0	227	7085	112.1	16.9	95.93	0.18	17.08	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBuV/m)	EIRP (dBm)	Duty Cycle (%)	10*log (1/x)	Total EIRP (dBm)	Limit (dBm)
802.11be-EHT80	MCS0	7	5985	114.4	19.2	92.73	0.33	19.53	≤ 30.00
802.11be-EHT80	MCS0	55	6225	115.2	20.0	92.73	0.33	20.33	≤ 30.00
802.11be-EHT80	MCS0	87	6385	115.7	20.5	92.73	0.33	20.83	≤ 30.00
802.11be-EHT80	MCS0	103	6465	115.3	20.1	92.73	0.33	20.43	≤ 30.00
802.11be-EHT80	MCS0	119	6545	115.8	20.6	92.73	0.33	20.93	≤ 30.00
802.11be-EHT80	MCS0	135	6625	115.6	20.4	92.73	0.33	20.73	≤ 30.00
802.11be-EHT80	MCS0	151	6705	115.1	19.9	92.73	0.33	20.23	≤ 30.00
802.11be-EHT80	MCS0	167	6785	114.9	19.7	92.73	0.33	20.03	≤ 30.00
802.11be-EHT80	MCS0	183	6865	115.2	20.0	92.73	0.33	20.33	≤ 30.00
802.11be-EHT80	MCS0	199	6945	115.4	20.2	92.73	0.33	20.53	≤ 30.00
802.11be-EHT80	MCS0	215	7025	116.0	20.8	92.73	0.33	21.13	≤ 30.00
802.11be-EHT160	MCS0	15	6025	118.1	22.9	87.94	0.56	23.46	≤ 30.00
802.11be-EHT160	MCS0	47	6185	118.1	22.9	87.94	0.56	23.46	≤ 30.00
802.11be-EHT160	MCS0	79	6345	118.5	23.3	87.94	0.56	23.86	≤ 30.00
802.11be-EHT160	MCS0	111	6505	118.3	23.1	87.94	0.56	23.66	≤ 30.00
802.11be-EHT160	MCS0	143	6665	118.2	23.0	87.94	0.56	23.56	≤ 30.00
802.11be-EHT160	MCS0	175	6825	118.3	23.1	87.94	0.56	23.66	≤ 30.00
802.11be-EHT160	MCS0	207	6985	117.9	22.7	87.94	0.56	23.26	≤ 30.00
802.11be-EHT320-1	MCS0	31	6105	120.1	24.9	83.16	0.80	25.70	≤ 30.00
802.11be-EHT320-1	MCS0	95	6425	120.8	25.6	83.16	0.80	26.40	≤ 30.00
802.11be-EHT320-1	MCS0	159	6745	120.5	25.3	83.16	0.80	26.10	≤ 30.00
802.11be-EHT320-2	MCS0	63	6265	120.6	25.4	83.16	0.80	26.20	≤ 30.00
802.11be-EHT320-2	MCS0	127	6585	120.1	24.9	83.16	0.80	25.70	≤ 30.00
802.11be-EHT320-2	MCS0	191	6905	119.5	24.3	83.16	0.80	25.10	≤ 30.00

Note 1: EIRP (dBm) = EIRP (dBuV/m) - 95.2.

Note 2: Total EIRP (dBm) = EIRP (dBm) + 10*log(1/duty cycle).

A.4 Power Spectral Density Test Result

Test Site	SIP-TR1	Test Engineer	Ryan Wang
Test Date	2024-06-18 ~ 2024-06-26		

Test Mode	Data Rate /MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBuV/m/ MHz)	EIRP PSD (dBm/MHz)	Duty Cycle (%)	10*log (1/x)	Final EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11a	MCS0	1	5955	99.805	4.61	94.76	0.23	4.84	≤ 5.00
802.11a	MCS0	49	6195	99.625	4.43	94.76	0.23	4.66	≤ 5.00
802.11a	MCS0	93	6415	99.848	4.65	94.76	0.23	4.88	≤ 5.00
802.11a	MCS0	97	6435	99.789	4.59	94.76	0.23	4.82	≤ 5.00
802.11a	MCS0	105	6475	99.632	4.43	94.76	0.23	4.67	≤ 5.00
802.11a	MCS0	113	6515	99.110	3.91	94.76	0.23	4.14	≤ 5.00
802.11a	MCS0	117	6535	98.843	3.64	94.76	0.23	3.88	≤ 5.00
802.11a	MCS0	149	6695	99.621	4.42	94.76	0.23	4.65	≤ 5.00
802.11a	MCS0	181	6855	99.307	4.11	94.76	0.23	4.34	≤ 5.00
802.11a	MCS0	185	6875	99.494	4.29	94.76	0.23	4.53	≤ 5.00
802.11a	MCS0	189	6895	99.859	4.66	94.76	0.23	4.89	≤ 5.00
802.11a	MCS0	209	6995	99.932	4.73	94.76	0.23	4.97	≤ 5.00
802.11a	MCS0	229	7095	99.650	4.45	94.76	0.23	4.68	≤ 5.00
802.11ax-HE20	MCS0	1	5955	99.789	4.59	97.51	0.11	4.70	≤ 5.00
802.11ax-HE20	MCS0	49	6195	99.896	4.70	97.51	0.11	4.81	≤ 5.00
802.11ax-HE20	MCS0	93	6415	99.721	4.52	97.51	0.11	4.63	≤ 5.00
802.11ax-HE20	MCS0	97	6435	99.538	4.34	97.51	0.11	4.45	≤ 5.00
802.11ax-HE20	MCS0	105	6475	99.913	4.71	97.51	0.11	4.82	≤ 5.00
802.11ax-HE20	MCS0	113	6515	99.796	4.60	97.51	0.11	4.71	≤ 5.00
802.11ax-HE20	MCS0	117	6535	99.676	4.48	97.51	0.11	4.59	≤ 5.00
802.11ax-HE20	MCS0	149	6695	99.727	4.53	97.51	0.11	4.64	≤ 5.00
802.11ax-HE20	MCS0	181	6855	99.824	4.62	97.51	0.11	4.73	≤ 5.00
802.11ax-HE20	MCS0	185	6875	99.629	4.43	97.51	0.11	4.54	≤ 5.00
802.11ax-HE20	MCS0	189	6895	99.644	4.44	97.51	0.11	4.55	≤ 5.00
802.11ax-HE20	MCS0	209	6995	99.880	4.68	97.51	0.11	4.79	≤ 5.00
802.11ax-HE20	MCS0	229	7095	99.956	4.76	97.51	0.11	4.87	≤ 5.00

Test Mode	Data Rate /MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBuV/m/ MHz)	EIRP PSD (dBm/MHz)	Duty Cycle (%)	10*log (1/x)	Final EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11ax-HE40	MCS0	3	5965	99.859	4.66	95.66	0.19	4.85	≤ 5.00
802.11ax-HE40	MCS0	51	6205	99.637	4.44	95.66	0.19	4.63	≤ 5.00
802.11ax-HE40	MCS0	91	6405	99.612	4.41	95.66	0.19	4.60	≤ 5.00
802.11ax-HE40	MCS0	99	6445	99.715	4.52	95.66	0.19	4.71	≤ 5.00
802.11ax-HE40	MCS0	107	6485	99.754	4.55	95.66	0.19	4.75	≤ 5.00
802.11ax-HE40	MCS0	115	6525	99.802	4.60	95.66	0.19	4.79	≤ 5.00
802.11ax-HE40	MCS0	123	6565	99.502	4.30	95.66	0.19	4.49	≤ 5.00
802.11ax-HE40	MCS0	147	6685	99.789	4.59	95.66	0.19	4.78	≤ 5.00
802.11ax-HE40	MCS0	179	6845	99.795	4.60	95.66	0.19	4.79	≤ 5.00
802.11ax-HE40	MCS0	187	6885	99.939	4.74	95.66	0.19	4.93	≤ 5.00
802.11ax-HE40	MCS0	195	6925	99.860	4.66	95.66	0.19	4.85	≤ 5.00
802.11ax-HE40	MCS0	211	7005	99.823	4.62	95.66	0.19	4.82	≤ 5.00
802.11ax-HE40	MCS0	227	7085	99.805	4.61	95.66	0.19	4.80	≤ 5.00
802.11ax-HE80	MCS0	7	5985	99.581	4.38	92.66	0.33	4.71	≤ 5.00
802.11ax-HE80	MCS0	55	6225	99.402	4.20	92.66	0.33	4.53	≤ 5.00
802.11ax-HE80	MCS0	87	6385	99.602	4.40	92.66	0.33	4.73	≤ 5.00
802.11ax-HE80	MCS0	103	6465	99.644	4.44	92.66	0.33	4.78	≤ 5.00
802.11ax-HE80	MCS0	119	6545	99.616	4.42	92.66	0.33	4.75	≤ 5.00
802.11ax-HE80	MCS0	135	6625	99.688	4.49	92.66	0.33	4.82	≤ 5.00
802.11ax-HE80	MCS0	151	6705	99.649	4.45	92.66	0.33	4.78	≤ 5.00
802.11ax-HE80	MCS0	167	6785	99.521	4.32	92.66	0.33	4.65	≤ 5.00
802.11ax-HE80	MCS0	183	6865	99.577	4.38	92.66	0.33	4.71	≤ 5.00
802.11ax-HE80	MCS0	199	6945	99.374	4.17	92.66	0.33	4.51	≤ 5.00
802.11ax-HE80	MCS0	215	7025	99.698	4.50	92.66	0.33	4.83	≤ 5.00
802.11ax-HE160	MCS0	15	6025	99.208	4.01	87.98	0.56	4.56	≤ 5.00
802.11ax-HE160	MCS0	47	6185	99.386	4.19	87.98	0.56	4.74	≤ 5.00
802.11ax-HE160	MCS0	79	6345	99.263	4.06	87.98	0.56	4.62	≤ 5.00
802.11ax-HE160	MCS0	111	6505	99.384	4.18	87.98	0.56	4.74	≤ 5.00
802.11ax-HE160	MCS0	143	6665	99.301	4.10	87.98	0.56	4.66	≤ 5.00
802.11ax-HE160	MCS0	175	6825	99.535	4.33	87.98	0.56	4.89	≤ 5.00
802.11ax-HE160	MCS0	207	6985	99.249	4.05	87.98	0.56	4.61	≤ 5.00

Test Mode	Data Rate /MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBuV/m/ MHz)	EIRP PSD (dBm/MHz)	Duty Cycle (%)	10*log (1/x)	Final EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be-EHT20	MCS0	1	5955	99.733	4.53	97.71	0.10	4.63	≤ 5.00
802.11be-EHT20	MCS0	49	6195	99.841	4.6	97.71	0.10	4.74	≤ 5.00
802.11be-EHT20	MCS0	61	6255	99.948	4.75	97.71	0.10	4.85	≤ 5.00
802.11be-EHT20	MCS0	93	6415	99.547	4.35	97.71	0.10	4.45	≤ 5.00
802.11be-EHT20	MCS0	97	6435	99.955	4.76	97.71	0.10	4.86	≤ 5.00
802.11be-EHT20	MCS0	105	6475	99.802	4.60	97.71	0.10	4.70	≤ 5.00
802.11be-EHT20	MCS0	113	6515	99.340	4.14	97.71	0.10	4.24	≤ 5.00
802.11be-EHT20	MCS0	117	6535	99.351	4.15	97.71	0.10	4.25	≤ 5.00
802.11be-EHT20	MCS0	149	6695	99.986	4.79	97.71	0.10	4.89	≤ 5.00
802.11be-EHT20	MCS0	181	6855	99.766	4.57	97.71	0.10	4.67	≤ 5.00
802.11be-EHT20	MCS0	185	6875	100.027	4.83	97.71	0.10	4.93	≤ 5.00
802.11be-EHT20	MCS0	189	6895	99.515	4.32	97.71	0.10	4.42	≤ 5.00
802.11be-EHT20	MCS0	209	6995	99.725	4.52	97.71	0.10	4.63	≤ 5.00
802.11be-EHT20	MCS0	229	7095	99.262	4.06	97.71	0.10	4.16	≤ 5.00
802.11be-EHT40	MCS0	3	5965	99.813	4.61	95.93	0.18	4.79	≤ 5.00
802.11be-EHT40	MCS0	51	6205	99.771	4.57	95.93	0.18	4.75	≤ 5.00
802.11be-EHT40	MCS0	91	6405	99.681	4.48	95.93	0.18	4.66	≤ 5.00
802.11be-EHT40	MCS0	99	6445	99.655	4.46	95.93	0.18	4.64	≤ 5.00
802.11be-EHT40	MCS0	107	6485	99.763	4.56	95.93	0.18	4.74	≤ 5.00
802.11be-EHT40	MCS0	115	6525	99.824	4.62	95.93	0.18	4.80	≤ 5.00
802.11be-EHT40	MCS0	123	6565	99.544	4.34	95.93	0.18	4.52	≤ 5.00
802.11be-EHT40	MCS0	147	6685	99.947	4.75	95.93	0.18	4.93	≤ 5.00
802.11be-EHT40	MCS0	179	6845	99.954	4.75	95.93	0.18	4.93	≤ 5.00
802.11be-EHT40	MCS0	187	6885	99.868	4.67	95.93	0.18	4.85	≤ 5.00
802.11be-EHT40	MCS0	195	6925	99.608	4.41	95.93	0.18	4.59	≤ 5.00
802.11be-EHT40	MCS0	211	7005	99.946	4.75	95.93	0.18	4.93	≤ 5.00
802.11be-EHT40	MCS0	227	7085	99.851	4.65	95.93	0.18	4.83	≤ 5.00

Test Mode	Data Rate /MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBuV/m/MHz)	EIRP PSD (dBm/MHz)	Duty Cycle (%)	10*log (1/x)	Final EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be-EHT80	MCS0	7	5985	99.510	4.31	92.73	0.33	4.64	≤ 5.00
802.11be-EHT80	MCS0	55	6225	99.583	4.38	92.73	0.33	4.71	≤ 5.00
802.11be-EHT80	MCS0	87	6385	99.601	4.40	92.73	0.33	4.73	≤ 5.00
802.11be-EHT80	MCS0	103	6465	99.522	4.32	92.73	0.33	4.65	≤ 5.00
802.11be-EHT80	MCS0	119	6545	99.826	4.63	92.73	0.33	4.95	≤ 5.00
802.11be-EHT80	MCS0	135	6625	99.631	4.43	92.73	0.33	4.76	≤ 5.00
802.11be-EHT80	MCS0	151	6705	99.620	4.42	92.73	0.33	4.75	≤ 5.00
802.11be-EHT80	MCS0	167	6785	99.533	4.33	92.73	0.33	4.66	≤ 5.00
802.11be-EHT80	MCS0	183	6865	99.634	4.43	92.73	0.33	4.76	≤ 5.00
802.11be-EHT80	MCS0	199	6945	99.167	3.97	92.73	0.33	4.29	≤ 5.00
802.11be-EHT80	MCS0	215	7025	99.700	4.50	92.73	0.33	4.83	≤ 5.00
802.11be-EHT160	MCS0	15	6025	99.512	4.31	87.94	0.56	4.87	≤ 5.00
802.11be-EHT160	MCS0	47	6185	99.587	4.39	87.94	0.56	4.95	≤ 5.00
802.11be-EHT160	MCS0	79	6345	99.457	4.26	87.94	0.56	4.82	≤ 5.00
802.11be-EHT160	MCS0	111	6505	99.600	4.40	87.94	0.56	4.96	≤ 5.00
802.11be-EHT160	MCS0	143	6665	99.389	4.19	87.94	0.56	4.75	≤ 5.00
802.11be-EHT160	MCS0	175	6825	99.466	4.27	87.94	0.56	4.82	≤ 5.00
802.11be-EHT160	MCS0	207	6985	99.415	4.22	87.94	0.56	4.77	≤ 5.00
802.11be-EHT320-1	MCS0	31	6105	99.294	4.09	83.16	0.80	4.89	≤ 5.00
802.11be-EHT320-1	MCS0	95	6425	99.328	4.13	83.16	0.80	4.93	≤ 5.00
802.11be-EHT320-1	MCS0	159	6745	99.242	4.04	83.16	0.80	4.84	≤ 5.00
802.11be-EHT320-2	MCS0	63	6265	98.358	3.16	83.16	0.80	3.96	≤ 5.00
802.11be-EHT320-2	MCS0	127	6585	98.722	3.52	83.16	0.80	4.32	≤ 5.00
802.11be-EHT320-2	MCS0	191	6905	99.032	3.83	83.16	0.80	4.63	≤ 5.00


Note 1: EIRP PSD (dBm/MHz) = EIRP PSD (dBuV/m/MHz) – 95.2.

Note 2: If duty cycle < 98%, Final EIRP PSD (dBm/MHz) = EIRP PSD (dBm/MHz) + 10*log(1/duty cycle).

If duty cycle ≥ 98%, Final EIRP PSD (dBm/MHz) = EIRP PSD (dBm/MHz).

802.11a Power Spectral Density


Channel 1 (5955MHz)




Channel 49 (6195MHz)




Channel 93 (6415MHz)




Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)




802.11a Power Spectral Density-


Channel 117 (6535MHz)



Channel 149 (6695MHz)




Channel 181 (6855MHz)



Channel 185 (6875MHz)




Channel 189 (6895MHz)




Channel 209 (6995MHz)






802.11ax-HE20 Power Spectral Density


Channel 1 (5955MHz)




Channel 49 (6195MHz)




Channel 93 (6415MHz)




Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)




802.11ax-HE20 Power Spectral Density


Channel 117 (6535MHz)




Channel 149 (6695MHz)




Channel 181 (6855MHz)




Channel 185 (6875MHz)



Channel 189 (6895MHz)




Channel 209 (6995MHz)






802.11ax-HE40 Power Spectral Density


Channel 3 (5965MHz)




Channel 51 (6205MHz)




Channel 91 (6405MHz)




Channel 99 (6445MHz)



Channel 107 (6485MHz)




Channel 115 (6525MHz)




802.11ax-HE40 Power Spectral Density


Channel 123 (6565MHz)




Channel 147 (6685MHz)




Channel 179 (6845MHz)




Channel 187 (6885MHz)



Channel 195 (6925MHz)



Channel 211 (7005MHz)



802.11ax-HE40 Power Spectral Density

Channel 227 (7085MHz)

