

1

2

3

4

5

6

A

A

B

B

C

C


D


D


Remark	Description	Editor	Date

50mm

20mm



 Pantone 355C

 Pantone 426C

1

2

3

4

5

6

1

2

3

4

5

6

Remark	Description	Editor	Date

A

A

B

B

C


C

D


D

50mm

20mm






 Pantone 355C


 Pantone 426C



SMART/RG
 802.11ac VDSL2 Bonding Gateway
 Model: SR555ac

 CONFORMS TO
 ANSI/UL STD. 60950-1
 CERTIFIED TO
 CAN/CSA STD.
 C22.2 NO. 60950-1
 5002026

 FCC ID: VV7SR555A
 IC: 11130A-SR555A
 US: VV7DL01B5SR555A



Electrical Rating: 12V --- 2.5A 


This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
 (1) This device may not cause harmful interference, and (2) this device must accept any interference
 received, including interference that may cause undesired operation.






SMART/RG
 802.11ac VDSL2 Bonding IAD
 Model: SR655ac

 CONFORMS TO
 ANSIS/UL STD. 60950-1
 CERTIFIED TO
 CAN/CSA STD.
 C22.2 NO. 60950-1
 5002026

 FCC ID: VV7SR555A
 IC: 11130A-SR555A
 US: VV7DL01B5R555A

Electrical Rating: 12V $\overline{=}$ 3A 

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
 (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

