Test mode: IEEE 802.11n HT 20 MHz mode / 5180 ~ 5240MHz

Channel	Frequency (MHz)			SD 3m)		Total (dBm)	Limit (dBm)	Margain	Result
	(,	Antenna 0	Antenna 1	Antenna 2	Antenna 3		(4.2)		
Low	5180	0.303	0.077	0.253	1.062	6.461		-7.019	PASS
Mid	5200	1.075	0.966	1.384	1.442	7.242	13.48	-6.238	PASS
High	5240	1.179	0.927	0.733	0.992	6.981		-6.499	PASS

Report No.: C170322Z06-RP1-2

Test mode: IEEE 802.11n HT 20 MHz mode / 5260~ 5320MHz

Channel	annel Frequency (dBm)  (MHz) Antenna 0 Antenna 1 Antenna 2 Antenna 3					Total (dBm)	Limit (dBm)	Margain	Result
	()	Antenna 0	Antenna 1	Antenna 2	Antenna 3		(42)		
Low	5260	0.884	1.045	1.062	1.208	7.072		-0.408	PASS
Mid	5300	1.355	1.069	1.291	1.050	7.214	7.48	-0.266	PASS
High	5320	1.077	1.345	1.461	1.455	7.358		-0.122	PASS

Test mode: IEEE 802.11n HT 20 MHz mode / 5500 ~ 5700MHz

Channel	Frequency (MHz)			SD Bm)		Total (dBm)	Limit (dBm)	Margain	Result
	()	Antenna 0	Antenna 1	Antenna 2	Antenna 3	(42)	(42)		
Low	5500	1.730	1.450	1.285	1.010	7.397		-0.083	PASS
Mid	5580	1.384	1.408	1.338	1.517	7.433	7.48	-0.047	PASS
High	5700	1.085	1.163	1.066	0.820	7.056		-0.424	PASS

Test mode: IEEE 802.11n HT 20 MHz mode / 5745 ~ 5825MHz

Channel	Channel Frequency (MHz)  Antenna 0 Antenna 1 Antenna 2 Antenna 3						Limit (dBm)	Margain	Result
	(	Antenna 0	Antenna 1	Antenna 2	Antenna 3	(dBm)	(3.2111)		
Low	5745	4.713	4.726	5.315	6.262	11.322		-15.158	PASS
Mid	5785	5.399	5.022	5.678	6.397	11.674	26.48	-14.806	PASS
High	5825	5.296	5.222	5.954	6.629	11.834		-14.646	PASS

Remark:

Directional Gain=  $G_{ant} + 10log (N_{ant}) dBi$ 

Gant: Gain of Individual Antennas (Same for Each Antenna)

Nant: Number of Transmit Antennas

FCC ID: VW7SR570A Page 161 /414

Test mode: IEEE 802.11n HT 40 MHz mode / 5190 ~ 5230MHz

Channel	Frequency (MHz)			SD Bm)		Total (dBm)	Limit (dBm)	Margain	Result
	(	Antenna 0	Antenna 1	Antenna 2	Antenna 3	(3.2)	(42)		
Low	5190	-2.416	-3.266	-2.453	-1.942	2.264	13.48	-11.216	PASS
High	5230	-2.381	-2.312	-2.107	-1.668	2.663	13.40	-10.817	PASS

Report No.: C170322Z06-RP1-2

Test mode: IEEE 802.11n HT 40 MHz mode / 5270 ~ 5310MHz

Channel	Channel Frequency (MHz) PPSD (dBm) Antenna 0 Antenna 1 Antenna 2 Antenna 3					Total (dBm)	Limit (dBm)	Margain	Result
	(	Antenna 0	Antenna 1	Antenna 2	Antenna 3	()	(3.2)		
Low	5270	-0.867	-1.125	-1.063	-0.930	5.026	7.48	-2.454	PASS
High	5310	-0.538	-1.053	-0.969	-1.524	5.014	7.40	-2.466	PASS

Test mode: IEEE 802.11n HT 40 MHz mode / 5510 ~ 5670MHz

Channel	Frequency (MHz)			SD 3m)		Total Limit		Margain	Result
	(,	Antenna 0	Antenna 1	Antenna 2	Antenna 3	()	(3.2)		
Low	5510	-1.373	-1.200	-1.310	-1.388	4.703		-2.777	PASS
Mid	5550	-1.451	-1.167	-1.453	-1.364	4.663	7.48	-2.817	PASS
High	5670	-1.875	-2.395	-1.968	-1.863	4.001		-3.479	PASS

Test mode: IEEE 802.11n HT 40 MHz mode / 5755 ~ 5795MHz

Channel Frequency (MHz) PPSD (dBm)						Total	Limit (dBm)	Margain	Result
	(	Antenna 0	Antenna 1	Antenna 2	Antenna 3	(42111)	(42)		
Low	5755	2.392	2.007	1.971	1.964	8.108	26.48	-18.372	PASS
High	5795	2.222	2.354	2.400	2.409	8.367	20.40	-18.113	PASS

Remark:

 $Directional\ Gain=G_{ant}+10log\ (N_{ant})\ dBi$ 

 $G_{\text{ant}}$ : Gain of Individual Antennas (Same for Each Antenna)

Nant: Number of Transmit Antennas

FCC ID: VW7SR570A Page 162 /414

This report shall not be reproduced except in full, without the written approval of Compliance Certification Services.

Test mode: IEEE 802.11ac 80 mode / 5210MHz

Channel	i   (MHz)   , , , , , ,					Total (dBm)	Limit (dBm)	Margain	Result
		Antenna 0	Antenna 1	Antenna 2	Antenna 3		(42)		
	5210	-2.796	-3.281	-2.673	-3.805	2.904	13.48	-10.576	PASS

Report No.: C170322Z06-RP1-2

Test mode: IEEE 802.11ac 80 mode / 5290MHz

Channel	Frequency (MHz)			SD Bm)	Total (dBm)	Limit (dBm)	Margain	Result	
		Antenna 0	Antenna 1	Antenna 2	Antenna 3		(3.2)		
	5290	-4.236	-4.226	-4.425	-4.232	1.742	7.48	-5.738	PASS

Test mode: IEEE 802.11ac 80 mode / 5530MHz

Channel	I (MHz) I				Total (dBm)	Limit (dBm)	Margain	Result	
	(	Antenna 0	Antenna 1	Antenna 2	Antenna 3	(32)	(32)		
	5530	-4.561	-4.486	-4.569	-4.690	1.445	7.48	-6.035	PASS

Test mode: IEEE 802.11ac 80 mode / 5775MHz

Channel	Frequency (MHz)	PP: (dB		1)			Limit (dBm)	Margain	Result
	(	Antenna 0	Antenna 1	Antenna 2	Antenna 3	(dBm)	(32)		
	5775	0.557	-1.262	-0.871	0.254	5.756	26.48	-20.724	PASS

Remark


 $Directional\ Gain=G_{ant}+10log\ (N_{ant})\ dBi$ 

 $G_{\text{ant}}$ : Gain of Individual Antennas (Same for Each Antenna)


 $N_{\text{ant}}$ : Number of Transmit Antennas


FCC ID: VW7SR570A Page 163 /414


## **Test Plot**




#VBW 3.0 MHz\*












































































































ertification Services (Shenzhen) Inc. Report No.: C170322Z06-RP1-2









#VBW 3.0 MHz\*


Span 40.00 MHz #Sweep 1.000 ms (1001 pts)

Center 5.82500 GHz #Res BW 1.0 MHz









tification Services (Shenzhen) Inc. Report No.: C170322Z06-RP1-2

