

Report No.: AGC04983200901FE06 Page 138 of 157

EUT	Android POS	Model Name	APOLLO
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n40 5190MHz	Antenna	Vertical



PK Value

AV Value



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Perturg/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC04983200901FE06 Page 139 of 157

Test Mode	802.11n40 5310MHz	Antenna	Horizontal
Pressure	960hPa	Test Voltage	Normal Voltage
Temperature	25°C	Relative Humidity	55.4%
EUT	Android POS	Model Name	APOLLO



PK Value





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC04983200901FE06 Page 140 of 157

EUT	Android POS	Model Name	APOLLO
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n40 5310MHz	Antenna	Vertical



PK Value

AV Value



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC04983200901FE06 Page 141 of 157

EUT	Android POS	Model Name	APOLLO
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n40 5510MHz	Antenna	Horizontal



PK Value

AV Value



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pasting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC04983200901FE06 Page 142 of 157

EUT	Android POS	Model Name	APOLLO
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n40 5510MHz	Antenna	Vertical



PK Value

AV Value



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the submitted resting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphorization of AGS. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



RESULT: PASS

Note: All the 20MHz bandwidth modulation had been tested, the 802.11a20 was the worst case and record in his test report. All the 40MHz bandwidth modulation had been tested, the 802.11N40 was the worst case and record in his test report.

Two transmit chains had been tested, the chain 0 was the worst case and record in the test report.

The spurious emission at chain 0 is more than 3dB below the limits, so the MIMO results for the spurious

emissions are comply with the requirement.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the structure approver, or having been altered without authorization, or having not been stamped by the bedicated freshing/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter aphorization of AGC in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




14. FREQUENCY STABILITY

14.1. MEASUREMENT PROCEDURE

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2. Set the EUT Work on the operation frequency.
- 3. Set SPA Centre Frequency = Operation Frequency. SPAN=enough to measure the emission is maintained within the band
- 4. Set SPA Trace 1 Max hold, then View.
- 5. Extreme temperature rule is 0°C~45°C.

14.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand of the report is not permitted without the written authorization of AGE in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day and the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



14.3. MEASUREMENT RESULTS

Test Mode	Temperature	Measurement Frequency (MHz)	Result	Conclusion
	0 °C	5180	5180.024	PASS
8	10 °C	5180	5180.029	PASS
	20 °C	5180	5180.025	PASS
	30 °C	5180	5180.023	PASS
	40 °C	5180	5180.025	PASS
0	45 ℃	5180	5180.028	PASS
	0 °C	5240	5240.050	PASS
	10 °C	5240	5240.056	PASS
	20 °C	5240	5240.057	PASS
(6)	30 °C	5240	5240.052	PASS
C	40 ℃	5240	5240.053	PASS
	45 ℃	5240	5240.059	PASS
	0 °C	5260	5260.038	PASS
0	10 ℃	5260	5260.035	PASS
- 6	20 ℃	5260	5260.036	PASS
	30 °C	5260	5260.038	PASS
	40 °C	5260	5260.032	PASS
0	45 ℃	5260	5260.030	PASS
	0 °C	5320	5320.048	PASS
60	10 °C	5320	5320.048	PASS
000 11-00	20 °C	5320	5320.042	PASS
802.11a20	30 °C	5320	5320.046	PASS
	40 °C	5320	5320.043	PASS
-0-	50 ℃	5320	5320.047	PASS
	0 °C	5500	5500.060	PASS
	10 ℃	5500	5500.068	PASS
- 6	20 ℃	5500	5500.065	PASS
6 . (30 °C	5500	5500.063	PASS
	40 °C	5500	5500.065	PASS
8	45 ℃	5500	5500.067	PASS
8	0 °C	5700	5700.052	PASS
60	10 °C	5700	5700.052	PASS
	20 °C	5700	5700.051	PASS
	30 °C	5700	5700.053	PASS
8	40 °C	5700	5700.057	PASS
	45 ℃	5700	5700.056	PASS
	0 °C	5745	5745.045	PASS
	10 ℃	5745	5745.048	PASS
8	20 °C	5745	5745.047	PASS
.0	30 °C	5745	5745.046	PASS
	40 °C	5745	5745.045	PASS
	45 ℃	5745	5745.043	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stamp of the stamp of the stamp. It is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC04983200901FE06 Page 146 of 157

0 °C	5825	5825.056	PASS
10 ℃	5825	5825.057	PASS
20 ℃	5825	5825.052	PASS
30 ℃	5825	5825.052	PASS
40 ℃	5825	5825.053	PASS
45 ℃	5825	5825.054	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Test Mode	Temperature	Measurement Frequency (MHz)	Result	Conclusion
	0 °C	5180	5180.036	PASS
8	10 ℃	5180	5180.038	PASS
- C	20 ℃	5180	5180.036	PASS
3	30 ℃	5180	5180.033	PASS
	40 ℃	5180	5180.034	PASS
8	45 ℃	5180	5180.035	PASS
	0 °C	5240	5240.052	PASS
	10 ℃	5240	5240.052	PASS
	20 ℃	5240	5240.050	PASS
	30 ℃	5240	5240.056	PASS
	40 ℃	5240	5240.057	PASS
	45 ℃	5240	5240.053	PASS
	0 °C	5260	5260.034	PASS
8	10 ℃	5260	5260.035	PASS
C	20 ℃	5260	5260.033	PASS
3 .0	30 ℃	5260	5260.034	PASS
	40 ℃	5260	5260.035	PASS
0	45 ℃	5260	5260.031	PASS
®	0 °C	5320	5320.046	PASS
	10 ℃	5320	5320.043	PASS
802.11n20	20 ℃	5320	5320.045	PASS
	30 ℃	5320	5320.044	PASS
8	40 ℃	5320	5320.042	PASS
	45 ℃	5320	5320.041	PASS
	0 °C	5500	5500.069	PASS
	10 ℃	5500	5500.060	PASS
	20 ℃	5500	5500.061	PASS
30 . (30 ℃	5500	5500.063	PASS
	40 ℃	5500	5500.062	PASS
8	45 ℃	5500	5500.065	PASS
8	0 °C	5700	5700.055	PASS
	10 ℃	5700	5700.050	PASS
	20 ℃	5700	5700.059	PASS
	30 ℃	5700	5700.057	PASS
8	40 ℃	5700	5700.056	PASS
	45 ℃	5700	5700.053	PASS
	0 °C	5745	5745.045	PASS
	10 ℃	5745	5745.048	PASS
©	20 ℃	5745	5745.043	PASS
0	30 ℃	5745	5745.047	PASS
	40 ℃	5745	5745.045	PASS
	45 ℃	5745	5745.040	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the abedicated resting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC04983200901FE06 Page 148 of 157

0 °C	5825	5825.052	PASS
10 ℃	5825	5825.045	PASS
20 °C	5825	5825.046	PASS
30 °C	5825	5825.047	PASS
40 °C	5825	5825.045	PASS
45 ℃	5825	5825.043	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Test Mode	Temperature	Measurement Frequency (MHz)	Result	Conclusion
	- 10℃	5190	5190.058	PASS
®	0 °C	5190	5190.053	PASS
- C	10 ℃	5190	5190.050	PASS
0 ~ (20 ℃	5190	5190.057	PASS
	30 ℃	5190	5190.053	PASS
0	40 ℃	5190	5190.055	PASS
	45 ℃	5190	5190.052	PASS
	0 °C	5230	5230.045	PASS
	10 ℃	5230	5230.043	PASS
	20 ℃	5230	5230.044	PASS
8	30 ℃	5230	5230.048	PASS
- 69	40 °C	5230	5230.046	PASS
	45 ℃	5230	5230.047	PASS
	0 °C	5270	5270.093	PASS
C.	10 ℃	5270	5270.091	PASS
30 - (20 ℃	5270	5270.092	PASS
	30 ℃	5270	5270.095	PASS
8	40 °C	5270	5270.097	PASS
6	45 ℃	5270	5270.090	PASS
	0 °C	5310	5310.040	PASS
802.11n40	10 ℃	5310	5310.048	PASS
	20 ℃	5310	5310.042	PASS
©	30 °C	5310	5310.045	PASS
0	40 ℃	5310	5310.045	PASS
	45 ℃	5310	5310.041	PASS
	0 °C	5510	5510.052	PASS
	10 ℃	5510	5510.051	PASS
3	20 ℃	5510	5510.059	PASS
	30 ℃	5510	5510.053	PASS
0	40 ℃	5510	5510.057	PASS
8	45 ℃	5510	5510.055	PASS
- C	0 °C	5670	5670.080	PASS
	10 ℃	5670	5670.084	PASS
	20 °C	5670	5670.083	PASS
8	30 ℃	5670	5670.080	PASS
c.C	40 ℃	5670	5670.083	PASS
	45 ℃	5670	5670.084	PASS
	0 °C	5755	5755.045	PASS
8	10 ℃	5755	5755.042	PASS
c.G	20 ℃	5755	5755.043	PASS
	30 ℃	5755	5755.047	PASS
	40 °C	5755	5755.043	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the abedicated resting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC04983200901FE06 Page 150 of 157

	45 ℃	5755	5755.046	PASS
	0°C	5795	5795.062	PASS
	10 °C	5795	5795.068	PASS
	20 ℃	5795	5795.062	PASS
	30 ℃	5795	5795.063	PASS
	40 ℃	5795	5795.060	PASS
0	45 ℃	5795	5795.061	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

15. FCC LINE CONDUCTED EMISSION TEST

15.1. LIMITS OF LINE CONDUCTED EMISSION TEST


Francisco	Maximum RF Line Voltage		
Frequency	Q.P.(dBuV)	Average(dBuV)	
150kHz~500kHz	66-56	56-46	
500kHz~5MHz	56	46	
5MHz~30MHz	60	50	

Note:

1. The lower limit shall apply at the transition frequency.

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50MHz.

15.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



15.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipments received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received charging voltage by adapter which received 120V/60Hzpower by a LISN.
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

15.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less –2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stead residual/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphroization of AGS. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



2

15.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST





MEASUREMENT RESULT: "agc fin"

202	20/9/10 11:2	20					
	Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line
	0.554000 1.022000 2.202000 2.690000	40.90 40.90 34.70 38.80	11.3 11.3 11.3 11.4	56 56 56 56	15.1 15.1 21.3 17.2	<u> </u> QР	L1 L1 L1 L1
	3.622000	38.60	11.4	56	17.4	QP QP	L1


MEASUREMENT RESULT: "agc fin2"

2020/9/10 11:	20					
Frequency	Level	Transd	Limit	Margin	Detector	Line
MHz	dBµV	dB	dBµV	dB		
0.558000	34.80	11.3	46	11.2	AV	L1
0.618000	28.60	11.3	46	17.4	AV	L1
0.962000	30.70	11.3	46	15.3	AV	L1
1.022000	33.70	11.3	46	12.3	AV	L1
1.086000	33.10	11.3	46	12.9	AV	L1
1.394000	30.70	11.3	46	15.3	AV	L1

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated for the formation of the stamp. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.







MEASUREMENT RESULT: "agc fin"

2020/9/10 10:45

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line
0.562000 0.626000 1.002000 1.062000 1.378000 3.562000	49.30 47.00 45.70 46.60 44.80 43.30	11.3 11.3 11.3 11.3 11.3 11.3 11.4	56 56 56 56 56	6.7 9.0 10.3 9.4 11.2 12.7	<i></i> Q́Р	N N N N N

MEASUREMENT RESULT: "agc fin2"

2020/9/10 10:	45					
Frequency	Level	Transd	Limit	Margin	Detector	Line
MHz	dBµV	dB	dBµV	dB		
0.562000	43.00	11.3	46	3.0	AV	N
0.626000	41.20	11.3	46	4.8	AV	Ν
0.686000	39.10	11.3	46	6.9	AV	N
1.002000	39.50	11.3	46	6.5	AV	Ν
1.062000	40.90	11.3	46	5.1	AV	N
1.122000	39.20	11.3	46	6.8	AV	N

RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Report No.: AGC04983200901FE06 Page 155 of 157

APPENDIX A: PHOTOGRAPHS OF TEST SETUP FCC LINE CONDUCTED EMISSION TEST SETUP



FCC RADIATED EMISSION TEST SETUP BELOW 1GHZ



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pasting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC04983200901FE06 Page 156 of 157



FCC RADIATED EMISSION TEST SETUP ABOVE 1GHZ

CONDUCTED TEST SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC04983200901FE06 Page 157 of 157

APPENDIX B: PHOTOGRAPHS OF EUT

Refer to the Report No.: AGC04983200901AP01

----END OF REPORT----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Festiva/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter approximation of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. The non-CMA report issued by AGC is only permitted to be used by the client as internal reference use and shall not be used for public demonstration purpose.

5. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

6. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

7. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

8. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

9. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.

10. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Perturn/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/