



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 6:20:06 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 11220.000 | 34.47 | peak | 10.75 | 45.22 | 74.00 | 150 | 290 | -28.78 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 6:25:46 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 11220.000 | 34.81 | peak | 10.75 | 45.56 | 74.00 | 150 | 90 | -28.44 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 6:21:15 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 16830.000 | 27.76 | peak | 20.25 | 48.01 | 74.00 | 150 | 215 | -25.99 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 6:26:54 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 16830.000 | 28.26 | peak | 20.25 | 48.51 | 74.00 | 150 | 135 | -25.49 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 6:21:25 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH122

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 6:27:04 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 6:21:35 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#12


Date: 3/4/2020

Temperature:24.0 °C

90.0 dBuV/m

Time: 6:27:15 AM

Humidity:59.4 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH122

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 3:49:17 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 4:00:44 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#2


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 3:50:18 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 4:01:46 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH155

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 3:56:45 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 11550.000 | 34.70 | peak | 11.21 | 45.91 | 74.00 | 150 | 285 | -28.09 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 4:04:18 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 11550.000 | 35.37 | peak | 11.21 | 46.58 | 74.00 | 150 | 275 | -27.42 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 3:57:54 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 17325.000 | 26.74 | peak | 20.72 | 47.46 | 74.00 | 150 | 110 | -26.54 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#10


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 4:05:26 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 17325.000 | 26.71 | peak | 20.72 | 47.43 | 74.00 | 150 | 150 | -26.57 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 3:58:04 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#11


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 4:05:36 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac80 CH155

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 3:58:15 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#12


Date: 3/5/2020

Temperature:22.8 °C

90.0 dBuV/m

Time: 4:05:47 AM

Humidity:56.8 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1_WiFi 5G_ant02_TX

Data :#1


Date: 3/8/2020

Temperature:28.6 °C

80.0 dBuV/m

Time: 4:59:39 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 210.7814 | 53.17 | QP | -10.72 | 42.45 | 43.50 | 100 | 25 | -1.05 | |
| | 451.8235 | 47.74 | QP | -3.51 | 44.23 | 46.00 | 100 | 173 | -1.77 | |
| | 667.5951 | 44.84 | QP | -0.69 | 44.15 | 46.00 | 100 | 80 | -1.85 | |



Radiated Emission Measurement

Operator: Leon

File :1_WiFi 5G_ant02_TX

Data :#2


Date: 3/8/2020

Temperature:28.6 °C

80.0 dBuV/m

Time: 5:13:39 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 45.5510 | 48.56 | QP | -9.76 | 38.80 | 40.00 | 100 | 110 | -1.20 | |
| | 887.2545 | 39.59 | peak | 3.06 | 42.65 | 46.00 | 100 | 35 | -3.35 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 1:40:10 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 1:48:57 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 1:41:12 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 1:49:58 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5076.092 | 59.78 | peak | -1.12 | 58.66 | 74.00 | 150 | 195 | -15.34 | |
| * | 5076.092 | 43.13 | AVG | -1.12 | 42.01 | 54.00 | 150 | 195 | -11.99 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 1:46:24 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 10500.000 | 34.51 | peak | 8.52 | 43.03 | 74.00 | 150 | 60 | -30.97 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 1:57:14 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 10500.000 | 35.62 | peak | 8.52 | 44.14 | 74.00 | 150 | 167 | -29.86 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 1:47:33 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 15750.000 | 28.77 | peak | 17.55 | 46.32 | 74.00 | 150 | 175 | -27.68 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 1:58:24 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 15750.000 | 28.31 | peak | 17.55 | 45.86 | 74.00 | 150 | 243 | -28.14 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 1:47:43 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 1:58:34 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 1:47:53 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 1:58:44 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:02:53 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:12:45 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:03:54 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:13:46 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5387.235 | 67.70 | peak | -0.27 | 67.43 | 74.00 | 200 | 290 | -6.57 | |
| * | 5387.235 | 50.98 | AVG | -0.27 | 50.71 | 54.00 | 200 | 290 | -3.29 | |
| | 5515.030 | 66.59 | peak | -0.19 | 66.40 | 74.00 | 175 | 267 | -7.60 | |
| | 5515.030 | 49.63 | AVG | -0.19 | 49.44 | 54.00 | 175 | 267 | -4.56 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:10:02 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 11140.000 | 34.06 | peak | 10.21 | 44.27 | 74.00 | 150 | 57 | -29.73 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:17:26 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 11140.000 | 34.74 | peak | 10.21 | 44.95 | 74.00 | 150 | 217 | -29.05 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:11:12 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 16710.000 | 26.88 | peak | 19.86 | 46.74 | 74.00 | 150 | 196 | -27.26 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:18:36 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 16710.000 | 27.21 | peak | 19.86 | 47.07 | 74.00 | 150 | 250 | -26.93 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:11:22 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:18:46 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:11:32 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:18:56 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1_WiFi 5G_ant13_TX

Data :#1


Date: 3/8/2020

Temperature:28.6 °C

80.0 dBuV/m

Time: 5:19:39 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 210.7812 | 53.11 | QP | -10.72 | 42.39 | 43.50 | 100 | 191 | -1.11 | |
| | 323.5271 | 46.84 | QP | -5.72 | 41.12 | 46.00 | 100 | 236 | -4.88 | |
| * | 667.5951 | 45.84 | QP | -0.69 | 45.15 | 46.00 | 100 | 57 | -0.85 | |



Radiated Emission Measurement

Operator: Leon

File :1_WiFi 5G_ant13_TX

Data :#2


Date: 3/8/2020

Temperature:28.6 °C

80.0 dBuV/m

Time: 5:26:39 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 45.5510 | 48.69 | QP | -9.76 | 38.93 | 40.00 | 100 | 172 | -1.07 | |
| | 887.2545 | 41.59 | QP | 3.06 | 44.65 | 46.00 | 100 | 43 | -1.35 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 2:40:18 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 2:57:51 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 2:41:19 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 2:58:52 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5081.503 | 55.42 | peak | -1.11 | 54.31 | 74.00 | 150 | 187 | -19.69 | |
| * | 5081.503 | 41.07 | AVG | -1.11 | 39.96 | 54.00 | 150 | 187 | -14.04 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 2:45:29 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 10500.000 | 34.22 | peak | 8.52 | 42.74 | 74.00 | 150 | 137 | -31.26 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 3:00:07 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 10500.000 | 34.34 | peak | 8.52 | 42.86 | 74.00 | 150 | 270 | -31.14 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 2:46:38 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 15750.000 | 28.87 | peak | 17.55 | 46.42 | 74.00 | 150 | 285 | -27.58 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 3:01:18 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 15750.000 | 28.75 | peak | 17.55 | 46.30 | 74.00 | 150 | 246 | -27.70 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 2:46:48 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 3:01:28 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 2:46:58 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 3:01:38 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:37:13 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:55:48 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:38:15 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:56:49 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:49:31 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 11140.000 | 34.87 | peak | 10.21 | 45.08 | 74.00 | 150 | 195 | -28.92 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#9


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 5:07:56 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 11140.000 | 34.29 | peak | 10.21 | 44.50 | 74.00 | 150 | 56 | -29.50 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:50:40 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 16710.000 | 26.91 | peak | 19.86 | 46.77 | 74.00 | 150 | 217 | -27.23 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#10


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 5:09:06 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 16710.000 | 26.76 | peak | 19.86 | 46.62 | 74.00 | 150 | 267 | -27.38 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:50:50 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#11


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 5:09:16 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 4:51:00 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#12


Date: 3/8/2020

Temperature:28.6 °C

90.0 dBuV/m

Time: 5:09:27 PM

Humidity:47.9 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :A-ANT1-CH149

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:07:21

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT1-CH149

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:08:36

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11A CH149

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT1-CH157

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:22:59

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT1-CH157

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:25:06

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 5780.00 | 15.00 | | | 15.00 | 35.00 | | | 20.00 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT1-CH165

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:37:48

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT1-CH165

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:39:00

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :A-ANT2-CH149

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:11:19

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT2-CH149

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:12:28

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH149

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT2-CH157

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:27:32

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 5780.000 | 5.0 | | | 5.0 | 35.0 | | | | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT2-CH157

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:28:43

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT2-CH165

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:44:06

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11A CH165

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT2-CH165

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:45:19

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :A-ANT3-CH149

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:14:01

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT3-CH149

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:15:12

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH149

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT3-CH157

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:30:24

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 5780.00 | 5.0 | | | 5.0 | 35.0 | | | 30.0 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT3-CH157

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:31:37

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT3-CH165

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:46:49

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT3-CH165

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:48:03

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :A-ANT4-CH149

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:17:23

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 5740.00 | 5.0 | | 0.0 | 5.0 | 35.0 | | | 30.0 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT4-CH149

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:18:49

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH149

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT4-CH157

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:33:16

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 5780.000 | 5.0 | | | 5.0 | 30.0 | | | 25.0 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT4-CH157

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:34:32

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT4-CH165

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:49:38

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :A-ANT4-CH165

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:50:52

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11A CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :N20-CH149

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:58:37

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11N20 CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :N20-CH149

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 03:59:48

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11N20 CH149

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :N20-CH157

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 04:01:35

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11N20 CH157

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :N20-CH157

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 04:02:47

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11N20 CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :N20-CH165

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 04:04:25

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11N20 CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :N20-CH165

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 04:05:39

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11N20 CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :N40-CH151

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 04:07:44

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11N40 CH151

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :N40-CH151

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 04:09:21

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11N40 CH151

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :N40-CH159

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 04:30:46

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11N40 CH159

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :N40-CH159

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 04:31:56

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11N40 CH159

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :AC80-CH155

Data :#1


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 04:34:14

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11AC80 CH155

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :AC80-CH155

Data :#2


Date: 2020/3/23

Temperature:24 °C

40.0 dBm

Time: 下午 04:35:25

Humidity:60 %



Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11AC80 CH155

Note :


Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Registration number: W6R22002-19655-C-54
FCC ID: W23-WMXWAVE2AS

Banded Emission



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant0_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 5:28:46 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 19.87 | peak | 41.10 | 60.97 | 74.00 | 150 | 20 | -13.03 | |
| * | 5150.000 | 9.57 | AVG | 41.10 | 50.67 | 54.00 | 150 | 20 | -3.33 | |



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant0_802
 132.0 dBuV/m

Data :#2

Date: 4/26/2020
 Time: 5:20:39 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5139.760 | 24.04 | peak | 41.07 | 65.11 | 74.00 | 150 | 317 | -8.89 | |
| | 5139.760 | 11.55 | AVG | 41.07 | 52.62 | 54.00 | 150 | 317 | -1.38 | |
| | 5150.000 | 23.13 | peak | 41.10 | 64.23 | 74.00 | 150 | 317 | -9.77 | |
| * | 5150.000 | 12.56 | AVG | 41.10 | 53.66 | 54.00 | 150 | 317 | -0.34 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0_802

Data :#1


Date: 4/26/2020

Temperature:23.6 °C

132.0 dBuV/m

Time: 6:01:49 AM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 19.02 | peak | 41.45 | 60.47 | 74.00 | 175 | 15 | -13.53 | |
| * | 5350.000 | 8.76 | AVG | 41.45 | 50.21 | 54.00 | 175 | 15 | -3.79 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0_802

Data :#2


Date: 4/26/2020

Temperature:23.6 °C

132.0 dBuV/m

Time: 5:40:06 AM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 23.58 | peak | 41.45 | 65.03 | 74.00 | 185 | 330 | -8.97 | |
| * | 5350.000 | 12.39 | AVG | 41.45 | 53.84 | 54.00 | 185 | 330 | -0.16 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant0_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 6:42:01 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 21.45 | peak | 41.46 | 62.91 | 74.00 | 150 | 325 | -11.09 | |
| * | 5470.000 | 11.36 | AVG | 41.46 | 52.82 | 54.00 | 150 | 325 | -1.18 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant0_802
 132.0 dBuV/m

Data :#2

Date: 4/26/2020
 Time: 6:22:27 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 23.69 | peak | 41.46 | 65.15 | 74.00 | 160 | 275 | -8.85 | |
| * | 5470.000 | 12.43 | AVG | 41.46 | 53.89 | 54.00 | 160 | 275 | -0.11 | |



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant0_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 7:45:22 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 19.13 | peak | 41.92 | 61.05 | 74.00 | 150 | 285 | -12.95 | |
| * | 5725.000 | 10.86 | AVG | 41.92 | 52.78 | 54.00 | 150 | 285 | -1.22 | |



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant0_802
 132.0 dBuV/m

Data :#2

Date: 4/26/2020
 Time: 7:22:49 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 20.13 | peak | 41.92 | 62.05 | 74.00 | 150 | 280 | -11.95 | |
| * | 5725.000 | 11.67 | AVG | 41.92 | 53.59 | 54.00 | 150 | 280 | -0.41 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant1_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 9:55:07 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 18.30 | peak | 41.10 | 59.40 | 74.00 | 175 | 310 | -14.60 | |
| * | 5150.000 | 11.78 | AVG | 41.10 | 52.88 | 54.00 | 175 | 310 | -1.12 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant1_802
 132.0 dBuV/m

Data :#2

Date: 4/26/2020
 Time: 9:35:20 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 19.53 | peak | 41.10 | 60.63 | 74.00 | 150 | 155 | -13.37 | |
| * | 5150.000 | 12.38 | AVG | 41.10 | 53.48 | 54.00 | 150 | 155 | -0.52 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant1_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 10:30:16 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 18.55 | peak | 41.45 | 60.00 | 74.00 | 170 | 270 | -14.00 | |
| * | 5350.000 | 11.03 | AVG | 41.45 | 52.48 | 54.00 | 170 | 270 | -1.52 | |



Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant1_802
 132.0 dBuV/m


Data :#2

Date: 4/26/2020

Temperature:23.6 °C

Time: 10:20:25 AM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 22.03 | peak | 41.45 | 63.48 | 74.00 | 200 | 145 | -10.52 | |
| * | 5350.000 | 12.01 | AVG | 41.45 | 53.46 | 54.00 | 200 | 145 | -0.54 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant1_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 9:15:48 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 19.47 | peak | 41.46 | 60.93 | 74.00 | 153 | 219 | -13.07 | |
| * | 5470.000 | 11.38 | AVG | 41.46 | 52.84 | 54.00 | 153 | 219 | -1.16 | |



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant1_802
 132.0 dBuV/m

Data :#2

Date: 4/26/2020
 Time: 9:01:22 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 20.48 | peak | 41.46 | 61.94 | 74.00 | 215 | 175 | -12.06 | |
| * | 5470.000 | 12.13 | AVG | 41.46 | 53.59 | 54.00 | 215 | 175 | -0.41 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant1_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 8:52:24 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 19.25 | peak | 41.92 | 61.17 | 74.00 | 150 | 290 | -12.83 | |
| * | 5725.000 | 11.28 | AVG | 41.92 | 53.20 | 54.00 | 150 | 290 | -0.80 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant1_802

Data :#2


Date: 4/26/2020

Temperature:23.6 °C

132.0 dBuV/m

Time: 8:05:33 AM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 20.24 | peak | 41.92 | 62.16 | 74.00 | 165 | 290 | -11.84 | |
| * | 5725.000 | 11.86 | AVG | 41.92 | 53.78 | 54.00 | 165 | 290 | -0.22 | |
| | 5725.852 | 22.48 | peak | 41.92 | 64.40 | 74.00 | 165 | 290 | -9.60 | |
| | 5725.852 | 11.57 | AVG | 41.92 | 53.49 | 54.00 | 165 | 290 | -0.51 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant2_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 11:01:55 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 24.19 | peak | 41.10 | 65.29 | 74.00 | 160 | 165 | -8.71 | |
| * | 5150.000 | 9.89 | AVG | 41.10 | 50.99 | 54.00 | 160 | 165 | -3.01 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant2_802
 132.0 dBuV/m


Data :#2

Date: 4/26/2020

Temperature:23.6 °C

Time: 10:55:21 AM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 26.35 | peak | 41.10 | 67.45 | 74.00 | 150 | 180 | -6.55 | |
| * | 5150.000 | 11.97 | AVG | 41.10 | 53.07 | 54.00 | 150 | 180 | -0.93 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant2_802

Data :#1


Date: 4/26/2020

Temperature:23.6 °C

132.0 dBuV/m

Time: 10:49:10 AM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 23.27 | peak | 41.45 | 64.72 | 74.00 | 155 | 280 | -9.28 | |
| * | 5350.000 | 11.13 | AVG | 41.45 | 52.58 | 54.00 | 155 | 280 | -1.42 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant2_802
 132.0 dBuV/m


Data :#2

Date: 4/26/2020

Temperature:23.6 °C

Time: 10:43:10 AM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 23.50 | peak | 41.45 | 64.95 | 74.00 | 155 | 145 | -9.05 | |
| * | 5350.000 | 11.83 | AVG | 41.45 | 53.28 | 54.00 | 155 | 145 | -0.72 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant2_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 11:19:55 AM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 19.08 | peak | 41.46 | 60.54 | 74.00 | 175 | 150 | -13.46 | |
| * | 5470.000 | 7.68 | AVG | 41.46 | 49.14 | 54.00 | 175 | 150 | -4.86 | |



Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant2_802
 132.0 dBuV/m


Data :#2

Date: 4/26/2020

Temperature:23.6 °C

Time: 11:13:53 AM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 22.65 | peak | 41.46 | 64.11 | 74.00 | 215 | 145 | -9.89 | |
| * | 5470.000 | 10.67 | AVG | 41.46 | 52.13 | 54.00 | 215 | 145 | -1.87 | |



Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant2_802
 132.0 dBuV/m


Data :#1

Date: 4/26/2020

Temperature:23.6 °C

Time: 11:34:50 AM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 23.82 | peak | 41.92 | 65.74 | 74.00 | 150 | 172 | -8.26 | |
| * | 5725.000 | 10.49 | AVG | 41.92 | 52.41 | 54.00 | 150 | 172 | -1.59 | |



Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant2_802

Data :#2


Date: 4/26/2020

Temperature:23.6 °C

132.0 dBuV/m

Time: 11:29:01 AM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 25.44 | peak | 41.92 | 67.36 | 74.00 | 150 | 104 | -6.64 | |
| * | 5725.000 | 11.64 | AVG | 41.92 | 53.56 | 54.00 | 150 | 104 | -0.44 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant3_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 12:27:56 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 23.67 | peak | 41.10 | 64.77 | 74.00 | 160 | 164 | -9.23 | |
| * | 5150.000 | 10.23 | AVG | 41.10 | 51.33 | 54.00 | 160 | 164 | -2.67 | |



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant3_802
 132.0 dBuV/m

Data :#2

Date: 4/26/2020
 Time: 12:22:24 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 24.98 | peak | 41.10 | 66.08 | 74.00 | 150 | 165 | -7.92 | |
| * | 5150.000 | 11.54 | AVG | 41.10 | 52.64 | 54.00 | 150 | 165 | -1.36 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant3_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 12:46:00 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 26.30 | peak | 41.45 | 67.75 | 74.00 | 150 | 227 | -6.25 | |
| * | 5350.000 | 11.37 | AVG | 41.45 | 52.82 | 54.00 | 150 | 227 | -1.18 | |



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant3_802
 132.0 dBuV/m

Data :#2

Date: 4/26/2020
 Time: 12:37:26 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 27.76 | peak | 41.45 | 69.21 | 74.00 | 150 | 180 | -4.79 | |
| * | 5350.000 | 12.29 | AVG | 41.45 | 53.74 | 54.00 | 150 | 180 | -0.26 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant3_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 12:14:53 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 17.23 | peak | 41.46 | 58.69 | 74.00 | 165 | 144 | -15.31 | |
| * | 5470.000 | 7.93 | AVG | 41.46 | 49.39 | 54.00 | 165 | 144 | -4.61 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant3_802
 132.0 dBuV/m

Data :#2

Date: 4/26/2020
 Time: 12:09:00 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 19.70 | peak | 41.46 | 61.16 | 74.00 | 165 | 80 | -12.84 | |
| * | 5470.000 | 10.39 | AVG | 41.46 | 51.85 | 54.00 | 165 | 80 | -2.15 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant3_802
 132.0 dBuV/m


Data :#1

Date: 4/26/2020

Temperature:23.6 °C

Time: 11:51:33 AM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 20.50 | peak | 41.92 | 62.42 | 74.00 | 150 | 160 | -11.58 | |
| * | 5725.000 | 9.42 | AVG | 41.92 | 51.34 | 54.00 | 150 | 160 | -2.66 | |
| | 5726.252 | 22.65 | peak | 41.92 | 64.57 | 74.00 | 150 | 160 | -9.43 | |
| | 5726.252 | 9.26 | AVG | 41.92 | 51.18 | 54.00 | 150 | 160 | -2.82 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant3_802
 132.0 dBuV/m


Data :#2

Date: 4/26/2020

Temperature:23.6 °C

Time: 11:45:50 AM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 24.35 | peak | 41.92 | 66.27 | 74.00 | 150 | 94 | -7.73 | |
| * | 5725.000 | 11.69 | AVG | 41.92 | 53.61 | 54.00 | 150 | 94 | -0.39 | |
| | 5726.052 | 27.35 | peak | 41.92 | 69.27 | 74.00 | 150 | 94 | -4.73 | |
| | 5726.052 | 10.20 | AVG | 41.92 | 52.12 | 54.00 | 150 | 94 | -1.88 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#1


Date: 4/26/2020

Temperature:23.6 °C

132.0 dBuV/m

Time: 2:07:41 PM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 19.75 | peak | 41.10 | 60.85 | 74.00 | 150 | 164 | -13.15 | |
| * | 5150.000 | 9.19 | AVG | 41.10 | 50.29 | 54.00 | 150 | 164 | -3.71 | |




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#2
 132.0 dBuV/m

Date: 4/26/2020
 Time: 1:57:41 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 21.26 | peak | 41.10 | 62.36 | 74.00 | 150 | 195 | -11.64 | |
| * | 5150.000 | 11.52 | AVG | 41.10 | 52.62 | 54.00 | 150 | 195 | -1.38 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#1


Date: 4/26/2020

Temperature:23.6 °C

132.0 dBuV/m

Time: 1:47:19 PM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 20.22 | peak | 41.45 | 61.67 | 74.00 | 150 | 27 | -12.33 | |
| * | 5350.000 | 11.09 | AVG | 41.45 | 52.54 | 54.00 | 150 | 27 | -1.46 | |

*:Maximum data x:Over limit !:over margin




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#2
 132.0 dBuV/m

Date: 4/26/2020
 Time: 1:39:40 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 22.22 | peak | 41.45 | 63.67 | 74.00 | 190 | 145 | -10.33 | |
| * | 5350.000 | 12.17 | AVG | 41.45 | 53.62 | 54.00 | 190 | 145 | -0.38 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875


Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#1
 132.0 dBuV/m

Date: 4/26/2020
 Time: 2:30:02 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n20 CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 22.47 | peak | 41.46 | 63.93 | 74.00 | 153 | 165 | -10.07 | |
| * | 5470.000 | 10.63 | AVG | 41.46 | 52.09 | 54.00 | 153 | 165 | -1.91 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875


Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#2
 132.0 dBuV/m

Date: 4/26/2020
 Time: 2:21:30 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 24.65 | peak | 41.46 | 66.11 | 74.00 | 213 | 100 | -7.89 | |
| * | 5470.000 | 12.33 | AVG | 41.46 | 53.79 | 54.00 | 213 | 100 | -0.21 | |

*:Maximum data x:Over limit !:over margin




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#1

Date: 4/26/2020
 Time: 3:13:43 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: **Horizontal**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 23.77 | peak | 41.92 | 65.69 | 74.00 | 150 | 165 | -8.31 | |
| * | 5725.000 | 8.97 | AVG | 41.92 | 50.89 | 54.00 | 150 | 165 | -3.11 | |
| | 5726.854 | 24.73 | peak | 41.92 | 66.65 | 74.00 | 150 | 165 | -7.35 | |
| | 5726.854 | 8.91 | AVG | 41.92 | 50.83 | 54.00 | 150 | 165 | -3.17 | |




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#2

Date: 4/26/2020
 Time: 2:45:29 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 26.39 | peak | 41.92 | 68.31 | 74.00 | 175 | 167 | -5.69 | |
| * | 5725.000 | 11.57 | AVG | 41.92 | 53.49 | 54.00 | 175 | 167 | -0.51 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875


Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#1
 132.0 dBuV/m

Date: 4/26/2020
 Time: 4:56:21 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5146.713 | 25.36 | peak | 41.09 | 66.45 | 74.00 | 150 | 159 | -7.55 | |
| | 5146.713 | 10.38 | AVG | 41.09 | 51.47 | 54.00 | 150 | 159 | -2.53 | |
| | 5150.000 | 23.67 | peak | 41.10 | 64.77 | 74.00 | 150 | 159 | -9.23 | |
| * | 5150.000 | 10.86 | AVG | 41.10 | 51.96 | 54.00 | 150 | 159 | -2.04 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875


Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#2
 132.0 dBuV/m

Date: 4/26/2020
 Time: 4:50:20 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 27.21 | peak | 41.10 | 68.31 | 74.00 | 190 | 325 | -5.69 | |
| * | 5150.000 | 12.05 | AVG | 41.10 | 53.15 | 54.00 | 190 | 325 | -0.85 | |

*:Maximum data x:Over limit !:over margin




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#1

Date: 4/26/2020
 Time: 4:36:05 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 22.90 | peak | 41.45 | 64.35 | 74.00 | 193 | 110 | -9.65 | |
| * | 5350.000 | 10.70 | AVG | 41.45 | 52.15 | 54.00 | 193 | 110 | -1.85 | |




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#2

Date: 4/26/2020
 Time: 4:25:55 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 24.93 | peak | 41.45 | 66.38 | 74.00 | 170 | 330 | -7.62 | |
| * | 5350.000 | 11.97 | AVG | 41.45 | 53.42 | 54.00 | 170 | 330 | -0.58 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875


Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#1
 132.0 dBuV/m

Date: 4/26/2020
 Time: 4:09:20 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 24.52 | peak | 41.46 | 65.98 | 74.00 | 150 | 140 | -8.02 | |
| * | 5470.000 | 10.86 | AVG | 41.46 | 52.32 | 54.00 | 150 | 140 | -1.68 | |




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#2
 132.0 dBuV/m

Date: 4/26/2020
 Time: 4:02:56 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11n40 CH102

Note :

Polarization: **Vertical**

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 26.77 | peak | 41.46 | 68.23 | 74.00 | 170 | 280 | -5.77 | |
| * | 5470.000 | 12.19 | AVG | 41.46 | 53.65 | 54.00 | 170 | 280 | -0.35 | |




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#1
 132.0 dBuV/m

Date: 4/26/2020
 Time: 3:44:43 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 22.30 | peak | 41.92 | 64.22 | 74.00 | 165 | 165 | -9.78 | |
| * | 5725.000 | 9.67 | AVG | 41.92 | 51.59 | 54.00 | 165 | 165 | -2.41 | |




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#2

Date: 4/26/2020
 Time: 3:31:07 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 24.84 | peak | 41.92 | 66.76 | 74.00 | 150 | 175 | -7.24 | |
| | 5725.000 | 11.38 | AVG | 41.92 | 53.30 | 54.00 | 150 | 175 | -0.70 | |
| | 5726.273 | 27.08 | peak | 41.92 | 69.00 | 74.00 | 150 | 175 | -5.00 | |
| * | 5726.273 | 11.85 | AVG | 41.92 | 53.77 | 54.00 | 150 | 175 | -0.23 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875


Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#1
 132.0 dBuV/m

Date: 4/26/2020
 Time: 5:49:59 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 17.72 | peak | 41.10 | 58.82 | 74.00 | 155 | 287 | -15.18 | |
| * | 5150.000 | 6.99 | AVG | 41.10 | 48.09 | 54.00 | 155 | 287 | -5.91 | |




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#2

Date: 4/26/2020
 Time: 5:25:25 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5067.756 | 22.09 | peak | 40.94 | 63.03 | 74.00 | 153 | 155 | -10.97 | |
| | 5067.756 | 8.07 | AVG | 40.94 | 49.01 | 54.00 | 153 | 155 | -4.99 | |
| | 5087.535 | 24.20 | peak | 40.95 | 65.15 | 74.00 | 153 | 155 | -8.85 | |
| | 5087.535 | 10.15 | AVG | 40.95 | 51.10 | 54.00 | 153 | 155 | -2.90 | |
| | 5106.894 | 25.66 | peak | 40.98 | 66.64 | 74.00 | 153 | 155 | -7.36 | |
| | 5106.894 | 11.84 | AVG | 40.98 | 52.82 | 54.00 | 153 | 155 | -1.18 | |
| | 5128.778 | 26.49 | peak | 41.04 | 67.53 | 74.00 | 153 | 155 | -6.47 | |
| * | 5128.778 | 12.08 | AVG | 41.04 | 53.12 | 54.00 | 153 | 155 | -0.88 | |
| | 5150.000 | 25.16 | peak | 41.10 | 66.26 | 74.00 | 153 | 155 | -7.74 | |
| | 5150.000 | 10.36 | AVG | 41.10 | 51.46 | 54.00 | 153 | 155 | -2.54 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875


Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#1

Date: 4/26/2020
 Time: 6:13:04 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 20.23 | peak | 41.45 | 61.68 | 74.00 | 150 | 25 | -12.32 | |
| * | 5350.000 | 10.84 | AVG | 41.45 | 52.29 | 54.00 | 150 | 25 | -1.71 | |

*:Maximum data x:Over limit !:over margin




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#2

Date: 4/26/2020
 Time: 6:03:04 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5350.000 | 28.01 | peak | 41.45 | 69.46 | 74.00 | 173 | 185 | -4.54 | |
| * | 5350.000 | 12.17 | AVG | 41.45 | 53.62 | 54.00 | 173 | 185 | -0.38 | |
| | 5370.742 | 27.31 | peak | 41.44 | 68.75 | 74.00 | 173 | 185 | -5.25 | |
| | 5370.742 | 11.68 | AVG | 41.44 | 53.12 | 54.00 | 173 | 185 | -0.88 | |
| | 5383.687 | 24.02 | peak | 41.42 | 65.44 | 74.00 | 173 | 185 | -8.56 | |
| | 5383.687 | 11.26 | AVG | 41.42 | 52.68 | 54.00 | 173 | 185 | -1.32 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875


Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#1
 132.0 dBuV/m

Date: 4/26/2020
 Time: 6:57:13 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5451.643 | 22.63 | peak | 41.45 | 64.08 | 74.00 | 170 | 290 | -9.92 | |
| | 5451.643 | 10.40 | AVG | 41.45 | 51.85 | 54.00 | 170 | 290 | -2.15 | |
| | 5460.401 | 23.88 | peak | 41.45 | 65.33 | 74.00 | 170 | 290 | -8.67 | |
| * | 5460.401 | 11.26 | AVG | 41.45 | 52.71 | 54.00 | 170 | 290 | -1.29 | |
| | 5470.000 | 20.04 | peak | 41.46 | 61.50 | 74.00 | 170 | 290 | -12.50 | |
| | 5470.000 | 10.18 | AVG | 41.46 | 51.64 | 54.00 | 170 | 290 | -2.36 | |

*:Maximum data x:Over limit !:over margin




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#2
 132.0 dBuV/m

Date: 4/26/2020
 Time: 6:33:17 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5431.824 | 20.57 | peak | 41.43 | 62.00 | 74.00 | 150 | 199 | -12.00 | |
| | 5431.824 | 10.26 | AVG | 41.43 | 51.69 | 54.00 | 150 | 199 | -2.31 | |
| | 5450.721 | 24.57 | peak | 41.45 | 66.02 | 74.00 | 150 | 199 | -7.98 | |
| * | 5450.721 | 12.13 | AVG | 41.45 | 53.58 | 54.00 | 150 | 199 | -0.42 | |
| | 5470.000 | 23.69 | peak | 41.46 | 65.15 | 74.00 | 150 | 199 | -8.85 | |
| | 5470.000 | 11.94 | AVG | 41.46 | 53.40 | 54.00 | 150 | 199 | -0.60 | |




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#1
 132.0 dBuV/m

Date: 4/26/2020
 Time: 7:31:04 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5725.000 | 18.11 | peak | 41.92 | 60.03 | 74.00 | 150 | 170 | -13.97 | |
| * | 5725.000 | 10.57 | AVG | 41.92 | 52.49 | 54.00 | 150 | 170 | -1.51 | |




Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant0123_802 Data :#2

Date: 4/26/2020
 Time: 7:17:17 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: **Vertical**

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5726.814 | 22.11 | peak | 41.92 | 64.03 | 74.00 | 150 | 172 | -9.97 | |
| * | 5726.814 | 11.47 | AVG | 41.92 | 53.39 | 54.00 | 150 | 172 | -0.61 | |
| | 5745.411 | 19.97 | peak | 41.98 | 61.95 | 74.00 | 150 | 172 | -12.05 | |
| | 5745.411 | 10.16 | AVG | 41.98 | 52.14 | 54.00 | 150 | 172 | -1.86 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant02_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 8:32:44 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 16.89 | peak | 41.10 | 57.99 | 74.00 | 150 | 196 | -16.01 | |
| | 5150.000 | 7.89 | AVG | 41.10 | 48.99 | 54.00 | 150 | 196 | -5.01 | |
| | 5350.000 | 17.66 | peak | 41.45 | 59.11 | 74.00 | 150 | 275 | -14.89 | |
| * | 5350.000 | 8.35 | AVG | 41.45 | 49.80 | 54.00 | 150 | 275 | -4.20 | |



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant02_802
 132.0 dBuV/m

Data :#2

Date: 4/26/2020
 Time: 8:26:02 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 19.99 | peak | 41.10 | 61.09 | 74.00 | 150 | 194 | -12.91 | |
| * | 5150.000 | 10.71 | AVG | 41.10 | 51.81 | 54.00 | 150 | 194 | -2.19 | |
| | 5350.000 | 18.38 | peak | 41.45 | 59.83 | 74.00 | 150 | 235 | -14.17 | |
| | 5350.000 | 9.89 | AVG | 41.45 | 51.34 | 54.00 | 150 | 235 | -2.66 | |



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant02_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 9:17:29 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

EUT : W6R22002-19655

M/N:

Test Mode : TX 802.11ac160 CH114

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 18.83 | peak | 41.46 | 60.29 | 74.00 | 150 | 196 | -13.71 | |
| | 5470.000 | 9.36 | AVG | 41.46 | 50.82 | 54.00 | 150 | 196 | -3.18 | |
| | 5725.000 | 19.13 | peak | 41.92 | 61.05 | 74.00 | 150 | 273 | -12.95 | |
| * | 5725.000 | 9.18 | AVG | 41.92 | 51.10 | 54.00 | 150 | 273 | -2.90 | |



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant02_802
 132.0 dBuV/m

Data :#2

Date: 4/26/2020
 Time: 9:06:13 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5444.248 | 27.83 | peak | 41.44 | 69.27 | 74.00 | 150 | 275 | -4.73 | |
| * | 5444.248 | 11.83 | AVG | 41.44 | 53.27 | 54.00 | 150 | 275 | -0.73 | |
| | 5470.000 | 25.53 | peak | 41.46 | 66.99 | 74.00 | 150 | 275 | -7.01 | |
| | 5470.000 | 10.38 | AVG | 41.46 | 51.84 | 54.00 | 150 | 275 | -2.16 | |
| | 5725.000 | 20.09 | peak | 41.92 | 62.01 | 74.00 | 150 | 193 | -11.99 | |
| | 5725.000 | 9.83 | AVG | 41.92 | 51.75 | 54.00 | 150 | 193 | -2.25 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :BandEdge(ant13_802

Data :#1


Date: 4/26/2020

Temperature:23.6 °C

132.0 dBuV/m

Time: 8:46:54 PM

Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 16.88 | peak | 41.10 | 57.98 | 74.00 | 153 | 195 | -16.02 | |
| * | 5150.000 | 9.57 | AVG | 41.10 | 50.67 | 54.00 | 153 | 195 | -3.33 | |
| | 5350.000 | 16.48 | peak | 41.45 | 57.93 | 74.00 | 150 | 216 | -16.07 | |
| | 5350.000 | 8.89 | AVG | 41.45 | 50.34 | 54.00 | 150 | 216 | -3.66 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant13_802
 132.0 dBuV/m

Data :#2

Date: 4/26/2020
 Time: 8:41:29 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK(Bandedge)(B1 5150_B2 5350)

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH50

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5150.000 | 17.89 | peak | 41.10 | 58.99 | 74.00 | 150 | 271 | -15.01 | |
| | 5150.000 | 10.97 | AVG | 41.10 | 52.07 | 54.00 | 150 | 271 | -1.93 | |
| | 5350.000 | 18.34 | peak | 41.45 | 59.79 | 74.00 | 150 | 80 | -14.21 | |
| * | 5350.000 | 11.23 | AVG | 41.45 | 52.68 | 54.00 | 150 | 80 | -1.32 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant13_802
 132.0 dBuV/m

Data :#1

Date: 4/26/2020
 Time: 9:01:41 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Horizontal*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 18.07 | peak | 41.46 | 59.53 | 74.00 | 150 | 220 | -14.47 | |
| | 5470.000 | 8.53 | AVG | 41.46 | 49.99 | 54.00 | 150 | 220 | -4.01 | |
| | 5725.000 | 17.75 | peak | 41.92 | 59.67 | 74.00 | 150 | 186 | -14.33 | |
| * | 5725.000 | 8.12 | AVG | 41.92 | 50.04 | 54.00 | 150 | 186 | -3.96 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement


Operator: Leon

File :BandEdge(ant13_802
 132.0 dBuV/m

Data :#2

Date: 4/26/2020
 Time: 8:55:09 PM

Temperature:23.6 °C
 Humidity:64.9 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5470_5725)

Polarization: *Vertical*

EUT : W6R22002-19655

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac160 CH114

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 5470.000 | 21.12 | peak | 41.46 | 62.58 | 74.00 | 150 | 320 | -11.42 | |
| * | 5470.000 | 11.05 | AVG | 41.46 | 52.51 | 54.00 | 150 | 320 | -1.49 | |
| | 5725.000 | 20.92 | peak | 41.92 | 62.84 | 74.00 | 150 | 172 | -11.16 | |
| | 5725.000 | 10.37 | AVG | 41.92 | 52.29 | 54.00 | 150 | 172 | -1.71 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :1_WiFi 5G_ant all_TX

Data :#1


Date: 11/9/2021

Temperature:23.9 °C

80.0 dBuV/m

Time: 10:15:29 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 123.3066 | 44.42 | peak | -6.16 | 38.26 | 43.50 | 106 | 67 | -5.24 | |
| | 252.3447 | 49.23 | QP | -7.07 | 42.16 | 46.00 | 115 | 230 | -3.84 | |
| * | 451.8236 | 45.92 | QP | -2.88 | 43.04 | 46.00 | 112 | 100 | -2.96 | |
| | 865.8717 | 37.87 | peak | 3.96 | 41.83 | 46.00 | 100 | 123 | -4.17 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :1_WiFi 5G_ant all_TX

Data :#2


Date: 11/9/2021

Temperature:23.9 °C

80.0 dBuV/m

Time: 10:21:25 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 33.8877 | 42.86 | QP | -8.19 | 34.67 | 40.00 | 107 | 260 | -5.33 | |
| | 47.4950 | 45.47 | peak | -9.46 | 36.01 | 40.00 | 105 | 37 | -3.99 | |
| * | 124.9984 | 48.21 | QP | -6.11 | 42.10 | 43.50 | 110 | 130 | -1.40 | |
| | 479.0380 | 43.75 | peak | -2.60 | 41.15 | 46.00 | 100 | 192 | -4.85 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 11/9/2021

Temperature:23.9 °C

90.0 dBuV/m

Time: 8:52:05 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 11/9/2021

Temperature:23.9 °C

90.0 dBuV/m

Time: 8:54:56 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 11/9/2021

Temperature:23.9 °C

90.0 dBuV/m

Time: 8:52:13 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 11/9/2021

Temperature:23.9 °C

90.0 dBuV/m

Time: 8:55:04 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 11/9/2021

Temperature:23.9 °C

90.0 dBuV/m

Time: 8:53:16 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 10420.000 | 35.01 | peak | 10.02 | 45.03 | 74.00 | 150 | 58 | -28.97 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#9


Date: 11/9/2021

Temperature:23.9 °C

90.0 dBuV/m

Time: 8:56:16 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 10420.000 | 34.73 | peak | 10.02 | 44.75 | 74.00 | 150 | 70 | -29.25 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 11/9/2021

Temperature:23.9 °C

90.0 dBuV/m

Time: 8:54:25 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 15630.000 | 25.48 | peak | 20.09 | 45.57 | 74.00 | 150 | 150 | -28.43 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#10


Date: 11/9/2021

Temperature:23.9 °C

90.0 dBuV/m

Time: 8:57:24 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 15630.000 | 26.57 | peak | 20.09 | 46.66 | 74.00 | 150 | 18 | -27.34 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 11/9/2021

Temperature:23.9 °C

90.0 dBuV/m

Time: 8:54:35 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#11


Date: 11/9/2021

Temperature:23.9 °C

90.0 dBuV/m

Time: 8:57:34 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 11/9/2021

Temperature:23.9 °C

90.0 dBuV/m

Time: 8:54:46 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#12


Date: 11/9/2021

Temperature:23.9 °C

90.0 dBuV/m

Time: 8:57:45 PM

Humidity:51.3 %



Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22110-21274

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin