



Compliance Testing, LLC

Previously Flom Test Lab

RF, EMC and Safety Testing Experts Since 1963

toll-free: (866) 311-3268

fax: (480) 926-3598

<http://www.ComplianceTesting.com>

info@ComplianceTesting.com

Date: December 20, 2010

Applicant: Bug Labs, Inc
598 Broadway
4th Floor
New York, NY 10012

Attention of: Matt Peddicord, Director of Operations
Ph: (212) 792-6357
Fax: (212) 792-6358
E-mail: matt.peddicord@buglabs.net

Equipment: BUG Y.T.

FCC ID: W3J-BUGYT

FCC Rules: Radio Frequency Radiation Exposure Limits
47 CFR 1.1310
MPE - Mobiles X Fixed Based Station

Enclosed please find your copy of the Supplemental Test Data Report, the whole for Environmental Assessment (MPE) of the referenced equipment as shown.

This report may not be reproduced, except in full, without written permission from Compliance Testing, LLC.

Should you need any clarification, please feel free to contact the office.

Thank you again for this order - it has been a pleasure to be of service.

Sincerely,

Compliance Testing



Compliance Testing, LLC

Previously Flom Test Lab

RF, EMC and Safety Testing Experts Since 1963

toll-free: (866) 311-3268

fax: (480) 926-3598

<http://www.ComplianceTesting.com>

info@ComplianceTesting.com

Environmental Assessment

for

Mobiles

for

FCC ID: W3J-BUGYT

Model: BUG Y.T.

to

Federal Communications Commission

47 CFR 1.1310

Radio Frequency Radiation Exposure Limits

Date of Report: December 20, 2010

At the Request of:

Bug Labs, Inc
598 Broadway
4th Floor
New York, NY 10012

Attention of:

Matt Peddicord, Director of Operations
Ph: (212) 792-6357
Fax: (212) 792-6358
E-mail: matt.peddicord@buglabs.net

By

Compliance Testing, LLC
3356 N. San Marcos Place, Suite 107
Chandler, Arizona 85225-7176
(866) 311-3268 phone, (480) 926-3598 fax



Test Report Revision History

Revision	Date	Revised By	Reason for revision
1.0	December 20, 2010	J. Erhard	Original Document
2.0	January 13, 2011	K. Springer	Revised Model Info per Customer request



Testimonial and Statement of Certification

This is to certify that:

1. **That** the application was prepared either by, or under the direct supervision of, the undersigned.
2. **That** the technical data supplied with the application was taken under my direction and supervision.
3. **That** the data was obtained on representative units, randomly selected.
4. **That**, to the best of my knowledge and belief, the facts set forth in the application and accompanying technical data is true and correct.

Certifying Engineer:

A handwritten signature in black ink, appearing to read "John Erhard".

John Erhard: Engineer Manager



Table of Contents

<u>Rule</u>	<u>Description</u>	<u>Page</u>
	Test Report	2
	Standard Test Conditions and Engineering Practices	4
1.1310	Environmental Assessment	5



Test Report

Name and Address of Applicant: Bug Labs, Inc
598 Broadway
4th Floor
New York, NY 10012

Manufacturer: Bug Labs, Inc
598 Broadway
4th Floor
New York, NY 10012

FCC ID: W3J-BUGYT

Model Number: BUG Y.T.

Description: 2.4GHz Bluetooth and WiFi Enabled Computer

Type of Emission: DTS or FHSS

Frequency Range, MHz: 2412 – 2462, 2402 - 2480

Power Rating, Watts: 0.00019
____ Switchable ____ Variable N/A



Compliance Testing, LLC

A2LA

“A2LA has accredited Compliance Testing LLC in Chandler, AZ for technical competence in the field of Electrical testing. The accreditation covers the specific tests and types of tests listed on the agreed scope of accreditation. This laboratory meets the requirements of ISO 17025:2005 ‘General Requirements for the Competence of Testing and Calibration Laboratories’ and any additional program requirements in the identified field of testing.”

Please refer to www.a2la.org for current scope of accreditation.

Certificate number: 2152.01





Standard Test Conditions and Engineering Practices

Except as noted herein, the following conditions and procedures were observed during the testing:

In accordance with ANSI C63.4-2009 and unless otherwise indicated in the specific measurement results, the ambient temperature of the actual EUT was maintained within the range of 10° to 40°C (50° to 104 °F) unless the particular equipment requirements specify testing over a different temperature range. Also, unless otherwise indicated, the humidity levels were in the range of 10% to 90% relative humidity.

Prior to testing, the EUT was tuned up in accordance with the manufacturer's alignment procedures. All external gain controls were maintained at the position of maximum and/or optimum gain throughout the testing.

Measurement results, unless otherwise noted, are worst-case measurements.



Name of Test:	Environmental Assessment	
Specification:	FCC: 47 CFR 1.1310	
Measurement Guide:	ANSI/IEEE C95.1 1992	
Name of Test:	R.F. Radiation Exposure	
FCC Rules:	1.1307, 1.1310, 1.1311, 2.1091	
Limits: Uncontrolled Exposure 47 CFR 1.1310 Table 1, (B)	0.3-1.234 MHz: 1.34-30 MHz: 30-300 MHz: 300-1500 MHz: 1500-100,000 MHz:	Limit $[\text{mW/cm}^2] = 100$ Limit $[\text{mW/cm}^2] = (180/f^2)$ Limit $[\text{mW/cm}^2] = 0.2$ Limit $[\text{mW/cm}^2] = f/1500$ Limit $[\text{mW/cm}^2] = 1.0$

DTS

Test Frequencies, MHz	2412	
Power, Conducted, W (P)	0.00019	
Antenna Gain Isotropic	1 dBi	
Antenna Gain Numeric (G)	1.26	
Antenna Type	Ceramic Chip	
Distance (R)	20 cm	
Power Density Calculations	Formula = Power Density (S) = Limit =	$S = PG / 4\pi R^2$ 0.0000476285 1.0

FHSS

Test Frequencies, MHz	2480	
Power, Conducted, W (P)	0.000035	
Antenna Gain Isotropic	1 dBi	
Antenna Gain Numeric (G)	1.26	
Antenna Type	Ceramic Chip	
Distance (R)	20 cm	
Power Density Calculations	Formula = Power Density (S) = Limit =	$S = PG / 4\pi R^2$ 0.0000087737 1.0

There is no simulations transmission for this device.

END OF TEST REPORT