


Orthogonal Axis :	X
Test Mode :	TX B MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	23.52	33.38	56.90	74.00	-17.10	peak	
2		2390.000	14.06	33.38	47.44	54.00	-6.56	AVG	
3	X	2414.700	69.15	33.44	102.59	74.00	28.59	peak	Fundamental frequency, no limit
4	*	2414.700	64.93	33.44	98.37	54.00	44.37	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX B MODE 2412MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4824.000	45.89	6.44	52.33	74.00	-21.67	peak	
2 *	4824.040	42.07	6.44	48.51	54.00	-5.49	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2437MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	2436.200	65.41	33.50	98.91	74.00	24.91	peak	Fundamental frequency, no limit
2	*	2436.200	63.27	33.50	96.77	54.00	42.77	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX B MODE 2437MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4874.000	45.77	6.55	52.32	74.00	-21.68	peak	
2 *	4874.000	43.66	6.55	50.21	54.00	-3.79	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2436.200	71.51	33.50	105.01	74.00	31.01	peak	Fundamental frequency, no limit
2	*	2436.200	69.37	33.50	102.87	54.00	48.87	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX B MODE 2437MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4874.000	43.02	6.55	49.57	74.00	-24.43	peak	
2 *	4874.000	40.20	6.55	46.75	54.00	-7.25	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2460.300	64.92	33.56	98.48	54.00	44.48	AVG	Fundamental frequency, no limit
2	X	2461.200	66.97	33.56	100.53	74.00	26.53	peak	Fundamental frequency, no limit
3		2483.500	24.32	33.62	57.94	74.00	-16.06	peak	
4		2483.500	14.70	33.62	48.32	54.00	-5.68	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4923.940	44.62	6.66	51.28	74.00	-22.72	peak	
2 *	4923.980	40.52	6.66	47.18	54.00	-6.82	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2460.200	70.56	33.56	104.12	54.00	50.12	AVG	Fundamental frequency, no limit
2	X	2464.800	72.71	33.57	106.28	74.00	32.28	peak	Fundamental frequency, no limit
3		2483.500	26.38	33.62	60.00	74.00	-14.00	peak	
4		2483.500	16.39	33.62	50.01	54.00	-3.99	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4923.980	34.26	6.66	40.92	54.00	-13.08	AVG	
2		4924.080	40.37	6.66	47.03	74.00	-26.97	peak	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		2390.000	24.34	33.38	57.72	74.00	-16.28	peak	
2		2390.000	13.82	33.38	47.20	54.00	-6.80	AVG	
3	X	2407.300	65.54	33.43	98.97	74.00	24.97	peak	Fundamental frequency, no limit
4	*	2416.900	56.12	33.45	89.57	54.00	35.57	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4820.600	46.44	6.42	52.86	74.00	-21.14	peak	
2 *	4824.050	33.14	6.44	39.58	54.00	-14.42	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	25.22	33.38	58.60	74.00	-15.40	peak	
2		2390.000	15.05	33.38	48.43	54.00	-5.57	AVG	
3	X	2407.100	73.36	33.43	106.79	74.00	32.79	peak	Fundamental frequency, no limit
4	*	2413.600	63.55	33.44	96.99	54.00	42.99	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4823.900	31.44	6.44	37.88	54.00	-16.12	AVG	
2		4824.050	43.93	6.44	50.37	74.00	-23.63	peak	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	2432.300	68.32	33.49	101.81	74.00	27.81	peak	Fundamental frequency, no limit
2	*	2436.000	58.80	33.50	92.30	54.00	38.30	AVG	Fundamental frequency, no limit