


Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4870.900	42.64	6.54	49.18	74.00	-24.82	peak	
2 *	4872.200	30.53	6.55	37.08	54.00	-16.92	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2432.100	74.77	33.49	108.26	74.00	34.26	peak	Fundamental frequency, no limit
2	*	2435.800	65.14	33.50	98.64	54.00	44.64	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4873.450	40.82	6.55	47.37	74.00	-26.63	peak	
2 *	4875.800	28.73	6.55	35.28	54.00	-18.72	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2457.300	70.08	33.56	103.64	74.00	29.64	peak	Fundamental frequency, no limit
2	*	2460.800	60.45	33.56	94.01	54.00	40.01	AVG	Fundamental frequency, no limit
3		2483.500	29.29	33.62	62.91	74.00	-11.09	peak	
4		2483.500	16.97	33.62	50.59	54.00	-3.41	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4923.950	38.22	6.66	44.88	74.00	-29.12	peak	
2 *	4926.250	27.21	6.66	33.87	54.00	-20.13	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2457.300	74.47	33.56	108.03	74.00	34.03	peak	Fundamental frequency, no limit
2	*	2463.300	64.85	33.57	98.42	54.00	44.42	AVG	Fundamental frequency, no limit
3		2483.500	29.54	33.62	63.16	74.00	-10.84	peak	
4		2483.500	16.17	33.62	49.79	54.00	-4.21	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4925.450	38.06	6.66	44.72	74.00	-29.28	peak	
2 *	4928.500	27.31	6.67	33.98	54.00	-20.02	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	23.78	33.38	57.16	74.00	-16.84	peak	
2		2390.000	14.03	33.38	47.41	54.00	-6.59	AVG	
3	*	2415.100	56.08	33.44	89.52	54.00	35.52	AVG	Fundamental frequency, no limit
4	X	2417.500	65.43	33.45	98.88	74.00	24.88	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4824.150	33.33	6.44	39.77	54.00	-14.23	AVG	
2		4825.200	46.14	6.44	52.58	74.00	-21.42	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	26.65	33.38	60.03	74.00	-13.97	peak	
2		2390.000	15.65	33.38	49.03	54.00	-4.97	AVG	
3	*	2415.100	63.58	33.44	97.02	54.00	43.02	AVG	Fundamental frequency, no limit
4	X	2417.500	72.96	33.45	106.41	74.00	32.41	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4823.850	29.77	6.44	36.21	54.00	-17.79	AVG	
2		4828.250	41.31	6.45	47.76	74.00	-26.24	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	2435.600	59.35	33.50	92.85	54.00	38.85	AVG	Fundamental frequency, no limit
2	X	2437.400	68.31	33.50	101.81	74.00	27.81	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4872.500	42.11	6.55	48.66	74.00	-25.34	peak	
2 *	4874.100	29.68	6.55	36.23	54.00	-17.77	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2435.600	64.24	33.50	97.74	54.00	43.74	AVG	Fundamental frequency, no limit
2	X	2437.400	73.17	33.50	106.67	74.00	32.67	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4872.800	39.59	6.55	46.14	74.00	-27.86	peak	
2 *	4873.900	28.36	6.55	34.91	54.00	-19.09	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2460.600	58.98	33.56	92.54	54.00	38.54	AVG	Fundamental frequency, no limit
2	X	2467.400	67.73	33.57	101.30	74.00	27.30	peak	Fundamental frequency, no limit
3		2483.500	30.25	33.62	63.87	74.00	-10.13	peak	
4		2483.500	16.01	33.62	49.63	54.00	-4.37	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	4925.500	38.47	6.66	45.13	74.00	-28.87	peak	
2 *	4925.500	27.33	6.66	33.99	54.00	-20.01	AVG	