



Neutron Engineering Inc.

FCC RF EXPOSURE REPORT

FCC ID: W59XWR600

Project No. : 1401C155
Equipment : Dual Band Wireless 600N Router
Model Name : XWR-600
Applicant : Luxul Wireless
Address : 14203 Minuteman Dr, Suite 201, Draper, Utah, United States
Manufacturer : Luxul Wireless
Address : 14203 Minuteman Dr, Suite 201, Draper, Utah, United States

According: : **FCC Guidelines for Human Exposure IEEE C92.76**

Neutron Engineering Inc.

No.3, Jinshagang 1st Road, ShiXia, Dalang Town, Dong Guan, China.

TEL : (0769) 8318-3000 FAX : (0769) 8319-6000



Neutron Engineering Inc.

MPE CALCULATION METHOD:

Calculation Method of RF Safety Distance:

$$S = \frac{PG}{4\pi r^2} = \frac{EIRP}{4\pi r^2}$$

where:

S = power density

P = power input to the antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

Ant.	Brand	Model Name	Antenna Type	Connector	Gain (dBi)	Note
1	LUXUL	Q5095	Dipole	N/A	6.06	TX/RX
2	LUXUL	Q5096	Dipole	N/A	6.06	TX/RX

Operating Mode	1TX	2TX
TX Mode		
802.11a	V (ANT 1 or ANT 2)	-
802.11n(20MHz)	-	V (ANT 1 + ANT 2)
802.11n(40MHz)	-	V (ANT 1 + ANT 2)



TEST RESULTS

EUT:	Daul Band Wireless 600N Router	Model Name :	XWR-600
Temperature:	25 °C	Relative Humidity:	55 %
Pressure:	AC 120V/60Hz		
Test Mode :	Band 1/TX A Mode		

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
6.06	4.0365	15.04	31.9154	0.02564191	1	Complies
6.06	4.0365	15.26	33.5738	0.02697431	1	Complies
6.06	4.0365	14.91	30.9742	0.02488573	1	Complies

EUT:	Daul Band Wireless 600N Router	Model Name :	XWR-600
Temperature:	25 °C	Relative Humidity:	55 %
Pressure:	AC 120V/60Hz		
Test Mode :	Band 1/TX N20 Mode-Total		

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
6.06	4.0365	15.45	35.0752	0.02818061	1	Complies
6.06	4.0365	15.31	33.9625	0.02728666	1	Complies
6.06	4.0365	15.39	34.5939	0.02779396	1	Complies

EUT:	Daul Band Wireless 600N Router	Model Name :	XWR-600
Temperature:	25 °C	Relative Humidity:	55 %
Pressure:	AC 120V/60Hz		
Test Mode :	Band 1/TX N40 Mode		

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
6.06	4.0365	13.85	24.2661	0.01949622	1	Complies
6.06	4.0365	15.28	33.7287	0.02709882	1	Complies

Note: The calculated distance is 20cm.